

* UMASS/AMHERST *



312066 0333 3027 1



**UNIVERSITY OF MASSACHUSETTS
LIBRARY**

LIBRARY

UNIVERSITY OF

MASSACHUSETTS

AMHERST, MASS.

THE GARDEN:

An Illustrated Weekly Journal

OF

HORTICULTURE IN ALL ITS BRANCHES.

FOUNDED BY

W. ROBINSON, F.L.S.,

HORTICULTURAL EDITOR OF "THE FIELD;" FOUNDER OF "GARDENING ILLUSTRATED;" CORRESPONDENT OF "THE TIMES" FOR THE HORTICULTURAL DEPARTMENT OF THE PARIS EXPOSITION; AUTHOR OF "ALPINE FLOWERS FOR ENGLISH GARDENS;" THE "PARKS AND GARDENS OF PARIS;" "HARDY FLOWERS;" THE "WILD-GARDEN;" ETC., ETC.

GENERAL INDEX

TO THE

FIRST TWENTY HALF-YEARLY VOLUMES,

APPEARING BETWEEN

NOVEMBER 25, 1871, and DECEMBER 31, 1881.

COMPILED BY W. MILLER. ARRANGED BY W. VOKES.

LONDON:

OFFICE: 37, SOUTHAMPTON STREET, COVENT GARDEN, W.C.

C
Per
G. 16

Londo
✓. 1 - 2 0

LONDON :

BRADBURY, AGNEW, & CO., HORTICULTURAL AND GENERAL PRINTERS, WHITEFRIARS.

“THE GARDEN” GENERAL INDEX, 1871—1881.

Ab

A.

Abbey of St. Victor, the Vol. X 584
Abele, or white Poplar, the XI 513
Abelia floribunda VI 66
FLORIBUNDA XIII 468
 fragrant X 75
grandiflora X 255
ruepestris IV 250; XIV 125; XVI 275; XX 318
triflora VI 462; VII 491; X 75; XII 30
TRIFLORA X 58
Abelias I 46
 species of X 58
Aberdeen fruit garden II 181
 new park for XVIII 560
Abies I 464
 · *Albertiana* IX 72
Alcoquiana XIII 430; XX 523
canadensis I 195; II 500; c. *magnophylla* XIII 392; c. *variegata* XX 173
carolinensis XX 360
Douglasia as a forest tree III 69; D. *Stairii* IV 18
Engelmanni IX 452 483; XII 226; E. *glaucia* XIX 604
exelsa XX 91; e. *aurea* IX 75
Fraseri XI 26
Gordoni VI 132; G. *pumila* VI 73
grandis and its forms IX 318
Hookeriana VI 272
Menziesii I 155; VI 481; VII 56; XVI 544
 new way of determining species of XI 279
nigra XX 134
nobilis, a fine VI 428
obovata XX 91
Pattisoniana XIII 134
polita V 307; cone, scales, and leaves of XIII 239
Regiae Amalicae XIII 172
Smithiana, cones and foliage of XIX 359
Williamsonii VI 272
Abobra, the scarlet-fruited V 103
viridiflora V 103 223 (*cut*); XX 197
Abraxas grossulariata X 8; XVII 283 (*cut*)
Abronia XX 197
 arenaria IV 22
 fragrans V 179; XIII 444; XVI 235; XVIII 444
umbellata XIX 203
Abromias, the XIX 203
 without water XVI 404
Absinthe III 98
Abutilon Anna Crozy XIV 466
Boule de Neige III 373; VIII 472; XI 63

Abutilon Darwinii VII 148 226 416; D. *tessellatum* XI 206; XIII 97
igneum XIV 447
IGNEUM XVIII 624
igneum and A. *insigne* XIV 513
 in greenhouses VIII 510
insigne XV 440; XVIII 586; in pots or planted out XIX 21
 Lady of the Lake XIII 613
Lemoinei XIII 589
roseiflorum XII 587
 seed XVII 316
Sellovianum variegatum X 538
Thompsoni I 252; as a bedding plant IV 440
 Van Houttei XIX 124
vexillarium XI 325; XVII 150; XX 368
vittifolium II 146; XVII 401 559
 yellow-flowered XVII 138
Yellow Prince XX 522
Abutilons XX 197 354 638
 as pillar and roof plants XVII 218
 for winter flowering XIV 557; XIX 159
 from seed XVIII 574; XVIII 646
 grown for trial at Chiswick XV 312
 in winter XX 543
 new XVIII 615
 NEW XIX 524
 planted out XVII 330
 propagating XX 451
 seedling XI 493
 some good XVII 34
 variegated IV 4; IX 516
Acacia armata VIII 103
 a spreading III 47
coccinea XI 230
 dealbata II 98; VIII 362; XIV 170, 190, 323; XIX 2 34
Decaisneana XIV 407
decurvens II 257
Drummondii XVII 273
Farnesiana XIII 308; XVII 88
 (*cut*)
 hedges II 214
humifusa I 73
 Indian thorny III 47
Julibrissin XX 197
longifolia magnifica XIX 299
lophantha II 240 557; III 223; VI 310 430; XX 197; as a table plant VI 380; for the flower garden. VII 200; in windows XIII 250
melanoxyylon XIV 190
Nemn, hardness of VII 395
 new weeping VI 53
 old, in the Jardin des Plantes II 77; one of the oldest in Europe VI 265; oldest in Europe III 144
ParasoI XII 405
pinnate-leaved XII 613
platyptera XIX 2; XX 457
retinoides XVI 572
Riceana I 146; III 66 315 (*cut*); XIII 230; XVI 148; XVII 139 330; and its treatment XVI 248

Acacia, Rose II 531; III 33; XX 12 295; as a standard XIV 154
 Silvery, flowering in England, in February XI 166
 species of III 12
 wood, value of VII 471
Acacias XX 573
 and their culture XIV 329
 as window plants XIV 454
 at Kew XIX 368
 early flowering XVII 150
 for the conservatory, the finest III 431
 greenhouse VII 384
propagating XIX 112
propagating XX 451
 shedding their bloom-buds IX 172
 the best XIII 92
Academy, Art at the X 37
 notes from the Royal XIII 629
Acca XX 197
microphylla II 136; XX 98 197
millefolia XX 198
Nova Zealandiae XX 98 234
puclhella XX 198; for rockwork and vases X 477; XX 197
rosy-spined XX 197
Acalypha marginata VII 521
Acantholimon XX 198
venustum II 65
VENUSTUM XIII 186
Acaantholimonis, the XIII 186
Acanthopanax quinquefolia variegata, XX 401
 to propagate XX 359
Acanthoriza aculeata XVII 322
Warscewiczii VII 481
Acanthus XX 198
Candelabrum XII 282
 in flower XX 103
latifolius I 303; XI 166 262 (*cut*); and molhs XI 190; as a window plant XI 289
 leaves XX 605
spinulosus XVIII 149; in flower VIII 147; in mixed border XIX 393
Acanthuses I 303; IV 167
 hybrid IV 534
 in Devonshire VIII 188
 in shade XIV 244
 in the wild garden XVI 325
Acarus Tiliae II 425
Aceranthus diphyllus XX 198
Aceras XX 198
Acer acuminatum, leaves of III 371
atheneense V 83
barbatum II 322
circinnatum III 255; XIII 620
coriaceum V 231
creticum III 143
dasyarpum XII 128 226; XX 167
dissectum, leaves of III 241
eriocarpum II 320
Ginnala XVI 542; XVIII 367
glaucum IV 499; leaf of IV 499
granatense III 3
hyrcanum II 379

Acer ibericum III 179
insigne, flowers and foliage of, XIX 355
lobatum III 69; leaf of III 69
Loudoni II 322
monspessulanum II 423
neapolitanum II 337
Negundo variegatum I 252 333; II 197 295; IV 144; XVIII 316; intermixed with Clematis VIII 305; seed-pods on VIII 87
oblongum III 205; leaf of III 205
obtusatum II 257
opus II 443
opulifolium II 483
palmetum dissectum atropurpureum XVI 579
platanoides II 322; fruit of II 322; p. *dissectum* II 465; p. *laciniatum* II 465; p. *Schwedleri* XIII 572
polymorphum XVI 568; p. *atropurpureum* XIII 572
Pseudo-Platanus V 147; leaf of V 147
rubrum II 320; XV 324; XVIII 284; XIX 368
saccharinum IV 45
Schwedleri XIV 213
spicatum III 57; leaf and fruit of III 57
striatum, leaf and fruit of III 351
trifidum IV 127; leaves of IV 127
truncatum V 274
 variegated XVIII 271
villosum, leaf of III 93
Wieri laciniatum XX 220
Acers, the II 237
 grafting III 10
Achania Malvaviscus IX 254
Acherontia Atropos XVIII 414
Achillea agyptiaca X 396
ageratoidea XX 198
aurea I 586; XV 272
Eupatorium X 129
Parmica XX 71 210
RUPESTRIS XVIII 306
umbellata VIII 434
Achilleas XX 198
 large white XVI 167
 species of XVIII 306
Achimenes XX 472
 and their culture II 142; XI 227; XIII 463; XVI 42
 as basket plants XV 135
coccinea, as a winter bloomer XX 563
 grown in boxes XI 303; XII 80
propagating XIII 505
 wintering XIV 385
Achlys XX 199
Achyrochæna mollis XX 199
Achyrocline XX 199
Acidanthera bicolor VIII 234; IX 156; XVIII 279
Acincta Humboldtii III 11 24; XX 143 (*cut*)
Aciuetas XX 143
Aciphylla squarrosa X 496

- Acis** XX 199
autumnalis VI 142; XII 271; XX 293
trichophylla XIII 162
- Aconite** XX 199
winter XI 91; XVII 234; XX 199
- Aconitum** XX 199
album XV III 228
japonicum X 490
lycoctonum XVIII 180; XX 209
Nupellus VII 171
- Acorn** poisoning VIII 382
- Acorns**, germination of XIII 333
pigs killed by VIII 359
poisonous VIII 512
sweet IX 342
- Acorus** XX 199
Calamus, VIII 84; medicinal uses of VIII 52
- Acradenia Frankliniae** V 547
- Acrocladium** XX 199
- Acronycta Psi** and caterpillar XVI 426
- Acropolis at Athens**, the IV 301
- Acrostichum peltatum** XIV 499
- Actaea** XX 199
racemosa XIV 264; XX 124
spicata XVI 112
- Actinella** XX 199
- Actinidia Kolomikta** VI 547; XV 516; XX 9
radiata VI 547; VIII 156
- Actinoipterus australis** XX 172
radiata XX 529; culture of XVIII 438
- Actinomeris** XX 199
- Adam and Eve** XX 287
- Adam's Needle** IV 3; XX 199
- Adam's needles** and Stonecrops XVIII 538
- Adamsia** XX 199
- Adanson**, last years of, I 186
Adansonia digitata I 240
flower of XVIII 694
in India, rate of growth of the V 232
- Adder's-tongue** XX 199
- Adenocalymnia nitidum** XX 262
- Adenocarpus frankeniioides** XIII 620
- Adenophora** XX 199
- Adenostylis** XX 199
- Adhatoda eydoniaefolia** XX 457
- Adiantha** XX 199
multiflora IV 63; for hanging baskets XVII 246
- Aneitense** XX 172
- Bausci** XVIII 79 597 (*cut*)
- Capitulus-Veneris** XIII 536; for covering bare walls X 420; in America XVIII 317; on walls XIV 549; C.-V. var. cornubieense XIX 111
- caudatum** XIV 86
- concinnum luteum** XII 540
- eristatum** V 182
- enaeatum pentaphyllum** XII 395; e. p. var. *elegantulum* IV 338
digitatum X 399
- Elyagrithri** XIV 555
- excisum**, Lay's variety of II 390 401
- Fairleyense** VIII 91 355; XVI 518; XVII 48; and its culture XIII 348; as a basket plant XI 406; for hair decoration VII 226; from seed XIV 250; from spores VIII 51; in loan XIII 132; on water tanks XIV 544
- Flemingi** XII 540
formosum V 158
- gracillimum** VI 442; VII 339 (*cut*); VIII 434
- Hendersoni** IV 112 144; V 30; XIV 257 511 (*cut*)
- Lawsoni** XIX 558
- lunulatum** XI 515
- macrophyllum**, fronds turning brown XIX 512
- new golden** X 419
- Adiantum** Oweni XX 311
palmatum XIII 250; XIV 525; XV 401 (*cut*)
pelatum II 526
principes XII 620
rubellum I 637; IV 425 (*cut*)
Seemannii VII 481
speciosum VII 465
Tabarum XX 265
Williamsi XVII 34; XVIII 227 (*cut*)
- Adiantums**, hardy XIX 179
two new XIII 114
- Aldumia** XX 200
cirrhosa XIV 106
- Adonis** XX 200
autumnalis XII 131
pyrenaica I 608; III 430
renalis V 519
- Adonisces**, species of V 519
- Adrastus** XX 457
- Adulteration** I 344
- Aechmea caerulea** XX 437
fulgens IV 397
Lindeni XX 625
Marie Regine II 438; XI 369; XV 170
Melinoni XVIII 186
Regina III 22
Weibelbachia Lamprocerus IX 32
- Aechmeas** and their cultivation IX 51
- Aecidium** Euphorbiæ hypericifoliae VI 557
- Æglops** XX 200
- Ægopodium Podagraria** XX 200
- Aceris** crassifolium III 461
crispum IV 85
Huttonii XIII 114
japonicum XX 62
Lobbi var. Ainsworthii XIV 147
odoratum, a fine specimen of VII 500; in Covent Garden XII 30
Schrederi and other Orchids XV 493
virens XII 106
- Eschynanthus grandiflorus** XV 288
Lobbi XX 222
maculatus XVII 428
- Eschynanthes** as basket plants XVIII 286
culture of IX 424
for baskets and brackets XVIII 331
- Esculus californica** XII 175 226; XX 52
flower-spike of XII 205
fruit of XII 204
- Ethionema** XX 200
grandiflorum I 158; VII 500; IX 144
GRANDIFLORUM IX 108
orientale III 470
- Ethionemas**, notes on X 75
species of IX 108
- Afghanistan**, vegetation in XVIII 155
- Africa**, gardening in South XVI 317
flora of VI 238
- AGALMYLA LONGISTYLA** XI 524
- Agapanthus**, the XVIII 358; XX 200
double-flowered XII 30; XIII 94; XIV 78
maximus XI 381
minor XI 166; XVIII 188; m. Mooreanus XIV 305
Mooreanus XVI 297
note on XVIII 402
umbellatus II 9; III 222; XVI 447; XX 325; n. albus VII 507; as a balcony plant V 482; as a greenhouse and indoor plant IX 311; u. candidus XV 496; u. fl. pl. X 490; for indoor decoration X 304; hardiness of XVIII 421 468 474 482 574; in Wigtownshire XIV 199; out-of-doors X 351; XIV 191; out-of-doors in winter X 328
white-flowered VII 522; XIX 558
- Agapetes buxifolia** IV 110; XIX 463
- Agarie**, brown warty II 306
Orange-milk or Red-milk VII 190
- Parasol** I 178
- Agaricus (Amanita)** strobiliformis III 98
- arvensis** II 214
- gambosus** I 623; III 442
- procerus** I 178
- prunulus** VI 207
- rubescens** II 306
- (Tricholoma) personatus III 136
- Agathaea celestis** XX 200; c. variegata V 10 55
- Agave**, a cure for scurvy, the VI 459
americana XII 397; XVI 480
XX 200
at Kew V 300
attenuata XVIII 449
- Botterii** X 203
- Celsiana** XII 213
- Consideranti** VIII 429
- dasyliorium** XX 564
- densiflora** XII 396
- Dr. Engelmann's Notes on IX 375
- Elemetiana** V 416; in flower XI 166
- fibre, application of III 442
- geminiiflora** II 203; IV 522
- Hookeri** IV 130
- horrida** XVIII 229
- house, Mr. Peacock's** VI 447
- Jacquiniana** III 390
- large XVI 298
- (Litorea) geminiiflora II 335
- Monograph of the genus III 155
- Miradorensis** XI 30
- Parryi** XX 26
- Scolyanus** XII 397
- striata Richardii** XIX 372
- Telypteris** I 51
- univittata** V 218 238; XVII 241
- Utahensis** IX 242
- Victoriae Regiae* VIII 351 385 409 429
- Yuccafolia** XII 583; flowering of IV 440
- Agaves**, at Kew, flowering XIX 3 half-hardy III 415
in bloom at the Alexandra Palace X 204
- potting I 369
- repotting I 462
- Ageratum** XX 200
album XIII 114
- Cannell's dwarf** XV 189 496
- Countess of Stair X 357 479
in winter XII 580
- Imperial Blue** XIV 141
- Imperial Dwarf** IV 234
- Lady Jane XV 313
- Malvern Beauty** XVIII 298
- Multum** in Parvo XVIII 228
new varieties of XX 341
- Snowflake** X 213
- Tom Thumb**, from seed VII 200
- Ageratum**, dwarf V 158
improving XII 586
new XIII 616
- Agnus Castus**, varieties of VI 382
- Agricultural Holdings Act**, the IX 119
- Paper, a new XVI 544
- Agrimony** XX 200
- Agyriotes linearis* XV 413
- Agrostemma coronaria** XX 200
- Agrostis** XX 200
nebulosa VII 252
- pulchella** as a pot-plant IX 540
- Agrotis exclamans** IV 357; XVI 92 (*cut*)
- (*Noctua*) *segetum* XV 20
- Ailanthus**, the IX 342; XVI 162; XX 201
- and *Cannabis* I 93
- Ailantus** as a fine-foliaged standard XIV 391
as a street tree, the III 116
as a timber tree, the III 94
- glandulosa** XX 204, 263, 321; as a remedy for dysentery V 524; in flower XVIII 629; in fruit XX 223
- odour of the III 144
- silkworm, the II 515
- tree, odour of the IV 184
- variation of sex in the II 379
- Ainsliaea Walkeri** IX 464; XIX 116
- Aira caryophyllea** XVI 303
- Air giving in forcing-houses IX 148
near large lakes, temperature and moisture of the XVII 408
- testing the purity of the IX 571
to plants, admission of XX 490
- Air-plants**, the X 466
- “Ajioli” X 275
- Ajuga** XX 201
alpina I 608
repans purpurea II 273 421
- Akebia quinata** XI 265; XVII 213, 290; XVIII 207; XIX 392; in April XI 325
- Alamedu of Mexico**, the VIII 27
- Alaternus** XVII 498
- Albert Memorial in Hyde Park, the IX 462
- Album Benary**, the XI 22
- Alder**, sowing the XII 604
black XII 562; XVII 282; XIX 18
golden-leaved XX 281
red-veined XVIII 390
variegated VIII 59
- Alders**, the (18 illustrations) XIV 437
cut-leaved, at Wynnstay, XVI 259
for the lawn XX 27
white XVIII 189
WHITE XIX 208
- Alecost-Costmary** XX 201
- Alehoof** XX 201
- Aletris farinosa** XIV 54
fragrans XIII 27
- Aleurodes Chelidoni** XX 633
- Alexandra Palace and gardens** III 386
Park II 88 497; XX 174
- Alexandra Park Co.** I 272
- Alexandra Park**, opening of III 390
Promenade, the III 465
- Alfredia** XX 201
- Algeria**, Cedars in XI 263
Eucalyptus in XII 313
flower culture in XII 480
plants from XIX 202
“Sketches in” XVIII 124
- Alisma** XX 201
- Plantago** XX 242
- sinensis** XIV 169
- Alkali lands**, the cure of VI 61
- Alkanet** XX 201, 236
Cape XVIII 380
- Alkekengi** XX 201
- Allamanda**, as it ought to be grown XIV 396
grandiflora XX 332
- Hendersoni** XII 416
- Schotti**, with double flowers XIII 39
- Allamandas** II 141; IX 55
as conservatory plants VII 317
at Chelsea II 92
- bnsh X 131
- double XIII 112
- flowerless XII 75
- in Dorsetshire XII 103
- restricted at the root XX 441 456
- specimen XIII 378
- training XX 382
- Allium** XX 201
aneeps IX 464
- azureum** XIX 643
- blue-flowered** XX 135
- Cepa sylvestre** XIII 238
œrœuleum XX 135

Allium Erdeli XV 391
fistulosum IV 158
flavum, from seed XIII 106
kurataviense XV 442; XVI 231
narcissiflorum VIII 230
neapolitanum XI 285; XIII 136
196 250; XVII 291
new, V 55; XX 25
odorum V 518
pedemontanum XVI 6; XVII 557; XVIII 4
PEDEMONTANUM XVI 350
pulchellum XVI 215
stellatum XX 440
triquetrum XVII 403
white-flowered XX 79
Alliums, Dr. Regel's book on IX 543
Allosorus crispus I 562, 652; XX 254
Allotment gardens II 176; VII 329; at Coventry II 78
Allspice, the Carolina IV 328
Almond, a variegated V 134
Boissier's VIII 347
dwarf I 503; III 352
dwarf XII 272
earth IX 242
large-fruited XI 264
Almonds IX 412
new dwarf II 239
some varieties of IX 383
Alnus glutinosa aurea XX 281; g. a. laciniata II 197, 283; variegated VIII 59
Oregonia XII 583
rubro-nervia XVIII 390
Alnwick Castle V 101; XX 155 (*cut*)
Percy Tower XX 159
Alocasia culture XIX 69
intermedia VIII 155
Jenningsii XIV 101
metallica I 146, 370; II 516 (*cut*); XII 467
scabriuscula XVI 232
Thibautiana XVII 455
Alocasias, wintering VII 22
Aloe abyssinica V 112
American VI 332; XX 78; flowering at Oxford VIII 80; *in bloom* V 143; II 272; XIV 169; *in bloom* at Weymouth VIII 100; in flower at Kew IV 2 206; in 1874 VI 118; *naturalised in Spain* VI 345
and *Yucca* tribes, a synopsis of the XVII 156
at *Wisbeach* VIII 529
Bainesii VI 100
ciliaris VII 217
flowering of an old VII 482
fruticosa, in flower, in January VII 26
Greeni XX 415
Hanburyana VII 390
new (A. macracantha) XIX 323
Partridge-breasted XI 103
Pearly IX 529
spirit of American I 402
Utah IX 459
variegated IV 270; XI 103
Variegated American I 679; V 400
Aloes, American XX 508; *in bloom* at South Kensington II 88; in Ireland XVI 521
Cape, at Kew XIX 116; flowering at Kew VII 59
in flower, in February VII 190
three select XII 396
winter-flowering XX 597
wintering American XIV 454
Alousoa XX 254
acutifolia IX 351
incisifolia VIII 340; XX 408
linifolia VII 127
Mutisi XIX 464
myrtifolia VII 124
patagonica XI 45
Warscewiczii II 195; XVIII 140

Alonsoas, two new VIII 368
Alopecurus pratensis argenteus XVI 368
Aloysia citriodora III 418; VIII 220; X 582
Alphonse Karr and his Lilacs XII 592
Alpine bed, an VI 470
flowers I 463; II 7 (*cut*); and rockeries XX 43
“Alpine Flowers for English Gardens,” a new edition of VII 192; XVI 416
forest land, regeneration of I 710
garden I 463 496 542 562 605; II 71; *fence in* II 8; illustrations of an II 71
house, an XVIII 285
Passes and Alpine Flowers XV 97
plants, soils for XX 387 459 580 635; showing III 450; at home XX 282 502 601; at Newminster Nurseries XX 57; choice, planting of I 6; collecting XX 636; green in winter I 305; growing XX 634; growing at the freezing point III 430; in autumn XX 368; in chunks IV 5; influence of soils on XX 569; in winter XX 519; localities for collecting VII 236; M. Verlot's book on III 156; new, rare, or neglected III 244 256 277 296 360; soils for XX 341 367 479 520 540 585; 2 illustrations of I 497
rock garden (7 cuts) I 605 606; steps in II 7
Sanicula XX 254
shrubs VIII 211
strawberry I 188
windflower XX 258
Alpines I 204
(rare) at Bentham Hall II 9
stove I 346
Alpinia nutans XV 442; XIX 535
vittata IV 25
Alps, June weather in the V 557
Alsophila excelsa XX 201
pignea XV 30
plumosa XI 18
Alstroemeria XX 201
a beautiful XX 24
aurantiaca XI 442
aurea II 65
haemantha XIII 613
Pelegrina XVIII 327; XIX 586; alba XX 53
Alstroemerias, the XVIII 327
and their culture XV 342; VIII 456
in the wild garden XIV 3
Alternanthera amena spectabilis IV 395
Alternantheras XVI 262
autumn struck best IX 176
propagation of VII 319; IX 272; XI 289; XVIII 294
treatment of V 419; XVI 286
wintering IX 150; 223; XI 159
Althea XX 254
Frolowiana VIII 328; X 151
frutex XVIII 266; well grown X 232
Althaeas in London XIV 190
Alton Towers I 649; II 15 (*cut*)
view in the gardens at II 56, 57
Alum water and manuring XX 66
Alyssum XX 255
argenteum XX 386
maritimum X 445
olympicum I 608
saxatile V 392; VII 482; s. compactum XIII 436
variegated rock XIV 416
Amadou VII 112
Amarantus XX 255
candatus, for harvest decoration XV 162

Amarantus, fine varieties of VI 424
Henderi VI 262 341
on the Himalayas XII 403
Princess of Wales VIII 227
salicifolius I 71 420; II 87 92 194 478; IV 210 258; in America III 125
Amaryllidaceæ, the genus of XIV 332
Amaryllids and their treatment XIV 48
culture of IX 447
hardy VII 42
Henderson's XVIII 290
hybrid V 4
in the London nurseries XIII 329
sowing and growing VII 116
Amaryllis XX 255
Ackermann's flowering in the open border XII 343
Acramani XVI 194; 216
Beauty of Cornwall XVII 213
Beauty of Reigate XI 306
Ectudonna VI 311
calyptrata V 258
equestris fl. pl. XIII 537
field of XVI 45
fine collection of hybrid VII 170
fine V 88
formosissima XIII 233
from Caltre Abbey XX 388
hardy XVIII 305; XX 177 283; XX 455
Harry Williams XVII 34
(Hippeastrum) Hendersoni XIX 34
HENDERSONI COCCINEA VII 346
Hendersoni coccinea VII 364
Leopoldi XIX 88
Mrs. Baker XVII 322
ignescens VIII 32
longifolia alba XVI 124
malformed XIX 344; XIX 396 (*cut*)
new hybrid XVIII 477
new seedling XIX 166
O'BRIENI XVI 36
O'Brien delicata XIV 191
prizes for XV 210
reticulata VI 384; XVIII 366
revoluta XVIII 59
sweet-scented XI 406
VARIETIES OF XIV 332
virginalis XIII 415
white, pure, VIII 524
Amaryllises XX 357
as decorative plants XVI 66
at Holloway XV 171
culture of X 539
in bloom in December X 518
seedling XV 57 189
varieties of V 88
Amateurs, advice to I 72
garden, the VI 568 590; VII 14 32 46 69 90 111 134 156 217 246 260 281 309 333 345 368 388 400 428 453 467 484 514 528; VIII 12 27 44 59 94 104 135 151 183 202 225 240 261 284 300 330 348 372 392 412 443 453 480 502 520 544; IX 10 36 60 84 110 138 152 184 205 223 248 264 288 319 343 366 393 407 437 453 477 501 532 546 573 587 597; X 20 40 56 83 104 135 163 189 217 246 267 290 313 337 361 386 408 427 447 467 487 509 524 549 569 587 607; XI 13 35 51 76 93 108 128 150 172 195 216 235 255 275 300 315 332 362 389 406 438 461 487 503 530 554; XII 12 38 66 90 133 161 185 214 239 265 283 312 335 349 378 408 432 450 479 507 518 553 574 596 625

Amateurs, hints for II 90; V 406; XX 343
Remembrance I 65 88 112 134 180 202 226 272 294 318
Amber IV 481
Amberboa XX 255
Amblyolepis setigera XX 255
Amelanchier canadensis III 400; VII 525; c. var. alnifolia XVI 119; XIX 478
America, floriculture in XVII 509
fruit-crops in II 335
fruit culture in XVII 277; XX 120 305
notes from XIV 452
nursery trade in XVII 542
orchid-growing in XV 519
parks and gardens of I 45
sparrows in XIV 156
standard fruits of XI 38
American Aloes in bloom at South Keusington II 88
blight, the IX 485; XVIII 554; note on XIX 386; oil for XIX 281; remedy for II 358; X 195; XII 457; XIII 213; XIV 573; Waterton's cure for XIX 283
bug, destruction of I 244
Celery XX 600
Centennial Exhibition, the IX 560
Cowslip XX 255
fruit crops XX 318
notes XV 116 308 322 439 501; XVI 52 91 162 379; XVII 23 238; XVIII 31 262 545
woods XX 475
Amherstia nobilis I 17; XVII 352; XIX 415
from cuttings VII 385
in India IX 209
Amianthium muscatoxicum XX 255
Ammobium XX 256
alatum XIX 493
Amouiacal liquor as a manure XVI 340
Ammophila sabulosa XX 589
Amorphophallus Rivieri II 540; III 194; X 167 (*cut*); XI 193; XII 374 (*cut*); XX 21
Ampelopsis disecta, leaves of V 523
japonica XX 479
napiformis, tubers and leaf of VI 365
tricuspidata I 8 151; II 92
tuberosa, tubers of VI 365
Veitchii IV 356; VIII 346 382 426; XII 202; XVI 414; XVIII 641; and other wall plants XIV 415; at Frogmore XVI 369; hardy XVIII 394; how to grow XIV 462; on the Thames Embankment XVI 320; variegated XVIII 390
Ampton Park III 454
Amphicome Erioid VIII 25; XX 625
Amsonia XX 256
Amsterdam, International Horticultural Exhibition at in 1877 X 577
Amygdaulus Boissieri VIII 347
communis pyramidata II 339
grandiflora VII 92
macrocarpa XI 264
uana I 503; XII 272 (*cut*); XV 387
persica foliis purpureis XIII 572
Anacardium occidentale XI 211
Anacharis *Alsinastrum* XVI 546; XVIII 349 (*cut*); XX 256; in ornamental water VIII 147
Abacyclus Pyrethrum XX 256
Anactochilus or King plant, the IX 193
culture of I 92
Dawsouli IX 210; propagation XVIII 263
Dominii II 390
Lobbianus V 481
setaceus XVII 491

Anætochili and their culture XVI 571; XVIII 112
at home XVI 66
in flower XX 542
note on XVII 491
varieties of IX 193
Aneslia grandiflora IX 356
Anagallis XX 236
 teuella II 167
Ananas Mordilona XVII 494
Anauassa bracamorensis XVIII 276
 406
 bracteata VIII 51
Anaphalis triplinervis XX 256
Anasacanthus Wrighti XX 317
Anastatica hirsutissima IV 111; X 312
Anchomanes Hookeri XVII 302
Auchusa XX 256
 angustifolia XVIII 107; XIX 387
 caerulea IV 124; XII 69; XVIII 380
 incarnata XIV 191
 tinctoria XX 201
Andropogon *Skinneri* XVII 151
Andromeda XX 256
 arborea JV 228; XII 175; XVI 383
 calycina XV 109
 floribunda XV 289; XIX 294 :
 for forcing XIII 136; for house
 decoration VII 370
 hypnoides and A. *tetragona* XIII 70
 japonica XI 246; variegated XIX 264
JAPONICA XII 424
Leucothoe fl.-pl. for vases XI 422
Mariana VII 370
 pauiculata XX 27
 pulverulenta XIX 534
Andromedas, the XII 424; XX 27
Andropogon XX 256
 citratus XII 495
 formosus X 605
 halophilus XIII 305
 Nardus XII 495
 schoenanthus XI 230; to propa-
 gate XX 359
Androsace XX 313
 coronopifolia V 440; XX 325
 Laggeri XVI 194; XVII 136
 (*cut*) ; XIX 374 448
 laevigata I 51; VIII 346; XII 399; XVII 119 227; XX 366
 sarmentosa IX 118; XII 488; XIV 102; XVII 119 403; XX 299
 villosa and A. *Chamajasme* XI 369
Androsaces, the VIII 233; XX 256
Astrostephium XX 256
Audryala XX 257
Avenia *Phyllitidis* XVI 434
 rotundifolia JV 49
 tomentosa XVI 435
Anemias, select species of XVI 434
Anemidictyon *Phyllitidis tessellata* XIV 567
Anemopsis californica XX 257
Auemoine, a double III 312
 a florula's' XVII 179
 alpina XVII 449; XX 258
 apuanina XII 83; XIX 414
 blanda III 174; XIII 113 199
BLANDA XIV 200; XVII 321;
 and other wind-flowers XIII 247
blue wood XIII 348
capensis XIX 367 549 (*cut*)
coronaria XVII 417; XIX 386;
 and its varieties XIX 438
elegans XX 343
FULGENS XI 214
fulgens VII 254; VIII 39 (*cut*) ;
 IX 79 506; X 578; XI 205 225;
 XII 113; XX 203; and its
 varieties XV 436; and other
 wind-flowers XI 329; as a
 market-flower XI 269; dividing
 XIII 36 144; from seed XI 245;

Anemone fulgens—*continued*.
hardiness of IX 440; in bloom
in December X 558; in January
and February XI 122; in the
Holy Land IX 137; lifted and
un-lifted XIII 228; lifting XIII
161; lifting and dividing XIII
200; f. *ocellata* XIX 416; size of
XI 261
Honorine Jobert, propagating XIV
355
japonica XIV 408; XX 130; for
the conservatory X 328; white
and rose-coloured XIV 345; j.
alba VII 464; X 283; XII
347; XVIII 421; j. alba under
glass XX 463; j. Honore Jobert
IV 234; XVI 325; XVIII
387 401
narcissiflora XVII 448
neuropetala XII 83; n. *bracteata*
XIX 462
palmata VII 280; IX 499 520
(*cut*) ; XI 420; p. alba XIII
458; XVI 4; irregularity of
growth in XI 227
Peacock I 626
Pulsatilla III 295; V 326; XII
83 (*cut*)
red Japan XX 283
rivularis XVIII 29
Robinsoni V 372 438; XII 545
(*cut*), 570; XIX 438
seed XVII 534
stellata XV 289
syriaca XV 429; XVIII 561 (*cut*)
 in bloom in August XVIII 201
vitifolia XVI 215; XX 261
white Japan XVI 56; XVIII
219, 245, 298, 454, 564; in shady
places XII 247; origin of VI
498; varieties of XVIII 328
Anemones XX 368
a field of wild XVI 301
alpine X 74
as window plants V 412
at Christmas XI 184
at Drayton-Beauchamp IX 406
at Kew VII 484
blue, in the wild garden XIX
555
double XIX 439
from seed XIV 75; XIX 447; how
to raise XV 193
in bloom in February in Hampshire
XI 120; in June XIII 561
in November XX 497
in succession VIII 457
in Surrey XX 560
in the South of France XVI 301
in winter XX 609
Italian XVII 281
late in autumn XVIII 537
notes on XI 261
Phloxes and Begonias in combina-
tion XIV 190
Poppy XX 284, 320
propagation of Japanese XVII
396
single XX 300
single and double French XVI 111
species of in cultivation VII 423
summer-flowering IV 167
transplanting XVIII 76
twenty-eight illustrations of VII
423 *et seq.*
various XX 258
wild XVII 344
winter-blooming XI 62
Anemonopsis XX 257
macrophylla XIV 3
Angelica III 502; XX 286
 purple-leaved IV 278
Angelica tree, the XVIII 304
Angers, the crops in XVI 45
Anglesea, mildness of the weather in
December, 1876 X 598
mushrooms in X 16
Argyrola, view in IX 185

Angraecum bilobum XII 582
 citratum XVI 105
 eburneum XVI 547
Ellisia V 88; and A. *citratum*
XVII 8
Kotschy XVIII 487; XIX 575
(*cut*) ; XX 344
Scottianum XVIII 153
 sesquipedale II 5; V 28 366; VII
59; XI 20; XII 449 582; XIII
26, 114; XV 23; a fine speci-
men of VII 128; s. *superbum*
XV 171
 superbum I 509
Augillula XVII 166
Anguloa *eburnea* XVI 165 190
227
Anigosanthus, the species of XI 19
Anisodus luridus XX 286
Annual, a new botanical VII 26
Annuals I 703; XX 104 105
and perennials in early summer V
539
as bedding plants XIV 5
as pot plants XVII 387
at Reading XII 56
autumn-sown VIII 83; X 7 231
351; XII 178; XX 82; hardy
VIII 128
culture of XVI 211
for autumn sowing XX 341
for bedding XIX 349
for spring I 686; XVIII 272
fragrant IV 70
grown in pots XI 539
hardy XIX 256; as pot plants
XVIII 300; for flowering
beneath standard Roses VI 298;
for windows XVII 210
in flower in September II 295
in masses, how to sow properly
VIII 168
mixed, in Kensington Gardens VI
404
new XIV 93; 1876, X 579
spring blooming XI 261
tender and other decorative plants
XIII 412; and slugs XV 493
three little-grown XIX 337
trial of II 249
two useful X 129
winter and spring-flowering XVI
188
Anomathecea *cruenta* II 144; VI
168; VIII 492; XII 58; XVI
195; XX 97
Anona *Cherimolia* V 300
 squamosa XI 167
Anoplanthus *Biebersteinii* XVII 487
Anocephalonyx *Rollissonii* XIII 39
Anopterus *glandulosus* X 558; XIX
93 300; XX 543
Ausselia *africana* XX 582; *nilotica*
XVIII 78; XX 495
Antennaria XX 234 256 286
 dioica rosea I 687
 hyperborea XX 216
 tomentosa, to propagate XX 359
Anthemis XX 286
 arvensis fl.-pl. XVI 555
 Kitabellii VIII 57
Authericum XX 286
 Dorseti XX 216
 Hookeri I 667
 Liliago XX 6
 Liliastrum V 440 500; IX 540
 591; XVIII 200; XIX 583; and
 A. *Liliago* XI 143; L. *majus*
 XIII 537
LILIASTRUM IX 12
 ramosum XI 143
 Renani XI 143
 variegatum XIII 316
Authericum, the Swiss VIII 543
Automeris *viscosa* XVI 539 550
Autholyza XX 286
Anthomia *ceparum* XIV 347; XVIII
142
Anthonomus pomorum XIV 491

Anthonomus *pyri* XI 245
Authracnose XVII 142
Aurthurium *aculea* II 520
ANDREANUM XVIII 108
Andréanum XI 420; XVII 285
338 341 404; XVIII 139 160
IS 203 284 300; XIX 116;
XX 362 477 478 607 (*cut*); a
finely-flowered XIX 592; *inflor-*
escence of XVII 355; in flower
XVIII 478
Bakeri X 503; XVIII 60
candidum XIX 124
colocasiaefolium XVII 247
crystallinum X 366
double-spotted VII 396; XIV 465
(*cut*)
floribundum XIX 30
large-spathed VII 317
large-spotted XX 222
Lindigii XVI 275
magnificum I 146
Palmeri XIX 368
(*Pothos*) *glaucum* XVII 294
propagating XX 451
Saundersii IX 351
scabriuscum XVI 216
Scherzerianum I 14; III 330; V
259; VI 337 (*cut*) ; XI 326;
XIII 384 459; XV 389; XX
618; a fine specimen of VII
274; S. *album* XI 102; Dr.
Paterson's variety of XVII
428; for market XI 285; in
winter XIV 411; large spathes
of VII 318; S. *Palmeri*
XV 474; S. *pygmæum* XVII
428; S. *Rothschildianum* XVII
437; small plants best XIV
110
SCHERZERIANUM var. XIII
12; varieties of XVII 351;
with double spathes VI 10
seeds poisonous XI 518
two-spathed VII 507
two-spotted VII 481
Veitchi XIX 344
Waroequeanum XVIII 138
Antirrhinums XX 473
and their culture IX 339
at Auerley XIII 277
Anthyllis XX 287
Antirrhinum toxicarium XII 407
Anticlea XX 287
Anti-epileptic, a new XII 196
Antigonon *guatemalensis* XVI
547
 insigne XX 437
 leptopus IX 256; XVII 66; XX
317 442
Antirrhinum XX 287
 Hendersonii XX 362
 new X 440
 nummularium VI 405
 procumbens XIII 176
 repente II 136
 siculum II 136
 Tom Thumb XI 124
Antirrhinums XII 151; XIV 28
as annuals XVIII 148
dwarf XII 296
from seed XIX 570
in poor soils XIV 288
late-blooming XII 418
note on XIII 562
propagating XV 140
raising from seed XV 427
seedling XVI 276
Antithesis *Pruniana* XVI 339
Antrim, effects of the winter of 1878
—79 in XV 392
Ants I 98, 568
 and aphides I 358
 and chalk VI 228; IX 479
 and fruit-blossoms V 91
 and parafin XV 224
 and Strawberries XVIII 120
black, and Peach blossoms XI 250
273 452

Ants, cyanide of potassium a poison for X 394
cure for III 64; XVII 187
destroying, effective ways of, II 165 314; IV 50 471; V 142 555; X 196
guano for XV 345
in cucumber pits XIII 583
in dwelling-houses VI 348
in ferneries XIX 480
in flower-heds, how to destroy IX 407
in fruit-houses XIX 531
in grass XIV 98
injurious to Peaches and Nectaries IX 576
in peach-houses XVII 166
in vine ries XIV 429
pests XX 487; how to destroy XIII 583; remedy for XX 383
on lawns IV 244
red XII 172
trap for III 345
v. Brook's liquid carbolic soap IX 420
v. caterpillars II 74
Aetus gracillima XI 466; XVII 103
planted out in a greenhouse XIX 583
Apennine Windflower XX 258
Apera arundinacea XX 261 497
Aphaoostethus ramosissimus XX 287
Aphelandra aurantiaca Roezlii II 398; XV 210
cristata XVI 384
culture I 312
fasciata XII 560
FASCINATOR XIV 222
new XX 362
pumila XVIII 203
punctata XX 362 457
Roezlii X 538; XIII 3
Aphelandra XX 472
culture of IX 222
select species of XIV 222
Aphexis, culture of XI 90
macrautha X 182; XIII 290
m. purpurea, propagating XIX 56
Aphis, a cure for III 204
Amygdali XIX 529
Cerasi XVII 458
Fabae I 212
the woolly II 229; IX 485; XVI 370 384; XVIII 453
Aphides I 569
and ants I 358
on Currant bushes VII 490
remedies for X 197
their friends and foes I 211 243 253
Aphodius fimbriatus XIV 231
haemorrhoidalis XIV 231
Aphrophora spumaria XIX 316
Aphyllanthes monspeliensis V 496; XX 287
Apion XX 287
tuberosa XIV 234; XX 408
Aplectrum hyemale XX 287
Apolappus XX 287
ciliatus XII 74
Fremontii XIII 305
spinulosus IX 79
Aplotaxis XX 287
Apocynum XX 287
venetum III 135
Aponogeton XX 287
as a pot-plant X 333
as a water-plant X 333
distachyon II 310 528; III 157 208 323; VIII 431 (*cut*); X 518; XII 613 (*cut*); XV 23; XVII 58 180 273; XIX 88 392; at Tooting XIII 224; hardiness of X 316; in Devon XIX 367; indoors IX 283; in small aquaria XIV 555; not necessarily an aquatic VIII 551; out-of-doors IX 260; rhizome of X 334; with pink flowers XVII 403

Aponogeton spathaceum XIV 8; XX 287; *s. var. juncinum* XVI 299 326
Apple, a good American XVI 447
American Crab VII 278
American Newton Pippin XIII 437
American Mother XX 407
and its varieties XX 397
and other fruit-trees *v.* Almonds XI 166
and Pear trees, grafting VII 273
and Pear stocks raised together VI 179
Ashmead's Kernel VII 170
Australian XVI 433
Barchard's Seedling V 149
Barnack Beauty XIX 189
barrel-header, a non-patented IX 484
Belle Angevine VIII 538
Belle de Lippe VI 402
best dessert, in March VII 254
best-flavoured late-keeping VII 378
blight, remedy for XVIII 346
bloom and fruit at the same time II 300
blossom, peculiarity in III 496; maggot VII 446 458
boring grub, the V 337
Brazier's Fame IX 262
buds, espalier, killed on galvanized wire XIII 282 352
butter VII 145; X 602
Calville Blanc III 294; XI 474
Cellini XII 124
Cobbett's Fall XII 276
Cockle Pippin XX 425 448
Cornish Gillyflower VIII 429 527; in Berks X 516
CORNISH GILLYFLOWER X 446
Cox's Orange Pippin VIII 291; IX 328 376 400; XI 516
COX'S ORANGE PIPPIN IX 500; from America XVI 383; in Devon IX 113
Cranberry Pippin XVI 415
crop XX 127 169; in Kent in 1878 XIV 344; in America in 1880 XVIII 432; of 1878, the XIII 630
crops and spring frosts XI 252; failure of, in 1880 XVIII 67; in Dorsetshire in 1877 XII 367
culture of the III 28; for market XIX 137; in Scotland XV 335; in Australia II 478; in brief XII 386; in the North of England VIII 235
cnre, the III 30
Curl-tail Pippin IX 403
Custard IX 563
D'Arcy Spice Pippin IX 222 262
derivation of the word I 704
Devonshire Queen XIV 261
Dieu Donne XV 265
dimorphism in the V 149; curious V 525
Doyenne du Comice XX 425
early XIV 120
Echlinville Seedling XX 471
Eve IV 378
Fameuse or Snow XVIII 612; XIX 46
Fig V 285
French Paradise, true VII 386
from Caunton, a singular XVIII 495
gardens, miniature I 189
gatherer, an VIII 93
gathering VI 343
ginger VI 509

Apple Gloria Muodi IX 152
Goff XX 348
Golden Pippin VIII 232 237
Golden Noble IX 64
grafted on the Cherry X 546
Graham's Russet XX 348
Gravenstein III 289
grub, remedy for II 358
Guelton XIX 109
hardiness of the Duchess of Oldenburgh IX 422
Hollandbury Pippin VIII 516
Hotchkiss Pippin XIII 112
how to bake an III 442
Irish Peach, VIII 124; as a cooking X 221
Jolly Beggar XIII 308
keeping, a wet cellar for XVIII 171
Kentish Fillbasket XVIII 372
King of the Pippins XV 35 52 79; XVIII 372
Lady VIII 516
Lady VIII 291
Lady Derby IV 378 418
Lady Henniker V 149; XII 440
Langham Crab 559
large IV 522; XVIII 367
Lemon Pippin X 498
Loddington Seedling XVI 471
London Pippin XIII 242
Lord Burghley XI 22
Lord Suffield VIII 212; XVI 255
Maggot (3 illustrations), I 528 529; remedy for I 9 98; X 248
marmalade V 62
Mexico III 237
mildew XIV 119
new XIII 134; XVI 44
Newtown Pippin II 478; III 350; as a cooking IX 192; at bome IX 16
nomenclature IX 575
Norfolk Beefing XIII 438
Northern Spy IX 76; as a keeping IX 72
orchard, a large XI 543
orchards XVI 211; XVIII 546; old and new IX 14; pasturing cows in VI 364
Oregon Crab XIII 492
origin of the cultivated XIV 10
Paul's Imperial Crab IX 92 383
Pennock XVI 544
Prince Albert XX 493
prospects in Devon, in 1875 VII 416
pudding, German VI 509
Queen XIX 118
Red Astrachan XX 8 68; grafted on the Nonsuch Paradise VIII 37
Redleaf Russet XIV 278; a new VII 62
Reinette du Canada IX 128
Ribston Pippin IV 219; XX 509; in Normandy XVIII 164; in Nova Scotia IX 500; on walls X 391
rooms, dark or light XX 553
Ross Nonpareil IX 76
Sandwich Island XIII 492
seedless III 226
seed washer VIII 487
snow at Hereford XX 458
Small's Admirable XII 124; XVIII 345
Snow of Canada I 384
Snowballs VI 509
Somerset Black VIII 538
Spice Pippin XI 312
stocks XI 86; dwarf IX 256; Pears grafted on I 13
Stone's, or Loddington Seedling XVI 19 202; XX 348

Apple, strawberry-coloured XVI 544
Sturmer Pippin XI 37
supply, the X 478
sure-cropping VIII 353
Sweet-and-sour III 237
Tetofski IV 274
Texas Love X 463
Tom Put VIII 528 538; IX 24 27 76; and its varieties IX 50
trade in Canada, the XVI 471; the American XIX 592; Trans-parente de Croncels XX 632
two varieties in one III 108
uses of the VI 256
Wellington IX 128; XVIII 372
White Calville VI 442; VIII 309 (*cut*); IX 371; XI 122
White Pippin XVI 447
Warner's King XIV 261; XVI 348; XVIII 316
H'cevil, the XIV 491
Wheeler's Russet IX 92
Worcester Pearmain XII 344; XIV 279
worm, the X 368; trap for I 592; *trap, Professor Riley's* X 368
Apples XX 358
a few good XIV 584; with the months in which they are fit for use XII 568
a grower of Newtown Pippin VIII 289
American II 500; VI 422; XI 183 253; XII 463 533; XVIII 260; XIX 111; in Sweden XVIII 491
and Holly-berries 486
and Pears for cold districts VI 474; in America VI 557; in flower XIX 627; in various climates VII 371; not setting XIX 476; preservation of XIX 282; pruning XV 335; selecting X 279; storing XII 457; the best in season in February XI 144; the fermentation of VI 442; our supply of XV 34
and Siberian Crabs, hybrids between IX 444
and tapioca VI 509
as food II 254; IV 512
at Manchester XX 305
Australian XVI 471
baked III 98; and Cherries XIX 270
barrelling IV 461
best VI 293; American table XVII 472; bearing XII 456 457; XIV 117; dessert I 638
best aspect for XX 399
blighted Keswick Codlin XVI 44
boxes for winter XIX 164
budding XX 425
burying X 490
bush on the true Paradise stock VIII 266
Canadian IV 398; XVIII 611; *v. U.S.* XIX 5
Chas. Downing on IX 113
Cherry XII 568
choice, on wire fencing I 414; American VI 66
classification of XIV 81
coddled IV 266
cooking, various ways of VI 164; dessert XIX 5 109
Crab, value of XV 238
cultivation of XX 399
culture and treatment XX 424
Dead Sea IX 195
drying XVII 324; XVIII 545
dwarf, are they desirable? IV 320 378
early, the most profitable XVII 162

Apples, eating and cooking varieties of XVIII 604
exhibition of in Scotland XX 436
experiments in keeping XI 17
extract of V 62
fine specimens of IV 372
for exhibition XX 632
for market XVI 329; in Ireland XV 350; in North Yorkshire XV 403
for northern districts XIV 380
for Northumberland V 73
for ornament II 382; X 602; or preserving VIII 507
for ornamental planting II 371
free-bearing X 418; XX 330
from America III 42; XII 74
from a Sussex garden XI 122
from France II 353
from Nebraska IV 478
from the United States, supplies of IX 630
gathering VIII 442; XIV 260; and marketing XX 589; and storing for private use XX 631; too early XX 531
good American varieties of VII 478
grafting XIII 213; XX 424; on Siberian Crab roots XVIII 208
hardy IX 383; XII 386; sure-bearing XII 176
how to keep IV 211
hybrid V 149
importation and culture of XVIII 436
imported from America XV 92
imports of in 1880 XVIII 532
in barrels III 89; and exposed VIII 493
in Covent Garden X 433; XIII 158
in gardens and on walls XX 469
in June XIV 156
in New England X 595
in Normandy, in 1874 VI 336
in northern districts XIV 419
in orchard-houses I 229
in the New World VIII 493
keeping II 187; III 150; IV 182; V 62; XII 457; XVI 57; XIX 78; for daily use VIII 308; late from shrivelling after they are gathered XII 412; out-of-doors VII 412; winter XVIII 364
kept in plaster II 524; in water XX 68; two years V 73
large Blenheim Orange VI 557
late XIII 586; most profitable XVII 237; v. early XVII 277
late-keeping VII 508; XIII 520
local XIX 289
Lord Suffield and other useful X 602
Lucombe's Seedling one of the best cooking IX 148
market XVIII 278 321 381; prices of in 1880 XVIII 656
new "classification" of X 62
Newtown Pippin XIII 136 197 in May XIX 490
Normandy Pippins IX 420
notes on XIV 380
of Sodom VIII 404
on the French Paradise stock II 451; X 458; XIII 630
ornamental kinds of XVIII 364
packing IV 307; X 594; for market XIX 77; in plaster II 378
Paradise stock and the Doucain XI 383
picking over IX 248 351

Apples, planting and under-cropping XX 397
planting the stocks XX 399
premature ripening of in America XVI 470
preparation of the ground for XX 469
preparing soil for stocks XX 399
preservation of XVIII 588
preserving the flavour of IX 128
press for barrelling IV 461
prices of Newtown Pippin VIII 429
propagation of XX 399
pruning different classes of VIII 290; cordon XIV 209
raising stocks XX 399
regular-bearing XII 150
Ribston Pippins in Constantinople IX 383; in Kent VIII 298; on Paradise stock XX 425
root-grafting I 507
Russian VIII 418 494; XIV 120 and cold IX 550
Scarlet Nonpareils in June IX 563
season for gathering XX 590
sections of XIII 256 257 258 259
selecting keeping IX 152; trees XX 470
selection of XVIII 464; XX 379
select list of dessert and kitchen from August to March IV 333
Siberian Crab II 310
six excellent kinds of VII 107
six illustrations of XIV 381
small, the best VII 87
starlings eating VIII 467
storing XVIII 406; in barrels XX 632; market XX 631
superb, grown in England XVIII 422
sweet III 422; VI 316; XII 359
thinning XVI 470
three useful XVIII 260
top and root pruning XX 398
twin XVIII 294
two beautiful Crab VIII 320
two early XV 238
under glass I 292; X 298
uses of leaves XX 398
without blossoms X 62
Apple-tree, a large VI 179
aphides V 266
at Barleythorpe, large XX 400
bearing a second crop II 438
boring caterpillars XIV 297
canker XIX 441
caterpillars XIII 558 583
dwarf on the Paradise stock IX 202
Emerson's XVI 501
home of the III 28
in bloom in October VIII 322
killed by Mistletoe, an XIII 12 50
mussel scale, remedy for X 250
pest, a new VII 234
planting of the (poetry) IV 398
pyramidal, on Paradise stock XVIII 65
shoots, extension-trained and restrictive-trained XVIII 41
taken possession of by a Rose X 24
Apple-trees and Mistletoe XIX 486
and other trees, extra growth in XII 457
best for ornamental planting XIII 454
blight on XIV 143; XVII 484
branch propagation of IV 297 319 334 398 442
budding VIII 6
canker in young VII 376 396
cordons II 330
diseased XIX 386
effect of Mistletoe on XII 601

Apple-trees, effect of soap and water on XVII 472
espalier XI 292
from cuttings VIII 62; XIII 280
girdling XVII 310
grafting old XIX 270
healthy in cold climates XVI 239
how far apart should they be planted XIII 152
how to induce side-branches in VI 54
lichen-covered XIII 274
miniature XII 247
old I 292; VI 204; and new ideas XVII 444; espalier II 507
on mounds XIX 239
our first III 76
planting XVIII 490; XX 529
pruning XX 632; freshly planted XX 530
renovating old IX 152 196
shelter for XX 469
split by cold VII 342
staking and protecting the stems of XX 529
top dressing for XX 529
uninjured by severe frost IV 352
various forms of training XX 445
well-fed XI 372
young, best V 334
Appointments, garden XV 92
Approaches VII 525
Appleworts, ornamental X 398
Apricot bloom XIII 213 302; XIX 450; v. frost IX 300
branches dying off VII 295; XII 601; XIII 21; XVI 136; XVIII 554
culture XII 564
decay in the XX 539
disease I 106; XII 231
gumming in the Kaisha V 123
Kaisha IV 134
Shiraz I 147
Apricot shell I 35; *section of* I 35
Apricots and blanc-mange VI 39
as standards IX 523
autumn treatment of XIV 167
a word about XVI 317
early bloom on XIII 246
for October XVI 372
in bloom in March VII 278
in bloom, transplanting VIII 146
in Covent Garden XI 413; in 1878 XIII 630
in Utah IV 442
on spurs and young wood XIII 401
pruning, training, and protecting XV 215
seedling VII 342
west v. south aspects for XI 214
Apricot tree, prolific I 106; IV 218
Apricot trees, aged XVII 115
and spring protection IX 400
Aquaria, indoor VI 520
tropical, plants for XIX 328
Aquarium and plant-case combined, an VI 522
floating island in an IX 340
portable VII 329
Royal at Westminster VI 66; XI 100
tropical XIX 329
stove IV 87
Aquariums, salt water VIII 12
Aquatic, a hardy X 425
flower blooming in January I 204
plant growing XX 325
plants II 310
pretty but troublesome XVI 89
Aquatics, culture of tender XVII 127
hardy VI 248; XVII 70; at Kew XVI 81
in basins XV 298
in bottles VI 171
in tubs XVII 55 112 148
AQUILEGIA ALPINA IX 384

Aquilegia alpina, a new IV 460
aurea I 643 667; III 390
californica II 20
canadensis XIX 313 600
chrysanthra V 4; IX 540; X 7; XV 512; XIII 567 (*cut*) 594
cerulea I 643; III 464; XI 125; XIX 462; and Whitmannia X 54; c. hybrida XIV 563
CERULEA XI 90; AND HYBRIDS XVI 264
formosa I 151
fragrans XX 325
glandulosa I 668; XVII 76 149 312; XIX 555 597; XX 326
GLANDULOSA XV 278
grata XIX 646
haylodgensis XIII 537
leptoceros aurea III 430; l. lutea III 198; l. var. chrysanthra IV 460
new seedling XIX 597
pyrenaica I 674
Trinityensis XVII 514; XVIII 4 truncata XIX 646
viridiflora XIII 387; XIX 462 540 646
vulgaris XII 288
Aquilegias, or Columbines, the XII 8; XIV 1; XVII 193 226; XX 287 312
American XIII 613
at Maresfield XVII 534
from seed XIII 515 542; XVII 173
hybrid IX 563; XI 44; XIII 616
in the Midland Counties XVI 285
notes on XVI 264; XVIII 99; XIX 591
seedling XIII 594
species and culture of IX 384; XIII 567
Arabis XX 312
albida III 222; XX 156 312
alpina XI 293
aubrietoides XVII 342; XIX 463
blepharophylla I 543; b. superba, on rockwork VII 416
early white III 222
lucida for carpet-beds VIII 245
rosea V 420
variegated as an edging VII 373
Arad, a stately X 167
Rivière's as a plant for decoration XX 21
Aralia, a new hardy XIX 664
californica XV 295
canescens I 561; VIII 219 (*cut*)
catalpifolia XI 230
dactylifera XVIII 582
elegantissima IX 505
fern-leaved XI 483
filiifolia XI 483
Guilfoylei VII 505
hardy evergreen XX 602
japonica I 653; II 8 (*cut*) 410; XX 499 586; j. (*canescens?*) II 478; hardiness of II 410; VII 320; j. Sieboldii II 438; IV 77
Maximowiczii XIX 664; XX 12
papyrifera I 17; X 560 627; XIII 109; XX 471; a fine XVIII 575; large 587; propagating XIII 480
quinquefolia IX 28
Sieboldii XIV 62 374; XVIII 462; as a seashore shrub XX 10
at Mount Merrion XX 544; hardiness of XV 228; in flower XIV 454; XVI 447; XX 615
spinosa XIV 580; XVI 298; XVIII 53 (*cut*) 304; XX 366
Veitchii III 483; V. var. gracillima X 378
Aralias XX 313
and Canas, wintering VIII 434
as town shrubs VIII 310

Aralias, comparative hardiness of hybrid in the South of Ireland XI 215
grafting XVIII 241 370
(hard-wooded) propagation of from cuttings VI 98
in the South of Ireland XI 226
notes on XIII 358; XVIII 195
propagating XI 423
stocks for X 503
ARAUCARIA AT DROPMORE
IX 84
Balansia VII 238
Bidwillii III 194; XVIII 379
(cut); at Kew III 232
excelsa XVIII 649
Goldieana XI 501
imbricata XIX 504; a large VII 311; at Kew, the old XII 125;
clothing naked stems of XIV 579; coning of VI 32; for toothache I 496; fruiting IX 131; in Kilkenny III 399; in South Germany XVI 290; in the Isle of Wight IX 555; in the North of Ireland IX 492; male catkins of XV 507; in Mr. Murray's garden II 489; Rulei VIII 404; sowing seeds of XVI 474; the great at Dropmore II 269
variegated II 465

Araucarias, from Scotch saved seed V 99
fruiting in England II 311
largest in British Isles I 504
male and female VIII 327
seedling XII 196
Arboretum I 242
Arnold XII 560
at Walsall, new V 388
Derby II 446
extensive X 199
for March I 333
for June I 621
for December I 79
Report of the Aruold VII 84
Segrezianum XII 320
unfortunate X 586
Walsall V 278

Arboricultural Society's excursion
XX 29
notes from Perth V 164
Arbor tristis II 115
Arbor-vita, a silver Occidental V 432
edgings, dwarf IX 436
giant XI 521
hardiness of the Chinese V 232 256
Tom Thumb XVII 446
"Arbour Day" IX 419
Arbour soja I 199
Arbours and huts, rustic VII 222 502
Arbutus Andachae VIII 400; XIII 28; XIV 190 231
canariensis XX 388
Croome VI 442; VII 55
hedges, cutting down XV 225
magnifica XI 140 203
Menziesii V 522; XI 493; XIV 154; and A. procera XIV 169 210
tomentosa XIII 363; XVII 274
Ubedo XII 511; and rubra X 438

Arbutuses from seed XIV 477
Arch and root ornament XX 96
Architecture and foliage VI 115
and landscape VI 548
and Nature I 400
Arctium edule? XVIII 72
Arctomecon californicum XI 215; XX 313
Arctostaphylos glauca V 524
species of XV 104
Uva-ursi XIX 600; XX 313
Arctotis XX 313
aureola VIII 346
grandiflora V 416; XX 415 456
546

Ardisia Oliveri XVI 216; XX 222
Ardisias XIX 104
Areca Alice XVI 416
Catechu I 521
Herbstii XVII 82
lutescens VI 253
purpurea XI 556
sapida XVII 15
Arenaria balearica XVI 32; XVII 259 508 (cut)
greenlandica XIX 27
Arenarias XX 313
Arenga saccharifera I 483
Arethusa bulbosa XVI 92; XX 87 313
Aretia Vitaliana III 334; XX 313
Argemone XX 112 314
grandiflora XX 393
hispida V 95; XIV 235; XVI 231
Argenteuil, Asparagus culture at XIV 294; gathering at XI 345; plaiting at XI 246
Fig trees at XI 246
Aria Decaisneana XX 134
Hostii XII 67
Arisema XX 314
praecox IX 293
trifolium XIX 489
utile XVII 146
Arisemas XVII 284
Aristolochia altissima XIV 125
Duchartrei II 438; XVIII 533
fimbriata XII 329
floribunda IV 2; XVI 297
Goldieana XVII 468; XIX 534
ringens XVI 216 335 (cut)
Siphon XX 190 314; propagation of IV 128
tomentosa IV 5
trilobata XIV 390
Aristolochias, culture of IX 100
in flower XX 178
select species of XII 329
Armenia, mountain flowers in XII 1
Armeria alpina XIX 557
Cephalotes V 11; C. alba VI 146; C. purpurea XIII 537
grandiflora XVIII 75
jucea and A. setacea XIII 512
Lancea XX 57
mauritanica VII 419 421
SETACEA XIV 266
Armerias XX 57 314
dwarf XIV 266
Arnebia echinoides XIII 407; XV 469 (cut); XVI 231; XVII 389; XVIII 246 419; XX 209 262 314; from root cuttings XX 401; propagation of XX 300; triple flowering of XVIII 219
ECHIOIDES XVIII 204
Arnica XX 314
Arnold Arboretum at Boston, U. S. XVI 359
Arnott (Dr. Neil), death of V 198
Ar-nut. the II 100
Aroid, a graceful IX 293
new XVIII 569
Aroids, figures of cultivated XVII 466
Aronicum XX 314
Arphyllum giganteum III 201; XVII 303
Arran, a ramble in IV 208
Australian plants and trees in IX 491
tree Ferns hardy in IX 543
Arrow-head XX 314
double-flowered X 357 380
variable XIV 239
Arrow-heads, the XVIII 386
Art and criticism VII 511
Artemisia XX 314
anethifolia II 115
pontica XVIII 4
Artesian well, remarkable VI 238

Arthropodium cirratum V 351; XIX 464
paniculatum II 462
Arthrotaxus selaginoides XVI 472; XVIII 254
Artichauts farcis à l'Italiane II 215
Artichoke, the, a remedy for rheumatism VII 168
as a fine-foliaged plant XI 103
as an ornamental plant IV 132
Globe V 269; XX 314; as an ornamental plant XII 178
Jerusalem IV 55; XIII 373; XVI 505
history of IX 189; XII 46
in cottage gardens X 574
in flower XII 185
origin of XII 238
Artichokes III 486
blanching XVII 260
cutting down in summer VIII 426
Globe I 41; XII 107; a second crop of VIII 137; forwarding in pots XVI 268; from seed XX 215; good IX 48; how to have in succession IX 307; in Covent Garden X 518; sprung-planted IX 332; varieties of VIII 279
green, fried IV 138; iced IV 138; with white sauce IV 138
Jerusalem X 486; XIV 75; cooking X 411; flowering XVIII 462; for stock XI 10; in market-gardens VI 482; not growing XIX 311; smooth-tubered XI 99; unsuitable for cottagers X 536; will rabbits eat? XIV 501 526
mouster IV 42
Artificial lake I 677
light, flowers under I 138
flowers and their makers I 326
rockwork and waterfall, at Dunorlan V 545
Artillery plant, the XIII 609
for window-gardens, the XII 198
Art in the Conservatory XVII 340; in the Garden XIV 451
Artist's notes (illustrated) XIX 94 176
Artocarpus Canuoni XIX 387
incisa XIX 162
Art of Grafting I 122 157 212 233 257 275 315 334 386 406 467 508 575 595 642 675 712; English edition of the III 254
"Art of the Future," Mr. W. Morris on the XV 298
Art studies XII 256
v. Nature II 148
Arum, a creeping giant XII 207
Arisarum VII 236
corsicum II 250
crinitum IX 173; X 74
Dracunculus IX 173; XI 383 (cut)
Dragon's XII 539
flower, section of an XI 384
italicum VIII 368; IX 173 (cut); in Cornwall XIV 141
orientale XIX 566
small plants of the white IX 512
tropical XII 207
Arums XX 314—315
cultivation of, at Kew XIV 125
double-spathe XIII 609
hardy IX 172
tropical at Kew XII 207; long roots of XIV 362
Arum Lily, a double-spathe X 55; XV 228
treble-spathe X 72
Arum Lilies (Callas) XVIII 520
double-spathe X 184
giant XIII 330
in trenches XIV 414
in water XVI 508
out-of-doors XIV 463 498
in winter XIV 432

Aruncus XX 315
sylvestris XIV 302
Arundel, fruit at IV 171
trees at IV 125
wild flowers around VI 122
Arundinaria I 69; XX 315
falcata XII 269; seedling X 118; seeding in Ireland XI 346
macrospuma V 237
Arundo conspicua I 377; II 136; IV 62; IX 137 539; XII 533; XIII 34; XIV 152 235; XVI 162; XVIII 479 (cut); XX 270; as an indoor plant V 534; by a rocky water-side XIII 201; fine specimen of VI 42 92; in *Hertfordshire* VI 581; c. versicolor II 295
Donax III 316 364 493 (cut); IV 250; VIII 199 (cut) 364; XVII 407 (cut); a fine XIV 152; in flower XI 428; in pleasure ground I 391; to propagate XX 359
maritima XIV 217; XVI 383 447
Arundos XX 315
Arvicolam amphibius V 162
Asarabace XX 315
Asarum XX 315
canadense, as an aromatic IX 544
Asclepias XX 315
curassavica IX 210
Douglasii XVIII 153
hardy species of XII 155; XVIII 545
princeps II 98
quadrifolia XX 87
speciosa II 250
tuberosa II 115; XII 156 157 (2 cuts); XVIII 279
variegata XVIII 268
Asclepiases, the XVIII 177
Asclepiodora decumbens XX 316
Ascot Nurseries, the XVIII 457
Ascyrum XX 316
Ash, destruction of seedling V 63
flowering XVI 49; bloom of X 505
mountain VI 450; XX 204
yellow-fruited XX 220
on the Oak I 286
weeping III 241
Ash tree, a curious XV 9
mountain, insects V 393
Ash trees barked by mice III 262
dead V 510
in the garden IX 190; XX 380
in London IX 563
late leafing of VII 491
scale on VII 311
splitting XII 32
wood I 42
Asimina triloba IX 563; X 9 (cut); XVIII 288 316; flowering in England IX 570
Asparagus I 41; III 503; XX 316 525
ethiopicus XX 562
all the year round XIV 569
and salt XIV 530 570
an error as to XV 467; XVI 26
a new idea in planting XVII 261
a new variety of XIX 558
Argenteuil XVII 368; where to procure seed of XII 400
as a table plant X 120
at Chester XIII 598
at Gunton Park XVII 229
at midsummer XX 37
bed, making an XIV 231; XVII 462; neglected XVI 404; plan of XV 344
beds III 365 384 385 (3 cuts); XIV 429; XVI 545; XVIII 370; in clayey soil XI 99; preparing and sowing V 295; re-planting old XIII 609; sections of I 339

Asparagus Beetle, the XIV 275; XVI 357 (*cut*) ; and fungus, remedy for X 250
“Belt” an XVI 27
best time for planting VIII 506; XIII 550
blanched XVIII 605; XIX 23
bunching for market IX 254; French IX 580
bundling machine XVI 312
climbing hardy XI 546; XIII 186 (*cut*)
climbing species of I 367
comparison between the Dutch and the Argenteuil XIII 371
competition in 1881 XIX 486 551; XIX 581 640
Conover’s Colossal V 411; IX 418 429 463 468; X 92
consanguineus XVI 549
cultivation of with the plough XIII 217
culture I 339; III 341 364 384 404 425; XI 453; XVI 168 223 249 269 292 312; XX 191; at Argenteuil XIV 294; at Chester XIV 132; at Colchester X 477; at Killerton XVII 20; economical XV 466; improved XIV 457; in America XVI 350; in France XIII 485; in Germany VI 207; in India IX 68; in the London market-gardens VI 13; in vineyards VIII 464; notes on XIII 509 563; of the ancients I 385 404; prizes for the improvement of XIX 169; simple X 42 cutting VII 415; XV 353; XVI 27; XIX 450; young XV 382 decorative species of XVI 549 decumbens VII 60; XV 109 212 (*cut*); XIV 478 different kinds of IX 307 Dutch XVI 169 dying from wet XVI 340 early XV 160; XVI 168 (*cut*); outdoor XI 166; without artificial heat XII 413 effect of wind on XIX 117 English, fine XI 443; XV 454 failure of XVIII 48 Ialcatus XX 178 222 flowers III 37; XVIII 81 Fontenelle and his I 62 forced XVII 302 forcing IX 163; XIII 45; XVIII 549; a method of IX 581; in France XVII 260; XVIII 391; in open-air beds IX 330; in Paris XI 245; pit for XVII 484 for cutting I 631 for decoration IX 116 forwarding XI 334 French XIII 512; XVI 349 French mode of growing X 316 from seed without transplanting XIV 251 gatherer, a new IV 95 gathering at Argenteuil XI 345 green XV 520; XVII 260 growing company, an II 210 growing in small gardens XIX 101 growth of Gunton Park XIII 509 grubs XVII 296 high price of XI 443 how to boil VII 398 in Covent Garden Market III 294 in English gardens XIII 381 in India XVIII 581 in July XIV 3 in old times VII 393 in trenches IX 212 large IX 557; X 29; XIII 493 late-planted XVII 462 looq I 405 medicinal properties of XII 36 modes of cooking VII 470 Mr. Barres’ articles on III 505 mulching XX 525

Asparagus, “New” VI 207 nurseries in Holland XVII 450 one year old XIX 551 on sandy soils XIII 598 on the French plan XIX 53 ornamental kinds of XVII 70; XX 363 Oyster Bay VII 296; VIII 401 pale green XIX 632 paper from XIII 23 plantation, an XVIII 311 plantations of I 712 planting IV 37; IX 235; XI 271 509; XV 344 424; XVI 522; XVII 375; at Argenteuil XI 246; in July XVI 91; in summer VI 207; near Paris XVII 274; *plough* XVI 314 potato, the II 398 prizes for XIII 355 452; XVII 233; and Mr. Hibberd XX 96 plumosus XV 496; XX 354 401; propagating XX 567; p. nanus XX 294 326 racemosus V 243 removing the roots of XVIII 72 removing the seed from XIV 458 ridge-and-furrow system of growing IX 124 ridges III 404 roots, replanting old XIII 614 Rose Hâtive IX 540 Russian mode of forcing IX 95 salt for V 276 salting II 241; in winter XX 578 salt on XIX 435 season, how to lengthen the XIII 418 453 Smalley’s Early Desfance XVI 379 Spanish Giant XVII 395 strong-growing II 512 superphosphate for VIII 464 *tenellus* XVII 21 trenches XVI 170 223 (*cut*) 249 (*cut*) tying machine XVI 313 varieties of VII 50; XV 170 when to plant XVIII 616 white XIII 484 wholly blanched XV 520 without digging or forcing IX 418 young, best for forcing XII 248 Aspects, the value of north XIII 492 Aspen, the XIX 504 American III 185 autumnal tufts of VI 328 377 becoming scarce VI 489 leaves in autumn XVI 261 Aspens and Birches VI 284 species of XIII 332 *Asperula cynanchica* XX 520 *odorata* IX 287; XV 469 493; XX 316 Asphalte, compressed XX 228 covering, hardening I 309 pavements, cleaning VIII 157 Paving Co. I 402 poisonous fumes from XII 340 roads I 26 341 substitute for XV 24 69 v. wood IX 370 walks X 366; how to make X 198; XVII 462 *Asphodel* XX 316 blue VII 504 524; VIII 98 giant VIII 42 practical uses of the Poets’ V 295 yellow XX 98 *Asphodeline* XX 316 *Asphodelus* XX 316 acaulis V 221; XVII 344 ramosus V 295; for woodland gardens XIX 653; *in the wild garden* XV 97 *Aspidistra* lurida, the best house plant XX 38; l. variegata XII 257; XIV 243 *Aspidistras*, notes on XII 257

Aspidium XX 316 *avulentum* X 103 fragrans XI 476 *Asplenium* XX 316 *Adiantum nigrum* XI 502 *alatum* V 243 *Baptista* XIX 480 flagelliforme II 208 fragrans V 182 *lepidum* XX 527 *longissimum* XVI 17 *nidus-avis* I 651; VIII 193 (*cut*) noble XIV 478 *pinnatifidum* XVIII 31 pteroides XX 173 *septentrionale* I 562 Trichomanes XIX 314 Association for the Promotion of Minor Food Production, the Ladies’ XVII 29 Astelma eximium XVIII 615; XIX 83 Aster, a late-flowering XVIII 643 *Anellus* XIX 39; XX 342 Blue winter VII 280 Chapmani VI 360 China VIII 211 Dwarf Peony Perfection XIII 117 elegans XX 388 *cricoides* XIX 38 (*Eurybia*) *argophyllus* XIX 463 *formosissimus* X 445 from Washington XX 458 *grandiflorus* IV 305; X 518; XII 570; XX 496 543 for the conservatory XIV 451 in the South Midlands XX 520 growing for market XV 48 *longifolius* I 8; *I. formosus* VIII 298; XX 423 *miniature China* XVIII 235 *Nova-Belgii* var. *minimus* XIV 280 *Ptarmicoides* XX 262 440 scorzoneraefolius III 381 seeds XX 600 Townshendii XVI 163 TOWNSHENDI and A. HISPI-DUS XVII 346 *turbanellus* II 318; XIX 38 (*cut*) undulatus IV 376 winter VIII 499 *Asters* III 348; XX 364 annual XIII 364 Betteridge’s new VIII 256 China IV 257; V 371; XVI 276; XX 182 290; best races of V 158 culture of II 205 dividing XX 438 from Chipping Norton XX 342 (German) sown in the open ground VII 450 hardy, fine VIII 328; the best XIX 38 herbaceous VI 360 illustrations of six VIII 343 et seq. in masses XIII 283 in windows and balconies IV 175 latest XX 457 NEW TASSELLED XIII 364 on planting I 633 on walls XIV 257 planting I 703 quilled XII 339; XX 290 294 species of VIII 343 tasseled XII 296 trial of IV 339 *Asteriscus maritimus* X 234 *mauritanicus* XII 209 *retusus* VIII 530 *Astilbe japonica* I 616 *rivularis* XX 185 Aston Clinton straw mats XX 538 Aston Park I 602 *Astragalus adsurgens* XIV 310; XV 475; XIX 490 *diphysus* XII 306 Hornii VI 168

Astragalus *lentiginosus* var. Fremonti VI 168 *Tragacantha* XX 636 *vaginatus* XVII 546 *Astrantia major* XX 23 maxima XX 109 minor XVIII 99 *Atuccia cristata* V 219; IX 281; c. gigantea XI 42 *pinnatifida* XV 266 *Athalia Rose* II 13 Athens, Botanical Garden at XIII 416 Athole, the forests of XII 348; XVI 204 217 *Athous hemorroidalis* XV 413 niger XIII 583 *Athyrium filix-femina* Elworthii XIII 210; F. Victoriae XX 204 Atmosphere, the blue colour of the II 558 Atoms IX 9 *Atragine alpina* XVIII 389 *Atragenes*, species of X 480 *Atraphaxis spinosa* XIV 389 *Attalea speciosa* IV 130 *Aubrieta* as a wall plant II 195 Eyrei VII 336 golden-leaved XI 226 grandiflora on rockwork XI 398 in pots I 567 purpurea as an edging VII 373; on a wall XI 376; p. aurea XI 226 *Aubrietias* XX 156 and other spring bedding plants V 417 notes on XVI 235 propagation and culture of XIX 10 seedling XV 273; XIX 29 varieties of III 393 *Aucuba* berries XIII 399; XV 289 328 337 364 fertilisation of the IX 318 348 in a hanging basket VII 316 japonica, a fine specimen of IX 148; diecia VII 22 large, in the Regent’s Park VIII 109 seeds VIII 276 v. Cherry Laurel I 466 *Aucubas* XX 405 as house plants IX 343 at Christmas XV 23 berried IX 28 58 117 131 147 179 230; XX 29; in London gardens IX 364 fertilizing VI 525 548 563; VII 22 146 183; XI 394 finely berried XVIII 412 for indoor decoration V 329 for market XII 497 fruit on VIII 512 grafting IX 124 how to have fruit on IV 400 male and female IV 45 miniature I 507 new hybrid VII 266 propagating I V 446; V 222 *Audley End* XII 57 August (poetry) XII 196 woodland work for XX II 0 Auricula, the V 460 A. F. Barron XVII 146 (alpine) William Bragg IX 443 aphis XVI 255 357; XVII 55 Captivation XVII 322 crossing the XV 232 culture of the VII 422; VIII 312; XVII 256; XVIII 452; in Ireland XVII 313; outdoor XVII 423; XIX 601 double XVII 478 double yellow VII 503; VIII 18; IX 388; XI 527 FORMS OF THE XIV 398 gossip XVI 213 234 history of IX 32; XIX 601 insects XVI 252

<p>Auricula, Picotee XVII 322 popularity of the XIII 274 286 show in 1881 XIX 466; the National in 1877 XIX 326 369 shows, note on XIX 483 Silvia XIII 458 Society, National XIX 435; XX 408; new X 538; the Birmingham III 450; Northern Show in 1877 XI 392 Topsy IX 376 varieties of XIV 398 Auriculas I 158; XX 80 426 alpine IX 380; XIII 116; XIX 386 391; raising from seed XI 352; and border XVII 424; and mealy-bug XVI 145 as table plants XIII 359 at the Crystal Palace XI 356 autumn notes on XVIII 386 double XIII 406; XVII 494 edged and alpine XX 584 effects of checked growth on XI 314 for rockwork and other outdoor places XVII 154 from seed I 234 in autumn XVIII 479 518 in Ireland XVII 249 in pots in February XIII 156; winter treatment of XII 494 in September XIV 219 in the open ground XIII 197; XVII 343 in the open air XVII 389 laced XI 320; XVII 137; XIX 494 mealy-bugs on the roots of XVI 80 new and good XI 513; two new XI 465 note on the treatment of XIII 564 old and new VII 480; XIII 45 out-of-doors XVII 312 379 potting XV 428 429 462; XVII 513 prizes for, in 1879 XV 189 re-potting, time for XV 469 seedling XIX 192; alpine XI 407 Australia, apple culture in II 478 plant life in XVIII 439 vegetation in IX 413 Australian Beef-wood XX 441 gum-trees, great height of XI 554 notes XX 544 plants and peat X 37; and trees in Arran IX 491 products II 548 Austria, gardening in XX 319 school gardens in X 202 Astro-Hungary, gardening in XX 465 Autumn (poetry) IV 278 flowers XX 393 mild XX 553 or winter cultivation and manuring XVIII 651 song II 388 Autumnal effect, a beautiful X 398 notes XX 326 438 tints IV 399; VII 400; XIV 390; XV 514; XVIII 289 317; XX 420; in Cornwall VIII 447 Avalanche, the IV 469 Avens, choice species of XIV 562 Avenue, a gap in the XVI 86 a remarkably long XVI 494 of old Lombardy Poplars XII 561 Avenues for London, grand VI 277 notes on XII 561 Rose XVI 377 v. groups in parks XVII 74 Axe, a magician I 124 essential I 103 </p>	<p>Ayton, Mr. and Dr. Hooker II 48 62 214 Azalea XII 595 ameea XVI 122; for bouquets and room decoration XVIII 648; valuable for forcing VIII 510 bloom, abnormal XIII 454 buds, drying up XIII 112; perishing VII 364 Chinese in Ghent IV 415 CRISPIFLORA XVIII 280; IX 376 Duke of Edinburgh XIV 221 Empress of India XV 330 Flambeau XIII 433 flowers and black ants XI 226 <i>Ghent</i> VII 491 imbricata XIII 316 Indian I 583; white out-of-doors XIV 510; XV 516; hardness of XV 460 indica III 343; and its culture XI 317 499; as a hardy shrub XIII 485; Empress of India XVI 43; propagating XIII 547 Madame Jean Nuytins Verschafelt XVII 274 Mademoiselle Maria Lefebvre XI 122 MOLLIS XI 428 mollis XI 420; XIII 94 176; XVIII 585; and A. ovata XVII 136; forced XVII 299; from seed IX 448 Mrs. Carmichael XIX 34; hardy XVIII 146 Mrs. Gerard Leigh XIX 252 Mrs. Turner XVII 65 Narcissiflora XII 607; XIII 94 165 new XVII 241; white XVII 213 obtusa XIX 117 pontica XVII 491; leaf, beauty of IV 414 Rollissonii XIII 27 224 ROLLISSONI XVIII 254 rosa-flora XVII 427; XIX 391 Souverain du Comte de Gomer XVII 275 S. Rucker XIII 158 viscosifera XV 210 Azaleas IV 25; XX 512 555 after flowering XIII 454 American, at the Fulham Nurseries XI 369 and Camellias, top-dressing VII 276 295 autumn tints in hardy XIV 428 441 Carmichael's hybrid XX 604 Chinese, raising new VII 505 (deciduous) as indoor plants III 258 double-flowered VIII 180; for cut flowers XIII 569 English-grown XII 344 from cuttings VI 317 from seed XIII 530; XIV I <i>Ghent</i> IX 563; as underwood XI 212 grafting I 64 grafting hardy VII 232 GROUP OF HARDY XV 318 hardy VII 491; XVI 50; XVII 468; XIX 552; American, at home XI 442; large XV 338 Indian, at Messrs. Rollisson's XII 221; hardiness of XVII 210 290; out-of-doors XIX 606; planted out XIV 544; Royal Botanic certificates I 472 late-flowering I 305 Mr. Carmichael's seedling XIX I 03 new XII 488; XVII 34 NEW, GROUP OF XVI 242 old, at Fulham XV 210 on bottom-heat VII 318 on their own roots XVII 301 planting out XIX 577; XX 435; in summer XIX 464 529 Pontic XX 407 </p>	<p>Azaleas, propagating I 467 re-potting XIV 385 seedling XV 266 selections of new IX 595 species of hardy XI 428 thrips on XVII 187 training and forcing XI 544 treatment of, after flowering XI 492 untrained XV 453; XVII 284 white XX 52; in the open air XIV 430 454 534; XX 12 Azara Gillies XIX 87 190 microphylla VI 350; XIII 620; XVII 251; XVIII 111 402 403 (2 cuts) Azaras, the XIV 350 hardiness of XV 273 Azolla caroliniana XVI 504 pinnata XV 365; XVI 132 Azone I 648 </p>	<p>Balsams, single made double XX 414 species of III 401 specimen XIII 289 Balsamita grandiflora XX 103 123 136 vulgaris XX 201 Bamboo, dwarf XX 343 golden VIII 206; in flower in Devon X 120 <i>greyish</i> VII 279 grain, as food V 175 growth, rate of XVIII 254; remarkable, in England XII 467 hardiest IX 364 hardiness of Fortune's XX 111 hardy IX 571; new IV 323 Himalayan XII 593 in Egypt VI 181 mat shading XIV 482 mats XIV 549 570 miniature V 551 <i>noble hardy evergreen</i> XI 471 poisoning III 46 rice XI 294 <i>shading</i> XV 361; Japanese XIII 598 square-stemmed VIII 4 <i>stem, use of in layering</i> XI 319 stems, raising seedlings in XIII 202 Bamboos and half-hardy trees and shrubs at Fota, co. Cork VI 73 at Algiers III 160 at Tottenham XIV 366 death of hardy II 65 for the conservatory XIV 146 hardiness of XIX I 28 hardy I 69; II 316 428 464; XVIII 403; at Paris III 254; for the wild garden IX 571; in England and Ireland III 453; seedling in Ireland XI 346 in N. Africa and in Europe X 498 leafless X 425 Mous. A. Riviere on XVI 524 mountain XII 405 rapid growth of II 238 335 seed-bed for, curious XI 405 <i>square-stemmed</i> XII 208 variegated XVIII 390 which may be “profitably grown?” IV 62 Bambusa XX 315 arundinacea III 174; XII 467 <i>aurca</i> I 606; VIII 206 (cut); in flower in Devon X 120 <i>edulis</i> I 253 <i>falcata</i> I 69 <i>heterocycla</i> XV 75 <i>Maximowiczi</i> XIX 664 <i>Metake</i> XI 471; XVI 405; hardiest Bamboo IX 364; in the Parc Monceau XI 82 <i>mitis, rhizome of</i> XVII 44 <i>nana</i> V 551 Ragamowski XIV 170; XX 343 540; as a hardy border plant X 460 Simoni XX 29 <i>spinosa</i>, branches of XVII 45 <i>spotted sheath of</i> XVII 45 <i>striata</i> V 28 <i>sulphurea</i> IV 323 <i>viridi-glaucescens</i> VII 279 Banana, the II 187 Abyssinian at Kew III 450 culture of II 186 crops IV 398 dwarf XI 345 in Algeria VII 274 varieties of VI 410 Bananas XVI 24 and Vanilla at Syon House X 436 as food II 225 at Wimbledon House XIV 451 Californian XVI 404 Canary Islands XI 450 cracking XII 75 </p>
--	--	---	---

Bananas, fine cluster of VIII 2
how to eat II 306
imported III 14; XI 393
in Covent Garden XIV 301
in Japan V 198
in the Gulf States VII 429
notes on VIII 88
v. Pine-apples XVI 543
Banbury, cultivation of medicinal plants at XII 4
Bandage propagation IX 583
Banberry XII 362; XX 124 199
common XVI 112
Bank, plants for a steep II 212
Bank, plants covered with Honeysuckle, Sweet Briar, and Roses XVII 507
v. flat ground for spring flowers III 96
Banksia, Australian XIII 16
Barany tree, the II 380; III 115; V 332; and the temple XI 503
Barany trees, rootling XIII 586
Baobab tree I 240 241 (*cut*); IX 119; X 335
Baobab trees and giant Euphorbias IX 181
Baptias, note XV 17
Barbarea vulgaris fl.-pl. IX 591; *v.* fol. var. XIX 634; *v.* variegata II 452; V 264
Barbe de Capucin VII 399
Barberry berries, evergreen VIII 87
Chinese XIV 464
coral XIV 78; XVIII 137
Darwin's in December XX 560; in towns XVI 338
decaying XX 9
fruit of the large evergreen XIX 642
hedges of XX 12
scarlet VI 481 563
sweet IX 512
Barberries, to preserve V 273
uses of VIII 122
Barillet-Deschamps, monument to IX 51
Barillet, portrait of the late M. Charles IX 323
Bark XX 110
and bark stripping XV 323
and timber trade, XIII 505; XV 432; XIX 604
constricted XV 470
Barkeria cyclotella XVII 72; XVIII 559
Lindleyana XVII 368; L. var. Centera IV 498
Skinneri XV 32
Barardesia rosea XVII 67
Barometer, garden uses for XX 181
new XVIII 512
Barrenwort XII 363; *alpine* XI 293
Bartholina pectinata XVIII 29
Barton Hall III 432
Basil, Sacred XII 208
Basket, balloon hanging VIII 359
beautiful V 56
cheap, for Ferns and Orchids XIV 484
for gathering fruit VI 240
hanging IV 263
in which grapes are imported VI 587
of cut flowers, hanging VI 599
of flowers of grasses IV 265
plant, good VIII 12
plants I 460
Baskets, dressed XVIII 601
hanging V 547; VI 514; X 185; XVI 138 229; at Lambton XVII 631; in conservatories XVI 43; plants for XIX 395
plants for V 327
rustic XV 176
well-furnished suspended IV 184
Bast mats, Russian VII 118
Batatas paniculata IV 110; VIII 194; XVI 128; XVIII 380; XX 98 457 625; *at Port Said*

Batatas paniculata—continued.
XX 625; culture of XX 610; *on a house at Port Said* XII 261
PANICULATA XX 610
Baths, new Thames III 60
swimming for London I 186
Bats X 24
Battersea Park XVIII 617
bathing in XII 318
carpet-bedding at II 273
flower-gardening in X 258; XIV 176; XVI 193
gardens in XII 223; in 1875 VIII 191
in 1872 II 179
in 1873 IV 100
bake view in XVIII 617
plan of X 471
Pomegranates in X 280
rockwork in III 207; XIX 70
shrubs in flower in May in XV 422
Battle Abbey, view in the gardens at VIII 547
Bauera rubioides XVI 297
Bauhinia petiolata XI 189
tomentosa XVI 446
Baud Mony XVIII 389
Baxter and Son XIX 410
Bay, a hedge of sweet IV 428
and Arbutus in Greece, IX 179
at Exmouth, V 344
Californian VIII 327
leaves as a febrifuge II 500; IV 71
medicinal properties of III 131
Bays, pyramidal sweet XII 611
Beam tree, Nepal White I 354
Bean aphis I 212
Beck's dwarf Green Gem VII 533
Carter's White Advancer French IX 608
Dreer's Improved Lima VI 529
Dutch Case-knife Runner X 252
dwarf Green Gem XVII 120
flower and fruit of the Sacred X 293
French Canadian Wonder VIII 247; XIV 454; for forcing V 385; VIII 506; XIV 397 429
Giant White Runner XIII 373
green Haricot XV 247
hardy Sacred VIII 475
Haricot Chevrière XVIII 208
Mouster Negro Kidney XVII 182
Mont d'Or Butter VI 276
Negro French X 45
Ne Plus Ultra XX 215
Osborn's forcing French V 464; VII 245 338 415; XI 431
Paris Red Flageolet Dwarf VI 462
pods, eatable VIII 182
Pooley's Prolific Dwarf French IX 70
Predome French X 318
Premier Runner XI 100
Princess XVIII 369
Sacred VIII 475; XII 103
Seville Longpod VII 210 245; grown in the open field VIII 80
Soja XVII 116
Touquin XII 232
trial, the Chiswick VII 135
Victoria dwarf French X 299
Weevils XX 549
White Spanish Haricot II 324
Williams' Early Prolific Dwarf French VII 102
Williams' Kidney XVI 262
Beans I 41
and their culture X 141 160
and wireworms XI 512
Broad VII 70; amongst other crops XIX 358 411; culture of VI 448; dwarf, X 194; grown at Chiswick in 1874 VII 20; second crop of VIII 166
culture of IV 509
dipping in paraffin XII 107
dwarf Kidney and Scarlet Runner XI 271

Beans, early Broad XI 100
early summer Kidney IX 588
few words about IV 221
French V 464; VI 490; X 318; and Scarlet Runners XIV 458; at Burghley VII 436 438; best dwarf VI 151; dwarf VII 392; early dwarf X 119; forced XX 363; forcing VII 416 490; XIV 529; at Burghley VII 37; XII 368; for winter use XI 344; grown with Strawberries XX 76; how they are grown for market VI 150; in pots XIX 484; late XII 163; old *v.* new VIII 555; throughout the winter XII 414; two useful XII 391
Haricot IX 514; how to cook V 102; *new hairy* XI 55
in the nest of a field-mouse II 378
Kidney, in small gardens VII 414
Lima I 20; VII 296
Osborn's Forcing and Wilmot's Forcing French XI 360
runner V 229; XX 196
Scarlet Runner XIX 632; and Haricot VII 393; in trenches IX 355; late in the year XIV 423; late-sown XIV 386 453 530 569
stringing the I 405
to judge Kidney XX 17
trial of dwarf French forcing VII 335
tropical varieties of IX 277
Zulu XVII 96
Bearberry, the XIX 600; XX 313
Bearberries XV 104
Bear's Breech XX 198
Beech-wood, in the gardens at XVI 53
Beaucarnea longifolia suspended XII 443
recurvata II 481; III 258; XIX 372 (*cut*)
recurvifolia XIV 436
the genus II 480
Beaucarneas, rapidly grown VIII 486
Beaufortia decussata XX 622
Beauty, the influence of IX 535
in common things VI 460
Bed, autumn and winter VI 446
Beds and borders, herbaceous XX 383
and shrubberies, yellow bands round XVI 319
carpet and butterfly VIII 500; in Battersea Park XX 252
"cocked-up" XII 347
grassy XVIII 363
mixed flower and carpet VIII 364
mixed herbaceous XVI 325
nursery in gardens XVIII 118
on a lawn, two good IV 112
Bedding out I 644; II 503; (poetry) VIII 359; XII 438; XVII 73 154 189 234 291 559; XX 78
a defence and a reply II 265 287 333 406
Beet-root for XVIII 248
geometrical XIX 575
herbaceous XIX 570
in Battersea Park in 1874 V 474
in the London Parks I 644; XVII 238
opinions on XX 593
plant, white XX 223
plants at Rathrona XX 44; in succession XX 392
(new) 1873 III 312
notes on I 252
propagating XX 356
striking cuttings of I 662
spring I 563; and summer combined I 687
summer and winter XVII 112
summer XVII 280; and winter combined XIV 460
symmetrical XX 15

Bedding system, the II 384; XVII 257 313 367 488; XVIII 146 180 659; XIX 197 360
v. mixed borders IV 414
Bed-straw, for carpeting ground XII 282
Bedgarden of the Rose II 311
Bedford Square, improvements in VI 532 557 580
in 1875 VIII 80
Bedford, weather at in December, 1879 XVI 521
Bee, death from the sting of a II 88 314
Bees and brambles I 136
and flies XX 429
and flowers XX 546
and fruit VIII 224 309; XII 20
and wasps *v.* fruit VIII 321
destroying IV 447
destructive to fruit I 358
food for X 274
humble XX 462
Beech aphis IX 192
as a shelter tree XVI 165
at Newbattle Abbey, large VI 32
blight, a new V 34 83 98 148
caterpillars XII 292
Copper XIII 619
fine XVIII 548; fern-leaved XIX 622
for hedges VI 397
hedges, cutting XVII 232
in Italy IV 212
Purple III 369
seedling for hedges IV 54
Stevens' Purple Weeping XV 61
weeping IV 427; VI 479; XIII 595 (*cut*)
timber IV 380
Beech trees, American XIX 600
and lightning I 194; II 322 339;
and underwood XIV 510 534 571 579; XV 8 28 60 73 106
Burnham V 17; XVI 45; one of the V 17
Copper I 504; at Clumber IX 570
notes on VII 226
remarkable XVI 338
species and varieties of XIII 391
Beef-wood, Australian XX 441
Beet, Brazilian, for indoor decoration XVIII 646
Chilian XVI 325; crimson V 30
Dell's Black-leaved IX 286; XIV 423; Crimson VII 199; VIII 201
Egyptian turnip-rooted VIII 489
Seakale VIII 464
Spinach VIII 122
varieties of the Sugar X 45
white or Sicilian IV 138; or Silver VI 584
Beets, protecting ornamental VII 173
Beet-root in market-gardens VI 232
wintering IX 47
Beetle, Colorado V 322; VI 482 (*cut*); XI 460 (*cut*)
fotid Rose XV 323
Pine-boring I 287; II 31 (*cut*); shoot bored by I 287
Beetles V 315; XX 39
and cockroaches XIII 404
bark-boring III 63
plant-eating XX 382
to destroy black II 165
Willow XV 466
Beginning, a IV 180
Begonia XX 149
Abel Carrère XV 483
albo-eccineata XVII 34
ascotenes VII 68; XVIII 279 381; and B. insignis XVIII 586
Brilliant IV 241
Cheloni IV 109
chestnut-leaved XX 293
corallina XX 262
Daveana XVIII 229 287
Davisi X 378; XI 18 (*cut*)

Begonia Digswelliana XVII 248
discolor Rex XX 223
double-flowered IV 62
Dregei XIX 262
dwarf scarlet XI 18
erecta multiflora II 462; VII 295
foliosa XVIII 448
free-flowering white XVII 167
Fræbelii VIII 543; IX 77 99 304;
XI 82; XII 513 604; XIII 196
250; XX 540; and B. octopetala
rosea XII 545; fine seedling
variety of XX 460; from seed
XIII 24; in New Jersey XIII
35; in winter XIV 389; out-of-
doors XI 529; F. incomparabilis
XVIII 171 219 287
FREEBELI XII 376

Begonias at Forest Hill XIII 589;
XVIII 202
at Ghent VI 317
at M. Lemoine's XIV 189
at Pine-apple Place XII 103
at the Stanstead Nurseries XVI 112
at Stanstead Park XX 24
bedding XX 252 518; tuberous
XVII 565
Chiswick raised XVIII 75
double-flowered IV 130; VIII 529
fine-foliaged XIX 645
for back walls of warm houses
XIX 241
for bedding XX 326
for rockwork VIII 188
for walls and rocks XI 3
for winter flowering II 441
good winter XIX 166
GROUP OF NEW XIII 208;
XV 338 (PLATE)
hardiness of tuberous-rooted XV
134; XX 325
hardy IV 124; VIII 474 508
at Chelsea XII 78
hybrid VII 279
herbaceous IV 86 110
hybrid tuberous-rooted VI 190
in frames XX 518
in the flower-garden XVII 198 227
in open borders XX 422
in Parisian gardens IV 144
in the open air XX 320
late blooming tuberous-rooted X
540
leaf-cuttings of tuberous-rooted
XIV 586
losing their leaves XVI 450
Mr. Laing's XIV 212
NEW DOUBLE - FLOWERED
XVII 518
new hardy VI 145
new hybrid XIV 436; of 1880
XVII 259; tuberous-rooted X
373
new tuberous-rooted VI 197; of
1877 XII 341; of 1878 XIV
503; of 1879 XVI 478; of 1880
XIX 217
not flowering XX 461
of the Rex section, hardiness of
VII 89
out-of-doors XX 343; at Heather-
bank X 306
peat for tuberous XX 36
planted out XIV 56
propagating XX 451; tuberous-
rooted IX 401; XIV 467
seedling XIV 101; XVI 148 262
for conservatories X 479; tu-
berous XVIII 186
seed sowing XX 518
self fertilising XX 422
shedding their flowers XIV 75
three good XII 330
tuberous-rooted VIII 405; X 462;
XII 251; XIV 2 392; XVI 60
194; XVII 404; XVIII 415
421; XX 421 518; as basket
plants XIV 100; XVI 264; as
cut flowers X 416; at Chelsea
XVI 6; for bedding purposes
XII 202; XII 425; for beds
and borders XIX 467; for the
conservatory XIV 211; from
cuttings XIX 582 663; from
seed XVI 257; hardy XIX 619;
in the open air XVII 367; out-
of-doors XX 480; wintering
XVI 522
two good XIX 226
two new double varieties of tu-
berous-rooted IX 99
variegated-leaved VIII 494
white tuberous XVIII 582
winter blooming I 462; VI 594;
XIII 117; XVI 520; XX 455
512 515 564 624
Belfast Botanic garden II 413

Belgium, new winter garden in
XVI 370
notes from XIX 497
railway cordons in X 341
Belgrave, an hour at VIII 187
Belladonna Lily under glass, the
XII 388
Bellflower, broad-leaved XVI 233
good white XVIII 196
giant XX 17
gland XX 199
pyramidal XVII 522
Rauwer's VI 59
top-shaped VIII 127
Van Houtte's XX 52
Bellflowers XX 22 26
gland-bearing V 223
species of IV 41
tall V 199
Bellis cerulescens XVI 166
rotundifolia cerulescens IX 9 (*cut*);
X 518; XI 55
Bellium rotundifolium cerulescens
XX 415
Bell-wort, the large-flowered X 207
Beloperone oblongata XVI 319
Belvoir Castle III 379
flowers in the open air in December
at XX 562
hardy flowers at XX 500
notes from XX 236
Potato growing at II 259 296
spring gardening at VII 450
Benthall Hall I 625
rare alpines at II 9
Benthamia fragifera at Fota Island
X 9
Benzine, gasoline, and naphtha XVIII
262
Berberidopsis corallina IV 166; XIV
78; XVI 196 455 (*cut*); XVIII
106 126 137
Berberis Aquifolium for spring beds
XIII 272; for winter beds XI 232
asiatica as a hedge plant III 434;
VIII 384
atropurpurea V 307
buxifolia XVIII 186

Bertolonia Houtteana VII 276
Hrubyana XVIII 186
Rodeckiana XVIII 186
Van Houttei XIII 251; at Ghent
VI 317
Bertolonias VII 478
culture of XVIII 438
propagation of XV 212 221
Bischornaria bracteata XIII 15
yuccoides VII 519
Betel nut, the III 151
Betonica grandiflora XVIII 27
Betonicas, notes on the XV 23
Betony, note on XV 23
white, on Hampstead Heath XII
228
Betula alba laciniata pendula XVIII
378
dalecarlica XVII 338
notes on the genus VII 200
pumila XX 58
Bœurr de l'Assomption I 205
Beverage, a new XII 350
"Bibliotheca Nicotiana" V 454
"Bichos" VII 232
Bideus atrosanguinea III 125
Big barked tree I 421
Bignonia capreolata III 278; VIII
409; hardy XIV 305; c. var.
atro-sanguinea XVIII 186
Cherere, a good autumn climber I
366
erecta XIV 169
grandiflora XX 332; as a standard
XX 252; out-of-doors XX 209
jasminoïdes XX 9 153
radicans III 261; XII 340; r.
grandiflora VI 156
speciosa XVII 275
unguis XX 178
venusta XIV 478; XX 603; a
finely flowered XII 488; at Syon
house XI 22; at Welbeck VIII
486
Bignoniæ, culture of IX 577
hardy IV 166
species of III 260
Bignonia tree, a XII 190
Big Root, Californian XVII 147 416;
XVIII 122
"Big Tree," how it was felled XVIII
210
"Big Trees" in California III 227
Billardiera longiflora XVI 205 259
(*cut*); XX 177; hardy XIV 100
Billbergia Chantini XVII 70
drooping-flowered XII 59
Euphemiae XVII 394
liboniana XVII 274
Moreliana X 498; XVI 415
nutans XVII 129
splendida XVIII 448
vittata macrantha XVI 529; XX
597
Billbergias IX 301
at Kew XIX 58
from Glasnevin XX 605
Binding compositions XIV 586
Bindweed and Cotoneaster XX 293
an ornamental East Indian VIII
194
eradicating VII 416; XIV 143
165 187 430
great II 241
greater XIV 78
in gardens XVIII 24
large white XX 603
pink, in the wild garden VIII 234
prickly X 7
rose-coloured XX 320
Sea VI 366
Bingham, fine day at XVII 255
notes from XX 128
Biota elegantissima XVII 381
pendula XVIII 462
Birch, the VII 201
as a pleasure-ground tree III 352
cut-leaved XII 136; XVIII 474
606; XX 59 (*cut*)

Birch, Purple II 238; X 522
Silver XVII 360
weeping II 197; XI 9 (*cut*); XVI 260; and cascade XIV 171;
Bourne's VI 525; cut-leaved
XVIII 378; Young's II 465
wine XI 284
wood XIV 348
Birches and Aspens VI 284
cut-leaved and other XX 58
notes on VII 200
ornamental XI 8
Bird catchers I 668
Cherry the IX 491; XV 433; XVII 408; XVIII 175; XX 29;
horned VI 181; in hedges XIII 433; tree, an old XII 47
destroyers XII 36
lime, some uses of XIII 2
scarer XV 165; an Indian IV 235; bell XX 305
scarers VIII 14; bottles as VII 334
tables XVIII 500
Birds II 190 191
and berries XIII 57
and berry-bearing plants IV 521; V 3
and fruit IX 261; XVI 553; IX 360; XVII 310
and Holly-berries XII 583
and insects IV 302 315
artificial nests for VII 59
dog the best scarer of V 555
food for small I 568
for the garden I 153
frequenting the gardens in the Regent's Park VI 529
garden XX 549
how to protect seeds and buds from II 543
in gardens I 444 529; V 155
insects and Peas XI 548
in the Botanic Gardens, Regent's Park IX 76
nest in a human skull XII 133
nest IV 505; artificial VII 309; in hothouses XII 58; robbing XII 219
plea for II 199
preservation of XIX 28
protected XII 196
scaring V 465 486
small and eats XI 552
useful in gardens II 432
value of insectivorous IV 352
v. fruit VIII 54
v. grapes V 19
v. insects IV 447
v. soot and lime XI 152
wild XX 69; Protection Act IV 346
Birkenhead Park, plan of, X 551
Birmingham, a park for I 294; IX 584; X 125; XII 534; XV 289
boules, a souvenir of the II 309
Botanic Gardens I 602; XX 276;
hardy plants in XI 493
herbaceous plants at XX 380
Horticultural Congress II 86
Horticultural Show at I 222
Lower Grounds, Aston I 694
plan of the Royal Horticultural Society's Show at I 695
Rose Show at II 21
Royal Horticultural Great Exhibition at I 715; meeting at I 342; show at I 342
Bistort, select species of XII 329
“Bitter Root,” the III 430
Canadian V 478; VIII 244
Bitter Willows as a game covert I 136
Bitton, gardens at III 311
long ago III 464
Mutisias at X 167
Vicarage, list of plants grown at, in 1831 XVIII 114
Black Alder XX 223

Blackberry, the I 610
American I 349
Australian X 558
farm, a VIII 442
Himalayan V 548
Killatinay XVIII 259
Lawton XVI 211
Western Triumph II 164
wine and cordial IV 266
Blackberries IV 334; V 73; XIV 242; XX 342
American III 82; IV 90; XII 276 316; XVIII 259; in England, III 29
British XVII 180
cultivated XVIII 372
Blackbird, the V 110 (poetry) 142 (poetry)
Blackbirds V 162
as garden destroyers V 58 91
in the fruit garden VI 343
traps for V 202
Blackheath I 341
improvements on XIV 172
Black Jack XVII 457
“Black knot” of Plum and Cherry trees, the X 36
Blackthorn, a double XVII 338
Black Walnut, Butter-nut, and other trees, raising VI 548
Bladder-nuts, the XIX 43
Bladder Senna, the Oriental (*Colutea cruenta*) II 171
Bladder Sennas XX 136
ELADDERWORT, ENDRES' XVIII 432
Mountain XX 98
Blanc-mange and Apricots VI 39
Blandfordia Cunninghamii XIII 303; C. *hybrida* XIX 34
flammea elegans XIX 535; f. var. princeps IX 118
flava XVIII 60 189
grandiflora XIII 355
nobilis grandiflora XIII 561
Blatta orientalis XVI 21
Blazing Stars XIX 38
Blechnum boreale I 145
coreodavense, a good room plant VIII 478
spicant trinervium XII 318
Bleeding in trees, to prevent IX 131
in Vines, cure for X 269; XI 203; tobacco-dust a remedy for VII 131
Blenheim XIX 63
by the lake at XIX 67
view in the grounds at III 479
Bletia, hardy XX 23
hyacinthina VIII 37
HYACINTHINA XVI 416
hyacinthina japonica XX 23
Tankerville at home XVII 303
vereundia Shepherdii V 281
“Bletting” in grapes XI 492 494
Blight, American IV 297; V 265; XX 38
cause of Pear XX 244
Strawberry IX 488
Blitum capitatum IX 488
Blossoms, winter XVI 446
“Blood Louse,” the VII 24 3
Blood-root, the XIX 392
at home XVII 98
Blue-bell, common XIX 558; forced XVII 275
wild XV 493
Blue-bells, forcing VIII 98
Blueberry, the autumn XVI 259
Bluet, Alleghany XX 87
Blnets, white XIX 26 600
Blumenbachia (coronaria) Chuquitosis VII 173
coronata XVII 197
Bocconia cordata I 606; IV 191; X 232; XV 23; XVI 124 236; XX 41; in masses XVII 112
japonica I 703; XVI 235; XVII 282

Bog, artificial XVI 318; at Glasnevin VII 483
Boy Arum IX 137
Boy Beau IX 137; XVI 215
as a border plant X 351
Boy Garden I 7 23
land, draining by planting XVI 307
plants, choice I 24
Bogs, artificial, how to make II 397; what to plant in II 397
Bachmeria nivea XIX 185
Boehmeria rubra XIX 40
Bohemia, fruit trees in XIX 220
Boiler, *Colles's Lime-kiln* III 441
Cowan's lime-kiln V 150
explosion of gas under a saddle VIII 292
fires, stoking X 252
(gas) for a conservatory VII 212
Gold Medal IV 538; XIV 469
Greco's patent wrought iron V 150
incrustations IV 309 370 438; remedy for X 270
Micklejohn's cruriform V 338
new kind of XVII 66
Ormsom's new VIII 430
Patent Clinax V 450
portable hot-water XII 182
saddle I 110; new mode of I 110
section of a XV 494 495
setting VII 188
trial XVIII 581
trials at Birmingham II 66
Watson's portable VII 17
Weeks's upright tubular III 127
Wright's Endless Flame Impact XII 21
zigzag gas-heated IV 97
Boilers I 199
and furnaces, large better than small VII 58 93
and hot-water pipes XI 161
and their management II 537
brickwork the best setting for VII 138
Cornish, at Envile XVIII 596
explosions of gas under VII 336 356
for small houses XV 69
French bell and copper pipes XIV 340
fuel for saddle XIX 11 64 112 140 160
incrustation of IV 241; IX 51
of different kinds XVII 19
setting XVI 545; above the pipes VII 313 354
slow combustion XIX 375
sunken VII 127 167 188 212 232; VII 252 271
Bois de Boulogne, plan of the III 359 scene in the III 363
Bois de Vincentes I 425
Boisduvalia Latifolia XVIII 45
Bolbophyllum Lemiscum X 594
odoratissimum XII 582
umbellatum XX 408
Boldea fragrans VI 410; VII 60
Boldu, a new medicine for sheep VII 60
Boletus edulis I 35 36 (*cut*)
French mode of preserving II 455
Bollea caecilis XIII 561; XVI 81; XX 104
Boltonia latiscumma XIII 94
Bomarea Caldasiana XVII 557; XIX 252 534
CALDASIANA XX 138
Carderi X 538; XII 440; XIII 106; XX 457 627 (*cut*); at Pen-dell Court XVI 216
Jacquesiana XVIII 279
multiflora XX 212; flowering spray of XIX 235
new XX 458
oligantha XV 57 101 (*cut*); XVI 369; XIX 2; XX 457

Bombyx (*Liparis*) auriflua IV 447
neustria II 343; V 425
(*Orgyia*) antiqua III 375
Pityocampa XI 460
processionea, larva of XI 412
Bonaparte juncea, in bloom X 508; XVI 196
Bone-dust as manure XIII 582; XVI 498
best way to reduce V 538
converting into manure XVI 382
dissolving XIII 583
for the garden XVIII 160
preparing for fertilisers V 318
Book-hawking XIX 194
in gardens XVIII 45
Books, novel collection of XVII 58 plague of XVIII 143
BOOKS:—
Africa, the Heart of V 334
Agriculture, First Principles of XIII 576
Agricultural Text-book XI 313
Agrostographia; or a Treatise on Cultivated Grasses XI 260
Air and Rain II 123
Album Van Eeden XIV 19 489
Amazon and Madeira Rivers, the VI 498
Angling, a Book on II 123
Angola and the River Congo IX 176
Animals, British, Extinct within Historic Times XIX 111
Animals, Grotesque III 90
Animals, Wild, Life and Habits of IV 468
Annales du Jardin Botanique de Buitenzorg XII 532
Arboretum Segreianum, the XVIII 254; XX 16
Australia, Extinct Mammals of XII 361
Azaleas, Indian, Iconography of XX 489
Bamboos, the XVII 44
Beeches, Burnham XVI 260
Bird, the II 189
Botanical Drawing, the Art of V 316
Botanical Note-book, Holmes's XIV 19
Botanique populaire V 316
Botany, a General System of III 307
Botany, a Manual of V 150; VI 15
Botany, American Contribution to XVI 198
Botany, a New Text-book of XI 154
Botany, Domestic I 706
Botany for Beginners I 545
Botany, the Treasury of V 99
Botany, Uncle Charlie's Illustrated Gems of XIII 247
Brassey, Mr., Life and Labours of II 484
Brief XII 532
Building, book on XX 350
Bulb Garden, the XIV 122
Cactus, the XI 156
Caledonia XV 4
California, the Botany of XIX 265 325
Catalogue, Mr. Such's XX 402
Chandos Classics XX 245
Chemical Technology, Handbook of III 242
Chemistry, Agricultural, and Geography, Elements of XII 404; XX 352
Chemistry of Common Life, the XV 354
Children, Poetry for XI 26
Chrysanthemum, the XX 453
Clay Farming, Profitable, under a Just Tenant-right XX 489
Clematis, the, as a Garden Flower II 446

Books—continued.

Conifera, Manual of the, XIX 644
Conifers, Ornamental, Rhododendrons, and other Hardy Shrubs IX 92
Consecration XIX 84
Cookery Book, the New IV 240
Cookery, Official Handbook of the National Training School for XIV 19
Cookery, Vegetable, The Vegetist's Dietary and Manual XIII 247
Corn and Cattle Producing Districts of France XIII 246
"Correspondance Botanique," Mr. Morren's X 575
Cottages, Sketches for XIV 133
Cucumber Family, a Study of the XII 242
Decorations, Church Festival XVIII 598
Dendrology XIX 183
Desert, Sowing the I 598
Dictionary, Bellew's XII 337
Diet, Essentials of XVI 85
Directory, Rowell's American Newspaper XVIII 336
Directory, Street's, Indian and Colonial Mercantile XIX 139
England and Wales, Handbook for XIV 166
Europe, Picturesque IX 230
Farming, Co-operative VII 47
Farming in a small way XIX 139
Fen and Mere, Reminiscences of IX 386
Fern Paradise, the VII 430
Fern World, the XII 203
Ferns, a History of XI 522
Ferns and Flowers of the United States XVII 547
Ferns, A Synopsis of all the Known VII 511
Ferns, Europeau XVI 260; XX 527
Ferns, Garden II 9; XII 108
Ferns for Amateurs, Illustrations of XIII 247
Ferns of the British Isles XII 577
Ferns, Where to Find XX 191 402
Field and Forest Rambles III 414
Fig, the Mulberry and the Quince, the XX 245
Fiji, a Year in XX 431
Flora, a New London XII 170
Flora, a School XIV 192
Flora, Bentham's British XIV 192
Flora of Mauritius and the Seychelles XII 170
Flora of Mentone, Contributions to the V 382
Flora of the British Isles, the Student's XIV 133
Flore des Serres, Van Houtte's II 122; V 225 254; VI 264 367 460; VIII 248 380; XI 424; XII 532; XV 255; XVII 406
Floriculture, Domestic V 490
Flower Garden, English XX 24
Flower-garden, Our V 273
Flower-garden, Paxton's IV 470; XVIII 218
Flower Mission, History of a XI 522
Flower-seekers, the Little V 99
Flowers and Ferns of the United States XIV 122 446; XV 165
Flowers, Familiar Wild XII 108; XIV 489
Flowers, Hardy Florists' XVII 87
Flowers, the Forms of XII 241
Flowers, their Origin, Shapes, Perfumes and Colors XIV 63
Food and Dietetics, a Treatise on VI 75
Food: Some Account of its Sources, Constituents and Uses XII 460
Foods V 150

Books—continued.

Foods and Farinacea, Smith's IV 240
Forest Trees of North America XVII 433
Fourth Georgic of Virgil, the IV 404
France, Experiences of an English Buyer of Land in IX 178
French Home Life IV 150
Fruit Culture under Glass, the Handy-book of III 89
Fruit Culturist, the American XI 481
Fruit Farming for Profit XX 623
Fruit Farms, Small III 7
Fruit Garden, the Miniature XI 290
Fruits and Fruit-trees of America, Downing's XI 56
Fruits of America, Hovey's XV 355
Fruits, Small Success with XIX 405
Fruit-trees, Improved Pruning and Training of XIX 346
Fruit-trees, the Culture of II 270
Fungi, a Monograph of the Vine XIII 576
Fungi, Popular British XII 204
Garden Account Book, Nisbet's XI 522
Garden, My I 689
Garden Oracle, the XVII 46
Gardens and Woodlands, Notes and Thoughts on XX 191
Gardens of the Sun, the XVIII 523 546
Gardens, School XVI 85
Gardener, Practical, Carter's XIII 222; XIX 317
Gardener's Assistant, Thompson's XII 576
Gardening, Cottage XII 108
Gardening for Pleasure IX 12
Gardening Guide, Hooper's XIII 222
Gardening, Town and Window XVI 40
Geography, Modern, a Smaller Manual of XVIII 523
Geography, Physical XII 360
Geography, Physical, Advanced Text-book of IV 150
Geography, Physical, Introductory Text-book of IV 470
Geology, Economic VI 573
Georgics of Virgil, a Literal translation of the III 340
Grafting and Budding, the Art of IV 32
Grammaire Française XIII 247
Grape Vine, a Treatise on the X 411
Grasses, Album of Forage XV 145
Greek and Latin Authors, Half-hours with XX 402
Greenhouses and Conservatory, the Amateur's V 99
Grosses Illustrites Kräuterbuch XIV 446
God's Acre Beautiful, or, the Cemeteries of the Future XIX 35
Herefordshire Pomona XIV 446; XX 432
Hesiod and Theognis III 171
Highlands, Wild Sports and Natural History of the XIV 583
Hornby Mills I 640
Horticulture XII 142
House, a, What it Should Be. IV 284
"Idstone" Papers, the II 484
Insect, the VII 30
Insect Depredations VII 510
Insects, Garden VI 445
Insects, Miss Ormerod's Manual of Injurious XX 139
Insects, Notes on Injurious XIII 222
Ismailia VI 475
Ivy, the V 273

Books—continued.

Jardins, L'Art des XV 266
Kew Gardens, Report on XIV 122
Kitchen and Market Garden XII 577
Labourer, the Cry of the IV 468
Land Tenure, Systems of, in Various Countries XIX 346
Landscape Gardening for Perpetual Beauty VI 143
Leaves from my Sketch-book X 575; XII 532
Life, How to make the Best of XX 245
Lilies, Notes on XVI 401
L'Illustration Horticole, Gleanings from II 508
Livingstone's Last Journeys IX 242
London, the Environs of XII 360
London, the Royal Parks and Gardens of XII 242
Maison Rustique des Dames XIII 425
Manures, Artificial XIII 425
Matterhorn, the Ascent of the XVI 467
Measurer, the Complete VI 553
Medicus Cibi, Medicus Sibi, or, Nature her own Physician XIX 183
Microscopic Objects, the Preparation and Mounting of V 99
Monaco and its Gaming Tables XX 550
Money in the Garden XX 191
Mountain, the I 443
Names, Botanical, for English Readers IX 346
Narcissus, the, its History and Culture VII 371
Natural History, Essays on II 227
Natural History Objects, Notes on Collecting and Preserving X 59
Naturalist, Life of a Scotch X 575
Naturalist, the Home XIII 247
Naturalist, the, in Nicaragua V 27
Nature II 270
Nature Pictures II 508
Nebraska VIII 390
Nice and her Neighbours XIX 264
Orange Trees, the History and Culture of II 534
Orchard House, the XVI 40
Orchardist, the III 440
Orchid Album XX 37
Orchid Culture XI 260
Orchid Fertilisation, Darwin on XI 153
Orchids, Fairfield I 545
Parliament, Anecdotal History of the British XVIII 336
Parterre Album, the VIII 533
Pastoral Days XIX 326
Pear, Culture for Profit XX 172
Peasant Proprietors, a Plea for VI 121
Perfumery, the Art of XVII 88
Peruvian Bark XVIII 597
Pharmacographia VI 417
Pheasants for the Covert and the Aviary III 317
Pine Plantations in France XIV 133
Places, Poems of XIII 425
Plaintes d'un Horticulteur XX 16
Plantation, Leighton Buzzard, the II 470
Plant Names, Dictionary of English XX 280
Plantes bulbeuses, Les III 355
Plants, Alpine XVI 545
Plants, Arctic XVIII 627
Plants, Climbing, the Movements of VIII 532
Plants, Cross and Self Fertilisation of XI 4
Plants, Cultivated XI 480.
Plants, Fossil XII 203.

Books—continued.

Plants, Hardy, for Little Front Gardens XI 313
Plants, Henderson's Hand-book of XIX 485
Plants, How they Behave I 706
Plants, Medicinal XII 108
Plants of Eastern Europe, the XII 242
Plants, Ornamental, Hints on the Culture of XIII 576
Plants, Select Extra Tropical XX 191
Plants, Stove and Greenhouse Ornamental-leaved X 575
Plants, the Movements of XVIII 626
Pleasures, Country, chiefly in a Garden XX 337
Plum, the XVIII 598
Plymouth, a Flora of XVII 87
Poets, English, Dictionary of Quotations from the XX 16
Pollen XII 204
Pomological Dictionary XIII 254
Portugal, old and new XVII 465
Potatos, Catalogues of XX 16
"Prodromus," De Candolle's XIV 166
Property in Land, Principles of XVIII 287
Rambles amongst the Hills XVIII 656
Recipes, Garden XI 424
Recreator, the Popular III 355
Robins, the History of the VII 47
Rosarian's Year-book for 1877, the XIII 24; for 1881, the XIX 125
River's Rose Amateur's Guide II 91; XIII 48
Rose Annual, the XII 444; XVIII 626
Rose Book, the Amateur's V 456
Rose Garden, Paul's VIII 533
Roses, a Book about XII 290
Roses and Rose Culture VI 74
Roses and their Culture XIII 357
Roses in Pots, Cultivation of VI 585
Royal Botanic Gardens, Kew, Guide to the XIV 19
Rural Affairs XVI 338
Science, Literature and History, Primers X 336
Science Primers IX 356
Science in the Modern State, the Freedom of XIII 222
Scribner's Magazine XX 245
Selborne, White's Natural History of X 575; XI 26
Shakespeare, Plant-lore of XII 532
Shakespeare, Plant-lore and Garden Craft of XIV 28
Shells, Land and Fresh-water VIII 156
Siberia in Europe XVIII 565
Species, Origin of, Darwin's I 519
Strawberries All the Year Round XVII 357
Strawberries, How to Grow with Success X 179
Table, Kettner's Book of the XII 379
Table, Round the II 374
Tea, Cultivation and Manufacture XIV 446
Tomato, the XIX 265
Toy Books, Warne's Victoria IX 178
Travel Talk, the Handbook of XIII 526
Trees and Shrubs for English Plantations, II 269
Trees, English, and Tree-planting XVIII 224
Trees, Chapters on IV 283
Trees, Shrubs, and Herbaceous Plants, Handbook of Hardy III 190

Books—continued.

Tropical World, the III 317
Vegetable Mould, Formation of XX 488
Vegetable World, the II 345
Water for Nothing XVI 468
Weather Folk-lore, a Handbook of IV 404
Weather of 1880, the XIX 346
Weather Warning for Watchers XII 460
"What am I?" IV 32
Where there's a Will, there's a Way V 210
Window Gardening V 273
Workshop Appliances IV 150
Boots for wet and mud VIII 425
waterproof XIX 145
wet VI 354
Borage III 502; IV 57
and some other common plants in the garden IX 476
Cretan XV 4
in the wild garden XVII 228
uses of VII 50
under glass IX 512
white-flowered XVI 67
Borage-wort XX 51
Borage-worts XVII 537
Borago officinalis, the uses of VII 50
orientalis XV 4
Border, beautiful XVIII 2
bright spring IX 335
coverings XVII 340
in Victoria Park XX 241
mixed XVIII 128 200; XX 235; improvement of XVIII 248; pattern XVIII 76; shrubbery III 15
plants, summer III 221; tall I 95
Borders, arranging in seasons VII 136
beneath shrubs, carpeting V 30
digging IV 191; XVIII 304; or forking XIX 361
floral effects in XII 34
fruit tree XX 559
hardy plant XVIII I
herbaceous and shrubbery XIX 39; cocoa-fibre in XVIII 350; in autumn XVIII 297
mixed IV 166; XVII 429; XVIII 303; Mr. Peach on IV 371; reply to Mr. Pearson's sneer at VI 118
thick planting in herbaceous XVIII 349
tree root infested XIX 121 233
value of herbaceous IX 145
Borecole, culture of IV 509
Veitch's Dwarf Curled VIII 268
Borghesi Gardens, Rome I 634
view in 635
Boronia Drummondii XIII 458
ELATION X 312
elatior X 327; XI 233 315; XVII 468
megastigma V 482; XVI 67 (*cut*); XVI 498; XVII 450; XIX 368
pinnata grafted XVII 168
serrulata, propagation of XIV 399
Boroniæ, species and culture of X 312
Bornean Islands, notes from the XVIII 239
Bosnia, beautiful country IX 167
Bossiaea linophylla III 474
Boswellia Carterii XVII 164
Boston (U.S.), notes from XVII 83 135
Public arboretum XVIII 612
Botanical astrologer VIII 44
bore II 136
club, the Edinburgh VI 38
diagrams XV 365
directory for N. America and the W. Indies V 134
discovery XIV 102

Botanical drawing XVI 551; XVII 12
enterprise of the Empire XVII 440
explorations in the South Sea Islands VII 500
names VII 501; XX 185; reformation of VI 312
news in 1873 IV 2
nomenclature, some points in XI 523
phraseology, a fine specimen of V 491
ponies I 430
pronunciation XX 281
Society, Manchester III 102
Society of Edinburgh V 176
synonyms, confusion produced by IV 412
terms, superfluous X 37
Botanic Gardens at Edinburgh II 10; III 232; at Glasnevin I 309; II 10; at Gratz XVI 276; Hull, proposed changes in the VI 287; Regent's Park I 234 268 494; Regent's Park, evening fete at the II 49; *Regent's Park, plan of* I 235
Botanists, Directory of VI 464
and gardeners II 499
Botany XIX 194 (poetry)
and *savants* VII 509
books on XVIII 6
examination paper for students, on VII 167
garden (*Illustrated*) XIII 103 126 145 163 190 211 235 261 287 316 339 365 393 421 438 466 496 524 551 577 584 603 626; XIV 8 34 68 82 114 138 159 182 205 226 249 270 292
Guide to the literature of XIX 300
how botanical societies teach XVII 536
on teaching to the young VI 355
Professorship at Strasbourg I 434
progress of XIII 347
Treasury of V 50
Botryanthus conicus XI 234
pallens VI 512; X 518
Sussoui XI 348
Szovitzianus IX 376
Botrychium Lunaria XX 42
Bottle-brush, a crimson XX 622
Bottle-grafting X 211
Bottles as bird scarers VII 334
Bottle-tree of tropical Australia, the III 317
Bottom-heat XV 139
Mr. Baines on XV 95
note on XV 127
Pouchea Pseudo-Grevias IX 351
Bougainvillea bracts II 439
continuous flowering of XIII 79 446
culture of VI 294; XX 382
flowering of XVIII 416; out-of-doors in England XVIII 422
from Algiers XIX 345
glabra II 462; IV 374; XX 402 414 441 456 547 582; continuous flowering of XIV 244; flowering out-of-doors VIII 408; in autumn XII 421; out-of-doors XIX 217
rosea III 42
speciosa XVIII 107 394; evil effects of pruning in winter XI 84
spectabilis IX 83; XV 519; XVIII 284; at Kew XI 345; flowering IX 116; in India IX 98; not flowering XII 80
Bougainvilleas and their culture IX 593; XI 319
as pot plants IV 48
at Monaco XVI 4
at Nice XIII 600
continuous blooming of XIII 460 546
in India XVIII 510

Bougardia Rauwolfi X 203; XV 326
Boughs overhanging I 342
Boulevard for London, a planted IX 376
Bouquet, artist's XX 101
artist's idea of a XX 77
Button-hole III 273; VIII 59 (*cut*); for March VII 193; sea-side VIII 58
choice V 50
fan IX 75
flowers VII 329
Bouquet-holder, basket III 223
new IV 498
in winter XX 622
last of the season VI 409
making III 101 222; XX 38; English and foreign XIV 145
of British grasses and hardy flowers V 483
of common flowers XX 142
of hardy flowers VII 90
old-fashioned table XI 63
pot IX 223
water brooch XIX 59
Bouquets XIX 90; XX 229
at Manchester XX 260
button-hole III 250; V 203; VII 277; VIII 386; and coat flowers III 273; VI 372
fan-shaped IX 141
for table, clay a foundation for I 631
for the hand I 493; III 471
French XIV 101
from field and garden V 482
Hepaticas in VII 149
How to keep fresh XI 53
in Covent Garden XIV 396
large XIX 117; Italian XIX 2
plea for the more natural arrangement of VI 228
presented to the Queen V 218
Royal IX 236
unwired XVIII 600 648
water XI 24
winter VIII 534
Bournemouth, the gardens at X 478
winter garden XI 42
Boussingaultia XX 415
baselloides II 438; IX 123; XVI 369 394; XVII 380; tubers of eatable XVI 360
Bouvardia, Alfred Neuner, new double XIX 645; XX 172 563 605
angustifolia XI 191
at Worley XVI 369
Bride of Brooklyn XVIII 545
corymbiflora XX 153
culture of V 160; in America XVII 18
Davidsoni I 146
double XIX 199; XX 35 (*cut*)
flava III 82; XVIII 60 642
Humboldti XX 262; H. corymbiflora XI 199; XVI 320
jasminiflora VIII 474; XVII 82; XX 607
leiantha V 281
new II 357; double XVIII 642; XIX 181 (*cut*)
triphylla XIV 235; XX 362; remedy for hydrophobia V 206
Vreelandii II 418; XV 164
Bouvardias III 141; IX 121; XVIII 174; XX 354 512
and how to grow them XII 442
as flower-garden plants XIII 535
as seen in Covent Garden X 350
at Christmas XIV 360
at Clifton XI 305; XVI 505
best XVII 332
cool-grown XIV 465 483
cool system of flowering XVI 415
culture of VI 253; XVI 438
flowering in heat XVI 390
for bedding XVIII 24
for cut flowers XVII 56

Bouvardias for the flower-garden XVI 331
for winter-flowering VIII 51; XI 152
GROUP OF XV 498
hybridising IX 168
in autumn XII 416
in flower in October XVIII 337
in market gardens XIV 522; XVII 299
in summer XX 184 212
note on XIV 478; XVIII 203
on the cool system XVI 363; XVIII 415
planted out XII 519; in summer XIV 506
planting out XIV 412
propagating XIV 267 (*cut*); XVII 24 357; XX 451
sporting of III 27
warm treatment of, best XIV 436
winter-flowering XIV 543
Bowlesia plumbea XVII 380
Bowenia spectabilis, var. *serrulata* XVII 322
Bowr, a movable Ivy VI 123
Bocca volubilis XIX 312
Box edgings VI 324; a substitute for XVI 71 236; corners of IX 96; planting XIV 408
Elder, the Ash-leaved II 197
for cuttings or seeds a useful X 283
golden Japanese XIV 168
in Washington's garden IX 491
odour of I 143
varieties of IX 82
Boxes for cuttings and seeds IX 48
Boxted Hall III 474
Boxwood and its uses X 610
as a scraper VII 195
becoming scarce VII 234
Boykinia acutifolia XX 72
Brachycome iberidifolia XVIII 537
Bracken, transplanted XVI 115
Brackeus, the species of XVI 245
Bradford, new park at XVIII 251
Brahea filamentosa XII 63
species XX 382 414
Brake, the common XI 486 530
eradicating the XII 580
under trees VII 498
Bramble, beautiful XX 129
double-flowered XIV 147
double rose-coloured XVIII 247
298; in the flower-garden X 292
double white XIX 344
leaves in winter I 582
New Zealand XIV 310
Parsley-leaved VI 343; fruit of XI 255
Rocky Mountain VIII 158
showy-flowered IX 586; white IX 517
sweet-scented XVIII 485
white-stemmed XVI 446
white-washed VI 428
Brambles XII 419
and Briers XIII 595
cultivated IX 570
for the wild garden VIII 361
green and variegated XVIII 395
ornamental XVIII 358
Branch-falling, singular case of VI 53
Branch-hooker, a XIV 118
Branches, the beauty of bare III 73
Brantingham Thorpe, the gardens at VI 294
Brascia peltata V 66
Brassavola Dighiana XVI 275
Brassia Antherotes XX 416
Brassica crops, winter XIX 413
oleracea fimbriata IV 509
tribe in the London market gardens, the VI 309
Bravo geminiflora VI 92 146; XVI 197
Brazil and Saputa ants, origin of VII 247

Brazilian flowers X 35
forest I 191
Bread V 153
Bread Fruit, the III 495; XIII 75
(*cut*); XIX 162 (*cut*); Mexican I 660
Breaking Buckthorn XX 223
“Breeze” as hothouse fuel XII 510
Brewers’ hops v. celery fly X 341
Brick edgings XVI 509
Bridge, a natural XII 167
connecting two islands XI 373
rustic I 52; without nails XIV 474
without nails I 52
“Brief” XIV 76
Brier-root pipes III 131
stocks from seed III 312
Briers, no more XX 175
sensitive XIX 40
propagating XIV 319
seedling XII 627; XV 488; raising
XVI 569; root-grafting IX 466
Brighton Corporation, nursery of the
IX 491
Brisbane, the Ferns of VII 123
British Homestead XX 280
Museum herbarium, removal of
the XVIII 367
Brittany, a scene in XII 333
Brixa maxima VII 252
Broccoli I 246 301; XX 421
and its culture XI 472
and Potatoes IV 96
autumn XIV 445; and winter XIX
54
best kinds of VIII 506; IX 418
557
bitter XIII 376
cabbage XVIII 524 580; Gilbert’s
XVII 182 330; XVIII 476;
XX 600; new XVIII 367
Carter’s Summer XIII 453
Cattell’s Eclipse V 552
Christie’s self-protecting VI 437
462
Cooling’s Matchless Winter III
274
culture of III 77; VI 34; IX
235
early and late XV 382
four best kinds of V 428
from Cornwall X 156
good late IX 468
good new XII 107
Grange’s Cauliflower XV 248
growers of, a fact for III 148; in
Cornwall I 580
hard ground for I 274
hardest XIX 434
hardiness of XV 276
heeling in IX 69 117 124 163 188
212 235; X 458
how to cook IX 22
how to preserve from frost VII 268
in Cornwall III 62
in succession VII 396
in winter II 512
late IX 582
late dwarf purple XVI 327
late-planted XIX 484
Late Queen XVIII 12
large specimens of IX 540
layering XVI 327
laying winter XIX 358 455 552
Miller’s Dwarf XVII 357
Mitchell’s Champion of England IX
491
new V 317
Northampton Hero VII 456
notes on XIII 311; XVII 371
ornamental-leaved XV 388
planting out XII 74
preparing for winter XVI 268
protection of I 3; XVII 20
Snow’s XII 391; winter IX 94
117; winter white III 114 171;
XI 360
sowing late XIII 493

Broccoli, sprouting XIX 196
Sutton’s Late Queen XVI 477
variegated XVIII 12
Veitch’s Autumn; XI 28 68 100;
XII 127 579; XIII 92;
XIV 457; XV 151 248; XIX
24; hardiness of XIV 570
Walcheren v. other kinds IX 47
Watt’s Excelsior V 322
white VII 393 415; culture of in
France X 505
winter VII 168; XII 127
Wood’s Selected Cape White IX
468
Erodiaea californica VII 416; IX 379
COCCINEA XI 110
grandiflora II 20
multiflora II 314
twining (B. volubilis) XVI 80 112
Brodiaea XX 21
Californian XIX 645
Eroke Hall IV 24
Bromeliaceous plants XX 627; treat-
ment of VI 406
Bromelia, new III 373; XIX 87
Bromeliads XX 624
carnivorous XVII 116
catalogues of III 242
hybrid XVII 71
in flower XX 586
Bromsgrove, notes from XX 517
Bromus secalinus VI 512
Brook, the X 523
rocky XII 7
value of II 419
Brooklyn, New Park at I 684; plan
of I 685
Broom Hall III 491
Broom, common VIII 318; as a fibre
plant IX 119
Italian XVIII 145
seed of, sowing XV 198
wrapping, grafted on *Laburnum* XI
433
white drooping XI 20
Broussa and Mount Olympus XIV
27
Broussonetia papyrifera XIX 18; *p.*
var. Billardi XV 53
Browallia caerulea in winter XVIII
576
demissa as a winter-bloomer V 36
elata XVI 471 504 540; XVII 84;
XVIII 512 533 560; XX 390
582 626; and B. alba XII 106;
for the garden and conservatory
VI 496; in open borders XVI
326; in winter XIV 574; e.
grandiflora XVI 190
Roezlii XII 244
Brownia Ariza XVII 67
coccinea VI 442; XI 493; XVII
302; XIX 199
erecta var. princeps XIV 235
grandiceps I 547; XV 287; XIX
116
macrophylla VIII 227; XIII 136
176
MACROPHYLLA XV 436
Brownnea III 182
at Lakelands, co. Cork IX 48
Bruit Statue Fountain at Colmar I
132
Bruce Findlay testimonial XX 558
Bruchus Pisi XV 65; XIX 220
Brugmansia arborea, a large XIV
451
finely-flowered XVIII 138
Knighti XVII 127
Iutea VII 336
old white as a tub plant XIV 272
planted out XII 14
sanguinea IV 376; VI 168; VIII
400; IX 400
as a border plant XIX 472
suaveolens XVII 515; XVIII 250
299
Brugmansias XX 573
out-of-doors XVIII 332

Brugmansias planted out XII 280
plunging and dis-rooting V 447
Brunfelsias at Kew XI 325
Brunsvigia Josephinae XVI 320;
XVII 48 168 305
Brunsvigias XIX 102
BRUSH BUSH, THE XII 544
Brushes, steel, for fruit-trees XIV 519
Brussels, Great Flower Show at in
1876 IX 360 439
Brussels Sprouts XV 344; XVIII
266; XX 130 525
and Savoys, tall v. dwarf XVII 228
and their culture XI 547
autumn-sown VIII 281
beau idéal of XIII 175
culture of VI 448
Dalmeny XII 530
dwarf better than tall VII 245
early XVIII 294
early-sown XIII 92 175
fly on XII 182
from home-grown seed XIX 82
good and bad XIX 267
large XII 463
modes of cooking I 197
overgrown XII 458
small best XII 361
Sutton’s Matchless VIII 534
Welch’s Giant IX 117
Bryopsis laevigata VI 193
Bryanthus erectus XVIII 26
Bryonia dioica in the garden XIV
389
Bryophyllum calycinum IX 256 353
Buck-bean, the XIX 539
white at Christmas XIII 3
Buck-eye, Californian IX 371; XII
175 204 226; XX 52
large-spiked XIX 621
Buckingham Palace I 211
Bucklandia populnea XVIII 229
Buckland I 28
plan of I 29
Buckley, late Mr. VII 102 212
Buckthorn, Sea VI 232 380
Budder, automatic XVI 51 132
Budding knives, English and French
I 201
trees and shrubs VIII 144
with gooseberries and currants VII
87
Buddleia XVIII 195
Buddleia curviflora XIV 349
globosa VII 498; XIV 101; and
Cistus laurifolius VII 499
insignis XIV 349
intermedia X 148
Bud-sticking XVI 100
variation II 421; XX 507; in
Hollies II 464
Buds, adventitious VIII 87
spring, for sick rooms XIX 418
Buffalo Berry I 573; X 292
Bug-bane, the tall XVIII 203
Bugle, the purple II 421
BUGLOSS GIANT VIPER’S X 546
Bugloss, Viper’s VI 446; giant X
538
Bug market, the XVI 544
Buildings, ancient XIV 548
Bulb-beds, carpeted with Saxifrages
IX 399
carpeting XV 55 96 135
in severe frosts VI 516
permanent XVI 526
Bulb culture in boxes VIII 435
in Holland II 73
Bulb garden, Spring XIX 415
Bulb growing for market, Dutch
XVII 318
in Hyde Park III 370
Bulb growth from Crinum seed XIX
194
nomenclature III 49
Bulbs XVIII 638; XX 156 354
and other plants, wintering XVII
35
annual reproduction of XIX 57

Bulbs, depth to be planted XII
361
Dutch VI 190
drying-off VII 190
dwarf, where to plant II 398
flowering, Mr. Ruskin on II 528
for a grave XX 393
for pot culture II 461
for window and room gardens VI
241
hardy, selections of XVII 137
importations of Dutch XVI 105
imported XI 261
in glasses in cocoa-fibre and char-
coal XVIII 648
in permanent positions in pleasure
grounds XVIII 562
in windows, how to grow I 83
long rest of II 464
native English XX 237
Palestine XX 438
planted in tufts of the mossy
Saxifrages IX 352
planting XVIII 394; forced XI
121; hardy XII 227 611; stove
and greenhouse X 533
potting and planting XVI 389 438
protection of, in winter XI 294
spring VII 144; XII 255;
XV 117; hardy in Regent’s
Park XV 411; in rose beds XIII
224; in unused spaces X 460
spring-planted VII 395
tender, for spring flowering V 242
various for indoor decoration VII
193
wintered out of doors XIV 509
Bulbocodium vernum IX 335; XI
91 (*cut*)
Bulbophyllum Beccari XVI 437;
XVIII 188; XVIII 305 (*cut*)
Bulbous plants, best time for re-
planting XX 99
not flowering XX 456
wintering flowering XX 476
Bullace, prolific XIV 323 435 (*cut*)
521
Bullfinch, the III 345 394 395
Bullfinches I 357 444; XVII 402
and caterpillars IV 119
and fruit buds XIX 109
driving away X 201
Bunium Bulbostylanum II 100
Bunya *Bunya tree, the* XVIII 379
Buphthalmum cordifolium XV 2
speciosum I 652
salicifolium VIII 341
Burbidgea nitida XVI 196 216
Burbidge’s (Mr.) work on “Do-
mestic Floriculture, &c.” V 4
Burchellia capensis XVII 198
Burdock exterminator XIV 229
giant VIII 58
Burghley gardens VI 27
peep at XVII 314
Burlingtonia granatensis XX 495
refracta XX 623
Burnham Beeches, the V 17; XVI
45
Burning Bush, the XIV 2
American I 332
Burnley, a public park for XIX 592
Bur Reed I 213; II 471 (*cut*);
X 195 (*cut*)
for tying X 195
Bury Hill, Dorking XVIII 598
Bush, blue XIII 589
Burning XIII 609
fruit I 20
marrow, growing the XVII 484
Bushes, berry-bearing XX 539
Butcher’s Broom XV 363 368
Canary Island VII 521
climbing X 419
with berries I 19
“Butter-and-eggs” XVIII 142
Buttercup, double IX 584; fasciated
VII 396; great IX 543
Sycamore-leaved VIII 78

Buttercups and geese I 499
double IX 586; XIV 305; and semi-double XIV 285
eradicating XIV 253
garden VIII 83
variegated XIII 132
Butterfly, lesser white Cabbage IX 329
small white or *Turrip* XIV 107
weed XVIII 279; XX 315
white cabbage XIV 94
Butterflies in December XX 563
Butterwort, the V 462; XI 382
(*cut*)
common XV 409
in Bedfordshire VIII 232
Irish VII 398
large-flowered XX 327
new XIX 307
crimson XIX 439
white IX 510
Butterworts V 478; XX 212
species of XIII 338
Butressed giant in an Amazonian forest, a, VI 499
Button-hole bouquets XVI 432
flowers, water-bottles for XIX 553
gold-digger's XVI 150
“Button snake-root” the VIII 189
Buxus balearica XVII 498
vulgaris pyramidalis III 281
Byfleet, hardy plants in flower at XVI 59

C.

CAEBAE I 41
and Melon seeds, vitality of V 230
Barr's Criterion XIII 196
beds, treatment of old XII 163
best for frosty weather XVI 581
bng III 9
butterfly in America II 74; *white* XIV 94
Carter's Miniature Drumhead XVIII 394
caterpillar V 337
Cattell's Reliance VI 117
Competition, Daniel's Defiance XVI 24
Conv Trichluda XVII 209 260; culture of XIII 494
crops, winter XIX 413
Drumhead Savoy XV 77; XVI 581
early V 427
Dwarf Ulm Savoy XIX 81; spring XI 226; varieties of XI 444
from buds II 148
growing extraordinary V 464
grub or clubbing V 282; remedies for X 270
Heartwell Early Marrow XVIII 12
how to cook II 79
Kerguelen VI 14
leaves, healing properties of IV 266
Little Pixie XVIII 142
miniature Savoy I 116
palm II 453
planting XII 315
powdered wing XX 633
St. John's Day Drumhead XII 458
484
seeds, advertising II 68; sowing XX 148
skunk XI 144
spring XIX 527

Cabbage, sprouting of the early St. John's VII 393
sprouts IX 304; XVI 27; XIX 658
soup III 288
stalk walking-sticks XVII 420
tribe, cross-fertilisation of XIII 371
Cabbages XVI 155—157 (20 *cuts*)
162
autumn-planted XIX 631; XX 193
best early VII 436
clubbing in II 412; V 295; XIV 256; XVIII 191 216
crow-bar planted XIV 252
early X 10; XVI 206; running to seed XI 263; spring XIX 484; *tied and untied* XI 399
effects of the frost in the spring of 1879 on XV 151
for very early use XIV 342
grafting VII 190 392
improved XVI 250
keeping in winter II 350
large II 512
planting XX 375; with a crow-bar VI 255; XIV 207
preserving I 208
red, how to keep in winter III 174
report on Savoy XIV 250
sowing and planting XIV 131
spring XII 107 244
successional from the old stumps VI 58
to preserve in winter III 238
trial of, at Chiswick XVI 154
tying early XI 431
wintering III 171
young all the year round VIII 410
Cacalia articulata XV 7
Caceinia glauca XIII 274 460
Cactace and Agave, Mexican XIII 35
CACTUS, ALPINE XI 274
as a roof plant VII 44
crested VIII 391
cuttings of XVIII 346
DAHLIA XIX 472
Dahlia XX 381
free-blooming white XIX 646
gigantea IX 579
hardy XX 130
hedges of I 474
in the South of France XIX 264
night-flowering XVIII 29; XX 212
not flowering XVIII 610
splendida XIX 642
three-legged II 521
Tooth-pick XII 501
Cacti and succulent plants XI 265
as window plants I 523
at Port Elizabeth XII 77
bright-flowered XV 483
cultivation of I 483
edible VII 465
free-flowering XIII 353; XIV 185; four XIII 291
grafted XI 305
hardy I 2; VIII 268; XI 329; XX 43, 58 637; notes on XI 285
indoors XX 601 626 640
in flower in June XIX 586
in New Mexico I 263
in the open air XX 601 626 640
Mexican I 262
on rocks XVI 109
Rocky Mountain XIX 593
showy V 416
species of hardy XI 274
tall XX 72
two dwarf XVII 203
winter-flowering XIX 59
Calabash tree, the IX 124 209 (*cut*) 235
Caladium argyrites XIV 411; XVIII 601
Bellomei, as a vase plant VII 141
Chantini II 556

Caladium cuttings, striking in water VIII 342
esculentum I 585; III 432; IV 23 (*cut*); *after a storm* XIII 216; in Algeria IV 511
giganteum out-of-doors VIII 305
La Perle XIII 459
new varieties of V 9
Portuguese XVI 65
tubers of, wintering VII 364
Caladiums I 397; II 556; XX 472
culture of VII 140; XI 192; XVII 548; XVIII 436
for room decoration I 631
large-leaved XI 470
M. Ben's new VIII 104
propagating XIII 519
starting in spring XIII 559
storing XVII 450
wintering VI 363
Calamintha alpina XX 264
grandiflora XVIII 79
Calamus Imperatrice Marie X 571
verticillaris, certificated I 366
Calandrinia grandiflora XVIII 202
GRANDIFLORA XIX 376
nitida IV 167; XIV 101; XVI 196
speciosa XIX 376
umbellata III 382; XIX 376 (*cut*)
Calandrinias XIX 376
note on XIX 419
Calanthe bella XX 598
ceruleoidea V 119
Textori XIX 657
Turneri XIV 549
useful stove plant XX 593
Veitchii II 462 478; XX 485; at Drumlanrig X 578; at Mount Merrion XX 625; from cuttings VIII 223
vestita XX 485; and C. Veitchi XIX 132
Calanthes, deciduous, in small pots XV 136
failing to bloom XX 522 582
from Devon XX 602
in flower in small pans XIV 410
in masses XIII 50
in small pans XIV 186 586
not opening their flowers XX 542
Calathea leopardina XI 233
leucostachys IX 118
WARSCEWICZI XVII 569
zebrina V 399
Calatheas, culture of XVIII 17
descriptive list of XVIII 18
Calceolaria amplexicaulis II 273; VIII 294; XI 269; XV 273
bicolor VIII 305; XVIII 412
Burbidgei XX 422
crenatiiflora XIV 94
culture of VIII 346; and disease VII 199
detlexa XIX 252
disease VIII 124 219 267 294 303
dwarf IX 164
FUCHSIA-EFOLIA XV 258
fuchsiaeifolia XVIII 559; XIX 252
Golden Gem XVI 286; XIX 347
Gaines's Dwarf v. the disease VIII 318
hybrida Burbidgei XIX 59
Kellyana IV 104; XX 81
new bedding VIII 294
Pavonia VIII 388 389
pinnata XX 234 261
Prince of Orange VIII 163
salicifolia X 262
scabiosaeifolia XX 393
shrubby I 260
tenella IX 539
violacea XVII 427; XIX 345; XX 356 (*cut*) 402; at Glasnevin II 136
Calceolarias I 391
Bellomei, as a vase plant VII 141
Chantini II 556

Calceolarias, bedding V 77 13 200; VI 320; VIII 368; I 379; best VIII 296; out-of-doors in winter IX 48; propagation of X 443; wintering XI 524
damping off IX 595
diseased XVIII 191
from cuttings XVIII 96
growing for seed IX 398
herbaceous XIII 536; XV 405 424
XVII 96 547; XVIII 16; XI 533; culture of II 93; well grown XII 13
how to grow VIII 324
in trenches XIII 336
old-fashioned XVII 227
propagation of XVI 338
shrubby I 456; VI 445; propagating XIV 218
species of XV 258
three beautiful XX 365
three fine XIX 490
two useful VIII 245
wintering XII 398
Calendars, garden XVII 339; XIX 324
of operations, in each No. of each year
Calandula officinalis XIV 285
Callandra teregeninata XVI 6
Calico-bush, the XIX 478
Calico, to waterproof V 129
California, a flora of III 174
“big trees” in III 227
church decoration in XIII 617
climate of VII 296
Eucalyptus in XIII 333
fruit culture in III 88; XIV 545
fruits of X 240
growth of horticulture in XVI 109
“Horticultrist” XV 109; XVII 613
Japanese Persimmon in XII 411
notes from XIII 328; XVI 109
Oaks of IV 17; and Pines of XVII 210
vintage of I 20
Californian Arboretum, a XVIII 380
dye weeds I 186
flowering plants and shrubs III 231
Manna XI 412
snail I 153
seeds III 2
trees, seeds of VII 60
wines I 650
Calla aethiopica VIII 435 477; XIX 485; XX 314; *æ. canariensis* XIX 300; hardiness of IV 234; for church decoration IX 399; planted out in summer XIII 198; XIX 288; treble-spathe X 72
albo-maculata XX 17
at home and its cultivation IX 388
double-spathe XV 228; XIX 345
palustris II 551; *double-spathe* X 433; in Surrey V 141
spotted IV 112; XX 17
yellow XVIII 586
YELLOW XVIII 596
yellow XX 153
Callas XX 573
and Roses XIX 407
double-spathe XV 365
out-of-doors XIV 463 498 509; in water XIV 432
planting out XIX 214 347
Calla Lilies XVIII 534; XIX 226 .385
in water XIX 420
Callicarpa gracilis XII 622
Callicarpa purpurea X 419; XVI 521; XVII 303; XX 496; as a standard XVIII 301 354
Callopis XX 381
tinctoria XX 367
Calliphuria Hartwegiana X 490
subdentata XI 278; XVII 197; XX 522

Callipsyche aurantiaca X 478; XIV 500
Callirhoe involucrata XX 408
macrorhiza alba XIII 69
pedata XIX 445
Callistemon rigidum II 24
Calluna vulgaris, re-discovered in Massachusetts X 199
Calochortus XX 78 440
Benthami XVI 6; XVII 146; XIX 587
citrinus IX 165
corulea III 430
elegans, var. *Tolmiei* XV 497
glauca IX 71
Gunnisonii V 158
lilacinus XV 389
 species of IX 132
 successful culture of IX 530
Venustus IX 132
venustus XV 159
Calochorti, culture of XVIII 301 374
Calophaea Wolgarica II 39
Calopogon pulchellus XX 62
Caltha, double-flowered XV 389
Guerrangerii fl.-pl. XII 287
leptosperma VII 378; IX 340; XVII 343
palustris XII 287; minor fl.-pl. XIII 381; *monstrosa* IX 476
Calthas VI 47; XVII 393
Calyanthus IV 328
occidentalis II 197; XII 438 (*cut*); XVI 205
 white-flowered III 241
Calyanthuses, the XV 284 364
Calypso borealis VII 378; XIX 535
Calyptronoma Swartzii XVIII 568
Calyptrix Virgo VII 31
Calystegia, different species of VIII 84
sylvatica XIV 507
Camarotis purpurea III 330
Camassia alba IX 590
esculenta III 434; XVIII 468 518; XIX 557
ESCULENTA XX 302
esculenta and *C. tardiflora* IX 516; e. var. *Leichtloii* XI 233
Fraseri XIII 228
Leichtlinii XVII 342; XIX 489; XX 352
 white XVI 404
Camassias, the XX 302
Camass root, the XVI 23
Cambridge Botanic Garden XVI 341; in Massachusetts XIII 91; XV 84; XVI 500; XVII 84
Camellia and its culture XI 49; XX 277
 as a wall plant III 162
Baronne de Bleichroeder XVIII 229
 blooms of, refusing to open XIII 112 113
 buds of dropping XI 50; is it necessary to thin? XV 232
C. H. Hovey XIX 293
Count Nesselrode IX 300
 flowers of, packing IV 397
 garden in Dorsetshire X 280
grafting XIII 384
 hardness of IX 311; XV 338 387
 house, shading for a VIII 97; Tea-scented Roses for I 166
 houses XV 231
 in Japan IV 167
japonica anemoniflora XII 563
Jardin d'Hiver VII 238
 large X 182; XV 365
 leaves of, black fungus on XIX 123 242; diseased XVII 119; from shrubbery XX 12
 lime a foe to the I 232
Matthotiana XI 184
 old single red XIX 399
 out-of-doors XVIII 473; at *Glen Eyre* I 584; cultivation of I 584; pot culture of XI 106

Camellia reticulata V 368; VII 364; XV 289; XVII 302; XIX 226; large out-of doors in Ireland XI 44
Saeoci nova IX 35
Sasanqua XVIII 485
 single Japanese XIX 226
 sports XV 232
Valtevareda VII 198; two varieties of VII 217
 (white) out-of-doors VII 370 395
Camellias XIX 286; XX 355 427 555 628
 American XIV 500; XV 266
 and Euryas in combination XIV 323
 and lime-water XIX 350
 and Orchids in the same house XV 131
 and their culture XIII 181; various modes of XV 413
 as hardy shrubs XV 431
 as wall plants XIX 20
 at Chelsea XIII 225; XIX 226
 at Dulwich XI 144
 at Exeter XIX 620
 at Florence, culture of XIII 547
 at Fulham XV 210
 at Killarney X 263
 at Kingston XV 256
 at Waltham XIII 250
 bottom-heat injurious to XI 130
 cutting back IX 115
 dropping VII 232 238 254 272
 dropping their buds I 635; IX 340
 fine specimen V 344
 forcing III 121; XVIII 575
 for the London market XI 122
 from New England XV 189
 from seed XIII 530; XIV I; XVII 356
 fungous on XVII 187
 good kinds of XX 456
 grafting II 432; XIII 447
GROUP OF NEW XIV 354
 hardness of X 372; XV 414; XX 111
 hardy XIX 552
 how to have early XV 93
 how to renovate neglected VI 254
 in boxes XV 436
 in Kent XV 389
 in Leicestershire I 543
 in orchard houses XV 405
 in pots XX 486
 in the Isle of Wight XV 374
 in the open air XIII 197 239 274; XV 433; XVI 142; XIX 317; in Kent X 426
 in vineyards XX 331
 in windows III 52
 in winter XIII 570
 lateness of XVII 204 259
Mr. Hovey's XV 289
 new VII 340; in 1875 VII 217
 notes on VII 318; XIX 479
 on bottom-heat VII 318
 out-of-doors IX 396 461; XIII 412; XV 144 161 177 198 405 516; XIX 415; at Llanover XI 105; in Cornwall XIX 477; in Devon X 304
 planted out II 480; III 200; XV 231
 planting out VII 151; XVI 66; Large VII 217
 potting and treatment of XIII 382
 propagating I 467; III 229; XV 327
 pruning VII 314; XX 294 331 394
 removing IX 506
 renovating unhealthy IX 3
 seedling XI 147; XVI 425
 shading XV 482
 shaking the dead flowers off VII 336
 single white IX 172 210
 soil for IX 530; XV 232

Camellias, stems of, splitting XIX 413
 striking from leaves XII 184
 training II 503; VII 336; X 601
 under a verandah XV 178 327
 unhealthy VI 538
 watering XIV 484; and thinning XIV 512
 well-grown IX 279
 without shade XIX 663
Canoënsis maxima IX 185; XVIII 423 587
Campanula Allioni XV 474
alpina XIX 524
azurea XX 17
Barrelieri VI 192; hardiness of VII 90
carpathica II 464; as a bedding plant VIII 220; as a wall plant XX 108; e. *pelviformis* XX 137
chinimayi XX 440; white XX 368
coronata alba and other Bell-flowers XI 127
 double white XIX 620
flexuosa XII 175
fragilis XVIII 186
garganica III 201; VII 498; XX 362; second flowering of VIII 328
grandiflora XI 182
hederacea VI 221; how to grow XX 99
Hosti XX 423
isophylla alba XVIII 196
laciniata II 295; XVII 345 (*cut*)
laetiflora XX 98
latifolia XVI 233 258; XX 41
macrostyla XII 65 209 (*cut*); XIII 117
MACROSTYLA XV 356
 Medium and its varieties XIII 276
nobilis XIV 28 54; XIX 645; XX 44
patula XVI 232
pelviformis XX 184 293
persicifolia alba fl.-pl. XIX 620; p. *coronata cerulea* VIII 150; fl.-pl. XVII 514; XX 136
Portenschlagiana VI 100
primulifolia XVIII 152
pulla IX 488; XIX 646
pumila alba XIY 94
punctata XIX 645
pyramidalis II 115; IV 44; VIII 58; XVII 522; XX 427; and *C. persicifolia* as border flowers XVII 417; as a border plant XVI 298; hardy XVI 326; in conservatories XII 201
Raineri VI 50; XVI 81
Smithii VI 79
Speculum fl.-pl. XIII 367
thyrsoides XIX 313
tridentata var. *Saxifraga* VII 279
turbinata VIII 127; variety of XX 82; alba XX 71; *cerulea* XVIII 118; t. *elegans* III 333
triticeafolia XX 44
Van Houttei VIII 477; XVII 32
Vidali XII 247
Waldsteiniana and *Tenori* XX 81
Wanneri III 478; VIII 245; XIII 561
Zoysii VIII 37
Campanulas VIII 173 (36 *cuts*); XX 5 44 56
 culture of XIV 141
 dwarf, in pots XIX 102
 for pot culture X 37; XIX 160
in hanging basket XIII 621
 mountain VII 273
 note on XVIII 191
 Peach-leaved, as pot plants XVIII 595
 species of IV 41; VIII 172
Campelia mexicana VIII 127
Camphor, as a fertiliser VII 436
 as an insecticide VII 456
 on flowers and seeds VI 14

Camphor water, a revivifier of seeds XIII 244
 wood II 405
Campion, double white XX 23
 Rose XX 200; double XX 184
Campions, Moss VIII 97
Campsidium filicifolium VI 593
Camptosorus rhizophyllus XVIII 31
Campyrometer, the XVII 530
 Canada, as a fruit garden VIII 62
 fruit improvement in I 536
 tree-planting in XV 431
Canadian forest XVI 307
Canal, tropical III 185
Cunanga odorata XV 239
Canaria Campanula III 220; VIII 91; XX 597
Canary Creeper, the XVIII 149; XX 368
 uses of VIII 294
Canbya candida XI 215
 “Cancer root” XVI 52
Candle plant, the XV 7
Candollea euneiformis XVI 547
Candytuft, alpine, at Chiswick XVII 302
 carmine-flowered XII 128
dwarf hybrid XIII 463
 narrow-leaved X 460
 new XVIII 60
Rocket XX 586
 Sander's new dwarf white X 283
 Tom Thumb XII 148
 winter-flowering XIX 226
Candytufts XX 123
 annual XI 478
 in wet seasons XVI 166
 new dwarf XIII 463
 select X 288
Cane stakes XVII 414
Caues, “Whangee” walking XI 480
Canistrum aurantium IV 372; XIII 63 (*cut*)
roseum XVII 115
Cannabis gigantea VIII 215
sativa VII 215; VIII 203 (*cut*)
Canna, double IV 412
Ehemanni XX 459
floribunda XVIII 367; XX 21 615
flowering I 687
in flower X 101
IRIDIFLORA X 406
iridiiflora XII 126; XIV 323; XVIII 279; i. *hispidula* XIV 235; i. *hybrida* XX 173; i. *Ehemanni* XI 294
iliiflora IX 167
 new variety of V 157
 noble XX 177
Noutoni XVIII 336
Premier de Nce X 208
President Faivre XVII 71
 seeds of, filing before sowing XI 159
viridiflora XII 199
Cannas I 686; IX 29; XX 471
and Atlantus VIII 195
 beds of, on lawns VIII 121
 culture and propagation of XIV 536
 dark-leaved IX 80
 free-flowering VI 404
 in Ireland, rapid growth of XIV 346
 new VIII 389
 on lawns VII 436
 on the Continent XV 36
 out-of-doors in winter XIV 563
 permanent plantations of XV 56 84
 propagating VI 254
 select species of X 406
 wintering XVIII 345
 with Gladioli XIV 539
Cannes, notes from XIX 180 203
 Roses at XV 446 461 488
Cannon-ball tree XIII 52
 Cannonhill Park, Birmingham VII 148 390

Canterbury Bell, as a pot plant IX 588
rosy I 608

Canterbury Bells IV 4; X 24; XVI 124; XX 23 123 209
at Blois IV 184
at Borrowash X 103
in masses XII 445

Castnia XIII 32
dependens III 84; 461; IV 2; XVII 514; XIX 307; blooming out-of-doors XI 539

Caoutchouc, new source of VIII 404

Cape Gooseberry, out-of-doors XIX 123
Hyacinth XX 78

Pond Weed XIX 392; XX 287; as a room plant XVI 390; in and out of the water X 333; in an English ditch XV 389; in Devon XIX 367; with pink flowers XVII 403

Caper plant, the IX 32
hardy in England XII 198
in flower XII 181; XIX 22 (*cut*)

Cape Town, Botanic Garden XIX 84

Capparis spinosa IX 32; XIX 22 (*cut*)

Caprifolium helianthemum XI 87
floribundum XI 87
sempervirens XI 88

Caprifoliums, species of XI 87

Capri, plants in the island of XI 254

Capiscum and its culture XII 194
common II 418
grossum, var. monstruosum VII 245
in the open border XII 194
Little Gem XX 311 416
Prince of Wales XIV 570; XX 293
Princess of Wales X 442; XIV 530
sweet VII 232 245

Capiscums, how to grow XI 226
in the sun X 546
sweet IX 99; X 478
to pickle green or red X 119
yellow-fruited IV 110; VIII 506

Capsules, elastic force of II 276

Carabus, garden XVII 296
nevadensis and *C. auranticus* XVI 296

Caraguata lingulata var. *cardinalis* XVIII 229
musaica IX 126
Zahmii IV 270

Caraway, new tuberous-rooted IX 189

Carbolic acid plant I 116
acid moulds I 402
soap e. mire XIII 265

Carboys, converting into hand-lights IX 515

Cardamine pratensis V 440; XIX 491; double IX 468; XI 313 (*cut*)

Cardiff Rose Show XX 48

Cardinal-flower, the VIII 341; X 232; XVI 474; XVII 106 120; XVIII 226; XIX 27
hardiness of XVII 83

Cardinal-flowers XVI 432
in autumn XVI 481

Cardoon, as an ornamental plant IV 132
blanched VIII 378
culture of X 299
in the sub-tropical garden IX 255
Town's XVII 414

Cardoons I 41

Carduus eriophorus XX 222

Carex baccans V 112 279 (*cut*)
divulsa II 322
japonica variegata XVI 555; XVII 51
pinnatifida I 391
pendula variegata XX 361

Carica candamarcensis IX 165; XII 104
fruiting at Kew VII 500
Papaya II 288; VI 15 (*cut*); XV 353 (*cut*)

Carices, Norfolk I 391
Corolina sabacaulis VI 15

Carlisle International Horticultural Exhibition in 1877 XII 30 266 223

Carludovica humilis VI 429
Paludosa II 461; VII 465; IX 423 (*cut*); *fruit of* IX 425
Wallieii XVII 67

Carludovicas II 461

Carnation XX 103 104
and Picotee XVIII 97; culture of XIX 445
and the Pink XI 328
as a border plant III 66
blooms of II 28
Clove, Susan Askey XX 564
Countess of Manvers VIII 338
cuttings of XVIII 241

Duke of Albany XX 598

Duke of Wellington X 354

Espoir VIII 187
fine variety of white Clove XX 564

flowers of, from first year's seedlings XIX 214

La Belle IV 441; XVI 306

Lady Middleton, XX 78

Lady Musgrave XVII 375

Malmaison XX 137

Miss Askey XIV 234

National Exhibition in 1877 XII 30

National Society XX 232

Negro XX 598

new forms of XVII 547

new pink-coloured perpetual VI 380

new white Clove XIV 301

old crimson Clove XVIII 468

perpetual, La Belle XVI 228

propagation and culture of VII 215

red Souvenir de Malmaison XX 52

section XX 282

seed XIX 55 97

Society, National XX 99

Souvenir de la Malmaison XI 50; XIV 165 221 341; XVII 554; XX 81

tree I 683; cuttings of XIX 70; La Belle II 521; XIII 433; Lady Musgrave XVIII 416; Miss Joffre II 290; Princess of Wales VIII 34; Rose Perfection XVII 423

wild from Falaise X 125

winter XIII 136

Carnations I 95; XX 5 56 149 177
all the year round XX 331
and insects XIV 75

AND PICOTEES XIII 234
and Picotees XIV 55 414; XVIII 126 396; XIX 308; a selection of XVIII 129; at Manchester XVIII 195; border XVIII 137; crossing XIX 496; exhibition of XIV 145 168; for exhibition XIX 257; in summer XIX 555; liquid manure for XIX 258; propagating XIV 111; raising new varieties of X 33; select IX 176; sporting in XIX 398; summer treatment of II 97; yellow XIV 580; as town flowers XX 300

at Chelsea XX 98

at Slough XIV 574; XX 71

border XVIII 150; XX 157 420

climbing IV 295

close XX 210

culture of VII 419; XIV 121; XX 300

disfiguring XVI 142

dressing of XX 73

Carnations drooping XX 44
eaten by insects XVIII 318

exhibiting XIV 106; XVIII 241

exhibition XIV 191

for Canada, packing XX 474

freaks of XX 149

from cuttings XII 250

from Paris seeds XX 325

from seed I 420; XIX 11 98 152

GROUP OF YELLOW XIV 580

grown amongst stones XVIII 177 196

grubs attacking XV 466

hybridising XX 157

in Italy XX 137

in window-boxes IX 74

in winter VIII 31

layering in leaf cups XII 228

my way with XIX 287

new XX 262

packing XX 423

perpetual I 260; XI 306

PERPETUAL FLOWERING XVII 450

perpetual - flowering XVIII 573 641; XX 382 512; from seed XX 476; in open borders XIII 197; planted out XIV 324; XVII 478

planting out for winter blooming VIII 50

preserving in winter XVI 450

propagation of "climbing" IV 128

removing XIV 165

seedling XIV 93

stake for I 518

tree I 64 119; II 502; III 373; VI 446; VII 141; XII 618; XIII 79 376 400; XVII 56 82; and climbing IV 272; V 56; as climbers XIX 242; at St. John's Wood XIV 301; best winter VIII 435; culture of XIX 67; for winter XI 286; in winter XIX 525; pipings of XIX 336; planted out XII 224; propagation of III 10; XX 491; season for propagating XIX 165; speely mode of propagating VIII 8

two good XIV 221

white closer in the flower-garden XV 57

winter-blooming IV 441; XVII 173

Carnivorous plants VI 210 288; VIII 160; XX 507

Carob Bean Tree, the XIII 424

Carolina elegans XV 474
insignis IV 164

Carpestris californica XVIII 397 432; XIX 535

Carpet bedding XII 248; XVI 194; XVII 661

and massing XIX 360

at Aston Park VIII 328

at Battersea II 273

at Cleveland House, Clapham VIII 322

in London gardens VIII 149

merit of XIV 4

specimen of IV 277

Tagetes signata pumila for VIII 111 value of VIII 293

Carpet-beds, plans of VIII 149 151 153

Carpet gardening XII 429

Carpeting system for hardy plants, the XVIII 199

Carpets, natural XVIII 421
two VI 390

Carpocampa Pomonella X 368

Carpocypsi pomonana XIV 391

Carriage drives, planting XV 172 253

Carrot crop, VIII 554

Early Nantes XVII 506; XIX 102

fly XVII 271

French Early Horn IX 70

Carrot, French Short-horn IV 222
insects VIII 34

jam VI 164

James's Intermediate XII 484

James's Scarlet XVIII 411

maggot, cures for the X 505

pudding I 197; V 273

Carrots I 41; VII 360 (16 *cuts*)

and Parsnips, market XI 56

and their culture XIII 310

cultivation of V 18

Early French X 66

Early Horn XII 35

for main crops XIV 295

in Covent Garden Market IX 491

in Cucumber frames XVII 120

in Queensland II 512

late-sown Horn IX 162

varieties and culture of VII 360

various modes of cooking VII 399

wintering III 17

young Winter VIII 98

Carter £50 Cup prize, the VIII 20

Carya olivaformis II 360
tomentosa XIX 216

Caryophyllus aromatiens XIX 19

Caryopteris incana XX 362

Caryota urens XI 517

Cascades and ornamental water margin XI 266
at Virginia Water III 459
natural III 243

Cascades and fountains in pleasure grounds XIV 65

artificial III 242

of Tivoli V 353

Cas Crom, or ancient crooked spale XII 553

Caserta, "gardening" at XI 529

Cashew Nut, the XI 211
section of XI 233

Cashmere, the vale of VIII 284

Casimiroa edulis fruiting in Ireland XII 456

Cassandra calyculata XV 324; XVII 425 (*cut*)

Cassia corymbosa VI 563; VIII 429; XX 361; out-of-doors XIV 279 348

flistula XIX 78 133

floribunda IV 312

mariabilis XII 399

sophora XVIII 337; XX 366; as a pillar plant XX 368

Cassinia fulvida XX 465

Cassiope fastigiata XV 454

Castanea chrysophylla VI 548; XIV 77; XV 8 27

in California IV 144

notes on the genus VII 265

pumila XIII 176

Castilleja indivisa XVIII 5

Castings, elaborate XIV 489

Castle Ashby XIX 7
plants at XVIII 247

spring gardening at XI 537

Castle Coch, the vineyard at X 280; XI 543

Castle Freke, co. Cork II 267

Castle Kennedy, Conifers at III 54

Grape-growing at III 105

Vine borders at III 107

Castleton Botanic Garden, Jamaica XVI 406

Castor-oil leaves and grasshoppers XII 409

Castor-oil Plant I 541; II 357; VIII 239 (*cut*)
as a tree IX 460

gigantic growth of X 518

in California III 156

Castor-oil plants V 348

at Heugh Hall X 426

in the Regent's Park II 288

propagating VI 254

varieties of V 75

Castor-oil seed V 236

Casuarina africana V 549

Casuarina ericoides XIV 556; XVII 66
fruit and foliage of XIII 16
fruit-bearing branch of XII 233
nodiflora V 549
quadrivalvis XX 441
sumatrana XIV 396; as a large specimen XIV 544; propagating XIX 192
Casuarinas, the XII 233
Catalogues, garden XIX 209 290
Catalpa, the XII 151
as a London shade tree VI 132
as a timber tree X 293
at home XIII 310
bignonioides II 135
blossoms XX 153
durability of XII 28
dwarf XVI 470
finely-grown XII 263
for economic planting XIV 19
for pots VI 397
fruit XIV 301
Golden XII 263
in Gray's Inn Gardens XVIII 352
in October XII 367
new XIX 128
speciosa XIII 597; XVI 422 461; XVII 70 98 360; XX 12; harder than *C. bignonioides* XIX 504
syringaeifolia III 94; VI 92 428; VII 269 (*cut*); XII 595 (*cut*); XVI 290
wood XIII 572
Catalpas XX 60
large VIII 296
two XX 109
Catasetum buccinator XX 582
Catasetums in baskets XIX 5
Catchfly, Bolander's XI 23
PIGMY XI 11
round-leaved XVI 320
sickle-leaved XIV 529
Catch-flies, species of XI 10
Caterpillar, Gooseberry I 677; II 53; XVIII 602; XX 39 90 122 429
Caterpillars XVIII 345
and blue tits XIII 482
and Cauliflowers I 254
and Dill XIV 276
coal-tar a remedy for II 32
cure for I 643; X 270
hairy I 255
oak XX 38 93 166
of the Goat Moth XV 226
on Cabbages II 165
orchard-house XIII 454
surface X 436
venomous IV 392
v. Hemp I 445
Cathedral Rocks XVIII 211
Catkins III 255
Cats and small birds XI 552; XII 21
ear XX 286
in gardens I 114; XVII 462
perfect cure for I 114
v. mice in gardens XIII 356 430
Catskill Mountains, autumn in the XVIII 489
Cattleya Alexandra XV 389
amethystoglossa, fine examples of XVII 396
aurea XX 416 453
bogotensis VII 84
Carrierei X 378
Chamberlainiana XX 172
choocoensis II 520
citrina XVII 375
culture of XX 204
Dominiana IV 332; XVI 521
OBIANA XII 448
‘*orada*, fine variety of XIV 213
‘*ensis* IV 332; XII 510;
use of XVIII 203
IV 435
‘*s* without sheaths XV 423

Cattleya gigas VI 422; XVII 514; XIX 483; XX 478; winter flowering plant XII 468
house XX 357 450 490 534 574 618
labiata XVI 415; XX 479
Leopoldi XIV 101
MacMorelandi XV 454
Mardelli XX 104
marginata at Clapton X 577
MENDELII XX 352; M. superbissima XX 352
Mossiae V 81; and its varieties XIX 383; flowers of XIX 384
new hybrid XIV 147
Pinelli IV 176
Reineckiana XV 442
Skinneri XI 346; S. alba XV 388
Trianae IV 317; flower of XII 448
tricolor XVII 468
Wagneri XIX 638
Walkeriana XVII 322
Cattleyas XVII 352; XX 561
in flower in November XII 463
select XII 448
treatment of II 272
true epiphytes VIII 453
varieties of XIX 198
Cauliflower IV 96
and Broccoli V 84; Walcheren XIX 455
as grown for the London markets IV 172
Dean's Snowball VIII 333
Early Snowball VIII 43; X 442
XII 414
Eclipse X 416; XVI 465
Frogmore Forcing XVII 130
growing at Erfurt IV 212; in market gardens VI 300
Hertfordshire Dwarf VI 371; XII 601
Imperial III 2
new XVIII 107
salad I 334
Sutton's Snowball VIII 20
Snowball IX 47; XVIII 159 265 294
Veitch's Autumn Giant VI 276 302 437; IX 255; XI 56; XIV 187 386 458; XVI 391; XVIII 186 311; culture of XIII 206; in summer VIII 464
Veitch's Extra Early XX 16
Veitch's Self-Protecting VI 483
Cauliflowers I 41; XVIII 186; XX 524
autumn XIV 342
autumn-planted XIV 423
buttoning XIII 311 420 477
clubbing of XX 249
culture of V 163; XVI 378
cutting XVI 27
dwarf XX 249
early XIV 33; XV 520; XVI 114; XVIII 12
frame XII 336
in August XX 194
large XVIII 142
late XVIII 550
note on XII 163
pricking out XIV 295
protecting XI 34
Sutton's King of the VI 324; XIV 386
under glass XI 464
Caunton, gardener's party at XX 72 124
Manor XVIII 566
note from IX 67
Cavern I 247
Ceanothus Arnoldii XIV 55; XVI 261
as a winter flower XI 22
azureus XIII 533; XIV 301; XVI 205
blossoms of XX 154
collinus X 389

Ceanothus divaricatus XIII 589
Gloire de Versailles II 273; XIV 100; XVI 471; XX 52 34 368 396 444
hardy XX 129
hill-side X 389
new varieties of XX 234
papillosum XX 407
revision of the genus VIII 29
rigidus XIX 439; scale on XIII 348
species of VI 428
velutinus XIV 172
Ceanothuses, as autumn bloomers X 255
“Cece” VIII 422
Cercropia peltata XV 371
Cedar, Atlas, in Scotland X 484
at Warwick Castle XVIII 556
grove at Gunnersbury XIX 231
of Lebanon IX 201; XVI 551; a gigantic IX 120; and other Conifers XV 168; diseased XVI 72 94; golden IV 296; killed by frost I 618; weeping XV 516 red in Bavaria VII 234
Cedars XVII 498
ancient XIX 290 360; at Gunnersbury XIV 105
at Gunnersbury XIX 227
at Lebanon XIV 580
in Algeria XI 263
Mount Lebanon and Atlas XVII 140
of Lebanon I 665; II 345 (*cut*); VIII 482; IX 28 56; XVI 499 522; XVII 8; and architecture XI 105
on the Atlas, the X 83
origin of species of III 253
tale about I 195
transplanting X 515
Cedrela, Chinese VII 514
sinensis X 292 375; XIII 205 (*cut*)
Cedronella cordata XIX 559
Cedrus Deodara I 121; XIV 170; cone-bearing specimens of X 352 492; XIV 209; in Ireland VII 471
Ceiba Tree, the XIV 340
Celastrus scandens IX 165 192 256 278; XVII 141 (*cut*) 386 flowers of XVII 305
Celeriac or Turnip-rooted Celery XIII 311; XVII 167; XVIII 557
culture of XIX 195
Celery I 41; III 33; XX 525
all the year round XVI 24
American XX 600
and Celery trenches IX 255 307 355
and Peas III 405
as a cure for rheumatism XVII 59
as a “nerve tonic” XI 56
best varieties of VI 490; VII 50
blanching late, with spent tan XII 364
blight cure for X 194
boiled VIII 448; IX 120
collars I 434
crop XX 449
culture of I 300; IX 21; XI 31; common errors in IX 235; round London VI 116
early XVII 260
earthing-up II 40; XIV 209
fly VIII 354; XVI 173 229 (*cut*); and brewers' Hops X 345; remedy for X 271
for exhibition in July XIII 300
fungus VI 584
giant v. dwarf XII 579
good XIX 24
grub V 338
hollow IV 472 510; XVIII 444
how it is blanched XIII 174
how to cook VI 483

Celery, how to grow crisp XIII 348
Incomparable IX 254
in London market-gardens IV 186
keeping I 712; in cold countries VI 529
kept free from worms XIV 530
maggots XIV 341; XVI 569
Major Clarke's Red VI 490; VII 190
management of XI 509
minure-water for XVIII 24
new dwarf white XI 107
no more hollow or spengy IX 331
ox X 525
planting from seed-bed XII 74
plants, white worms in XIII 121
I 54; XVII 210
preserving from frost IV 472; in cold countries IV 472
protecting II 531
raising under glass VII 135
red V 84; and white IX 212
running to seed XIV 363
sowing VII 211
Sulham Prize VI 538; VII 146
155 314
tall v. dwarf XIX 24
trenches IX 587
turnip-rooted VIII 463
useful XIII 238
virtues of IX 582
Williams's Matchless Red IX 212; XVIII 580
worm-eaten XIV 363
Celeries, trial at Chiswick IX 94
Celosia cristata variegata XIII 231
Huttonii IV 210; VI 222
pyramidalis VI 360 409 513 (*cut*); IX 80 149 (*cut*); XVII 331 (*cut*); in the conservatory XI 549; var. Reid's Perfection IX 168
Celosias XX 355
and *Salvia* splendens intermixed IX 257
and their culture XV 256; XIX 397
for church decoration XII 388
for winter-blooming IX 149; X 231
in winter XX 622
pyramidal XX 477
Celsia bugulifolia XX 87
cretica XIX 645; XX 290; well grown XVIII 251 380
occidentalis at home XII 232
Cement for aquaria XIII 198
for hot-water pipes and tanks XIX 314
for iron and stone VII 182
for stoke-hole, waterproof VII 212
bow to make X 271
Cemetery at Coventry I 594
at Philadelphia I 568
new for Edinburgh I 217
of the Future XIX 35
of the Past XIX 37
view in Spring Grove X 186 187
Cemeteries I 146
adornment of XVI 565
flowers for III 455
garden X 186 187
London XIII 148
Mr. Jay Smith on VI 575
Cemiostoma Laburnella XIX 429
Centanrea XX 255
americanica XII 224
babylonica II 73; VIII 263 (*cut*)
candidissima XIX 566; hardness of XIX 634
Clementei XI 307; hardiness of XVII 250
Cyanus II 9; IX 491; XX 9; in Covent Garden Market VIII 58
involucrata XVIII 99
macrocephala XIV 55; XX 261
montana IX 491; XX 25; alba and rubra; XVII 565

Centaurea moschata XX 264; *m. alba* XIX 337; and *C. suaveolens* XVIII 123; or *sauveolens* XVII 76
nigra variegata XVII 405
ragusina I 252; II 240; VI 194; from cuttings XV 277; from seed XV 250; r. *Russelli* XX 228; wintering out-of-doors IX 137
rutaefolia XI 261; XIII 143
yellow XVIII 99
Centaureas, from seed IV 376; XI 352 propagating IV 180; XII 155 201 232
 Centennial International Exhibition at Philadelphia in 1875 VII 478
 Centigrade and Fahrenheit IX 375
 Centipede luminous XX 429 499
 Centradenia rosea VII 190; cut sprays of VII 272
 Centradenias and their culture X 284
 Central Park, New York II 69; XVIII 612
 Centranthus macrocephalus II 24; as a salal plant V 230
 Centre-piece for a side-table IX 53 for flowers for dinner-table I 631
 Centropogon Lucyanus IX 340; XIV 576; XVIII 536
 Century plant, a large XVI 298
Cephalanthus myriadum XI 445
 Cephalotaxus, the genus XIX 236
Cephalotaxus follicularis II 184 340 (cut); III 276 307 (cut) 401; XVII 405 (cut); culture of XV 477
 Ceratium edgings III 212
grandiflora XVIII 4
 Cerasus caroliniana XIX 478
Chamaecerasus V 524
cornuta XVIII 368
depressa VI 397
incisa III 180; XII 128
 JULIANA FLORIBUS ROSEIS X 486
Lannesiana II 108; IV 228 275
Padus XVIII 175
pendula flore-rosea IX 342; *rosa* X 389
persicifolia VI 131
pumila XIX 558
Rhexi XV 471
semiperfoliata V 551
serrulata I 573
Watereriana XIII 407 433; XIV 572; XVII 428
Ceratonia Siliqua XIII 424
Ceratopteris thalictroides IV 49
Ceratostoma mexicana IX 308; fruit of IX 309
 Ceratozamia, species of IX 308
 Cerberus, floral XX 154
Cerceris arenaria XX 589
 Cercidiphyllum japonicum XV 198; XVI 543
 Cercis canadensis IX 492
japonica XII 263; XIV 322; XVIII 31
Siliquastrum V 425; VII 478; XIII 155; XVII 498; at Leyden VI 53
 Cereals, fertilisation of I 136
Cereus candicans XII 467
 C. M. Hovey XVII 490
 C. M. HOVEY XX 162
giganteus I 263; XX 173
grandiflorus II 24
Haynei XIII 291
 Landbecki, var. Phillipii VIII 127
 large-flowered XII 148
 Macdonaldiae XIII 277 292; XVIII 29
 Mallisoni XVII 330; XIX 226
nycteolus XIII 291
Poemata XIII 291
serpentarius XIV 134
 speciosissimus, as a climber VI 10
 free-flowering XIII 338

Cerinthe aspera III 316
major XX 262
minor II 144
Ceropegia elegans XVIII 95
Saundersoni IV 130
Ceropegias, species of III 140
 Certificates, Floral Committee XV 162
Cestrum aurantiacum II 295; X 535; XIV 466; XVIII 304; XX 499
 Ceterach, as an edging plant, the XVI 302
Cetonia aurata XIV 428
Cratorhynchus sulcicollis XV 145
 Ceylon Botanic Garden XVI 432
 Chadaere Hall III 474
Charophyllum bulbosum VIII 247
sylvaticum variegatum XIII 132
 Chalk and coal in furnaces III 505 as fuel IX 209
Chamaebatia foliolosa III 27 68; X 480; XVII 560
Chamaecyparis Lawsoniana cernuifolia III 255
nutkana VI 427
obtusa VI 427
 Chamadorea Ernesti Augusti in bloom X 558; XII 510
geonomiformis X 479
glaucifolia XII 587; XVI 415 437; XX 456
 Hartwegi XVI 67
Kurwińskaia V 531
Martiana V 243
 Sartorii XVII 56
 Chamedoreas as house plants III 306
Chamaepetunia Cassabone and *diaphantha* X 176
diacantha IV 234; VII 52 373; from seed VII 376; hardiness of XVII 258; raising VII 345
Chamomops ceciliae I 479; V 156; VI 517 (cut); hardy in Yorkshire X 458; in Cornwall XI 515 540; XII 352 (cut); in flower XIV 367; in flower out-of-doors I 667
 Fortunei II 20; III 453; VII 377; XIX 47 (cut) 558; flowering at Alderley XII 436; flowering at Kew VII 500; fruiting in the United States VII 372; in Lincolnshire XIII 84; in London III 450; out-of-doors at York II 266
 Griffithi XIX 558
 hardy XIII 7
humilis V 367; hardy in Scotland X 492
 Palmietta, in flower XIX 534
Chamomile XX 286
 cultivation of VI 302
Champignon, fairy ring I 333 334 (cut) 383; IV 37 (cut)
Champignons farcés II 79
Change IX 323
 Channel Islands, vegetation in I 196
Chantarelle Mushroom, the II 132
 Chanterelles, the VI 488
Chantilly XI 67
 Chantry, the IV 24
Chapel-Dock of Illoville, the III 161
 Charcoal or alkali XII 36 as a fertiliser IV 307
 burning XV 24
 dust, use of I 469
 manufacture of, at Penrhyn Castle XX 503
 Charity dinner nuisance, the XVII 487
 Chartometer, the VI 382
 another VII 145
Morris's VI 528
Château d'Esgrab IV 465
de Monchy VIII 415
de St. Suzanne XII 40
 Chatsworth, fruit-houses at II 256 gardens at V 5
 hanging baskets XIX 21 view of V 13

Chayota plant I 660
Cheilanthes elegans XIII 328; from spores XII 488
odorata XI 207
Cheimatobia brumata IV 447; XV 169 (cut)
Cheiranthus linearis VII 378
Cheiranthus Marshallii I 653; XX 572 584; in autumn XX 361
ochroleuca V 440
praecox aureus I 480
tristis, propagating XVIII 610
Cheirostemon photinoides XIX 123
Chelone barbata antwerpensis VI 98 notes on the XIII 55
obliqua II 158
 Chelsea Botanic Garden, the VI 388
 Hospital garden VIII 293
Chenopodium Bonus Henrici III 300; X 542; XI 431
Cherimoya of Peru, the V 300
Chernes curica IV 119
 Cherry, All Saints' V 551
Bigarreau Monstrueuse de Mezel VIII 58
 Cornelian XX 444
 culture of on walls VII 84
 Dyehouse I 321; XVII 202
 Early Richmond IV 254
 Early Rivers XVI 59
 Frogmore Late Bigarreau VI 364
 garden IX 63
 grafted on the Laurel I 683
Holly-leaved III 131
 house V 548
 Joe-o-sot VI 343
 John Waterer's Bagshot XIII 407
Lannei IV 275
 LARGE ROSY DOUBLE X 486
 Louis Philippe XI 540
 May Duke on north walls X 340
 monstrous heart VIII 58
 Morello XI 452; XIV 222; best stock for VIII 23; new IV 275; ornamental III 5 69
 Ostheim XIX 476; XX 125
Pitch-leaved VI 131
 plum XIII 259; as a hedge plant XIV 430
 prostrate VI 397
 rosily-flowered weeping X 389
 Siberian weeping V 524
 Sichold's double-flowered XI 346
 superior XVI 44
 Surinam VIII 362
 very early XIX 618
 weeping Chinese IX 342
 weeping May Duke XV 61
 wild V 395; black XIII 360
 winter X 232 398; XVIII 412 420; as a vegetable IX 332
 Cherries I 13; VIII 92; poetry XX 69 333 428 511 575
 and Plums in Covent Garden XI 515
 and starlings XIX 138
 Bush Morello XX 73
 double-flowered X 486; XX 195
 early IX 539; XI 466
 fine XVI 163
 forcing in pots V 501
 French, in London markets VII 438
 from Algiers, in Covent Garden XIII 570
 from France XII 1
 good XVIII 131
 in California XVIII 364
 in pots XX 90
 in Rhenish Bavaria XIV 196
 Kentish XX 348
 late dessert X 280
 May and Late Duke XI 452
 Morello XX 144; as bushes XX 8; falling XIV 501; not ripening XVI 522; shedding their fruit XIII 583
 new Bigarreau V 501

Cherries on north aspects X 367
 ornamental XI 365
 recipes for cooking and preserving VIII 55
 select XX 509
 two good IV 486
 Cherry-tree, Dyehouse I 321 extension-trained XVIII 9
 large wild XIII 205
 uses of IV 533
 Cherry-trees, black fly on VII 456; XIV 526 550
 in Japan XX 29
 killed by sunstroke VI 244
 Chervil I 41
 common IV 179
 curled XIV 295
tuberous-rooted VIII 247
 Cheshire Garden, notes from a XX 54 spring notes from XIX 389
Chest for steaming timber XV 105
 Chestnut, golden-leaved VI 548; XV 77; XV 8 27; in Scotland XII 223
 harvest in the Apennines, the VI 493
 of Mount Etna I 486 487 (cut)
 Spanish VII 292; large XVI 205
 sports XIV 241
 sweet I 36
 timber III 400; durability of III 322
 water III 208; XII 200
 Chestnuts VI 366
 best way to cook IV 95; V 102
 duty on III 214
 gigantic golden VIII 512
 horse IX 341
 insects on XIII 530
 notes on VII 265
 some uses of IX 120
 Spanish XX 64
 sweet XIV 405
 Chestnut tree, an old VII 228
 giant XIII 392
 large, at Tortworth XVI 430
Longfellow's IX 492
on Mount Etna I 37
 Chestnut trees and Yews together XIX 503
in Hulme Park, the great XVIII 511
 in Tuilleries Gardens I 668
 mortality among in 1877 XII 206
 Chevalliera Veitchii XVII 322; XIX 87
 VEITCHI XIX 654
 Chicago Botanical Garden IX 300; XIII 444
 South Park IX 534
 Chickens, predatory VI 140
 c. insects I 244
 Chick Pea, the X 605
 Chickweed XX 56
 Golden, and Golden Thyme IX 236; in winter XIV 463
 Chicory I 41; IV 178; XIV 63 (cut)
 and Witloof IX 238
 as a salad XI 473
 blanched XVIII 652
 in coffee VII 416
 root and flowering top of XII 543
 Children and flowers VI 346
Chilianthus californicus XIII 206
 Chillingham Castle, gardens at II 462
 Chilwell, fruit-growing at VIII 281
Chimonanthus fragrans V 18 167; VIII 520; XI 190; XVI 186; from cuttings V 148; f. grandiflorus VIII 553; XX 543; propagating XIX 315 386
grandiflorus XVII 251
 China Aster XX 182
 Chinese Botanical and Horticultural Literature XVI 68
 Cherry I 573
 Crab I 465

Chinese gardening VI 215
gardens VI 200
PINKS, EASTERN QUEEN, AND CRIMSON BELLE XII 520
Primrose I 261 325
Primula, Waltham White Certified I 367
Rice paper XX 313
Tome II 39
"Chinquapin," the XIII 376
Chionanthus, budded on the Common Ash VII 192
virginica X 506; XVIII 576 (*cut*); XIX 478 643
Chionodoxa XVII 291
Forbesi XIII 199 224; XV 326; XVII 275
Lucilie XV 463; XVII 320 335
LUCILLE XVIII 12
Lucilie XIX 294
nana XVI 320; XVII 106 342
Chionographis japonica XVII 444 449 463; XVIII 229
Chirita, Chinese XX 563
Mooni XVIII 367
sinensis XII 519; XVI 149; XX 563
Chiswick House XI 466
rockwork at XIV 235
winter flowers at XX 562
Chives IV 158
Chlora perfoliata grandiflora XIV 396
Chlorococcum vulgare III 410 430
Chlorogalum Leichtlini IX 590
poneridianum VII 102
Chlorophyll, want of in variegated seedlings IX 150
Chlorophytum orchidastrum XVIII 331
Choco plant at Kew, the XIX 2
Choicomysc meandriiformis XIX 667
Choisya ternata XI 342 369
TERNATA XII 232
ternata XIII 329; XV 285; XVII 343 393; XIX 409 558; a hardy wall-plant XIII 537; as a standard XIX 368; for orange blossom IX 342; in the greenhouse XV 109
Chokeberry, the VI 328 377
Choretis glauca XVI 481
Chorozema elegans XIX 497
Henchmanii XIII 495
Chorozemas, culture and propagation of XIV 556
propagating XVIII 418
Chowchow IV 307
Christmas decorations VI 559; XIII 28
Rose XI 25; XII 616 (*poetry*); XX 496 622; blooms of, made white XIII 93; fine specimen of IX 26; XIX 34; giant IX 137; XV 23; large-flowered VIII 535; IX 32; XII 462; new varieties of V 392; XV 266; purple XX 540
ROSE, GIANT XIV 178
Roses I 305; IX 260 288; XII 558; XIII 160 196 249; XIV 178; XV 109; XVI 508; XVIII 642; XIX 10 121; XX 520 586; cut and in pots XIX 66; deep planting XIX 336; destroyed by mice VII 272; do they seed? IX 24 67; forced XVIII 614; for cut blooms XIX 206; from Howth XX 603; from seed XI 139; XIX 555; in conservatories X 578; in Devon XIX 58; in pots XV 163; XVI 438; large IX 165; *Madagascar* XII 357; new IX 73; out-of-doors, and under cover XII 545; protecting XII 488; seeding IX 476 518 566; three species of VIII

Christmas Roses—*continued*.
497; twin-flowered XIX 337 460; when to move XIX 166; white XIII 116
tree, a new kind of XII 583
Christ's Thorn XVI 206
Chrysalis Fungus XVII 445
Chrysanthemum XX 103
anciatum XI 184
anemone-flowered IX 271
arcticum XIII 613
August flowering XX 222
aureum multiflorum XVIII 623
Burridgeanum X 213
carinatum II 206
Catananche V 432
coronarium XIX 584; XX 52 153 440
culture of, VI 287 424; XIX 275; XX 614; in Rutlandshire XI 123
cuttings XI 142
early-flowering XIV 372
Empress XX 624
Etoile d'Or XIX 304
failure XVIII 642
Felicity XIX 32
for exhibition IX 267
free-blooming Pompone XII 559
fruticosus XII 255; XIV 165; XV 497; XVI 556; XVII 5 (*cut*) 30 282 420; XX 533; f. aureum XIV 235; f. Etoile d'Or XVII 415; XVIII 417
growing for table decoration XI 472; hints on XVIII 602
incurred IX 269
Japanese XX 310
lacustre XII 628; XX 203 343; flower of XVIII 592
Lady Selborne XX 492
La Petite Maria XX 457 615
Meg Merrilies VIII 556
Mrs. W. Sibipman XVIII 623
new XIII 4; white XX 415
(Pompone) Fauny XVIII 623
Progne XVIII 424
propagating XX 535
pubescens XIX 558
questions and answers XIII 69
Rex Rubrorum XX 492
Scarlet Gem XVIII 246
segetum I 502; XVIII 195 (*cut*)
Show XX 516; at Alexandra Palace XX 597; at Liverpool in 1878 XIV 521
small-flowered XIX 70
societies XVI 370; rules of XX 567
sports XVIII 638
uses of in China VI 532
virginale IX 96
white almond-leaved IX 33
Chrysanthemums IV 371; V 350; VIII 382; XIII 24 48 481; XX 354 427 496 513 595
and standard Pelargoniums X 479
anemone-flowered XIV 375; XIX 103
as bouquet flowers XVIII 581
as cut flowers XIV 514
at Finsbury Park XVIII 477
at Garbraod Hall X 556
at Hackney XII 510
at Isleworth XIV 436
at Liverpool in 1877 XII 574
at North Berwick XIII 70
at St. John's Wood XIV 390
at Slough XVI 447
at Stoke Newington XVI 492
at Waverley Abbey XVIII 416
best late-blooming XV 58
best six Pompone VIII 486
blooming in June III 430
choice varieties of VI 422
culture of XIX 90
different opinions on XVI 501
dwarf bushy, how to grow VIII 385; early XII 247; in pots XVI 394

Chrysanthemums, early-flowering X 355; XVI 342; XX 262 326; in Finsbury Park XVI 320
effect of frost on XVI 471 481
exhibition XIV 544
feeding and disbudding XIV 194
few good Pompose VIII 530
few of the best XII 497
few or many-flowered XIX 262
for exhibition XX 279
for flowers v. exhibition XVIII 630; XIX 40
for furnishing IX 98
for indoor plants XX 489
for the conservatory III 275
from seed XX 478 566
from Straffan XX 541
grafted XII 175
green-fly on XVI 382
in and near London X 495
in borders XV 391
indoor VIII 299
in London gardens XVIII 520
in mid-November XX 513
in pots X 400; XIV 375; XX 414
in Regent's Park XVIII 533
in the Temple Gardeus II 398; XIV 411; XVI 446; XVIII 448
in trenches XIII 138
Japanese XII 535; XIV 500; XVI 461 492 502; XX 310 544 605; and other XVI 403
JAPANESE XIV 156
large XIX 213
new VIII 511; XVIII 559 586 620; XX 566
new seedling XVII 71
not blooming XVIII 610 638
notes on X 437
on walls XVII 250
out-door XI 422; propagation of XIII 464
Pompone XII 488; in small pots XVIII 595
pot for exhibition XIV 483
propagating XX 587
protection of from wind XIV 265
raising from seed IX 210; XI 394
select Pompone VIII 500
show XVIII 418; and others XX 566
size of bloom of XIX 160
standard XVI 505; at Penrhos XVI 480
summer-flowering XII 510; XIV 99
summer treatment of IX 466
to propagate XX 339
tortured XIV 481
training XVI 548
trial of early IV 439
tricolor XVIII 106
two new yellow XVIII 647
unthinned XX 547
white XII 446; XVIII 436; at Christmas XII 466
Chrysobactron Hookeri VIII 40
Chrysocoma Linosyris VI 366
Chrysopa perla III 217; XV 187 (*cut*)
Chufa, the IX 242 278
Church decoration VIII 302 362; IX 439; and public-room decoration VIII 550; in New York VII 365; at Christmas VIII 495; for harvest XII 364
Churchyard grass XIX 175 233
Churchyards, country I 713
flowering trees and shrubs for VII 60
Cistus crispus XX 111
Cyprius II 171; XIII 608
Cyprus Gum II 171
Everestianus VIII 250
florentinus XX 25
hardy varieties of the Gum X 132
ladaniferus XIII 454
Laurel-leaved I 674
Iusitanicus II 438
tauricus VI 506

Cider making IV 328
Cieukowskia Kirki XX 17 129 499; culture of XX 504
KIRKI XX 504
Cimicifuga elata XVIII 203
Cinchona VII 282
cultivation of in India III 33; VII 234
Neilgherry III 111
officinalis I 700
plantations X 590
Cinchonas XIII 50
cultivated IX 371
Cincinnati cemetery XX 557
Cineraria, the V 351
culture of VII 256; XI 341
double-flowered XVII 270; Mrs. Thomas Lloyd XVIII 68
dwarf IX 125
how to improve XIII 313
large crimson and white VII 413
leaves of curling XX 567 606
maritima XIV 256; XVI 555; m. compacta VII 256; m. compacta, propagating XV 277; from seed XIV 289 330 399; Mr. Thomas Lloyd, fl. pl. XVIII 417
pendula XVII 376
properties of the XVII 332
seed XIX 173; high price of VII 418; saving IX 448
Webberiana XVII 205 218
Cinerarias XX 533
as specimen exhibition plants XVII 477
as window plants IV 54
at Bedfont XIII 47
at Christmas XI 39
at Dulwich XIII 277
at Forest-hill XIII 381
at Redlees XV 375; XIX 320
blue XVI 320
degeneration of double XIII 354
double IV 374; V 119; VII 355; XIII 384; XIX 191; and single XIX 353; for cutting XVIII 574; from seed VII 376; good XI 420; green VII 314
dwarf XIX 438
forcing XII 620
for seed XI 345
from cuttings XIII 421
from seed XIX 242 350
in small pots XVII 65
mildewing XVII 127
new races of XI 225
propagating XX 491
raising XIII 278
seedling XI 205; XV 345; v. named XX 238
Smith's XI 144
summer treatment of XIX 545
very dwarf VII 500
with "blind" trusses III 221
Cinoamomum sericeum IX 28
Cinnamon tree, the VII 69
Cinquefoils, the shrubby X 199
Cissampelos, sp. XVIII 518
Cissus XX 383
antarctica XX 322
Davidiana VII 199
discolor festooned IX 353; ready way of propagating VII 198; porphyrophylla XII 441
Cisterns, cheap IX 531
for storing rain-water XIII 88
Cistus crispus XX 111
Cyprius II 171; XIII 608
Cyprus Gum II 171
Everestianus VIII 250
florentinus XX 25
hardy varieties of the Gum X 132
ladaniferus XIII 454
Laurel-leaved I 674
Iusitanicus II 438
tauricus VI 506

Cistuses XVI 419 431 453
for the “wild” garden III 371
Citrus XII 613
japonica II 120; V 501 (*cut*) VII 170; fruiting in Cheshire VII 192
Lianum XII 423
aculea XII 423
trifolia, as a stock for Oranges IX 340
varieties of the genus XII 42
raffinis XII 422
City mortality I 186
square, a well laid-out III 267
trees XV 336
Civic custom, a XII 271
Chadrastis lutea V 382
tinctoria VI 252
Clapham Common XIII 329
improvements on IX 99
Clapton Nursery, the XVIII 344
Clarissa XX 103
Clariflora double XVI 33
elegans fl.-pl. IX 80
integripetala limbata V 28
Clathrus cancellatus XVII 380
Claws for removing soil from pots VI 378
Clay, burning heavy XVIII 616
burnt XIV 477
foundation for table bouquets I 631
pots, iron mould for I 27
Claytonia caroliniana XIII 199
virginica VII 522
Clearwing, red-belted V 162
Cleft-grafting II 26 105 (*cuts*) 106
(*cuts*); *oblique* II 154
Chenitis athasefolia VI 423; XII 402 (*cut*)
alpina alba XIX 557
and Canary Creeper combined XII 376
and Wistaria, effect of XX 134
ut Gunnery XIX 229; XII 402
(*cut*)
balearica XIX 88
campanulata XVIII 474
virginea VI 425; XII 196; e. angustifolia XI 125
coccinea XV 272; XVII 428 490; XIX 284 447; XX 71 72
curlved odorata XII 403
crispia XX 290
Davidianna XX 263
devoniensis IX 563
distinct XI 515
double, white-flowered VII 405
Duchess of Edinburgh XX 545
erecta fl.-pl. XII 401
Fairy Queen XVII 67
fence XI 152
flamnula X 260; XVIII 389; XX 367; f. robusta VIII 292
flava XII 344
genus XII 400
graceful XX 342
graveolens XX 361 373 461 (*cut*) 572
Henryi XI 546; XIV 213
history of the XX 73
indivisa V 260; VIII 385; XI 102 182; XVII 218; XIX 438; blooming in Devon XI 165; i. lobata V 328; IX 272; XI 122 140; XIII 233
INDIVISA LOIBATA XII 400
indivisa out-of-doors XIII 359
integrifolia de Durand V 350
Jackmanni II 65; VIII 212; layering VII 73; propagating XVIII 346
John Gould Witch XVII 489
Lady Bovill IV 84
huangmiao II 447; XIV 101; XVI 150; and its varieties XVIII 146; i. nivea XVIII 6; L pallida XX 540; L purpurea V 258
lingusticifolia IX 341

Clematis, Louise Carrière XVII 136
Miss Bateman XX 81
montana I 653; IX 566; XIII 485; XV 522; XVII 404; XVIII 7; XIX 619; on a branch of Yew XV 291
new (1880) XVIII 228; hardy V 350
New Zealand XIX 438
of the future XIII 97
Otte Frebel XIII 144
ovata VII 482
Pitcheri XIII 26 143; XIV 213 463
purple XX 196
raising from seed IX 27
rubella XVIII 106
Scarlet XV 272; XVIII 175; XIX 447; XX 72 184 263
screens XI 3
second pruning XVI 340
sweet-scented XVIII 247
tubular II 245
utilisation of the XIV 370
VESTA IX 408
viticella XX 237; v. rubra grandiflora XIII 486; XX 393; v. venosa XII 400
wet climate best for X 234
winter-flowering VI 425 462
yellow XVI 566
Clematises II 524; XVIII 389; XX 619
and Conifers, pruning and manuring VIII 150
and Ivy XIV 100
at Chelsea XX 375
at Kew XII 256
at Jackman's Nursery IV 82
at Woking XVI 256
comparative hardiness of XIX 446
culture of VII 395
exhibition of in 1881 XIX 512
for bedding XVII 335
for low walls XIII 7; XV 84
for pillars VI 98
for the “wild” garden IX 543
free and pruned down X 23
GROUP OF NEW XVI 128
hardiness of XVII 317
hardy I 375; and their uses XI 422; as bedding plants I V 356
history of the hybrid IV 68
in America XVIII 489
in autumn XII 247
in Battersea Park XVIII 152
in conservatories XI 265
in mixed beds XIV 331
in pots, for early flowering V 81
in wet seasons VIII 172
new IX 457; X 50; XX 4; hybrid II 418; in London VIII 80
on arches XVIII 280
on root-work II 463
on trees in May XII 520
out-of-doors, fine XIII 485
propagating XVI 404
pruning VIII 107; XVII 48
rosette-flowered XVII 489
single XX 634
spring-flowering III 335 381; and summer-flowering XV 294
training XIII 461
transplanting VIII 150
Cleome speciosissima II 453
Clerodendron XX 238
Balfour VIII 100; XIII 545; XX 618; on walls XIII 303 495
Bungei XX 388
fallax XVIII 448
fotidum II 144; hardy XVIII 337
imperiata V 258
Kaempferi from seed IX 599
speciosum IV 522; X 558; XVIII 533; XIX 491
SPECTOSUM XI 404
splendens X 538
squamatum XIX 453

Clerodendron Thomsonei V 416
trichotomum XVIII 250 412
viscosum in winter XI 82
volubile XX 457
Clerodendrons, culture of I 615
shrubby XX 138
species and culture of XI 404
Clethra alnifolia VII 370; XI 328; XVIII 178 224; XX 203; from Dublin XX 462
arborescens XVIII 512; XX 559; in flower XX 547
Michauxii II 159
paniculata XIV 169
Clethras IV 296; XVIII 189
select species of XV 72
Chianthus carnosus XI 285; XV 285
Dampieri I 563; II 65 225; IV 210; XIII 433; XIX 367 423; XX 101; in the open ground XIV 101
DAMPIERI XX 86
magnificus III 334
new IX 175
puniceus III 464; XIX 439 498; at Edinburgh XII 5; in New Zealand III 294
Climate and rainfall VI 489
and vegetation III 117 134
disagreeable VII 394
French and English compared XIV 345
influence of the sea on IV 280
in Scotland, change of VI 233
is it getting colder? XII 364; VII 432
of California VII 296
peculiarities of the British XIX 661
Climatic changes in Scotland V 125
Climber, beautiful greenhouse IX 272; XX 129
fine stove VIII 101
graceful indoor XI 102
grand I 166
hardy VI 583; evergreen XVIII 542
new greenhouse XX 631
stove XX 98
Climbers XX 383
and wall plants XVI 72
blue greenhouse XI 321
conservatory III 334; XIV 396; XV 92 112 312 331; XVI 133; choice VI 149
cottage ornamented with II 81
effect of pruning XVII 210
for a cool fernery I 233
for a stove and greenhouse XVIII 318
for broken Fir trees IV 166
for front house XVIII 191
for plant stoves V 136
for porches XX 223
for rafters and walls I 283
for trelliswork XVI 274
for verandahs V 29
greenhouse XIX 173; to flower at Christmas VIII 391 431
hardy IX 216; XVI 143; evergreen ornamental IX 46; for balcony IV 220; for basket-handles X 519 555 576; for winter ornamentation XIII 95; with fine foliage IX 148
indoor XIII 92; in flower in church at Kew XI 206; planted out X 500
in South America II 255
on cottage walls IV 158
on dead trees IX 474 515
on supports XVII 257
regulating conservatory XIV 464
roof IX 172; and wall, planted out XIII 383
stove VI 100; XIV 555; XIX 330
training hothouse I 637
winter-flowering XX 457

Climbing Devonensis Rose I 252 278
plants, indoor VII 33
Clintonia Andrewsiana XVII 490
pulchella XVI 346; XIX 233
Clinocarpus (Bombyx) neustria XV 129
Clinaria Ternata XIX 327 422
Clinoden, *garden* at II 235
in 1876 IX 595
terrace walls at II 293
Clivia nobilis I 637
Clivias for conservatories XI 284
Cloche, French XX 606
in England XVII 507
ventilated VII 154
Cloches IV 262; XVI 498; XX 76 and their prices XIV 458
as protectors XII 543
imported from France XIV 502
salad-growing under VII 154
value of VIII 401
where to procure XVIII 444
Clog, garden X 411
Clomenecoma montana XVIII 586
Cloud Berry, the IV 134
Cloud Grass XX 200
Clouds artificial XII 530
Clove, white XX 177
Clovenfords, cool Orchids at VIII 257
Clove Pink, the true VIII 168
Clove Tree, the XIX 19 flowers of XIX 205
Clover Dodder XVI 195
Clubbing in Cabbages VI 324; 371; and Breeoli X 194
red lead a cure for X 395
remedy for VIII 379 402
Club moss as a basket plant XIX 241
flowering XIII 48 70
hygroscopic XVII 400
Horticultural X 576
Clumber, garden front III 263
Clausius, memoir of VIII 190
Clytus speciosus XV 466
Coach roads, materials for VIII 472
Coal, anthracite, as fuel XVII 47 ashes in the garden XII 368
formation of IX 312
impurity in VI 476
oil e. rabbits XI 498
period, *Flora of the* XI 339
price of V 43
scuttles, use of old XX 545
substitute for V 68 I 08 178
tar for insects XVIII 262; v. paste XX 121
formation of IX 312
wet VI 355
white V 236
Coot-flower III 343
Coat-flowers, novelties in III 411
Cobaea penduliflora XVII 353 394; XVIII 559
scandens V 393; a good baleen elimber XI 422; s. variegata III 373; s. *variegata*, propagating XIV 201
species of XVII 352
Cobbett's Corn VII 36
Cobbett, William as a seedsman XVIII 613
Cobnut, failure XVI 254
Cobburghia incarnata XX 415
Iuteo-viridis XVII 213
Coca leaf, the IX 280 300 304 348 plant, the IX 445
Coccidae XX 306
Coccinella, the genus XVII 182
Coccocephalus repens XX 625
Cocoons, effect of feeding on the colour of V 233
Cochlearia Armoracia VII 171
Cochliospermum, flower of XVIII 604
Cochlostoma Jacobianum VI 443; X 63 (*cut*); XI 493; XII 223; XIII 176; XVII 275; XIX 586; XX 562; apparent sterility of XIII 156
odoratissimum VII 175

Cockchafer I 164 165 (*cut*) ; XIV 197 (*cut*)
grubs, destroying XVIII 45 317
Cockchafers, destruction of IV 119; X 272
plague of XI 519
tenacity of life in I 358
Cockroach or Blackbeetle XVI 21
Cockroaches XX 382
and crickets IX 168
eradicating V 553; X 272; XX 407
poison for II 281
Cockscomb Ash, branch of XI 364
finely-grown XX 262
giant XIV 373
Hutton's VI 222
large VI 170
pyramidal VI 513; IX 149 (*cut*)
Cockscombs, culture of XI 289
dwarf XI 466
giant XIV 323
large XIV 279
Cocks-foot, yellow variegated XII 81
Cocca-nut, double XII 286
fibre refuse IV 167 339; and its use VII 100; XI 89; XVII 232; fungus in XIII 166; XVII 303; influence of on soils XVIII 424; in herbaceous borders XVIII 350; mulching with XIV 539
groves I 250
in Florida IX 223
milk VIII 350
pudding III 79; VI 509
Cocoa-nuts and foliage XIII 50
as goblets VII 26
Cocoa seeds, sending to the Fiji Islands XIII 247
Cocoa Theobroma at Glasnevin II 135
Cocoa-tree, flower and fruit of the XIX 161
Cocos australis X 11; XII 392
uecifera III 462
Weddeliana II 401; III 139 (*cut*); IV 498; XII 628; XVI 437; XVII 167; XVIII 448
well-grown dwarf VII 67
Cocculus indicus as a climber XVI 446
“**Cocum**” XVI 52
Coddling Moth, the XII 473; XIV 391 (*cut*)
and sheep V 441
grub of, remedy for XII 473
Ceclipsis hyacinthina IV 312
Celosia barbata XX 561 598 622
cristata III 82; V 10 36 82; VII 59; IX 170; XI 42; XV 132 220; XVII 270; bulbs of XX 561; finely-bloomed XI 82; flower-sheaths of, decaying XIX 62; c. maxima XX 623; varieties of IV 206; XIX 273 323; white 345
finely flowered XIII 72
Hookeriana XIV 390
hardiness of the Assam XVII 196 in small pots XIII 72
Cœlogynes and Amaryllises in combination XV 131
Coffea arabica angustifolia XIX 294
Coffee XII 307
as a disinfectant VI 39
discovery of III 46
grown in California VIII 474
making IX 120
plants, African species of IX 456; Liberian X 558; Liberian, as ornamental flowering plants XVII 330; large-berried VI 118; seeds of XV 249
shrub XV 333
to make most of I 596
tree, Kentucky IV 400; XIV 240; fine XIV 77; variegated X 276

Colax jugosus III 330; VII 276; VIII 524; XVI 77 (*cut*)
Preydti XVIII 417
zebra-striped XVI 77
Colchester, rare hardy flowers at XI 493
Colchicum XX 320
autumnale, toxic action of VI 288
byzantium IV 306
family XVI 320
Internu XIX 322
Parkinsoni X 519 540
speciosum IV 312; V 28; XII 296; XIV 289; XVI 319; XX 293 325 343 381
SPECIOSUM XI 548
Colchicums II 295; VI 247; XI 548; XVI 301; XVIII 219
autumn-flowering XIV 279
double XII 418
failure of through deep rooting IX 136
on lawns XVIII 298
perishing VI 24
seed-bearing XII 339
Cold, extremes of XVI 557
in its relation to height IX 549
Coldham Hall III 474
Cole Slaw I 197
Coleus XX 383
Blumei, varieties of XVIII 417
Chameleon VII 344
Columbine XX 492
Crimson Velvet XX 414
Crown Jewel X 131
Edith Sentance XX 228
Hendersoni XVI 257
Hero, a black VII 396
mania XIX 346
splendens, for bedding VIII 294
varieties of X 600
Coleuses I 420
curious effects of grafting XI 465
new XIV 345; XVII 275 341
out-of-doors XIII 586
propagating XIV 547
well-grown XVIII 273
Colewort, Rosette VIII 438
Coleworts I 41
and other market-garden crops IX 71
culture and winter care of XIII 550
in private gardens IX 22
in the London market-gardens VIII 554
Collections v. selections VIII 101
Colletia cruciata XIX 124
horrida IV 312; VII 406
Colletias in Ireland XIII 73
in Sussex XIII 112
Collinsia violacea V 420
Collinsias for spring flowering IV 111
Collomia grandiflora in Germany XII 376
seed of and the microscope IX 208
Colocasia odorata I 323
Cologne Exhibition IX 144
Colonade at Holland House V 29 31
in the gardens of Sans Souci IV 71
Colorado beetle, the VI 238; VII 128 272; VIII 71 (*cut*); XI 460 (*cut*); XII 104
and its enemies XII 392
at Liverpool XII 150
exporting VII 101
in Germany XI 539
progress of VI 187
stamped out XII 223
Colorado, natural parks of VI 371
produce I 116
Colosseum, Regent's Park I 178
Colour and bedding plants XIX 150 168
combinations of XVIII 424
by gas-light IX 53
Coltsfoot pushing through asphalté IX 399
variegated VIII 168

Columbine I 668
Californian I 608
golden X 7
green XIX 462 540
new seedling XIX 597
Pyrenean I 674
Rocky Mountain I 643; XI 125; XX 108 (*cut*)
ROCKY MOUNTAIN XI 90
yellow I 643
Columbines or Aquilegias XII 8; XVII 193 226; XX 297 288 312
alpine VIII 342
American XIII 613
and their culture XIII 567
as biennials IX 428
from seed XVII 173
hybrid IX 563; XI 44; XIII 616; XX 6 58 108
in grass XVIII 99
in the Midland Counties XVI 285
in Utah IX 200
notes on XIII 459 594; XVI 264; XVIII 99; XIX 642
species and culture of IX 384
Columella oblonga VIII 404
Columnea Schiedeana XIX 535
Colutea XX 136
Pococki XVI 205
Comandra umbellata XVIII 262
Combe Abbey, Coventry I 559
gardens at IV 147
Combination, beautiful VIII 42
graceful XIX 642
pretty IV 33; VI 450; XII 175; XIV 285 485
Combinations, graceful IV 275
Combretum purpureum XV 521; XVI 65; XIX 583; XX 222; culture of XII 191; to propagate XX 359
Conely Bank, notes from XX 101
Confrey, variegated VII 373; XII 65; XIII 224; golden XX 261
Comfreys, for the “wild” garden VIII 19
Commission, illicit XVI 341
“Common sense” and “science” XVII 450
Como, Roses and trees at Lake XVII 464
Compass Plant I 17; XII 544; XVIII 196 247
in autumn X 419
Compass plants XIV 55
Competition I 404
modern VII 171
Composite, shrubby XVII 67
Composites, autumn-flowering XX 263
golden-flowered X 419
Conandron ramondioides XVI 148 193 (*cut*); XVII 267
Concrete for walls and floors, how to make X 273
Condurango root I 209
Cone-flower, the large XVI 379
Cones, an exhibition of VIII 212
Conferva littorea XII 196
Conifer, avenues III 206
hedges III 69
interesting hybrid XVI 542
mania XIX 18
screens and their uses XI 421
seeds XVI 72; in a pound, number of IX 371
Conifers at Castlewellan XVIII 340 destroyed by frost XVIII 532
in flower in May XIX 479
injured by the fly-catcher II 32
in Penrhyn Park XVIII 239
of the Pacific Coast XV 387
on insects which infest VI 325
our newer III 451
propagating XVIII 395; the newer IV 379
top-dressing XVIII 52
variations in XIV 441
young forms of XX 321
zones of III 340

Conifers, aged II 513
and frost XV 338
and hard winters XIX 508
and rabbits III 5
and their synonyms VII 228
at Alnwick XX 155
at Beaufort, remarkable VI 377
at Castle Kennedy III 54
at Dropmore II 237; XIII 407; XX 29 539
at Keir, near the Bridge of Allan VII 252
at Mell's Park X 424
at the Preston Show in 1878 XIV 76
books on XI 26
British Columbian I 502 551
cause of stem-bleeding in IX 555
Columbian I 464
decaying XIX 664
destruction of XVII 234
do they enjoy manure? VI 351
effect of frost on I 169
effects of geological position on VI 7
fine specimens of IV 254; IX 600
for a damp situation VII 42
for Britain, the best VI 333 373
for flower-beds in winter XIX 87
for gardens VIII 85
for general planting III 32
for low grounds VII 133
for smoky towns V 185
for swampy ground VII S2
from seed VI 328; variability of VIII 310
golden XIV 103 124; XX 60
grafted XIII 82
grafting IX 57 58
grouping, a means of protection VIII 515
hardiness of XVIII 253 378
hints on propagating IX 57
hybrid I 357
in boggy soils I 573
in Cornwall XI 20
in marshy districts IX 328
in pots XVIII 649
in shade and drip XIII 506
in Somerset XII 152
in towns XIV 321
Italian VI 29
Japanese III 400
large, at Dropmore VII 124
measurements of X 492
Mr. J. Groom on XVIII 226
new V 231; XX 262; and their synonyms VII 286
notes on XIV 240
of Italy, VI 28
on chalk land VII 56
on the prairies XIX 215
open situations best for XI 299
ornamental XVIII 403
pendulons X 585
planting I 54
propagating XII 31; XIX 246 263; XX 334
pruning I 264 393; II 423; III 69; XX 322 506
seedling, best VIII 4
specimen V 41; in Gloucestershire VII 434
surface dressing for II 301
tender XVIII 272
thinning and moving IV 191
useful XV 143
variegated IX 83; XVIII 149
wood of XV 195
young, in the flower-garden I 121
Coniferous forests of Californian Sierra XX 295
trees in Connemara I 571; top-dressing IV 532
Coning and subsequent death, a remarkable instance of XII 6
Conium maculatum XII 88

Conservatory XVIII 375; XX 97 (*cut*) 112
and greenhouse, art in XVII 78
architectural 11 414
aspect for a II 442
at Denmark Hill I 171
at Furzdown IV 279
at Hampton Court VIII 89
at Sundridge Park V 207
at the Jardin des Plantes XX 437
cemetery XI 144
chapel VIII 250
climbers III 334
cool I 288; X 289 (*cut*); *plan of* I 290
curvilinear, wooden VI 369
ground plan of I 184
house-top VII 283
how to heat I 110
in the Central Park, New York
III 137
in the Jardin des Plantes V 247
in the Pine-apple Nursery IV 486
keeping gay XI 287
"Kibble" III 156
light in the XX 628
Mr. Bessemer's I 170
natural III 111
open-air VII 373
outside shading for I 502
picturesque XVIII 576
rocky scene in a IX 5
section of, in *natural style* I 182
small town X 595
staging XII 628
view in a I 183
Cosmopolites and their contents X 203
in the natural style I 219 260 311; XVIII 373
in towns XI 391
lighting XIX 296
natural styles of I 181
small town X 575
temperature of XIX 399
wooden curvilinear VI 415 435
Constantinople, vegetables and fruit in IX 302
vegetation round XIII 570
Contract work, prices of VIII 276
Contract, a XIII 140 141
good X 182
pretty XII 78
Convallaria japonica IV 460
rosea XI 464
Convolvulus althaeoides XIV 3; XVII 6 (*cut*); XX 320
Cneorum V 416; X 577; XV 285; XX 561
large pink VIII 294
major and Sweet Pea intermixed VIII 166; in autumn XI 23
mauritanicus as a basket plant XII 490
minor X 129; Daniel's variety of X 97
Scammonia II 159
sepium XIV 78
Soldanella VI 366
water VII 226 236; VIII 110
Cookery, our national XV 66
"why" in vegetable I 485; X 623
Cooking apparatus, improved V 406
Cooks, French, and home produce XIII 419
Cool house I 288
houses, profitable XX 49
Orchids for conservatories I 325
Coonbridge Wood Nurseries, notes from XVIII 402
Cooperia pedunculata XX 440
Copiap, glass, for protecting fruit-trees XIII 254
Copings, glass, for walls XIII 134
of plants III 306
Parham's glass II 239
permanent XIV 581; XIX 189; and temporary I 297

Coppicing, growth of XVI 454
Coprinus comatus II 251
Coprosma Baueriana II 208; in vases X 181; *propagating* XIII 623; B. variegata VII 232; IX 56; B. variegata, propagation of VII 336 364
lucida IX 294; in fruit XX 597
Coptis orientalis XIII 225
trifoliata VIII 294
Corallorrhiza multiflora XX 62
Coral plant XX 137
herbaceous IX 472; X 54 380
Coral sea-shore vegetation XVI 380
Corbularia citrina XIX 191
sulphur-crowned XI 246
Corchorus capsularis IX 118
japonica III 400
olitoria IX 118
Cordia decandra XI 189
Cordon Apple-trees II 330
Cordons and *Cyclamens* VIII 264
protection for wall and ground I 297
Cordyceps militaris XVII 445
Cordyline and *Dracaena* IV 151
australis V 134; VI 2; XVII 523 (*cut*); XIX 159 (*cut*) 314; in Devonshire X 74; in Ireland V 540; XI 232
Banksii IV 49; VIII 362 385; X 9
indivisa I 15; X 436; XV 130; from seed XIV 244; in Ireland VIII 2
vivipara XI 61; as a basket-plant XI 3 84; hardy in Ireland XI 103
Coreopsis XX 203
aristata X 439
lanceolata XX 124 234
maritima X 106
nudata XIV 190
rosea XX 222
Corfu, flora of XIII 436
Coriaria ruscifolia XVI 341 471 529
Cork, Australian shrub from XX 78
for covering garden tubs VII 175
indestructibility of VI 328
Oak at Goodwood XVIII 522
tree VIII 4; large, in Ireland XIII 31
Corn, Cobbett's VII 36
flours V 552
green, how to prepare for table XIV 430
growing in ancient Britain XIX 562 567
Marigold I 502; common XIX 348; winter-blooming XVIII 534
new (sweet) Triumph VII 393
salad or *mache* IV 36; XI 376
Corn-flower, the II 9; XX 104
blue XVI 57
mountain XX 25
Corn-flowers XX 9
Cornish Moneywort, variegated XVIII 389
Cornus canadensis IX 259; XV 455
capitata VIII 341
florida VIII 400; XX 29 (*cut*) 318
Mas XX 444; M. aurea elegans-sima XV 9; XVI 216; M. e. aurea XVIII 222; M. variegata XV 228
mascula elegantissima X 182
suecica XIX 584
Cornuses, the IX 342
Cornwall hedges in May XIX 503
notes from XIX 204 314 385; XX 78
Coronilla Emerus I 693; XVII 498
glauca V 4; VIII 553; XX 603; as a winter-flowering plant VII 190; by the sea-coast XI 45; hardiness of XIII 53; out-of-doors XIII 24; XX 506; out-of-doors near London XII 592

Coronilla iberica XIII 594; XX 24
libanotica XV 295
Correa cardinalis XVII 103; XX 624
Correas for autumn flowering XX 546
propagating XIV 13; XVIII 499
Corsica and its vegetation X 515
Daisies of IX 260
notes from XVII 286
plant collecting in IX 193
vegetation of IX 514
Cortusa Matthioli I 667; III 49 (*cut*) 96; XX 254
pubens XIII 432; XVII 427
Corydalis aurea XIX 600
baetica XVII 479
cava XI 271; c. var. albiflora X 366
Ledebouriana XVII 213 284; XVIII 147 (*cut*); XIX 299
Intea IV 415; XIV 301
nobilis V 500
pallida XX 440
Corydalises, two of the finest III 312
Corylopsis speciosa VI 503
Corylus algeriensis XII 320; XIII 11 (*cut*)
Columna XIX 191
Corypha (*Liristoma*) australis II 363
Cosmibuena obtusifolia var. latifolia X 106
Cossus ligniperda II 229; III 203; XII 504 (*cut*) 509; XV 297 (*cut*)
Costus speciosus XX 203 212
Cotoneasters VIII 552; XX 321 433
evergreen XVIII 650
in masses XIV 322
species of X 117; XVI 219
standard XI 48
Cottage cookery II 215
covered with Colomaster IV 165
gardening V 248; X 152 178 214 236 255 330 357 404 422 464 504 533 541 561 592; XI 6 27 53 66 91; XIX 374
garden in Herefordshire I 252; Middleheath XVI 149; societies VI 192
gardens XX 396; and allotments judging XI 203; Dutch I 48; English II 342; in Devonshire III 8; in Ireland II 141
in Kensington Gardens, the VI 297
made beautiful V 294
porch XIX 519; *an ornamental* V 294
Cottages, clothing of II 81
Cottager's garden I 333
Kale VI 80
show, at Latimers VIII 234
shows X 771
Cotton plant, the XII 614
Cotton substitute for I 558
Cotton-woods, the species of XIII 332
Cotyledon teretifolia IX 583
Couch Grass, as a protecting material XVII 156
in an old Asparagus bed XIV 143
Courettes, plan of I 401
Covent Garden Market I 158; VI 16 312; XVI 520; XVIII 353
Crabapple alba IX 19; p. cretata VII 499; p. crenulata XVI 431 471; grafted on Quince VII 500; in towns XVI 430
species of VII 41
Craven, Yorks., notes from XX 34
Crawfurdia in flower XVIII 202
japonica XX 440
speciosa XVI 415

Cucumbers, wild XIII 226
winter II 391; VIII 229; XII 335; XIV 32; XV 226; XVI 153; XVIII 309
yellow V 318
Cucumber tree, the heart-leaved I 420
Cucumis grossularia XVI 295; XX 457
medulliferus VII 75
sativus var. *Sikkimensis* IX 165
Cucurbita, *scarlet-fruited* V 223
Cucurbits, edible XIII 530
quick-growing XIX 447
Culford Hall 111 412
Cultivated plants, dates of the introduction of IV 304
Cultivation, deep III 465; V III; VI 488; XIII 193; XVI 391; and the drought XX 44
for transport IX 116
in Japan VI 561
living sphagnum an aid to XX 252
“*Cultivator*,” *Gilbert’s* XII 284; XIII 22
Cultivators, land of XI 14
Cunninghamia lanceolata XIV 121
Cunninghamia lanceolata XVII 558
Canaria capensis XIX 75
Cupania filicifolia XII 519; as a specimen plant XV 12
Cup flower XX 367
Cuphea Roezlii XIII 4
Zimapani XIV 389; XX 263 293
Cupressineæ, colours of III 281
Cupressus cornuta, cones of V 425
funebris II 17
Goweniana glaucescens IV 127
Larsoniana VI 426; XII 225 (*cut*); L. alba pendula II 214; L. elegantissima X 389; L. erecta viridis VIII 44; fine VII 183; L. fragrans VIII 423
LAWSONIANA IN FLOWER VII 508
Lavsoniana in flower IX 318; XI 560; propagating XIV 157; L. vii ilis XVIII 577
Leeana VII 252
macrocarpa I 220 242 330 333; V 253 296; VI 427 (*cut*); VII 491; at Powerscourt XVII 316; submerged XII 511
Nutkensis, cones and leaves of V 395
semperfervens I 100; XIX 188 (*cut*)
thyoides (?) XIX 479
Curculigo recurvata, for house decoration VIII 434; r. *viregata* V 467
Cureuma Roscoecana XVIII 228
Cureumas and their culture X 95; in flower, in September IV 228
Curled Cress I 41
Curmeria picturata XI 233
Currant and Gooseberry compôte X 119
Black Champion XX 173
Black Naples XX 121
Cherry VII 433
district, the Versaillaise X 8
double-flowered XVII 407
double scarlet V 489
Fay’s Prolific Red XVIII 494
flowering, varieties of XIX 415
green IX 360 396
green-fruited Black IX 404
jelly, Red X 119
La Versaillaise XVI 429
leaves for tea V 273
Lee’s Prolific Black VIII 144; IX 196; in America XII 116
Mississippi XIX 439
moth, the X 8
new XVIII 493
Norwegian Red XVII 350
of Palluan, the Prolific VII 433
standard XVII 273

Currant, Victoria Red XX 144
White-Black IX 383
worm, cure for I 286
Currants XX 358
best VI 220
black XVI 239; XVII 506; XX 473; plantations of XVI 202
dried IV 362
(flowering) as standards V 307
keeping red XX 400
losing their bloom-buds XIV 550 573
new large IX 248
on north walls XX 169
planting XVIII 394
report on IX 382
standard III 30; XIV 325 344; XX 400
summer pruning XIV 167
Currant bush, brilliant XII 271
growing on an Elm VI 388
Currant bushes, aphides on VII 490
on railway banks XVII 473
standard XX 448
stopping, red XVIII 101
Curtisia taginea XVI 50
Cuscuta Epithymum II 181; E. var. *Trifolii* III 481
reflexa XX 567
Custard Apple IX 563; XI 167 (*cut*)
flowering in England IX 570
fruit, flowers, and leaves of the XVIII 289
North American X 9
Cutting beds, moles in VI 212
frames, miniature XIII 48
pot, section of a XII 41
pots, draining XI 352 406
Cuttings, autumn XVI 100
broken crocks for XI 158
in autumn, preparing VI 343
in Wardian cases II 176
making VII 60
packed in moss and tin-foil IX 87
potting off IX 27
rooted, management of V 522
rooting XI 370; in coke dust V 369
striking XVIII 266 424; easy way of II 155; in sand and water X 497; in saw-dust VIII 294; in water IX 572 593; XIII 315; new mode of VII 257; XIV 515; Ossekop method of XIV 223; speedy way of IX 150
time to procure IV 488
transmission of IX 176; mode of I 161
without joints, making VII 276
Cyathosthos incanus XII 559; XVI 127 231
lobatus II 65 295; X 176; XI 189; XIII 561; XVI 215; XVII 487; XVIII 180 518
Cyanophyllum magnificum XIII 354; XVIII 540; propagating XII 375
propagation of VI 409
Cyathea Burkei IV 271; XI 524; XII 223; peculiar growth of IV 425
Cunninghamii V 9
insignis VII 104
Cyathus vernicosus XVII 325
Cycad, cones of, sweet-scented XIX 252
plumose VII 480
Cycads II 183; III 282; and *Callimelias* together XV 170
at Kew XVI 6
in fruit XVI 480
ornamental V 326
raising from seeds XVII 254
Cyathus circinalis II 183; III 283 (*cut*); c. *glauca* XIII 277
intermedia XII 512; XV 12
media XVII 322
Kurumatangia XI 448
revoluta VI 217; for window recesses VII 379; fruiting of XVI

Cycas revoluta—continued.
340; in fruit XIV 525; remarkable growth in XII 463
undulata XIX 506
Cyclamen Atkinianum VII 26
blooms of XX 588
bulbs of, summer treatment of old XV 271
Coun vernum XV 210
culture of I 501; XIX 396; in frames XVIII 353; modern VIII 509
CYPRIUM X 190
europeum as a pot plant XVI 228
hederaefolium IV 352; VIII 382; h. album XX 325; h. var. *graveum* II 357; VIII 406
leaves of, holes in XVII 276
lecture on XIII 177
neapolitanum XVI 453
new X 190
ook V 389
Peakeanum III 2
persicum I 699; II 478; III 42; XX 514; in autumn XVI 436; out-of-doors XI 122; varieties of XIX 226; well-grown VIII 509
seed, old and new XX 36 92 139; saving XVII 217
semi-double XIX 199
sports XII 536
white XX 320
William’s large X 538
Cyclaneus III 102 330; XVI 425; XX 405 573
after flowering XV 164 176 221
and Grapes in same house XX 589
and sun-heat XI 106 130 170
and their culture X 570; XI 80
and Tree Carnations in combination XV 23
as window plants XI 185
at Ealing Dean X 578; XVIII 665
at Reading XIV 323
autumn blooming XX 290 318; treatment of XX 564
crossing VII 275
culture of I 699
durability of XVII 276
fertilization of III 133
for market X 518; XVIII 178
for table decoration VII 272
from Birmingham XX 458
from seed XIX 286
GROUP OF XVI 106
hardy II 452; III 361; IV 456; X 191 (*cut*); XII 440; XVIII 273 351; XIX 226; XX 319
hints on XVI 364
in small pots XVIII 581
in the “wild” garden XIII 622
large-flowered XVII 533
Mr. James’s X 538
Mr. Little’s XV 228
Nature planting V 116
new way of growing from seed XVIII 646
out-of-doors in summer XV 345
Persian V 238; at Lea Bridge X 438; good method of growing VII 98; large VII 168
planted out XIV 372
propagating XX 491
rock X 100
small-flowered XI 3 39
species and culture of X 190
spotted I 462
summer treatment of XI 286
sweet-scented XIV 257
with small flowers XI 42 83
yearling XVII 448
Cyclanthera pedata XII 617
Cyclobothra alba X 34
cornuta XVII 547
lutea VI 215
pulchella XII 430; V 500; in pots XIX 534

Cyclone and tropical vegetation XIX 22
effects of on vegetation XIX 129 624
Cynoches Egertonianum purpureum XVI 383
Warscewiczii XVI 341; XVII 225 (*cut*)
Cydonia japonica I 573; XIX 478
JAPONICA ALBA GRANDIFLORA XIII 144
japonica as a hedge plant VI 156; as a standard XI 122; fine specimen of IX 352; for conservatories XI 42; hedge of XVII 360
Mauleri XIX 300; XX 319
nivalis XX 611
sinensis IX 390
Cyfarthfa Castle, gardens at X 580
Cymbidium Devonianum XIX 383
eburneum XI 285; XIII 407 XVII 342 554; XIX 485 593 (*cut*)
giganteum VI 532; XVIII 345
Lorquinia, flower of XVI 189
Mastersii V 221; X 558; XII 488 XVII 146
Parishi XIV 28; XV 475
Cymbidioides XX 561
at Christmas XX 616
Cynara Scolymus XX 314
Cynips Rosei II 311
Cypella cornuta IX 464
gracilis VII 44
Herberti VI 142
Cyperus alternifolius XVIII 601; how to propagate XVI 390
esculentus IX 278
gracilis X 599
longus XIV 213; XVII 273 (*cut*)
textilis XVIII 105
Cyphontia macrocarpa XIV 345
Cypress, Chinese IV 400; XII 561
columnaris XII 521
deciduous III 352; XII 405; XVIII 145; at Syon House III 339; fine XVIII 288; “knees” of III 338; large IV 45; weeping XII 589
dwarf XV 439
evergreen I 100
fine-leaved XIV 172
Funeral II 17; at a Chinese tomb II 39
groves in America II 466
historic II 335
Lawson, and its varieties VII 225; in Devon XI 248
Monterey I 220 242 330 (*cut*); 333; V 253 296; VII 491; as a hedge plant I 372; at Powerscourt XVII 1136; cones of V 253 of Sonoma VII 514
Pryal’s golden XV 131
Sparta XIX 664
swamp or deciduous XII 623
upright I 130
wood, large plank of IX 179
yellow III 143
Cypresses for Britain, the best VI 425
group of I 101; deciduous II 467
names of III 116
Cypripedium XX 561
aeale IX 238 328; XV 521; XIX 421 (*cut*)
albo-purpureum XVI 529
Argus VIII 127
barbatum grandiflorum III 474; b. majus XI 3; b. nigrum XVIII 191
Boxallii XII 510; XIII 27; XVII 394
Calceolaria I 305; XV 492; XIX 421 (*cut*) 586; and c. spectabile XIX 152
candidum I 517
caudatum III 313; XVII 428
Dominicum III 491

Cypripedium Druryi XI 189
euryandrum XIX 636
Fairlieanum III 431; VI 69;
flower of III 433
guttatum XVII 166; flower of
XVII 417
hardy species of VI 43
Hookeræ XX 623
humile VII 375
hybrid XX 344
insigne X 518; XVIII 418 478;
and C. *insigne* Maulei XVI 481;
in a cold pit XIV 322; i. Maulei
XIII 114; XV 128; XX 512;
twi-flowered XVII 270
Irapeanum V 220; XVI 6
japonicum VII 70 398; IX 516
Lowi XIII 197
MACRANTHUM XI 30
macrantum XVII 376 443 (*cut*);
XIX 420 (*cut*); at York V 474
Maulei XX 622
Morganianum XVIII 78
NIVEUM IX 524
niveum XI 346
occidentale XII 65
Parishii, at Knowsley VIII 98
Passerianum IX 80
pubescens, rapid growth of XIX
494
purpuratum IV 293
Roezlii IV 294; IX 254; XI 144;
XVII 66
Schlimii XV 289
Sedcui IV 124 207 (*cut*); XII 463;
XVII 7 103; at Drumlanrig IX
563
selligerum XVII 7
spectabile III 177; V 113; VI
424
SPECTABILE XI 254
spectabile XII 30 65 84 (*cut*) 172;
XV 48 492; XIX 421 (*cut*) 643;
at Kew V 544; fine specimen
of VIII 450; forced VIII 472;
hardiness of VIII 8; indoors
XI 269
Specerianum XVII 169 487; XX
521
Stonei platytænium XVIII 229
superbiens, a fine specimen of VII
520
twin-flowered XVII 168 196 387
Weitchii III 239; V. *superbiens*
IV 2
vexillarium V 103; XII 510
villosum, flower of III 415
Cypripediums XX 61
at Belton Park XIX 105
Boxallii and *villosum* XVII 34
from Clovenfords XX 541
hardy XII 65; XIV 59; XV 388;
XVII 404; XIX 420 574 583;
at home XIX 586; species and
culture of VI 43
note on XIX 306
species and culture of IX 524
tender species of VI 67
twin-flowered XVII 223
when to divide XVIII 531
Cyprus, Grapes in XVI 432
grasshoppers in VI 464
vegetation of XIV 140
Cyrtandraceæ, Himalayan XVI 232
Cyranthus brachypetalus XVI 88
lutescens XVIII 559
Macowanii XI 539
McKenii XVI 520; XVII 17 (*cut*);
XIX 2
Cyrtoceras reflexum XI 28
Cyrtodeira chontalensis IV 86
Cyrtopodium punctatum XVII 376
Cystopteris alpina II 24
montana, culture of IV 233
Cytisus Alschingerii VIII 362
Arduini VII 398
biflorus XIX 587
black I 504
elongatus I 664

Cytisus filipes XI 20; for the
greenhouse IX 340
incarnatus II 283
Laburnum serotinum VI 32
nigricans I 504; XVIII 73; XX
53
proliferus, the cultivation of XII
106
purpureus III 410; varieties of II
146
racemosus, in small pots XVI 539

D.

DABECCIA polifolia in Hauts XII 344
Dabecias in Hants XII 367
Dacrydium cupressinum XVI 480
Franklini II 172; VI 462; VII
138; IX 216; X 506 522; XII
175 405 (*cut*); XIX 360; XX
hardiness of 523
Dactylis elegansima XI 423
aurea XVI 479
glomerata aurea-marginata XVII
279; g. *elegansima* XX 401;
new variegated XIII 589; yellow,
variety of XVIII 199
Daddy Long-legs, the XIV 131;
XVII 554
grubs of XVIII 242
how to destroy X 453
larva of XI 326
Damonorops accidens VI 313
palumbanicus VI 313
periacanthus XVI 360
Daffodil, double V 278; XV 349;
true VII 343
dwarf VII 272
garden I 419 455
hoop-petticoat XIII 441
white XVI 581
Peruvia VII 376 416; XVIII
29; XX 153 209
rush-leaved in January VII 52
white-flowered XVII 312
winter XX 478 482
Daffodils I 391 430 458; V 326
420; VII 5 (28 *cuts*); 344
(poetry); XVII 29 338; XIX
633 654; XX 557
all the species of VII 3 51
and other spring flowers XIX 492
at Brockhurst XIX 521
at Tooting III 294
autumnal VI 50
best grown in grass VIII 37
different races of XIX 568
double XI 306
exhibition of in 1880 XVII 341
GROUP OF XV 202
GROUP OF NEW XVI 174
hardiness of IX 400
hybrid XIII 355
in Hyde Park VII 338
in Ireland XVII 330
in parks XIX 493
in shrubbery XIX 201
note on XIX 596
old writers on VII 373
on grass XIII 249
round London IX 328
three good IX 358
two good XI 265
varieties of double VII 343
Dagger-moth, the XVI 426

Dahlia arborea V 238
as a decorative plant II 28
coccinea II 163 273
culture of V 369
catalogue XII 34
Cactus XX 381 408
double-headed XX 252
George Rawlings XX 290 311
glabrata XX 223 586
good white bouquet XIV 235
gracilis IX 583; XX 408
hardy XX 460
imperialis II 418; XIV 525;
XVI 446 529; XVIII 448; XX
524
IMPERIALIS XII 352
introduction of the, into England
IV 412
Juarezi XX 391
Maximiliana IX 335; X 75; XIII
3; XVI 547; XVII 6 57 (*cut*);
S3; XVIII 642
Mrs. M. Batchelor XX 311
National Show XX 605
new X 426
note on the XII 366
Pioneer XX 311
roots of, lifting and storing VIII
389; XX 392; wintering IV
502
scapigera XX 136 185
single white XX 318
species of XII 352; XIV 124;
new VIII 476
sport, single XX 367
tubers of, preserving XVII 449
true origin of IV 391
white bedding, Marguerite Bruant
X 276
White Queen XX 439
Ynarezi XVIII 337 589 (*cut*)
YUAREZI XIX 472
Dallias XIX 196; XX 237 471
at Swanley XVI 261
at Tottenham XII 361
BOUQUET XIV 110
bouquet or Pompon XIV 218;
XVI 382; XVIII 402
Cactus XVIII 337
culture of single and double XX
340
dwarf bedding X 232
for exhibition V 541
grafting IX 141
GROUP OF SINGLE XX 630
in London XX 343
in pots X 166; in Covent Garden
X 456
late in autumn X 419
“Lilliputian” II 288
new varieties of in 1875 VII
398
on grass XIV 323
Pompon II 208
select V 349
single VIII 368; XIV 169 257;
XVI 232; XVIII 242 298 337
432
SINGLE XIX 154
single XIX 174; XX 264 299 317
362 388 392 416 421; and
double XVIII 201; culture of
XX 630; under glass XX 478;
v. *Pyrethrums* XX 6
small-flowered XII 296
to propagate XX 359
to protect from slugs VII 464
unlifted XII 220 268 462
various XX 291
wintering XVIII 370; XX 461
Daisy, *Aucuba-leaved* XIX 313
blue IX 9; XVI 166; Morocco
XX 415; mountain XX 364;
single X 518
brown XX 52
destroyers VII 314
double greenhouse XIX 558
flower of spring IV 498
giant Ox-eye XX 361

Daisy, giant white quilled V 522
Hen-and-Chickens X 75
History and Poetry of V 170
marsh Ox-eye XX 203
Michaelmas XX 364
New Holland XX 366
new pink variegated III 222;
Snowball II 273
Paris XII 255; XVII 5 (*cut*) 77
120; Etoile d'Or XVIII 244
sky-blue XIV 55
Swan River XVIII 537
turfing IX 259
Daisies XIX 267
alpine VIII 278
Aucuba-leaved XIX 348
autumnal Ox-eye X 419
bouquet XVII 74
clearing lawns of X 579
crown XX 153
double IX 465; for spring bed-
ding V 324
for edgings III 478
for window-boxes IX 462
from seed XIII 228
hen-and-chickens IX 584
in towns XIII 197
Michaelmas II 266; IV 305 323;
VI 360; XII 439; XVI 320
394; choice VI 422
notes on IX 543
of Corsica IX 260
on lawns II 464; XIX 667
Paris XVII 84; XX 427
removing from lawns X 46 54
seedling XI 326
for autumn blooming X 480
select varieties of double IX 428
475
variegated XIII 132
varieties of II 463
yellow XX 126
Dale testimonial, the XI 393
Dammara australis VII 254
Damp-absorber for fruit-room II 275
walls, remedy for X 273
Damson, Crittenden XVI 211
crop in 1875, the VIII 296; in
Kent XX 304
prime VIII 353
Damsoms and Bullaces XVI 254
in hedgerows XVIII 406
in Lancashire XX 330
note on XV 238
pruning XVI 429; XIX 271
varieties of VII 446; XV 35
Dance on a “Big tree” stump, a XI
219
Dandelion, the IX 544
crimped XIII 270
improved III 37
in Paris XI 206
salad VI 39; IX 582; XI 174
254; XII 529 579 602; XIII
197
Dandelious, improved XIII 349
Davesbury XX 502
Park, Welwyn XX 417
Dangstein Orchids, sale of the XVI
105
plants at VI 203
DAPHNE BLAGAYANA XIV 200
212; XIX 368 414 451; propa-
gation of XIV 330
Cneorum V 462; VII 464; XIX
584; forced IX 448; for forcing
XVIII 512; in autumn XX 343;
C. major XVIII 441
Dauphine II 418
elegantissima XIII 94
Fortunei VI 377
indica XIX 191 242 261 288; i.
odorata VIII 91; on its own
roots XIX 304; planted out
VII 44; i. rubra XV 23 57; i.
rubra, culture of VIII 485; i.
rubra grafting XV 250; i. rubra,
out-of-doors XI 122
japonica variegata XVI 50

Daphne Mazeli XI 42
Mezereum XVII 234 498; *M. antirrhinoides*, flowers of XVIII 615;
in masses XIII 248
OBORA VAR. XIV 442.
Pontica V 395
rapestris IX 242 588; XIV 301;
XVI 298
salicifolia XIX 583
white Indian IV 355
Daphnes, alpine XIV 389
greenhouse XVIII 356
of China and Japan XIV 442
species and culture of IX 567
Darlingtonia californica I 396 667;
II 340 (*cut*); V 182; VI 462;
XVI 276; XVII 150; at Glas-
nevin V 278; VII 376; VIII
104 362 404; X 125; XII 151;
from seed XIII 590; hardiness
of VII 124; hardy in England
XIII 563
new XV 157
Darnel-grass not poisonous III 228
Darwin (Charles), as a horticulturist
VII 170
on Primroses, Cowslips, and Oxlips
III 416
portrait of VIII Frontispiece
Darwinism again VI 163
and the fertilisation of plants
XVII 262
Dasyliion areotrichum VI 262
glaucescens III 23; X 208; XII 392
longifolium in flower XI 291
Dasyliions after flowering XII 151
late orchard, a II 253
Palm in Bagdad VII 137
Palms and Lantana XIII 227; gar-
landed with Passion-flowers VII
137
Plums VI 556
tree—what it is to the Saharians
I 322
Datiscus cannabina III 391; in
autumn XIV 257
Datura, leaves of, diseased XX 48
whitethorax V 113; X 374; XX
178
sanguinea XX 98
white tree at Christmas X 598
Wrightii II 135
Davallia alpina XVIII 301
bullata XVII 302
ffigensis XVII 527; f. plumosa
XX 493
hemitropa IV 47
hirta ciliata XV 503
Mariisi XVII 549
Mooreana III 121; as a room plant
XVI 284; for rooms IX 304;
splendid specimen of VI 464
Tyermannii V 481
Davallias IV 46
select species of XVI 164
Day Lily, sweet smelling XVIII 376
Day Lilies, the XVI 166; XVII 557
by the water-side XVIII 118
yellow XIX 620
Decabelon Barklyi IX 165; XVIII
78
Decoration, dinner-table I 40; XX
259 353 538; for Christmas XX
603; grasses for I 556; teach-
ings in I 582
Christmas IV 464; XIII 28; XX
617; floral I 4; XX 292 533;
in windows XX 216
for churches XX 437
miscellaneous XVIII 488
of foliage XX 637; hardy XX 583
Deep cultivation, results of XII 602
Deeringia celosoides variegata VIII
374
deherainia smaragdina XIV 531
delabechea rupestris XVIII 452
Dell, Egham XX 22
shady, with Ferns I 96
tropical I 96

Delphinium Belladonna XVIII 75
bicolor grandiflorum II 194
cardinale XII 156; XIV 65 147;
XVIII 137; XIX 254; XX 103
178 319
CARDINALE XIX 234
cashmirianum IX 47; XII 388;
C. album XV 521
CASHMIRIANUM XVIII 568
decorum XV 295
formosum I 480; useful for
cutting IX 108
George Taylor XIV 55
grandiflorum fl.-pl. XIX 642
Keteleeri V 304
Mrs. James Helme XX 23
nudicaule II 51; IX 563; X 20;
XI 329; XII 492; n. elatus III
477
ranunculoides XX 136
tricornis XVII 463 513
Victory XIV 235
Delphiniums XVII 559; XX 136
deep culture necessary for XVIII
179
from seed XVII 210; XIX 106
how to prolong the blooming of
VIII 58 84
in autumn XX 342
intermixed with golden Elder
XVIII 6
perennial XVI 44
scarlet XIX 308
seedling XVI 4
some good X 213
some new IX 199
TWO XIV 86
Dendrobie, trumpet-flowered IV 110
violet-scented XII 607
Denrobres, Indian VII 520
seedling III 183
Dendrobium aggregatum XVII 167
Ainsworthianum XIII 277; XY
210
album XII 416
amethystoglossum XVII 225
acuminatum IX 165
aqueum VIII 328
anreum XX 623
barbatulum XV 330; b. *Fitchianum*
XIII 72; XVII 394; b.
grandiflorum XIV 55
bigibbum IV 480; XIV 345;
XVII 67; b. *album* XIV 500;
b. *superbum*; X 490; XII 416
488
Boxallii V 260; XI 286
LOXALLI IX 336
Brymerianum XI 420; XIII 407
495 (*cut*)
Cambridgeanum V 302; XVII
168 XIX 6 53 62
canaliculatum Fitzallae XX 416
chrysanthum *microphthalnum*
XVIII 422
chrysotis II 204
chrysotoxum XIII 485
citrinum V 502
concolor XI 466
crassimode X 558; XI 306; at
Kew XI 102
crystallinum and *tortile* XI 369
d'Albertis XIV 55
Dalhousianum XV 436
densiflorum, a fine VII 385
densifolium XI 326
endocharis XI 102; XV 171;
XVII 7
erythroxanthum XVII 448
Falcomeri II 290 312 390; V 432
454; XIII 381; finely-flowered
IX 172; F. *giganteum* XIX 637
fimbriatum VII 336; finely-
flowered X 598; f. *oculatum* V
300
formosum *giganteum* XVI 521;
XX 320 344 560
fuscatum IX 464
GOLDIEI XIV 244

Dendrobium *Goldiei* XX 561
heterocarpum VII 238; h. *aureum*
II 522; h. *philippinense* XVII
376
Hillii III 102; XI 184; XVIII
560; and D. *speciosum* XIX 274
japonicum XIII 114
lasioglossum XV 130
lingueforme XVII 224
lituiflorum IV 110; l. var. *Free-
manni* XV 389
luteolum XIII 114
macrophyllum XIX 457
Met'arthrie XV 521; XVI 17
moniliforme XX 623
nobile III 46; XIX 308
philippinense XX 344
Pierardii V 368
primulinum XVI 336
senile XIX 384
speciosum *Hillii* XX 582
SUAVISSIMUM XIII 166
superbiens XIII 26 225; XX 61;
new variety of XIII 433
Tattonianum XX 62
teretifolium IX 75
thyrsiflorum VIII 426; XI 346;
XIII 458
Wardianum V 260; IX 300; XII
582; XIII 94; XV 144; XVII
150 428; XVIII 531; fine XI
226; XV 250; XIX 274; *flower*
of XVII 153; W. Lowi XI 206
Dendrobiums at Christmas XX 616
in small pans XV 171
species and culture of IX 336
the best XX 36
Dendrochilum *filiforme* VIII 2; XII
52
finely-flowered XIII 158
glumaceum XI 286; XVII 167;
XIX 198
Dendrophilia, or notes for planters
IX 227 316 414
Denny, John XX 538
Dentaria *digitata* XVII 213,
palmata XI 313
pinnata XIX 489
Dentarias XIX 345
Deodar, the I 588; II 39; XIX
360
as a vase plant IX 83
cones of X 536
destroyed by lightning XX 124
pruning I 264
silvery II 380
Deodars and Hollies, transplanting
in May IX 436
from English-saved seed X 416
not coming in Cornwall XI 289
Deptford, new park at III 450
Derby Arboretum anniversary II 39
Derbyshire spar XI 60 80
Desfontainea *spinosa* II 146; IV
407; X 26; XIV 147; XIX 74;
culture of XI 261; *flower* of XVI
495; in Ireland IV 155; IX 83;
XVI 495; in Scotland XII 30
392; in South Wales X 365
Desfontainesas, two IV 231
Desmodium *quercus* XVIII 647
penduliforme VIII 232
PENDULIFLORUM X 216
penduliforme XVIII 251 388;
XX 125; for the conservatory
XIV 323
racemosum in September XIV 257
Desmodiums XX 195
Deutzia candidissima fl.-pl. XVIII
28
crenata, double-flowered VII 314;
VIII 69 338; XIII 182; in
shrubberries XVI 144
double XVIII 126 173
gracilis XIII 233; XV 516; after
flowering XIX 578; hardiness of
XX 109; pruning XX 238
Pink of Rochester XX 109
species of VI 131

Deutzias XX 79 355
after flowering XIX 512
double XVIII 145
for forcing XIX 68
for small gardens IX 450
from seed VII 228
in Belgium, culture of IV 336
on grass XX 60
species of IV 295
Devon, effects of frost in XV 440
wild garden in IX 561
Devonshire custom III 167
lane XVIII 495
Dew, and moisture in the air VI
248
falling of VIII 310
Dewberry, the XV 439
Dew-point, table to determine the
VII 62
Dew-ponds XVI 50
Diapheris arundinacea variegat:
XVI 231
Dianella aspera XVI 529; XVIII 25
caerulea XX 252
tasmanica VI 10
Dianellas II 462
Dianthus XII 539
alpinus III 390
barbatus atropurpureus III 24;
magnificus VI 405; varieties
XVIII 56
brachyanthus I 687
deltoides XX 79
glacialis V 344
Hedgewigii XIX 152
High Cleere VII 482; VIII 12
laciniatus *Hedgewigii* VIII 2
ramosus II 87
saxicola V 139
Segnieri XVIII 152 189
sylvestris VIII 276
Wimmeri XVIII 107
Dianthus as bedding plants XIV
257
names of XVIII 273
note on XVIII 196
Diplosia Lapponea III 361
Diary, my, for seven years X 121
163 188 217 245 256 289 313 337
361 385 408 427 447 467 487 520
567 587 608; XI 14 36 52 76 93
109 128 150 172 196 201 217 235
256 276 333 363 390 407 439 462
488 506 530 555; XII 13 39 67
91 113 162 186 214 239 262 284
311 337 350 378 409 433 451 479
508 518 554 575 598 626; XIII
11 39 63 88 109 125 151 170 190
216 243 268 295 321 347 369 399
427 449 479 502 523 549 582 602
625; XIV 15 67 89 114 138 164
182 204 226 248 270 292 313 339
358 379 402 423 445 494 518 542
566 583; XV 167 186 209 224
244 257 281 341 379 459; XVI
131 173 200 222 245 267 288 311
334 353 375 397 419 441 465 497
513 537 565; XIX 38
Diascia macrophylla II 241
Dicentra chrysanthia II 24 241
eucleria XIX 368
eximia I 608; XIV 100; and D.
formosa XVIII 6
formosa XIV 451
plumosa I 608
spectabilis XIII 489; XVI 544
thalictrifolia XIV 95
Dicentras XIII 542
Californian, at home XIV 177
Dichorizandra thyrsiflora VIII 341;
as a winter plant, value of XX
499
Dichroism, an instance of V 156
Dicksonia antarctica II 167; IV 527
(*cut*); VIII 341
Bertiera XVII 499
Culeita XVII 150
chrysotricha VIII 426
squarroso V 301

- Dicksonias at Kew IV 2
 Dicliptera (Justicia) Tweediana V 400
 Dictamnus Fraxinella IX 195; XIX 645
 tauricus IV 5
 “Dictionary de Pomologie” VIII 341; XVI 410 432
Dicyogramma japonica variegata VII 479; XVIII 299 (*cut*)
Dicyopsis Thunbergii V 534
Didiscus caruleus XIX 337
Dieffenbachia Barnequiniana III 38
Bowmanni V 417
 Memoria Corsi XX 362
 new hybrid XX 332
nobilis IV 199
picta III 172
 propagation of II 176
lefeubachias, acrid properties of III 276
ielytra eximia XIX 524
spectabilis I 233; XIII 432; XV 190 369; XIX 469; as an indoor plant V 412; fertilising XI-512; on rockwork XVII 250
ielytras and frost XIII 406
ietes bicolor XVIII 189; XX 367
Huttonii VIII 127
 digging, best spades for XIV 570
 cure for dyspepsia VI 75
 in market gardens VII 50
 light land deeply VII 177
 notes on IX 95
igitalis purpurea, monstrosity in III 470
igitalises, grown under trees XVIII 298
illenia speciosa, flower of XIX 50
imorphanthus mandshuricus I 117; XX 234
 living-room decoration IX 53
 inining-rooms, illuminations of I 89
 lighting I 89; artificial VI 55
 inner-table, Christmas XII 581
 decoration VI 101 119 148 170 192 223 241 266 299; VII 225 277 (*cut*); VIII 511; X 517; XIV 3; 53 97 145; XVIII 381 405 421 447 486 581; XIX 129 (*cut*); 200; grumble about VI 380
 flowers for I 137
 plants for, form of I 127
 illumination of III 78
 vases for XIX 316
 well-arranged V 503
ionea muscipula I 153; II 503; VII 507; VIII 212; XV 522; XVII 448; XX 310 638; importation of VII 26; large XV 415
iou edule IX 47
iocorea Batatas XII 413; XVI 380; XX 448
retusa XIV 138
iomsa capitata XI 226
iopyros Kuki I 609; III 194; X 458; XVI 296; XVII 3 (*cut*); analysis of the fruit of X 595; in Japan III 156
Iucida XIV 282
Mazeli V 156
virginiana VI 74; dropping its flowers XIX 288
iplacus or Shubby Mimulus XV 139
glutinosus VI 254; XIII 590; XX 546
ipladenia boliviensis XVIII 254 449 478 559; XX 129 472; in winter XIV 478
Brearleyana IV 272; V 447 (*cut*); XVIII 477
BREARLEYANA VIII 8
insignis IV 7
profusa XVIII 57; XX 464
ipladenias XX 26
 and *Ixoras* XI 493
 at Holloway XIV 84
 autumn-flowering X 383
- Dipladenias*, culture of VII 521; XX 464
 finely-flowered XIV 367; species of IV 6; varieties and culture of VIII 8
Diplopappus chrysophyllus VI 424 497; XVI 307; XVII 56; XX 203; how to propagate VI 539
linariaefolia II 318; XVIII 412
Dipsacus laciniatus I 6; VIII 215 (*cut*)
Dipteryx odorata XII 232
Dircæa refulgens anomala XII 377
Dirca palustris VII 370
 Disa at Glasnevin XX 171
 grandiflora II 92 115; VI 66 118; VIII 2; XV 466; XVI 81; XVIII 137; at Glasnevin XVI 232; at home X 210; culture of XIV 99; fine specimens of VIII 100 355; in the open air XIV 497; notes on XVI 264; g. var. *psittacina* XVI 276; wintering XII 468
macrantha XVI 275
MACRANTHA XVII 494
 Disas, amongst the XIII 275
 at Straffan, Kildare XX 203
 at York XX 153
 finely-flowered XX 222
Disandra (*Sibthorbia*) *prostrata* VIII 409
 Discovery, an odd XII 556
 Disease transferred from scion to stock IV 33
Discoctetus bifloris XVI 43
 D’Israeli, fond of gardening VI 238
 Ditches XX 596
Diurus alba IX 118
lilacina XVI 163 247 (*cut*)
 Dock, golden-veined curled II 121
 great water I 457
 “Dockyard,” a “Model” XII 250
 Doctors, how they differ IX 375
 Dodder, Bell-flowered XX 567
 common XVII 515
Cuscutea reflexa XX 567
 Dodders, the III 480; XVI 195
Dodecatheon XX 255
integrifolium III 464; X 376; XVII 507
INTEGRIFOLIUM X 360
Jeffreyanum XVII 339
Meadia IV 276
Dodecatheos, the VII 218
 in the North of England VII 373
 species and culture of the X 360
 Dodwell, Mr. E. S., presentation to XX 625
 Dogbane XX 287
Dogmatism XVII 321
Dog’s-tooth Violet, the American XV 365; XVIII 174
DOG’S-TOOTH VIOLETS XX 180
 in grass XV 289
 Dogwood, new weeping XX 361
 variegated XX 247
 Dogwoods, the IX 342
Dolichadeira (*Gloxinia*) *tubiflora* VI 197
Dolichos japonicus XVI 471
Dombeya Burgessiae XVI 547
 Dombrain testimonial, the XVI 447
Dominy Presentation XX 48 408
Doudia Epipactis XIII 129
Doronicon austriacum V 372
Clusii V 372
 Dorsetshire, Flora of III 198
 winter of 1878-79, in XV 452
Doryanthes excelsa XIII 535; XX 504
Doryphora decem-lineata VI 187
 Dottling system, the XVIII 117
 Double flowers I 152
 glazing on the Continent XIV 347
Dove-plant, the XII 153
Downing, Charles, portrait of XVII 188
Draba brunnifolia V 112
Mawii IX 47; XI 189 (*cut*)
- Dracæna* and *Cordyline* IV 151
angustifolia II 172
 as a bedding-plant, the III 477
 as a berry-bearing shrub IX 412
australis VI 2; XII 443; in flower XII 7; in flower in Derbyshire XII 34; in the West of England VII 292; in Wilts XVI 527
Baptistii XVI 284
Bausei XVI 284
congesta V 260
Dennisonii III 335
Draco I 399; III 410
Ehrenbergii XVI 346
erecta alba XVIII 229
fragrans XII 416
Fraseri II 142
Frederici XIV 436
fruticosa X 378; XVI 521
Goldiana X 499; XI 507 (*cut*)
 509; XII 154 367; XX 564; propagating XVIII 192 294
Gulfolia II 493
 hardy IV 457
heliconifolia II 196
Hendersonii XVII 170
indivisa II 528; IV 457 (*cut*); VIII 213 (*cut*); at Dublin IX 258; at Penrhos XVI 276; hardiness of VII 102; in flower in Cornwall VII 524
Laangi XVIII 58
leaf gauged by Hylobius abietis XIV 121
Lindaei XIX 579; XX 493
lucinda XIII 518
Mooriana III 259
Mrs. C. J. Freake XIX 19
Mrs. Wills XIII 277; XVIII 417
 new XV 326
regia XVII 270
regis XVII 322
 revision of genus I 546 566 636 636; II 32 64
Rothiana XIII 263
superba XVII 447
terminalis II 441; XVIII 610; *t. albo-marginata* XIX 126
Thomsonii XIX 127
Dracaenæ I 397 446; III 259; XX 472
 and Crotons in combination XIV 411
 and *Eucalypti* XVI 59
 as winter plants I 313
 at Anerley XV 424; XVIII 106
 XIX 126
 colouring XX 477
 culture of VII 174
 cutting down XVI 545
 for table decoration XV 189
 French culture of IV 294
 green-leaved V 482
 hardy, at Falmouth XVII 345
 hybrid VIII 406
 in rooms II 258; V 56
 in the North of England II 384
 new hybrid XVII 71
 planting out XIX 497
 propagating XII 330; XIII 421 (*cut*); XVII 254 276; XVIII 294
 raising in the United States VIII 120
 striped-leaved XIV 28
 three good XII 488
 to grow quickly XX 452
 two good indoor XVI 284
Wills X 558
Dracocephalum grandiflorum XVII 449
 Japanese Hyssop - leaved XVI 105
Ruyschianum XX 71
 speciosum XI 119
Dracocephalums, the XVII 547
- Dragon’s Mouth** XX 315
Dragon tree I 399; III 410
zebra-striped X 499
Dragon trees in North West Africa V 335
 Drainage I 362 422
deep and shallow XVI 205
 for fruit trees I 476
 of dwelling-houses VIII 143
 of flower-beds XX 559
 of pot plants XIX 288
 subsoil I 688
Drain gratings for gravel walks VII 181
 Draining, note on XVII 24
 parks and open spaces XVI 204
 simplified XIV 109
 Drawings, exaggerated XVIII 240 262
Drayton-Beauchamp, notes from XIX 354
 Dressings, surface VII 203
 Dressing-table stands XVIII 601
Drimiopsis Kirkii XI 189
Drimys Winteri X 398
 Drinkstone Park III 454
 Dropmore, Conifers at II 237
 Dropwort, the XX 6
Drosera binata XVII 322
dichotoma IV 77; propagation of IV 77
filiformis XVII 273
 nutrition of XIII 193
 Professor Regel on the XVIII 31
rotundifolia VIII 234; XI 381
 (*cut*); *leaves of* VIII 63
Droseras, British XVIII 331 394
 Cape XVIII 287
 how to grow XX 99
Drosophyllum lusitanicum XIV 123; XVIII 484 541 567 630; XX 500
 Drought in the Eastern Counties in 1878 XIV 76
 in the Midland Counties in 1876 X 208
Dramlanrig Castle, gardens at III 123
 kitchen garden at III 145
Drummond’s Phlox XX 367
Drury Lane, garden in XI 346 369 392
Drymarias I 15
 Dublin, blight of statues in XVI 320
 College, Botanic Gardens at XVI 25 499; XVIII 221; notes from XVIII 155; XX 335
 Natural History Museum XX 625
 Natural History Society XVIII 168
 notes from XII 223; XVII 434; XIX 566 617
 Orchid notes from XIX 657
 “Strawberry Beds” XVII 310
 trees in Sackville Street XIV 485
Duhosia Hopwoodii XII 46
 Duck-ponds, danger in our II 158
 Ducks and slugs XIII 350
 Duckweed, coral-berried, how to fruit VIII 248 380; VIII 220; XVIII 160
 culture and uses of VIII 168
Dumesnil’s Moss XX 560
 Dundee, Flower Show in 1876 X 252
 Horticultural Exhibition at, in 1875 VIII 190
 Dunstan, Tunbridge Wells XX 499
 Durham, vegetation in XV 353
 Durian, the III 179
flower of XIX 161
Durio zibethinus, flower of XIX 161
Dutchman’s Pipe XX 190 314
Duvallia polita X 203
 Dwelling-houses, the drainage of VIII 143
Dyckia argentea VIII 375
frigida XVI 415

Dyeing mosses, grasses, &c. X 273
 Dyer's Weed, double XX 52
 Dynamite and trees X 9 49; XIV 534; XV 61; XX 505

E.

EARLIEST spring flowers I 117
 Early flowers I 232 304 441; hardy 375
 spring I 320
 Violets I 420

Earth-changes current V 557
 closets for gardens I 115
 well-enriched XIX 157

Earthworms, their food and uses XII 356

Earwig, the XIV 230
 Earwigs V 315
 how to destroy V 91; X 274
 note on XIV 253

Eastbourne, area-gardening at X 436
 "Flora" of VII 378

East Sutton III 357

Eastwell Park VI 478

East wind and journalism, XIX 547 564 622

Eccremocarpus scaber I 543; IV 84; XVIII 380

Echeailoir, the improved XII 476

Echeveria De Smetiana XIV 436
 insects eating XI 348
 insignis VII 153
 metallica V 221; and *Centaurea Clementi* mixed X 182; in winter XX 546; new way of propagating VII 220

Peacockii VII 458; from seed XI 30

retusa XVII 57; XVIII 310

rotundifolia VIII 340

secunda for winter blooming X 578; glauca XVIII 148; s. glauca injured by damp XI 140; s. glauca wintering VII 102; s. glauca wintering in a frame XI 164

Echeverias VI 10
 best silvery VIII 156
 flowering XI 514
 for winter flowering XX 189
 hybrid XI 89
 in flower XI 540
 propagating XVIII 294
 species of V 531
 wintering XVI 404
 winter quarters for XIV 498

Echinacea purpurea XVI 127; XX 343

Echinocactus Cummingii XI 476; XII 572 (cut)
hercophorus XII 573
lumplumatus XII 573
Micellii, 1st Class Certificate Royal Horticultural Society I 536
miltophorus XII 572
myriostigma V 117; XII 573 (cut)
obvallatus XII 573
Pottsii II 92 521; VIII 351 (cut)

SIMPSONI XI 274
angustipinnus XV 137
Visantha XII 501
 Wishzieni XX 173

Echinocacti, a few good XII 572
Echinocactus plurispinus XII 291
 procumbens IX 563
Echinoecystis fabacea XVII 344
Echinops XX 177
bunniatus V 139
Echinopsis Duvahi I 616
Panthaeum flammula XVII 203
Scopu, crested form of VIII 391
valida III 219

ECHIUM FASTUOSUM X 546
 fastuosum XVII 428; hardy in Ireland XI 44 80
plataguineum XI 597
 rubrum XX 136
 vulgare XIII 561

Echiuns, shrubby X 546
Eucalle, the XII 447

Edelweiss, the VI 238; VIII 382; XI 143; XIV 100; XV 295; XVI 162; XVII 337 (cut) 390; XVIII 191 418; XX 22 79 82 (cut) 223
 at Bayfordbury XVI 215
 at Dangstein XI 105; XIII 588
 double XIV 50
 grown near London VII 464
 in England XIX 618
 in flower XX 6
 in London XI 42
 in Oxfordshire XI 122
 in Scotland XII 178
 protected by law XII 128
 "Eden," Hale's VII 416
 Persian III 92

Edge Hall, gardens at XX 151
 Edging for conservatory shelves X 476
 for kitchen-garden V 428; VIII 506
 for suburban gardens III 393
Selaginella denticulata as an VII 236
 tile nuisance XVIII 556
 tiles XVIII 531

Edgings and walks in the kitchen-garden X 29 69 90 96
 at Battersea, clay V 304
 Box VI 324; v. tiles and boards XVIII 151
 brick XIV 509; best in kitchen gardens XI 55
 cable X 262
Cerastium III 212
 Daisies III 478
 dwarf shrubs for X 610
 flint IX 288
 for flower-beds IX 233
 for garden walks V 349; VIII 508; and flower-beds X 6
 garden XVIII 242
 in shady places IX 476
 kitchen garden VII 102
 of mud of the Thames Embankment XVI 58
 plastered V 347
 tile XVII 407
 wooden and fire-tile XVII 508

Elodea Bolivi I 36

Edibles, neglected VIII 164

Edinburgh Arboretum, the XII 6; XVII 231
 Botanic Gardens II 10; XIII 248
 Botanical Society XIV 374; XIX 246
 International Flower Show, in 1875 VIII 251
 New Vegetable Market, decoration of the XI 442
Winter Gherkin at 1 403

Editor's table XIX 346 385 416 439 488 583 589 616 642

Edraianthus and its congeners XI 314
 dalmaticus X 54; XII 2
 PUMILIO XI 314

Education, rural XIX 547

Edwardsia grandiflora III 352; XII 244

GRANDIFLORA XII 160

Egg-plant I 116; III 17 37
 culture of IV 37

Egg-plants XII 128
 how to cook IV 138

Egham, The Dell XX 22

Eglinton Castle, Violas at X 283

Eichornia (Pontederia) azurea XVI 541; XVII 487

Elagnus angustifolia XIX 73
 argentea in berry XX 290
 flava XVI 446
 golden XVIII 390
japonica variegata VII 272
 reflexa argentea variegata I 711
 rotundifolia VIII 87
 species of XIX 73

Ekeagnus, the XIX 359
 variegated II 458

Elaeocarpus cyanus XX 71
 dentatus XI 265; XV 475

Elater haemorrhoidalis XV 385

El Capitan XVIII 213

Elder, Californian XI 331
 Canadian III 180; XVI 197
 cut-leaved XVI 307
dwarf XIII 85
 golden II 180; IX 608; X 24; XII 273; XX 219; in autumn XII 247
 red-berried XIV 323 429 476 533; XV 26; shedding its fruit XIV 363
rosy-flowered VI 7
 scarlet-berried II 39; VI 20; VIII 87; XVI 307; XX 52

v. Chemical Works XVII 290

v. flies V 99

Elder tree, the III 160
 curiously-shaped II 146

Elecampane, a new XX 53

Electric light in Horticulture XX 435

Electro-horticulture XVII 488 542; XVIII 36

Elementary schools, gardening in I 430

Elephant's-Foot Plant I 258; XVIII 113

Elephant trap XX 97

Eliot's (George) funeral XIX 55

Elizabethan gardening II 472

Elm, American Cork XIV 130
 ancient American IX 274
 at Hatfield Park XIX 647
 at Schleissheim, Hesse IX 389
 beautiful XV 470
 beetles XIII 573
 bolls on the VII 491
 erect-growing Wych XIV 309
 Florian's IV 500
 in Kensington Gardens XIV 428
 long roots of an VI 508
 old Temple Garden I 271
 purse galls on the VIII 52
 remarkable old IV 126
 variegated American XIV 121
 weeping III 434; IX 256; XIX 290 409

western rock XIII 411

Wych, weeping, at Bury St. Edmunds XIX 479

Elms, American XVIII 174
 at Hatfield XX 73
 in Kensington Gardens XIV 441
 New England I 169
 old XX 443 478; in Ringmer churchyard IX 436
 on Cheyne Walk, the dying V 524

species of XVIII 223

variegated XVI 430

weeping V 148

Wych III 400

Elvaston Castle, coniferous trees at II 77

Elvedon Hall III 490

"*Elvellacei Britannici*" VII 26

Elymus arenarius XIV 124

glaucus XIV 125

Embankments, culture of railway I 612

Embothrium coccineum II 520; VII 338; IX 491 492

COCCINEUM X 566

coccineum flowering a second time XI 156; hardiness of XV 470

Embethriums III 390

"Emerald green" and "Paris green" XI 350

Emetic, pleasant tasting XII 271

Emigrants, hint for intending VI 530
 news for intending VII 58

Emmenanthe penduliflora XII 150

Encephalartos *Altsteinii* V 327; VIII 409

Hildebrandi XVII 146
 select species of XIX 68

villosus XIX 252

Enclosure about St. Paul's IV 240
 Commission Report for 1874 VII 272

Endive I 41; VII 101; XII 336
 as a cooked vegetable X 516
 blanching XII 579; XIV 408; XVII 120
 cooked X 536
 culture of XII 107; varieties of X 484
 for autumn and winter use XII 391
 for spring use IX 519
 fringed Louvier's XVIII 616
 good XIV 33
 grown for trial at Chiswick XV 275
 late-sown XIV 295
 protecting V 84
 running to seed VII 533
 simple mode of blanching VIII 15

Eudsligh XX 131
Pond Cottage at XX 131

Engadine, flowers in the VI 47

Engelmannia pinnatifida XVIII 421

English names XX 6 580 622; for plants XVIII 49 98 139 176 208 230 317 416; XIX 129 354 528 598

Palace and gardens I 413

Eukyanthus japonicus XIII 3

Entomology, economic II 248
 practical XII 2

Entrance to the Central Avenue of the Champs Elysées VI 277

Envile Hall, Staffordshire XX 64

Epacris, double-flowered XIII 114
hyacinthiflora carminata XI 122
 new double white IX 281

onosmaeflora XIX 252

pungens XX 458

purpurascens XVII 167
rubra superba XI 122

Epacries VIII 103; XIX 300
 and their treatment XIII 569
 for winter flowering XIX 122
 new double white XI 205
 propagating I 467; XIV 374
 scale on XIV 476
 standard XI 519
 winter-flowering XX 595

Epergne, plants for II 319

Ephedras at Cambridge XII 419

Epidendrum amabile XX 485
bicornutum III 330; XVII 285 427; XVIII 136; XIX 333 525 (cut)

enemidophorum III 330

dichroum XX 344 416 485 (cut)

erubescens III 22

inversum XX 623

oncidioideum IV 65

piliferum VI 445

vitellinum XIV 2; XIX 384 (cut); v. *majus* XIV 55

Wallisi XIII 114; XVIII 478; XX 104

Epidendrums, select X 535

Epigaea repens X 456; XVII 302; XVIII 174; at Chester XIX 494; at home XIX 413; in an English wood XVI 383
Epigram XX 70
Epigynium leucobotrys IV 206; VI 535 (*cut*)
Epilobium hirsutum variegatum XIV 217
obcordatum II 20; X 54; XIV 253
Epimedium alpinum XI 293
Perralderianum XVIII 417
Epimedium for forcing XIII 106
Epiphyllum crenatum Ackermannii XVIII 417
 new hybrid IV 2
truncatum I 73; II 418; IV 199; V 502; XX 544 638; as a roof plant VII 44; propagating XIX 582
Epiphyllums XII 533; XX 512 after flowering XII 580 as basket plants V 160 as rock plants X 503 as wall plants IX 183 at Chatsworth XII 480 for winter decoration VI 513 grafting VI 294 GROUP OF XIV 134 in the flower-market XVIII 615 in winter XII 440 new stock for IX 472 notes on XVIII 646 on pillars XIV 478 on the Pereskia stock VIII 375; as wall plants VIII 386 on stumps of Tree Ferns XV 86 propagating XX 491 stock for VIII 392; best VIII 323 355 409
Epiphysa on a prostrate tree III 7
Episcia erythropus IX 351
Epping Forest II 172; VI 464; XVIII 523; XIX 30 59 84 and the new railway XIX 242 299 enclosures VII 282 enlargement of VIII 341 Fund I 186 future of XVII 116 map of XIX 242 placards in XVI 127 school XIX 18
Equisetum Drummondi III 450 *sylvaticum* IV 393
Equisetums for house decoration IV 441
Eragrostis elegans VI 341; in pots XIV 87
Eranthemum albiflorum XIX 3; XX 415
CINNABARINUM XVIII 230
cinnabarinum XVII 342; XIX 438
hypocrateriforme VIII 127
laxiflorum XII 463
pulchellum XI 80; XX 512; in a dwarf state IX 116
reticulatum XI 82
roseum IX 583
silver-reined II 319
 three new species of VII 84
tricolor IX 403
white XX 415
Eranthemums XVI 94
 select species of XVIII 230
Eranthis hyemalis XI 91; XII 288 (*cut*); XVIII 538; XX 199
Eremostachys laciniata IX 590; XV 521
Eremurus caucasicus XIX 620
himalaicus XX 137 597 637
Indian XIX 554
robustus V 50; VIII 42; XIII 568; XV 496; XX 597; in America XVI 67
turkestanicus XVII 267
Eria convallarioides IV 228
Erianthus Moustieri I 252
Ravennae II 241

Erica arborea V 12 114
Bergiana XVIII 631
candidissima XI 520
carnea XIX 294; and its variety *alba* XIX 322
cerinthoides XVIII 336
codonodes XIX 233
elegans XX 139
gracilis, hardiness of XV 189 194
herbacea XVII 241
hyemalis XVIII 451
Mackayana, a new station for VI 335
mediterranea XI 374
melanthera XIII 225; XIX 46 175 241; in Ireland, hardiness of XIX 121
perspicua nana XVIII 436
propendens tubiflora XV 229
ramulosus XVI 275
vagans VIII 512; v. *alba* XI 69
ventricosa coccinea minor XVII 146
vulgaris Searlei XVIII 623
ERICAS, GROUP OF NEW XV 102
 species of hardy IX 93
Erigeron aurantiacum XIX 489 586
glaucum XI 74
macranthum IV 250
microcarpum XVI 325
uniflorum XVI 48
Eriobotrya japonica V 125; XX 121; in fruit XIX 345
Eriocampa adunbrata XIX 381
Eriocalyx septangulare VIII 341
Eriodendron unfractuosum XIX 340
Eriodictyon glutinosum XVII 560; XVIII 336
Eriogonum umbellatum II 9 295
Eriostemon myoporoideus, hardy in the Isle of Wight XI 306
Eriostemous, culture of XIII 207 propagation of XVIII 499
Eritrichium nanum IX 468; XVI 4; XVII 375
NANUM XV 416
Ermine Moth, the small XV 85
Erodium, Caraway-leaved X 184
carnifolium X 184
chrysanthum XVII 403
hymenodes XX 563
Manescavi XI 125
moschatum XI 313
pelargonifolium X 182; XIV 368 430
petraeum V 179
Erodiums in autumn XII 320 note on XIV 454 select V 179
Eruption reniforme VI 222; VIII 201; XX 614
 Errors, how disseminated V 332 typographical XVIII 119
Eruvum Lens VIII 333; X 505
Eryngium I 50 72
amethystinum VIII 98; XVIII 79 (*cut*) 152
bromeliifolium V 241 304; XIV 195; hardiness of V 264
Carrieri XVIII 347
eburneum IX 164
giganteum XX 216
Lasseauxii VI 335
Leavenworthii VIII 278; IX 78
pandaniifolium VIII 341; X 355; XI 320
platyphyllum X 355
serra XII 584
spina-alba XX 319
Eryngiums, new VI 335
Eryngos, the XVIII 79; XVIII 140
Eryngium pachycarpum XIII 486
pulchellum XIX 523
pumilum XV 389
rhaeticum XVI 257

Erysimums XX 614
Erythrea aggregata XX 614
littoralis XX 136
Muhlenbergii VII 280; X 328; XIV 217
Erythrina Crista-galli II 288; IX 472; XII 151; XIX 65; as a bedding plant XV 157; in the open ground IX 499
herbacea X 54 380; XV 294; XVII 220; XIX 349
laurifolia XX 137
Erythrinias in Hyde Park II 115
Erythrocæte palmatisida XVI 80; XVII 164
Erythronium americanum VII 356; XIII 484; XIV 177; XVII 98; XVIII 174; XIX 438; culture of VII 357; the runners of XIV 92
Dens-canis VII 319
giganteum III 212; VII 376; IX 328; rose-coloured XI 493
grandiflorum X 366; XVII 449
purpurascens XII 178
purpureum XIX 463
Erythros Beddoei, as a basket plant XIX 422
Erythroxylon Coca IX 280 445 (*cut*)
Escallonia XX 497
coquimbensis XVIII 107
macrantha XVI 401; XVII 491; XVIII 345; in Notts XII 483
Philippiana XIII 614; XVIII 4 branchlet of XIV 103
pterocladi XVI 81
Escalloniias, new kinds of IV 2
Eschscholtzia, double-flowered XIII 543
MANDARIN XII 568
Mandarin XVI 194
 new varieties of X 184
splendid XII 1
Eschscholtzias, white and pink XX 343
Esculents, forced II 531
Espaliers XX 245
 bar fence XIX 387
crossed, at Saulsac XI 361
low v. high III 289
renovating neglected VI 387
Espeletia corymbosa, flower and leaf of XI 408; in New Granada XI 409
Eucalyptus amygdalina VI 580; XV 61; XVIII 73 357 440 (*cut*) and squirrels IV 365
 anti-malarial properties of XII 438
 as an insectifuge IX 119
calophylla II 310
citriodora XII 273
coccifera, a fine specimen of XVIII 650
colossea V 134
cordata II 310; VI 66 156 168
craze for XVI 524
 cultivation of X 36
eugenoides X 365
ficiifolia XVIII 52
filiifolia XII 263
fire-proof XII 562
 flowering in the Isle of Wight X 71
giant XVIII 73
globulus I 516; II 310; III 33; V 238 386; VI 32; VII 247 (*cut*); XIII 451; XIV 408; about London XIV 427; at Bournemouth XIV 366; at Kil-larney XII 228; Dr. Hooker on the X 300; for sub-tropical planting XVII 250; hardiness of V 524; hardy in Scotland VI 42 156; in Africa and the W. Indies IV 392; in Algeria VII 458; in California V 496; VII 352; in Cornwall XIV 282; in Derbyshire IX 179; in India

Eucalyptus globulus—continued. VIII 537; in Ireland VIII 146; XIV 441; in Surrey XIV 572; in the Campagna IX 168; in the Riviera VII 202; notes on VII 84; not hardy VII 336; raising from seed VII 434; valuable quality in XI 79
Gunnii XX 71
 hardy species of VII 471; XVIII 126
 in Algeria IX 492; XII 313
 in California XIII 333
 in N. America XV 439
 in the Isle of Wight and at Kil-larney XVI 50
 large I 603
 loftiness of the genus VII 84
moutana in Devon X 182; XVIII 638
 note on XIX 568
rostrata VII 471
v. the Phylloxera VIII 34
viminalis XIII 559
Eucalypti XVIII 345
 in Devonshire XVIII 560
 in Ireland XVI 342
 tallest trees in the world XIV 580
Encharidium Breweri XVI 213
BREWERI XX 34
Eucharis amazonica II 117 184 462; III 12; V 243; VI 168; XII 344; XIII 49 429; XIV 195; XVIII 500; XIX 246; XX 522 596 626; and *grandiflora* I 556; and its culture XVII 299; continuous flowering of XI 84; culture of XI 257; cut flower-buds of opening in water X 49; finely-flowered X 537; XI 110; XII 114; XVIII 540; forcing XII 619; in winter X 518; large v. small plants of XV 182; not flowering XIX 262; potting XVI 459; successional flowering of XIV 244
CANDIDA IX 360
candida XII 582; XVI 521; XIX 87; XX 437 459; beautiful winter plant XX 581; distinct variety of IX 26
grandiflora I 258
 new IX 360
 smaller XX 437
Eucharises, at the Exeter Nursery IX 218
Eucinda bartonioides II 453
Eucomis punctata for windows VII 258
regia XVIII 279; XX 264
 species of XIV 258
Eucryphia pinnatifolia X 182
PINNATIFOLIA XII 544
Eugenia apiculata XIV 172; XVIII 477; in Ireland XIV 125
caryophyllata XI 19 203
Jambolana XIX 104
Ugni VIII 385; XIX 154; fruiting spray of XVIII 463
Eulalia japonica XII 346; XIII 50; XIV 78 94 141; XVI 321 (*cut*); XVIII 196; j. *variegata* XII 570; XVI 565; j. *zebrina* XIV 212 263 (*cut*); XVI 33
zebra-striped X 562
Eulalias, the XVI 194
Eulophia guineensis VII 62; VIII 406
GUINEENSIS XIX 332
macrostachya X 203
Euonymus alatus XVI 1380
americanus I 332
angustifolius XIX 591 619; XX 103
 as a climber XIII 118
europaeus XI 26; and other kinds of Spindle-trees XI 117
 fruit of IX 179

Euonymus japonicus as a seaside shrub I 573 665; in London XII 436
latifolius VIII 234; XX 311 367 394 395 (*cont.*)
luteofolius XVI 455
microphyllus VIII 472; as an edging plant X 207
radicans III 69; r. variegatus II 405; XX 611; r. variegatus as a permanent edging XVI 215; r. variegatus as a wall plant XVI 307
species and varieties of VII 119 standard XII 583
Euonymuses as wall climbers XIX 128
as window-plants IX 48
golden XIX 92
on walls XIX 92
pruning XV 177
species and culture of IX 213
variegated XV 86
Eupatorium ageratoides as a bouquet plant V 56
altissimum VIII 268
giganteum XVII 317
grandifolium XVII 248
ianthinum XIX 252
ligustrinum XIV 389; XVI 227
obratissimum XV 122
purpureum XVI 276
riparium VII 272
Weinmanni XV 23
Eupatorium, propagating XIV 87
Euphorbia amygdaloidea III 68; variegated VII 498
cordata, notes on VI 557
corollata XV 158
jaquiniflora I 166; III 219; V 368; XIII 480; XIX 33; XX 472 638; culture of XI 258; for winter flowering VIII 523; hedge of X 598
juice preserving iron from rust XVI 449
Lathyris XV 56
plumierioides IV 270
splendens V 448
suitable for the wild garden IX 468
Euphorbias, alpine XIV 305
culture of X 261
on the Rocky Mountains III 470
stove XV 77
Euphorbia Litchii in flower XI 82
Eurya japonica variegata VII 115
luteola as a window plant XIII 106; l. variegata XI 130; XIX 454; l. variegata, cutting of XVIII 24; l. variegata, propagating XVIII 24
Euryale ferox III 450
vitality of seeds of VII 104
Euryangium Sambul VII 2; flowering at Kew VIII 84
Eurybia corymbosa XII 226
guimmosa XVI 307
tenuifolia XVII 467
campanulata XVIII 423; XIX 71 (*cont.*) 92
Eurycales australiensis I 423
australisca XI 122 166
AUSTRALASICA XII 472
Cunninghamii I 42; XIX 625 (*cont.*)
genus XII 472
Eustoma exaltatum XII 156
Euston Hall III 490
Square XI 144; Cow Parsnips in XVI 45
Eutrova viscidula XIX 523
Evening Primrose, Mountain X 306; XII 303
Evening Primroses II 143
in doors XVI 149
in Utah VII 200
large II 98

Evergreen and Deciduous XII 32
banks IX 172
climbers for north wall I 151
hedge, what is the best low? V 274
Oak insects XI 304
shelter XI 295
underwood XI 117 145
wall plants VIII 386 388
walls for moist stoves V 415; (indoor) of houses II 34; in glass-houses XIX 69
Evergreens, best time to prune VI 351
curious destruction of IV 390
cutting down XI 25; XIV 319 341 386
for a lawn, flowering VI 498
for beds in winter VI 517
for damp situations IX 492 535
for walls VI 351
in pots for winter decoration XV 136
miniature for small gardens VII 24
mortality among, in America I 664
moving VII 314 322; best time for V 526
native British XVIII 271
notes on pruning certain IX 397
planted in June VII 478
poisoned by IX 179
propagation of IV 231; XX 322; hardy VIII 111 227
pruning XIX 236
slaughter of I 82
transplanting V 394; VI 480; VIII 215; XVII 381; and trimming XIX 289
under trees IX 230
winter bedding with XVI 557
with light-coloured leaves XIV 171
Everlasting, O. Wendell Holmes's XVIII 330
Strawberry XVIII 614
Everlasting flowers I 113; III 290 323; IV 49; V 520; and grasses XVI 433; drying XIV 98; for winter decoration IV 264; in October XVIII 380
Exacum zeylanicum XVIII 250
Exaggeration, pictured XVIII 262
Examinations, competitive VI 284
Exarrhena Lyalli XIX 39
Excursions, benefits of XVI 223
Exeter, Lucombe and Pince's Nurseries at XX 380
Exhibition, Moscow I 22
Exhibitions, &c. I 66
and their results VIII 338
English and French XVI 475
Exochorda grandiflora III 352 453; XI 144; XV 169 475; XIX 462 586; XX 219; propagating XIII 49; root-grafted XIII 4
GRANDIFLORA XI 152
Exogonium Purga IV 250 352; VI 360 515 (*cont.*); XVI 471; XX 586
Exotic, hardy XVIII 283
Expenditure in gardens XX 621
Experiments suggested XVII 532
Explaining it IX 216
Extension system, Knight on the XVIII 431

F.

FABIANA imbricata XIII 609; XIX 409; XX 401
Fagelia bituminosa VI 580
Fagus antarctica and F. betuloides XIII 412
ferruginea XIX 600
notes on the genus VII 226
Failures, my XVII 97
Fairmount Park XII 67
Fairy Rings IV 37; VIII 381; XIV 143; at Rothamsted VI 233
Falaise, the wild Carnation from X 125
Fallen-leaf question, the VIII 475
Fallugia paradoxo XX 25
Falmouth, gift of a park to XI 443
Farm fruits XX 504
Farmers' gardens XX 335
Farmhouse garden I 344; *plan of* I 345
Farming, H. Ward Beecher's XII 219
Farm vegetables XX 504
Fasciation, curious instance of VIII 278
Fashion, the inflictions of V 365
Faulhorn, alpine flowers on the XII 104
Feather grass XVII 587
as an everlasting XVIII 587
February, 1873, temperature of III 198
Feller in Kensington Gardens, a XVIII 394
Felt, tarred XIII 454
Fence, a creeper-covered XII 556
a good XIII 100
a rat-proof VI 596
posts, to preserve XII 124 436
Fences V 468
and screens in parks and gardens IX 59
for public parks XIII 362
garden XIII 133
rat-proof VII 22
rustic XIII 399
Fencing, staple for wire XIX 374
Fennel I 112
giant XIX 313
ornamental XVIII 481
roots XX 148
swet IX 463
Fennels, giant I 490; II 478; in autumn XVI 275
Fenzia diaphthalys XIX 337
Ferdinanda eminens as a flowering plant XIII 359
Fern aphis XX 64
aquatic IV 49
best protecting material XVI 394
Bird's-nest I 651
Burke's Tree XI 524
case, an air-tight V 546; rustic III 355
cases VI 534; and fresh-water aquaria XIV 245; mildew in XVII 276
collecting I 376; in Sicily XVI 166
collectors and *Osmunda regalis* I 390
common Hart's-tongue III 18
culture in Ireland I 477
Dell I 689
dry and straw for protecting XV 392
dwarf Hare's foot XVIII 301
Elk's-horn in Borneo XVIII 547

Fern "Garden Parsley" a good edging plant VIII 144
grotto, a cool V 182
hansonia hardyi X 103
Hart's-tongue as a room plant IX 462
insects V 486; XVI 360
Japan climbing XIX 128
Killarney as a wall plant VIII 165; in a room XVII 108; indoors XVII 217
Lady XVI 116
leaves, drying XVI 474; for beds IX 200
Maiden-hair XX 199; amount of used in bouquets XI 166; *a new* II 390; N 399; hardy? IV 88; in America XVIII 317; in the Isle of Man VII 464; preserving in water XI 182; true, for covering bare walls X 420; *Williamsii* VII 339
miniature Tree XV 17
movements of a XVIII 482
new XV 23; crested Hart's-tongue XVII 39; *Elk's-horn* X 383; golden VI 71 495; seedling X 27; weeping Tree IV 271
old XII 574
Ostrich feather IX 288
"Paradise, the" VII 2
Rosace Maiden-hair IV 425
Royal XII 481; by the Serpentine VII 438; from seed II 385
Scollings of Hart's-tongue XX 529
shoots of the Brake edible X 45
soil for the Royal XVII 400
spores, three feet of XII 187
Sumach I 375
sweet XX 87
traffic in the climbing X 603
Tyerman's Hare's-foot V 481
Violet-scented XI 476; XIV 110
Walking III 125
Ferns XX 405
and Fuchsies amongst Orchids XIII 74
and gas tar XX 253 280
and German Irises intermixed XI 529
and Ivy XVIII 480
and Lycopods among Orchids XI 225; in the Tyrol XIV 567
and manure VII 498
artificial manures for XVIII 370
British I 652; as town plants IV 526; in London areas VI 6; the best VI 79; variegated V 95
Californian XVIII 128; catalogue of XVI 8
cheap basket for XIV 484
cool treatment for IX 170
cut, and in pots and baskets XIX 200
diseased XVI 252
dried, for vases II 276
evergreen XV 210 327
evergreen hardy XII 460
exotic, for house decoration VII 265; packing IV 199; VIII 510
filmy II 204; IV 271; XVI 337 356 548 571; XVII 18 107 124 373 490; XX 402; and their culture XIV 30; at Edinburgh XVIII 58 95; climbing I 520; group of IV 337; growing in London XVI 519; in-doors IV 54; in plant-cases XI 423; in the York Nursery XIII 62; in Wardian cases XVII 58; in winter XVII 57; notes on XV 77; species of IV 317 336
flowering, select species of XV 434
for a cool house V 85; XIV 47 483 550 586
for baskets I 683; II 121
for bouquets V 136; lasting XI 573

Ferns, foreign evergreen III 240
for mattresses VIII 434
for room decoration VIII 478 514;
XI 368
for the house VIII 12
for the market V 387
for windows IV 175
garden of hardy exotic XII 294
gold and silver III 471
greenfly on VI 317
growing in leam XI 470
hardy VIII 366 (8 cuts); XVIII
604; XIX 89 178 278 337 406;
XX 157; evergreen XVIII 555;
exotic IV 23; XII 356; foreign
III 124 209; for winter decora-
tion XVIII 437; garden of XVI
215; glades of XVI 276; in
pleasure grounds XIII 159; in-
termixed with scarlet Pelar-
goniums XIII 602; rich soil
best for XVI 162; transplanting
XVIII 294; water-side VIII
18
Hare's-foot XVI 164
in a small town garden XX 204
in boxes XII 80
in dwelling rooms XX 353
in greenhouse at Combe Abbey IV
147
in parks VI 496
in pots, manure-water for XVIII
418
in various positions XVI 284
in windows XV 176
Maiden-hair XIII 609; XVIII 299
484; hardy VIII 389; how to
multiply V 369; soil for XX
310; species of IV 63
market XX 39
mounting V 306
native, of Ireland I 477
new Chinese VIII 27
of Brisbane VII 123
of North America VII 208
on Eastern Scottish border I 457
outdoor NIX 505
proper positions for hardy XVIII
272
raising from spores I 662; VI
384; VII 382; XV 7; XVI
288
reproduction of V 412
saw XVI 187
scale on XVII 567
seedlings, indoors XII 617
select species of twining XVI 282
small XX 588; v. large British
XIX 231
species of Hare's-foot IV 46
soil for X 565; XI 20; XVI 474
Stag's-horn III 275
stands of hardy V 329
tasseled and crested IV 373
treatment of, in March NIX 300
Tree I 299; II 166; XV 172; XX
405; artificial XIII 135; from
stem-division IV 480; hardy in
Arran IX 543; moss-clad XV
32; note on XY 331; old stumps
of I 58; out-of-doors in Ireland
XIII 616; species of IV 526;
V 8 35 158 413; treatment of
newly-imported X 516
two hardy XVIII 31
variegated V 51
various XX 316
winter coverings for XIV 586
Fernery at Pendell Court XVI 247
climbers for a cool I 233
indoor XIX 214; British I 566
in the Isle of Wight IX 65
in the Pine-apple Nursery IV 487
new kind of VII 151
plants and material for a window
XVII 24
shading for a IV 355 397
small outdoor III 477
the Brighton Aquarium XII 222

Ferneries, ants in XIX 480
hardy I 377; XI 187
mode of moistening cork III 357
plants for XV 172
room IV 220
slugs to XIV 187
Sorrel in XV 466
Ferry nook, a XX 146
Ferraria undulata V 283
Ferrarias V 283
Ferrières, the gardens at XVII 188
Ferry-boat, a self-acting XVI 116
Fertilisation, are insects an aid in ?
X 493
insect X 515 555; XI 18; and
closed flowers XI 50
new mode of V 108
Fertiliser, Jeannel's X 556
Fertilisers XX 507
and their properties V 485
in wet and dry seasons III 503
worthless III 8
Fertility, profuse blooming in relation
to XX 32
Ferula communis I 500
(Euryangium) Sumbul IX 71
communis XIV 62
giant XIX 313
glauca XIV 62
nobilis VII 90
Tingitana VIII III 150; XVIII
481
Ferulas I 499; II 478; VIII 341
as foliage-plants V 70
at Tottenham XI 102
in spring XI 82
Festuca divisa VI 580
glauca XVI 330
ovina cœrulea XIII 263
punctoria XIV 354
viridis for edgings VIII 318; IX
108
Fêtes, garden VI 19
Feverfew, late-flowering VIII 360
Osborn's golden XI 398
the white-flowered VII 360
Fever Gum-tree VII 247
in Ireland VIII 146
raising from the seed VII 434
Few and good IX 92
Fibre, a new V 320
Fibres used in brush-making XVI 450
Fibrous material, new II 405
Ficaria cultifolia VI 47
grandiflora III 251
Ficarias and Marsh Marigolds VI
47
Ficus barbata X 578
Copri VIII 350
diversifolia IV 65
elastica XII 489; XVIII 564 (cut);
grafting X 350; planted out
XX 588; propagating XVIII 370
japonica XVII 115
lanceolata XI 102
micina IX 340; XVII 103; hardi-
ness of IX 348; XV 228;
XVIII 107
Parcellii VII 508; XII 540; XVI
438; propagating XVIII 294
radicans XV 130
religiosa I 435
repens II 223 257; VIII 374 408;
XIII 546; XIX 314; as a cur-
tain plant XII 443; companion
plants to XIX 422; for edging
XVI 337; hardy XIX 257; in
the open air XI 100
Roxburghii II 401
Sycomorus XIII 528
variegated XI 144
Fieldia australis VIII 404
Field mice XVII 442
how to destroy XVII 376
Fig, the V 360
Adam IX 420
Black Bordeaux X 36
Bourjassotte Grise VIII 507
Castle Kennedy III 338; XVI 348

Fig, creeping II 223; hardness of
IV 412; the hardy III 334
culture of IV 13 54; at Smyrna
XI 378; in the southern coun-
ties VII 234
Dauphine d'Argenteuil XVIII 164
Dr. Hennicot's IV 398
Hottentot XIV 324
in pots IV 134
multiplying the VII 225
Negro Largo VIII 234
NEGRO LARGO XII 304
orchards, the Sussex VI 220
Osborn's Prolific XIV 167
Pogoda I 435
pot culture of I 291
small creeping IX 340
Figs II 401; IV 274 300; XX 33
ISS 333 451 511 575 639
and fig culture XIV 584
and fig trees XVIII 375
Argenteuil XIV 261
as grown at Drumlanrig V 177
best XII 304
caprification of IX 404
curing and packing IV 285
dropping their fruit IV 189
drying IX 383
earliest IX 222 428
failing to ripen VIII 507 538
forcing X 367; XIX 658
fresh in March IX 403
fruiting XIII 213
grafting XI 120 121 152
grown in the open air in Scotland
VIII 256; under glass IX 605
hardy XIV 98
in Dumfriesshire VIII 165 185
in mid-winter I 204
in pots XI 252; XIV 48; culture
of XIX 475
in Scotland VIII 200
in the open air XII 183; XVIII
142
Negro Largo and Bourjassotte Grise
XII 340
new way with VIII 507
notes on XVI 316
not ripening VIII 528
on open walls X 235
out-of-doors and in orchard-houses
VIII 264
place of VII 446
stopping on open walls VIII 54;
XII 304
trained and untrained XII 2
under glass XI 391
varieties of III 150
Fig-tree in Ceylon, a spreading III
115
Queensland V 285
roots, restricting VIII 417; XIII
490 530
Fig-trees, and the frost of 1880-81
XIX 577
at Argenteuil XI 245
barren II 300; IV 253; how to
improve II 430
casting their fruit VI 54
colossal XIII 528
glass coping for XIII 168
in Kent, standard VI 316
in the Midlands XI 452
lifting old XIII 438
pinching shoots of VIII 126
removing II 466
tropical XVI 515
unfruitful IV 217
winter covering for XII 608
Filbert, brouze-leaved XIV 105
culture of the VI 578
Filberts III 369
and Cob nuts, culture of VIII 158;
XIV 275; French system of I
604
best, and their culture VII 150
grown at Chiswick, report on XIV
154
preserving XIV 319 363
Filbert-tree, (pyramidal) at Ash-
ridge Park III 437
Waterton's IX 72
Finborough Hall III 491
Finderne's flowers XV 75 134
Finocchio XX 193
Fir and Pine timbers V 550
and the Palm XI 386 (poetry)
cones, rocks planting XVIII 649
Douglas I 99; at the Paris Exhi-
bition in 1878 XIII 27; golden-
coloured II 539; good substitute
for the Larch VIII 512; Lord
Stair's IV 18; variegated II 443;
wood of VI 359
golden Scotch XVIII 578
golden-tinted Spruce V 18
Gordon's dwarf VI 73
injured by *Retinia buoliana* II 399
leaves, of curious movement of IX
131
Musson's silver XII 48
Mountain III 75
Nordmann's silver XI 7
Scotch and its varieties, cultivation
of V 14; *great at Inverary Castle*
X 563; on Mout Blane IV 366;
weeping XVIII 340
silver VI 182; XII 48; XX 394;
at home II 271; irregular-leaved
XVIII 173; remarkable XX
321
singular growth of a IV 208
timber V 307
Firs (Douglas), rapid growth of IX
120
in a northern aspect XII 437
large Scotch VII 168 190
large silver XII 82
pruina XI 5; XVI 431
Scotch, best VII 146; when to
plant XIV 363
silver, at Longleat VIII 271
Fir-tree fungus VIII 316
oil XVII 316; as an insecticide
XVII 254; XX 17 39
the term VI 526
FIRE-BUSH, THE X 566
pink, the XIX 646
tree in Devonshire, the X 3
Fires, bush and heath XX 143
Fistulina hepatica I 458; XVIII 319
(cut).
Fittonia argyroneura, as an edging
for shelves VII 22
as a covering for stove beds and
walls XIII 375
Fittonias XX 383
Flag, dwarf V 326
sweet, a variegated II 368
Flame-flower, the XVIII 468
north wall best for VII 436
on the margin of Lake Longcat
XVI 89
rabbit-proof IV 440
Flame-flowers in November X 458
Flame-tree XX 204
Flamingo plant, the V 259; VI 337
(cut); XI 326; XIII 459
large-spathe VII 317
two-spathe VII 481 507; XIV 465
(cut).
Flax, antiquity of III 372
new substitute for VI 39
New Zealand I 603; III 257 316;
XIII 454; XV 430; XX 137;
flowering in Scotland XII 151;
for tying XIII 226; hardy X
579; hardy in Lancashire X 598;
in flower IV 70; XVI 166 231;
in flower in Scotland IX 467;
in Ireland VII 205; XII 30; in
Loudon XII 467; in Scotland
XIV 177; new kinds of VII
320; variegated II 144; hardi-
ness of the variegated XI 396;
XV 391; variegated in flower
XI 396; XIII 335 (cut)
rose-coloured XVIII 203

Flaxes, dwarf XIII 260
Flitteries and Clukeries XII 245
Floor-wiper, a stone XV 308
Floors, greenhouse, tiled XVIII 376
Flora in the music-hall XII 56
in town I 658
Looshai Highland I 399
Mediterranean XII 407
of Africa VI 238
of British India V 70
of Chinese and Japanese vases XII 384
of Portugal, a new II 311
of St. Helena VI 422
of the Arctic Expedition VIII 474
of the Coal period XI 339
of the Isle of Man III 42
of the United States VI 310
of Wiltshire VII 84
"Orientalis," Boissier's IX 479
poorest in the world I 663
Flora's anathema XIII 273 (poetry)
List of local British XVII 46

Floral arches I 40

charms IV 255
decorations X 326; XI 465; XII 447; XX 3 427, 471, 489, 510
533, 554, 573, 594; at Exeter
VII 18; at Sheffield XVI 370;
at the Agricultural Hall in 1877
XII 199; at the Crystal Palace
V 433; at the Duke of Norfolk's
wedding XII 488; at the Guild-
hall VIII 102; at Tunbridge
Wells VI 40; by gaslight II 52;
dinner-table IX 229, 321 (*ent*);
XII 604; XX 292, 449, 538; for
April IX 338; for August X 180;
for ball-rooms IV 80; for
Christmas IV 520; XIV 551;
XX 603, 617; for December X 570;
for drawing-room I 315;
for dwelling-houses VIII 355;
for June IX 338; for October X 400;
for September X 278; for
weddings XX 327; in America
XII 586; in churches XIV 373;
in London windows XX 216;
Roses for XI 518; simple XX
268

effects in Norway IX 355
elegy on Keats II 298
funerals VI 396
"Marriage Bells" XII 432
sermon on Whitsun Tuesday III 430

tent XX 62
wreath for the hair VII 275
wreaths and crosses VI 514
"Flores des Sèries," Van Houtte's
VII 452; X 538
Florian's Elm IV 500
Floricultural Exhibition at Paris
yearly VII 498
"Floriculture, Domestic, &c." Mr.
Burbridge's work on V 4
in America XVII 509
London X 577
rotation in VII 404

Florida, Oranges in II 466; VI 209
picturesque springs of I 398
scale insects in XX 104

Florist, the II 126
Florist's art, plea in favour of the XX
182

feast long ago VII 396
flower, what is? XX 172
flowers I 26; VI 585
Puritanism I 187

Flower-basket for Vestibules I 446
bed arrangements XV 216; at
Gunnarsbury XVIII 138; butterfly
XVI 380; effective VI 405;
VIII 2; XI 45; large VI 216;
making XX 482; pretty VIII
83; spring V 200
beds IX 353; at *Hampstead Court*,
plans of VIII 181, 183; at Rol-
lisson's Nursery X 103; at the

Flower-beds—continued.

Crystal Palace VI 461; at the
Paris Exhibition in 1878 XIV
548; at Vienna VI 402; branches
of evergreens in IX 176; drainage
of XX 559; effective I 586;
V 114; IX 198; XII 462; forming
in snow IX 135; furnishing
IX 442; in *Kensington Gardens*
IV 232, 233; in *Victoria Park*
IV 156, 157; laying out VIII
408; mixed, in autumn XX 387;
moles in V 202; *movable* VII
237; near Westminster Abbey
XIV 279; on grass XVIII 350;
preparing and planting IX 517;
pyramidal III 158; show of IX
260; spring V 45
border, spring IV 459
borders, spent bark for covering
XII 200; watering and mulching
X 97
button-hole, water-bottle for XIX
553
cot III 323
cockatoo V 88
deathless XIV 12 (poetry)
de Luce III 374 (poetry); XII
539 (*ent*)
dressing XX 229
factories in Belgium I 691
farm III 222
farms in Morocco VI 489
Gala, the Yorkshire in 1875 VII
533
garden I 25; XX 157, 426, 451, 490
533, 554, 594, 637; arrangements
in XI 162; XV 408; at St.
Paul's XII 303; autumn in the
II 368; Christmas XIX 40;
colours in III 66; colour of form
in XVII 533; decoration I 562;
XVII 416; form in XVIII 4;
hardy XVIII 400; *in front of
the cottage in Kensington Gardens*
VI 301; in Spain I 604; in
winter and spring V 29; Nature's
I 517; notes on XVI 368; of
the future XVII 416; old-
fashioned XII 227; on a rub-
bish-heap XIII 55; planting
VII 403; *Princess Teck's* VII
239; true notion of XVIII 127;
under glass XII 126; wild XVII
422; work in, in February XIX
258; young Conifers in I 121
gardens at Glasgow, models of II
273; English IX 506; XVII
421; for children IV 278; geo-
metrical I 617; hot-beds in XI
265; in churchyards IX 488;
matching colours in XI 232;
mixed beds in XVIII 295;
modern I 71; of the future
XVIII 296; under glass XII
618; without formal flower-beds
XVII 311
gardening I 8; XVII 258, 318
410; XVIII 124; XIX 360, 508;
at Heckfield X 327; XVII 112;
at Kew VIII 260; at Lambton
XIV 265; at Stokeley Hall VI
470; at the Crystal Palace VIII
259; XII 296; bad taste in IV
214; carpet X 255; cost of
XVIII 515; XIX 146; English
XVII 383; fashions in, for 1872
I 517; for April I 448, 449; for
August II 109; for December
I 25; II 495; for February I
240; for January I 151; for
July; II 18; for June I 620;
formal XIV 90; for March I
320; for May I 532; for No-
vember II 394; XX 471; for
October II 303; XX 404; for
September II 220; hardy X
282; XVIII 590; XIX 9; im-
proved XVII 344, 384; in

Flower-gardening—continued.

America XVIII 481; in bad
seasons XVI 392; in Battersea
Park X 258; XIV 176; XVI
193; in Hyde Park VI 189; X
206; XIV 152; XVI 233; in
Hyde Park and Kensington Gar-
dens IV 232; in Spring I 498;
in the Isle of Wight IV 536; in
the London parks XVIII 329;
in Victoria Park IV 156; VIII
236; X 251; XIV 211; XVI
214; mixed XVI 3 301; mod-
ern I 479; XII 569; Mr.
David Thomson on XIX 293;
Mr. Hinds on XVIII 415;
Mr. Wildsmith on XVII 73;
notes on XVIII 465; of the
present day I 440; old-fashioned
II 143; on grass XX 613;
present aspect of (1875) VIII
109; seasonal XX 619; spring
XV 390; summer XI 187; XIII
462; taste in XX 292; the
Graphic on IV 460
Girl Brigade, the XVIII 615
Growing Company, a ladies' XX
186
gum XX 22
house, cool XIX 496
market and City Square in one, a
XII 408; at Paris III 254; *at
the Madeleine* IV 139; at Covent
Garden IV 249; in Paris, a new
XI 185
markets in Paris, two new VI 168;
Paris XI 264
Mission V 535 (poetry); VI 433;
XIX 357; Bible X 120; history
of XI 199; Paddington VIII
165, 232, 492; XIII 204
Missions XI 226; Americau XII
195
neglected IX 31
notes from Cheshire, autumn
XVIII 325
of Eden, pink III 1
painters, the great XI 348, 403;
XII 36, 108
painting at the Female School of
Art VI 507
perfumes as sources of ozone VII
398
pot, fertilising XI 464; improved
III 294; XVI 414; new I 27;
self-watering XIII 62, 97, 134
pots, clean XIII 415; cocoa-nut
husk X 590; for trellises, con-
venient VII 143; in Java, cur-
ious use of IV 522; iron III
302; made of cow-manure and
earth IX 258; new view of
draining VI 254; *ornamental* IV
479; screens of, ornamental V
322
roots, hardy XVII 382
seeds, hints on the management of
V 137
sermon V 448
services in churches XI 463
shop in Paris, on All Saints' Eve
XV 47
show at Edinburgh, International,
in 1875 VIII 251; at Liège in
1881 XIX 668; at Orleans House,
Twickenham, in 1877 XI 346;
XX 404; at Manchester in 1877 XI
440; at Salt Lake City VI 288;
at Versailles, 1878 XIV 209;
children's X 68; city XII 52;
City of London in 1876 IX 608;
fair IV 223; International in
Holland, in 1877 XI 321; in
the Drapers' Company's garden
in 1874 VI 66; Westminster IV
515
shows VII 496; X 30; amateur
exhibition at VIII 121; and
their influences IX 583, 606;

Flower-shows—continued.

children's X 208; cottage, Mr.
Gladstone on VIII 186; early Irish
I 680; English and French XVI
300; floral decorations at XIX
646; judges' fees at VIII 66;
Mr. Gladstone on village X 227;
of 1873 III 61; parochial IX
480; provincial spring XV 355
stocks IX 216
trade in New York, the IV 345
traps VIII 46
trials at Chiswick, 1877 XII 219
tubles XIII 429
vase, flat VIII 411; *for a mantel-*
piece VIII 96; Lacrosse IX 543
vases I 62; III 403 (*cut*); and
stands XI 478; for drawing-
rooms IV 140; glass and shelf
IV 30; iron III 393
verses I 665
walk in Kensington Gardens VII
438; in Regent's Park VI 173
worshippers X 140
Flowers I 72
alpine XIV 434; and alpine passes
XV 97; and manure XVIII
564; at Bickley XVIII 642; at
home XII 222; at York XI
328; XV 427; collecting VIII
188; fertilisation of, by insects
XII 298; gathering VIII 150;
grouping and massing X 373; in
the Pyrenees IX 591; on the
Faulhorn XII 104; procuring
seeds of XIX 140; successful
growth of XV 364
ancient employment of, III 285
298, 328, 372
and children IV 24; VI 346
and foliage XI 90
and fountains I 131
and fruit, ferments in IX 16
and gardens I 398
and health III 349
and insects II 334
and ivy, carpet of VII 345
and leaves and their seasons VIII
21; preservation of form in VII
267
and perfumery I 446
and plants, artificial III 430; for
room decoration X 581; sym-
bolism of VII 477
and sculpture XI 441
and seeds, effects of camphor on
VI 14
and shrubs for a steep bank III
142
and song riotous XII II
annual and their cultivation IX
65; as carpeting plants X 29
a paradise of IX 3
arrangement of XIX 524; common
IV 175; small III 223
artificial I 326; bouquets of V
198; called "barometers" XI
478; exhibition of in 1876 X
578; a greenhouse of III 484
as flowers XVIII 34
at Baden-Baden XX 543
at Biarritz in spring IV 339
at Christmas, in New York III
149
at Delmonico's III 274
at funerals in Munich IV 392
at Heatherbank XX 25
at night, yellow XX 38
at Strafan, Kildare XX 543
at the Mansion House V 366
at Zermatt V 53
August, in Hyde Park and Ken-
sington Gardens VI 145
autumn II 445; VI 340; X 379;
XVI 236; XVIII 412; at
Tooting XVI 341; in Herts
XIV 461; in churchyards XVI
212; in small gardens X 326
barometrical XII 10

Flowers becoming weeds XX 136
Billings on bonnet IX 9
blooming in February III 155; in January III 41; in January in Anglesea III 68; in winter III 27
blue, for Christmas XVIII 560; in the market XI 443
border, which should be sown in June IX 590
bouquet XVI 529
box for drying IV 343
Brazilian X 351
button-hole III 323
changing season of XIII 487
choosing for decorating vases I 523
closed and insect fertilisation XI 50
coloured by chemical means IV 145
colours of V 57; VI 446 497; and insect fertilisation VI 539; XVIII 174
conspicuous in borders, in October XIV 394
cottage IX 334
cross-fertilisation of by insects V 422
culture of, in Algeria XII 480; sanitary results of IV 237
curious artificial colouring of VI 354
cut III 38; X 566; arrangement of XII 336; XII 200; XVIII 422; arranging and preserving XIX 110; arranged in Gorse XVIII 447; classified according to colour and season XI 417; crowding XVIII 404; demand for in New York XIX 146; duration of V 443; economising VII 124; exhibition stands for VII 32; for hospitals XVI 68; from hardy plants XVII 537; good way of keeping XIV 175; in New York XVII 7; keeping fresh XII 63; not preserved by sal-ammoniac VI 462; preserving VI 299; VII 499; IX 462; XI 227; preserving in winter IX 74; swaddling the stems of XX 422
December bouquet VIII 478
destroyed by sparrows XVII 329
digging choice border VIII 477
dinner-table I 631
distilling IX 334
double I 152; XVII 145; XVIII 661; XX 301; and single XVI 308; producing seed IV 460
dressing XX 209
dried natural XII 510
drying in natural colours IV 54 242 345; white VI 25
early I 232 441; XVII 197; and rain XI 122; at Bitton IX 164; hardy III 289; in Buckinghamshire XI 144; in Ireland XIII 132; in the Isle of Wight XIII 86; outdoor XIII 27 50; spring I 320; summer XI 514
effect of ammonia on the colour of VI 442
emission of light from II 358
emitting light IV 71
English *v. tropical* XIX 39
everlasting III 290
fertilisation of VII 197
fertilised by flies III 175; by insects VII 26
Finderne's XV 75 134
firm root-run for IX 252
florists' VI 585; XVI 553; XVII 107 179 365; XIX 361 484 522 570; at Hillingdon Place XVI 575; dressing and exhibiting XIV 231; hardy XVI 441; in London XIV 55; raising from seed IX 149

Flowers, flying I 367 462
for autumn XX 481
for bee culture VII 404
for bouquets VII 329
for button-holes III 343; VII 336
forced XVI 150; for winter XIII 543
for cemeteries III 455
forcing VII 97; at Bexley Heath XI 1; in market-gardens XV 11 43
for children X 3
for church decoration II 276
for churchyards XIV 152
for cutting in winter XIV 166
for dinner-table I 137
for dry barren borders VI 6
for Easter XI 225
for graves I 261; XII 412
for hospitals III 58; X 68; XVI 141
for perfuming Tea XII 40
for spring bouquets X 181
for the blind VI 41
for the house XX 489; protest and suggestion on I 497
for the poor III 271; IX 498; and the sick III 429
for the Shah III 505; IV 2
for the sick II 547; VII 366; how distributed VII 454
for the woods IX 252 288
for the working classes XIII 405
for vases XX 128; choosing of I 470
for winter decoration V 502
fragrant I 94; VII 421
freshest XX 23
from a cool house XX 603
from a Norfolk garden XX 389
from Belvoir in December XX 562
from Cape bulbs, bouquet of III 483
from Chipping Norton XX 78
from Dublin XX 103
from Messrs. Piesse and Lubin's flower-farms at Nice VI 580
from Mid-Norfolk XX 408
George II. and VII 110
good border IV 305
ground and Fern leaves X 595
group of, by *Singers* XII 36 37
group of hardy winter VIII 501
grown in churchyards IX 543
gun for III 223 290
hardy V 434; XII 171 604; XVI 553; XVII 559; XVIII 352; XIX 121; XX 308; and English names IX 380; and the wild garden in winter VIII 510; at Bickley, notes on XIX 59; at Byfleet XVIII 51 387; at Gunnersbury Park XIII 615; at Gunton Park XVIII 376; at Huntingdon XVI 58; at Piers Hill XVII 489; at the Regent's Park Show, 1878 XIII 540; at Tooting XIII 114 162; autumn at Tooting XVI 232; badly exhibited XVII 508; benefits of protection to XVII 42; border XVIII 27; bouquet of VII 90; choice XIX 392 464 645; Christmas basket of XVIII 642; culture of XVIII 619; early I 375; IX 199; error respecting XVIII 226; finer, and how to grow them XVIII 328; “florists” XVIII 152; for beds XVI 274; forced, at Newcastle XIX 454; for rooms XIX 486; from Cornwall, in February VII 104 170; groups of XI 420; in bloom in February IX 163; XI 102; XIII 144 158; in bloom in January XI 2 22; in bloom in May XV 388; XIX 492; in bloom in October XVIII 401; in bloom in September XVIII 280; in

Flowers, hardy—*continued*.
Botanic Gardens, Birmingham XI 493; in Cheshire XVIII 193; in cottage gardens XVIII 242; in 1872 II 193; in France and at home VI 404; in June XIX 643; in London gardens IX 332 356 380 403 426 448 450 472 496 520 544 564 588; X 4 30 50 72 98 126 158 182 208 232 256 280 304 328 352 376 402 420 445 459; XI 91 127 165 190 213 271 293 313 345 354 389 437 448 511 533 544; XII 23 44 73; in London Parks XVIII 51; in masses XVIII 251; in May XV 424; in our public gardens X 3; in Oxfordshire, notes on VIII 41; in September XX 317; notes on VIII 24; XI 304 317 439 462; XII 243; XIX 447; novel arrangement of VI 498; on terraces XVIII 302; partial shade for X 103; popularity of XVIII 228; procuring XIII 348; rare XVII 394; rare, at Colchester XI 493; scarce XIX 414; selecting VIII 167; XVII 137; showy XIV 235; stakes for XVIII 591; times of blooming of XVII 143; transplanting XVIII 180; twelve in bloom in April IX 333; white XIII 37 534
harmony of colour in IV 191
health from IV 506
herbaceous border, after 10° of frost XVIII 586
how fertilised IX 87
how they become naturally double IV 122
how to crystallise III 36
how to keep fresh XVI 467
how to pack IX 498
how we acquired a taste for VI 139
ill effects of March frosts on XI 265
in autumn XX 393; spring VI 446 in bloom in April III 292
in cemeteries III 286; IX 254
in churchyards XIII 488; XIV 105; XV 369
in Covent Garden Market II 388; in November XII 463; winter and spring VI 311
in December XX 563
in Devonshire, in April V 350
influence of I 580
in hospitals VIII 109; XI 347
in *Hyacinth-glasses* VI 341
influence of light on the colours of IX 448
in Japan IV 262
in July, on Hill Brow VIII 111
injured by bees III 345
in London VIII 15
in Mexico IV 145
in New York, price of XIX 210
in November XX 498
in sand V 306
insect agency in the garden variation of III 462
insects and colour in VI 469
in sleeping-rooms XX 583
in the Engadine VI 47
in the house IX 256; XX 449 471 510 532 554 573 594 617 637
in the Isle of Wight VI 576
in December VI 511
in the North, in June IX 561
in vase of growing Ivy XI 171
in Yorkshire XX 560
language of III 72 (poetry); XIX 160
market XVIII 455
misplacing XVIII 661
models of IX 195

Flowers, mosses and grasses, dyeing and colouring IV 419
mountain, in Armenia XII 1; *tuft* of XVI 345
movements in IV 515
my hardy VIII 499
names of new III 493
novelties in coat III 411
October XX 368; border XIV 345
odour of III 178
of fashion I 430
of loveliness II 34
of the open air XX 197
of the Pyrenees XVIII 219
of the Western Pyrenees XI 305
old-fashioned IV 201; XIII 543; XIX 28; border VIII 346
on grass XIX 652
on graves II 452
on house-tops XX 3
on lawns VI 174
on railway embankments VII 450
on the table VIII 21
on the upper Thames XX 72
on walls XII 417
open-air, in December XIV 525
our woodland XI 421
out-door in autumn XX 421; in November XIV 411
packing X 50; XIX 524; for travelling VII 484; in cotton-wool XX 541
painting upon mirrors XVI 27
pictures of, at the Academy V 409
prairie of VIII 42
preserving colours of IX 260; XII 357; XIII 198
prophetic language of XIV 13
protecting border XVII 250
rain-proof II 194; XX 422 462 red XX 283
remove the IV 145
sanitary value of IV 504
Saturday Review on Queen Anne's VIII 181
scarlet among the grass XIV 539
seed from double IV 376
self-fertilisation, and cross-fertilisation of XII 23
sex in XII 434
short-stemmed IV 30
shriveled by bad packing XX 204
small vases for VII 365
smothered III 257
some Californian VII 396
some white XIX 643
song of the III 454
Spenserian XX 335 341
spring III 253; VII 279; IX 175; XV 189; XVII 193 274 317 346 376; XIX 191 334 348; after a wet winter XI 294; *American* XIX 417; and frost XIX 233; and their colours IX 75; at Baden-Baden XIX 344; at Cliveden XI 370; at Edinburgh XVII 443; at Glasnevin XIX 299 321; at Heatherbank XVII 312; at Mentone XIII 305; at Ryde XIX 462; at Tooting XVII 213; at Tottenham XIX 299; at York XIX 226; best hardy III 394; earliest I 117; X 556; early IV 503; effective IX 242; effects of frost on XIII 300; everywhere XIX 335; for vases XI 326; hardy XVIII 248; how to make the most of V 323; in autumn XVI 343; in cold houses XIX 287; in Devon XIX 344; in Dublin XIII 222; in Yorkshire XV 348; list of early X 576; mixed XIX 337; premature XIII 2; situations for XV 347; successional arrangement of VIII 168
sugar in the nectar of XIV 217

Flowers, sweet-scented III 372; for a cool conservatory XII 518; for the wild garden VIII 433; list of VII 72
 Swiss V 10
 tall border XII 28
 tender & hardy XIX 31
 to restore faded IV 265
 tried at Chiswick in 1877 XII 123
 under artificial light I 138
 unseasonable XVI 235 359
 used at funerals VI 332
 valentines of V 134
 valley of XII 29
vase of XI 349 353; XI 402 (*cut*); XII 9 (*cut*); *of common* XI 227; *of simple* VI 8; IX 462
 vases of VII 96; *of dried* XVII 441
 warm exposures for XIV 230
 wedding bell of IV 441
 Welsh wild VI 5
 white bouquet X 517; *for vases* XIII 495; most fragrant I 379
 wild about Rome XI 141 165; at Galashiels VI 126; at Lago Maggiore XIX 336; British XII 83 129 287 363; dried XII 72; exchanging XIX 346; exhibitions of XII 224; XIV 276; fertilisation of by insects VI 208; for decorations XI 465; XIV 67; XVII 513; *for the garden* XV 407 462; *for the rockery* XIX 615; how to dry II 196; in floral decorations XII 149; in October XVIII 434; *of America* XI 62; *of New Zealand* XII 286; *on the sea coast of Wigtonshire* XII 32; *Romanian* XII 79; transplanting VII 396; IX 399; white varieties of XII 336
 window III 411; *for winter* XVI 94 114
 winter I 690; V 78; VIII 482; XII 533; *at Bingham* XII 49; *at Clapton* XVIII 614; hardy XIII 117; not few V 50; *out-of-doors* X 537; preparing for IV 8; *some hardy* VIII 497 (*cut*, *illustrations of* VI 119)
woodland wild XV 449
yellow and blue XIII 531
Flowering, cases of precocious VII 435
 excessive in fruit-trees XX 40
 of plants III 456
 plants, influence of parentage on II 51
 Flue, good XVI 165
Fly, Golden-winged or Lace-winged XV 187
 plagues VIII 291
 person XX 255
Flowering date IX 163
 Fog fatality in London XVII 187
 Foliage and architecture VI 115
 autumnal changes in IV 340
 brilliant in the streets VIII 553
 contrasts of XVI 430
 decorations XX 637
 for head-dresses VII 129
 effects of, in autumn IV 311 482
Flora of XII 585
 tints of IV 155
 with flowers XIX 663
Fontanelles, geometrical flower-garden of I 617
Fontanesia philyraoides XVI 572
 Food and civilisation XVII 29
 and feeding XVII 560
for birds XV 47
 for the garden I 219
 for the Polar Expedition, vegetable VI 528
 new way of preserving XII 598
 reform XII 279; XIX 71

Footpaths I 374
 Forcing XX 195
 and its necessary preparations XI 198
 balance of heat, light, and moisture in XVI 67
 by smoke XIV 172
 houses, giving air in IX 148; sash-lines for IX 311; useful paths for XV 250; ventilating XI 363
 season, preparation for the XIV 418
 seedling seakale I 271
 vegetables XX 492
Forest, African IX 243
 alpine VIII 334
 Atlantic compared with the Pacific XV 222
 buried VI 481
 destruction, evil results of XVI 121
 Epping VI 464
 for the Queen, a Highland XI 479
 growth of in the Wabash Valley IV 105
 life in Aeolia I 374
 meteorology XI 26
 New II 214; VIII 198
 of Dean II 132
 of Fontainebleau II 359; III 350
 Oldham fossil XVIII 111
 Pine I 99
 planting on the Apennines IV 468
seum, Australian XIII 17
sovereign in British Columbia III 31
 submerged VI 489
 subterranean VIII 168
 "Tree" of Moray, the Great VI 397
 trees and insect pests XX 39; culture of I 53; in New England rate of growth of IX 570; pruning VI 107; pruning, different methods of IV 489; pruning, examples of XVI 420 421; repanting I 221
 Trinidad XIV 340
negation in Siam III 419
 work for October XIV 309 350; for November XIV 407
 Forests, Andaman Islands I 354
 and floods VIII 69
 and open spaces XI 479
 Canadian XVI 307
 Conifers of Californian Sierra XX 295
 conservation of IX 390
 continental XII 333
 East London VIII 232
 effects of climate on I 372; IV 533
 Egyptian petrified III 179
 importance of II 464
 Indian XI 452
 influence of on Ozone XI 7; on rain-fall II 75 301; III 32 445; IV 178; VIII 429
 in Germany IV 366
 in Japan XII 507
 new in France XII 419
 New Zealand XV 459
 of Algeria IV 231
 of Athole XII 348
 of Central Nevada and adjacent regions XVI 101
 of England, Law Courts and officials of the Medieval I 654
 of Europe, alpine IV 152
 of India I 179
 of Redwood in California IV 372
 of the North, the XVI 454
 petrified fossil XVIII 423
 Royal XV 237 300
 tropical in England X 566
 turpentine II 483
 Forestry and poetry IX 273
 art of IX 157

Forestry, Journal of XI 346
 ornamental XIV 532; XV 26 195
 School of XVIII 616
 Forfarshire, alpine flora of XIX 15
Fragaria ananassa XIV 230
 Forget-me-not I 120; II 208; X 97; XX 156
 Azorean II 521; X 131; culture of XV 508
 creeping III 382; white XIX 524
 islets of XII 249
MOUNTAIN XI 130
 new legend of the VI 510 (poetry)
 perennial mountain IX 499
 semperflorens XX 9
 striped XVI 56
 summer III 52
 Weirleigh Surprise IX 474
 Forget-me-nots XIX 268
 alpine VIII 319
 early XX 453
 in Covent Garden market IX 443
 in marshes XIV 62
 in pots XII 106
 New Zealand XIX 39
 Fork, good digging I 22
grafting II 242
 Formalism and foliage VI 11
 Formal margin I 121
 Forham Park III 432
 Forsythia Fortunei XVII 274; XIX 605 (*cut*)
 viridissima III 371; XIX 478
 Forsythias, the XIX 605
 in Ivy XI 226
 in the landscape XI 284
Fosse wall, with native plants VIII 387
Foto, garden vegetation at VIII 459
 Fouls, testimonial to Mr. Robert XII 412
Fountain I 270
house, movable I 82
in the Luxembourg Gardens III 325; V 111 3 (*cut*)
in the Place Louvois I 132
of the Bosquet de l'Arc de Triomphe V 527
of the Marché des Innocents II 505
tree, the Travellers' VI 205
 Fountains I 270
 and foliage V 526
 garden I 82; VI 42; nozzles for XIV 98
in the gardens at La Granja XI 432
in Trafalgar Square, the VI 41; VIII 156 (poetry)
 water-pressure in V 466
Fourcroya gigantea in flower X 438
Fourroyas VI 430
 Foxglove I 150
 golden IX 242
 hybrid VIII 34
 monstrosity in the common III 470
 monstrous XX 325
similis IV 415
 tall XIV 177
 wild and cultivated VII 483
 Foxgloves II 28; VI 126; X 32; XVI 45; XVIII 370; XX 72 104
 amongst Rhododendrons XVI 166
 and Ferns X 129
 at Kew XVI 106
 grown under trees XVIII 298
 hybrid XI 470
 improved V 544
 in Kensington Gardens VII 520; X 29
 in mixed borders IX 241
 in the wild garden XI 441
 in winter XVIII 538
 tall XIV 200
 varieties of XIV 7
 white XX 41
 word for XVIII 76
 Fowls, damage done by trespassing XIX 629

Fragaria indica IX 49; XVII 546; XIX 437; in Cornwall XII 560
 Fragrant flowers I 94
 Frame coverings XI 14 40 67 255 (*cut*)
 handy plant XV 194
 protectors XIV 577
structure of worm I 255
 warm I 255
 Fraises XX 76
 and their uses XIV 576
 economy of XX 486
for soap manufacture XII 308
 garden IX 403
 mildew in XVIII 444
 shading XV 401
 France, climate of the North of XIV 520; and of the South of England XIV 545
 effects of the winter of 1879-80 in XVII 264 285 340 450
 fruits and vegetable crops of XI 147
 jottings by the way in XVIII 405
 landed proprietors I 454
 letters from Southern XVII 101 122 211 297; XIX 471
 new forests in XII 419
 notes from XVII 115 344
 rural education in X 347
Franciscus magnifica, as small plants XIII 354
Franciscus and their culture XI 228
 best VII 174
Francoa ramosa IV 286; XIV 341; XVI 368
sonechifolia XX 381
Francoas, culture and propagation of XIX 65
Frangipani XIII 52
Frankenia levis XIV 100; XX 614
Frankincense XVI 248
tree, spray of XVII 164
Fraseria Parryi IX 79
speciosa XV 295
 Frasquilla, the VI 520
 Frauds, horticultural XIX 333
Fraxinilla, the IX 175 200
Fraxinus concavifolia variegata XVI 307
 Oregon XII 582
Ornus XVI 49
Penillifera XV 9
zanthoxyloides XVIII 390
Freesia Leichtlinii VII 316; IX 388; X 151
 odorata XII 78; XVII 491; XX 62
refracta alba XV 32; XVII 387; XIX 199 465 (*cut*)
 varieties of XIX 522
Freesias and their culture XIX 260 465
 note on XIX 607
Fremontia californica II 24 266; III 55 (*cut*); X 126; XI 190; XIV 144; XVI 86; XVII 446 448
 XIX 619; hardness of XII 82
 French Central Horticultural Society XVIII 279
 parcell post XVII 254
 Peasant Fund I 225
Freyeria Banksii XIV 359
 Friar's Cowl, the VII 256
 Frioles I 116
 Fringe tree XIX 643
 white XIX 478
Fritillaria aurea IX 71 584; XVII 342
 Burnati XVII 394
contorta XIX 462
delphinensis III 394
Hookeri XV 497
imperialis variegata XVII 303
Koreana XV 121; XVI 547
lutea III 394
macrophylla IX 608
meleagris I 541; III 363; var. *Hector* IX 352

Fritillaria Moggridgei XVI 231; XVII 342; XVIII 187; XIX 391
MOGGGRIDGEI XVIII 132
pallidiflora XIX 463
præcox, for the conservatory XI 352
pubica XIII 199
PUDICA XIII 588
recurva X 565 577
RECURVA XVIII 458
recura, bulb of XI 112
ruthenica XVII 333
uniflora VII 373
varieties of XIX 464
verticillata, var. *Thunbergi* XVII 313
Fritillary, golden IX 584
scarlet X 565 577
Snake's-head in Middlesex XI 440
Froggopper, common XIX 316
Frogmore, gardening at XIII 296
House, view of X 309
notes from XV 74
Royal Gardens at X 307
winter's day at XVII 129
Frogs, in gardens XIII 118
Frost, after the XV 170
and low ground XII 20
and thaw in the winter of 1878-79
XV 22; in Wales and Ireland
XV 42
and unexpanded blooms XIII 458
cheap way of keeping out XVII 43
destruction of trees by I 643
early in autumn in 1877 XII 364
early in 1876 X 252
effect of on seeds II 258
excluded by glass XVIII 545
in December 1878, after the XV 19
in Ireland in 1879 XVI 252 582
in June 1875 VII 458
in June 1881 XIX 619
in September 1877, effects of the XII 328
in valleys IX 113; XII 39
line of danger from IX 77
of the winter of 1878-79, and its effects XV 65; in North Durham XV 87
on Conifers, effect of I 169
severe in February 1879 VII 170; in January 1881 XIX 387; at York in the winter of 1874 VII 2 simultaneous XX 581
water as a protection against XVI 404
work IV 440 (poetry)
Frosty weather, and lake subsidence VII 205
Fruit, adopted III 354
American and other garden produce X 598
American plan for storing XX 576
and bees VIII 224 309; XII 20
and birds VIII 54; IX 261
and copper II 455
and diarrhea XVI 161
and flowers, culture of combined XV 94; markets of London IV 139; how best to combine XV 92; of London in the olden times VI 542
and garden shelters XV 374
and leaf buds VIII 62
and May frosts XI 450
and meat, Sir H. Thompson on XX 25
and seeds V 316
and sparrows in Australia V 388
and vegetable crops of France XI 147; dryers XIII 502; food, scientific testimony in favour of VI 185; garden mixed XI 399; market, central XVI 64; market, City XVII 284; recipes for cooking IV 512

Fruit and vegetables as food, Prof. Newman on VII 184; certified VI 552; fishing-nets for protecting IX 429; imported XVI 525; imported in Covent Garden Market X 603; in Covent Garden Market V 432; XI 539; in Natal IX 166; kept by the aid of ice IV 182; plea for VII 83; preserved V 273; VII 213; recipes for cooking and preserving VI 509 600; VII 146; splitting in X 182
and wasps VIII 224
another tropical dessert XII 104
as food IX 16
as medicine XI 67
at Arundel IV 171
at Chiswick XX 416
at Christmas in Covent Garden Market VI 580
at Drumlanrig XVIII 431
at Manchester XX 329
at the Paris Exhibition in 1878 XIV 214 382
at the Philadelphia Exhibition in 1878 X 398
awards for VIII 442
bearing, sheltered and moist situations best for XII 272
bees destructive to IV 118
best early and late IV 189; for small gardens I 106; hardy I 660
blooms and spring frosts XI 394; on wall-trees, retarding VII 294; setting under glass IX 443; thinning VI 364
bottles, how to seal X 414
box, a *refrigerating* XV 33
buds and birds XVII 310; and bullfinches XI 242; XIX 109; dearth of XII 278; preservation of I 106; wash for XIII 583
bush XX 26; in market-gardens VI 147; XV 383; manuring XIII 56; pruning IV 461; XIV 471; pruning and training small XVI 253; uprooting XX 244
canning in America II 500
car, American IX 24
cargo, large XII 534
cause of mould on preserved III 308
cellar, a XII 332
CERTIFICATED:—
Grape, Duke of Buccleuch II 178
Melon, Highcross hybrid XX 18 changed by foreign pollen VII 24
close pruning bush XIV 558
colour of, no test of maturity VIII 235 288 316 337 359
Congress, the American National, in 1873 IV 290
cracking by rain IV 320
crops XX 113; (American) of 1874 VI 86; and serpentine walls XI 426; and the season of 1877 XI 210; and the weather V 525; at Burghley, in 1877 XII 56; at Hyères in 1874 VI 382; failure of in 1880 XVIII 104 163; for north borders and walls XVII 349; future of our II 58; in America II 335 519; in Caithness, in 1878 XIV 119; in France, in 1873 IV 184; in Ireland, in 1877 XII 2; injury to I 476; in Kent, in 1877 XI 494; in Kent, in 1879 XVI 76; in March, 1878, prospects of XIII 300; in North Nottinghamshire, in 1873 III 422; in Roscommon, in 1874 VI 179; in Rutlandshire, in 1880 XVIII 208; in Scotland, in 1874 VI 109; in Somerset, in 1873 III

Fruit crops—continued.
436; in Staffordshire XX 178; in Sussex, in 1873 IV 171; in Switzerland II 353; in Worcestershire, in 1877 XI 542; in Worcestershire, in 1878 XIV 119; in Yorkshire, in 1873 IV 146; in 1872 II 102 119 153 164; in 1873 IV 104 106 135; in 1874 VI 81 92 110; in 1875, VIII 138; report of VIII 112; in 1876 X 168 200; in 1877 XII 78; in 1877, report of the XII 94 118; in 1878 XIII 558 587; report of XIV 39 71; in 1879 XVI 201; report of XVI 175; in 1880, report of the XVIII 85 100 131; near London, in 1877 XI 444; on the Continent, in 1873 IV 300; over-crowding X 560: reports on the XVI 163
Crossbill and XVIII 164
culture of XIV 476; XX 169; American lecturer on XX 292; and waste lands XII 534; at Burghley IV 114; Austrian school of IV 417; concerning XV 35; fallacies in IX 201; fallacies in modern IX 220; for market XV 215 237 314 335; for profit XIX 43 79 106 135 185 244 268 282 319 338 355 378 402 429 442 473 499 530; glass houses v. walls for X 34; hills v. hollows for IX 248; Hoolbreuk system of VI 364; in America XVII 277; XVIII 200; in California III 88; in England, what foreigners think of III 410; in Kent VIII 465; XII 303; XX 259; in kitchen gardens IX 359; in Nebraska V 61; XVII 282; in Queensland VII 342; in Switzerland, spread of VIII 462; in the Rhine districts XIII 21; in the United States, enormous development of, in 1875 VII 192; in the United States, in 1878 XIII 120; Italian schools of instruction in VIII 94; Mr. Hibberd on hardy IX 182; national VII 211; orchard XI 37; our shortcomings in hardy V 358; profitable I 61; progress in IX 358; railway side I 206; what might be done in hardy XVIII 543
danger in the use of tinned XIV 132
diet of III 76; X 61
diseased XVI 162
do they wear out? IX 277
double II 418
dried, in Germany XIII 627; our trade in I 189
Fruit-dryer XIII 502; XIX 77: Dr. Ryder's XVIII 546; improved IV 219
drying, olden process of VI 557; hardy XIV 327; in Australia VII 500; Jones's method of VII 212
early-ripening, varieties of XVI 18
eaters of, hints to VIII 106; parrots as I 430
eating VI 164; VIII 512
European for Java XX 499
farm, a III 128; XX 504; Georgia XIV 155; Worcester I 61
farms, large XVIII 495
farming X 35
few of the best VII 45
fight for XIII 282 302
finest in the world III 179
flavour of II 507; IX 24
food, value of III 126

Fruit for dessert, arrangement of IV 463; VI 267 341 405
foreign in Covent Garden Market VI 586
for exhibition, what constitutes a dish of VI 263
for market XV 199
for orchard-houses XX 591
for table decoration VII 252
for tarts XII 163
for the Philadelphia International Exhibition X 151
for the road-side II 120
free-bearing varieties of XVIII 258
French in Covent Garden Market VIII 450
fresh from Australia XIV 279
from beyond the sea XII 217
from Devonshire XX 543
from the Continent VI 190; XII 197
garden I 533: Dr. Monroe's at Barnet XII 197; for April I 449; for August II 110; for December I 34; II 496; for February I 227; for January I 149; for July II 19; for June I 620; for March I 321; for November II 394; for October II 304; for September II 221; hardy XX 452 491; in North Germany I 298; tall espalier XIII 152
gardens and fruits of Turkestan XIII 344; aspects for XII 128; French, in Kent VIII 189; Kentish XVI 136; XIX 281 378 433 502; in the Kentish XII 191; XVI 209; market XX 473 536 595; mixed XX 528
gatherer, a XIV 118; Belgian IV 218 228; a simple IV 359
gatherers, the XIX 405
gathering XVII 310; and keeping IV 187; and preserving II 274; and shipping XVIII 322 323 324; bags best for XVI 372 387; bags v. aproos for XVII 161; new ladder for IX 292
germination within the IX 56 117 group of, by De Heem XII 108 109
growing, American and English XVIII 351; at Candahar XIX 77; at Chilwell VIII 281; at Heckfield XVI 56; at Sawbridgeworth IV 72; XIX 325; at Thoresby Park VIII 352; for market VIII 255; for profit XVI 427; for the London markets VI 203; in America XX 305; in California XIV 545; indoor, for market XV 213 262 269 301; in England XV 484; in Italy XIV 117; in Kent XII 252 274 333 357; in Michigan II 371; in Sussex XIII 519; made easy XIX 404 501; XIX 594; XX 187; profits of XX 554 578
half Peach and half Nectarine, a VIII 385
hardy III 126; XX 69 171 215 309; and kitchen-garden V 434; bush XVIII 278; neglected X 62; orchards best for X 461; selections of XVI 44; summer culture of XI 503; thinning I 682; VII 324
harvest, helps during the XIV 118 house, an American XVI 470; coping converted into I 476; expanding I 477; tropical VI 415
houses, ants in XIX 531; arrangement of pipes in III 457 458; at Chatsworth II 256; at Raby Castle IV 235; cool XVII 350; XX 187 213; cool, ventilation of

Fruit-houses—continued.

XX 372; "damping" VII 340; double-glazing III 422; growing plants in XV 234; sunless lean-to XIX 433; wrongly planned XVIII 601 655; XIX 77 163 189 220 283
how to keep small birds off X 8
how to pack XVI 561
important characteristics in describing VI 66
imported XVI 520
impressions of X 574
improvement in Canada I 536
in Covent Garden Market VI 92
190 238; VIII 190; IX 26;
XII 392
in different counties X 516
indoor 1 35
inferior flavour of indoor XX 221
influence of foreign pollen on III 86
influence of light on the colour of VIII 320
in Gascony VI 288
in Germany II 300
in Italy XII 305
injured by wasps, mice, &c. XIV 229
in London market-gardens VI 218
in Majorca I 558
in Norfolk XX 379
in Oregon I 206
in Paris, consumption of VI 596
in Persia IV 190
in pre-historic times VIII 232
in Scotland V 238
in Southern Virginia IV 190
in table decoration II 387
in the Middle Ages IV 190
in the Port of London II 330
in tin cans VI 164; XX 33
in Yorkshire, in 1874 VI 220
jar, Mason's I 36
judging XX 531
keeping II 37 152; III 29; X 559; XX 554 578; by the aid of ice IV 164
land in England, average of XVI 501
large XVIII 412
late-blooming XX 447
leaves for garnishing XI 326
lesson XIV 584
list of American cultivated XIII 574
Macedoine des II 160
middle county XI 59
"Mission" the IX 605
maturation of XVI 456
names of, badly spelt XX 214
naming XVI 544
nets XVI 138 203 (*cut*)
new I 177; IX 15; XVIII 367; orchard-house X 458; seedling varieties of XX 400
nomenclature of VIII 353
nursery, west of England XII 599
of ancient Rome III 105
of California X 210
of Central Asia XI 376
of Herefordshire X 438
of La Palma, South Spain IV 300
of promise, new VIII 291
of the season IV 300
of the Service-tree XII 392
of the Vanilla and Monstera VIII 342
on houses II 118
on railway embankments I 270
orchard-house VIII 224; XIX 280; thinning IV 35; want of flavour in VIII 237
ordinary, sent out as marvels XVI 147
origin of XVIII 207
origin of our cultivated V 28

Fruit, outdoor I 34
packing II 6; XVIII 603; XX 596; box for X 311; choice IV 34; for market II 485; for travelling V 123; soft XVII 2 picking in market-gardens I 703
popularity of III 53
preserving IV 266; XI 104; XX 576; by ice VII 204; for years IV 95; in Russia IX 444; in the open air IX 15; in winter II 353; jar for, American I 36; new way of III 79; XX 302; powders for XVI 380; soft XIV 584
prices of in 1876 IX 52
prizes for III 54; XX 26; at Alexandra Palace in 1880 XVIII 137; Messrs. Veitch's VII 478
Professor Asa Gray on undeveloped IX 571
prospects XX 592; in Northamptonshire in 1875 VII 295; in Suffolk in 1877 XI 420 494; in Worcestershire in 1875 VII 356; in Yorkshire in 1875 VII 295; in 1873 III 374; in 1874 V 321; in 1876 IX 222 292; in 1879 XV 264 325; XVI 20; in 1881 XIX 595; on walls in 1873 III 354
protection of newspapers for VIII 538
protectors XI 47
pruning bush XIV 343
recipes for cooking and preserving VI 412
Report of the American Pomological Society, for 1874 VI 291
Reports XX 145
ripening in orchard-houses XII 163
room XX 427 536; at Arundel VIII 430; *damp-absorber* II 275; ground-plans of IV 218; ornamental, how to make VI 520
rooms VIII 266; XX 590; absorbents for XIV 344; shelves for XIV 408; ventilating XIX 5 roundabout way of testing VII 242
scarcity of common XI 41 64
seasonal notes on XVI 347
selected by the French V 214
selecting hardy VIII 236
sham syrups I 469
shed, a glazed XI 169
sheds for V 441 525 (*cut*)
shop, Paris IV 328
show, at Alexandra Park, in 1877 XI 515; XII 267; at Hereford, 1879 XVI 473; Crystal Palace in 1877 XII 314; Great Manchester in 1873 IV 103 183 shows XX 577
small, in Kent XII 56; in tree form X 235
some Christmas XII 605
some farm, and its use XX 268
some good hardy XVII 43
some rarer kinds, in Covent Garden VIII 212
South American II 187
stains, how to remove III 288
standard of American XI 38
stone, fan system of training XX 221
stone and hard soil VI 179; root-grafting IX 183; under glass XX 169
stores and frost XII 476; newspaper, protection in VIII 514
storing VII 241; XIV 306; in malt dust XIV 382; new method of VIII 322
striped and variegated I 123
successful mode of drying VI 114
supply, development of the American XI 427

Fruit, sweet or acid—which shall we grow? VIII 23
swelling of XV 484
terms used in describing XII 157; XII 158 *et seq.* (38 illustrations) that thrive in Nova Scotia VII 478
thinning I 476 586; IX 538; XII 32; XIX 271; XX 552; good advice on V 525
timed I 79
top-dressing for XX 552
to the finest of XIV 248 (poetry)
trays and packing-boxes IV 35
trellis, arched, over walk XIII 167; *a simple* IV 55
trellises, improved III 265
trials of, at Chiswick, 1877 XII 123 219
tropical XVIII 570; XIX 161; in Covent Garden Market IV 455 522; XVIII 585; in Egyptian gardens IX 544
unwholesome IV 219
value of as food IV 284
variation among III 166; amongst seedling IV 334
variations VII 241
v. malaria IX 500
voting in America II 253
wall (cordon) at Holme Lucy V 169; *glass and iron coping to* I 476; ornamental XIII 458; to preserve I 476; recessed XVIII 655
walls, best aspects for I 570; glass and iron coping for I 508; ornamental XVIII 655; recessed XIX 138; what is the best colour for? IV 442; wiring VI 578
warm exposures for XIV 230
wasted X 50
weights of IX 261
wild XII 124; XX 444; edible VIII 426; of Utah XX 68; utilising VIII 462
without flowers III 458
Fruiterers' Company, the III 153; Lord Mayor's dinner to VI 360
Fruiting duckweed XIX 445 523
Fruitless! XIV 119 (poetry)
Fruit-tree blight, iron a cure for II 353
blossoms of, protecting XI 516 542
borders of XVIII 493; XX 15 550; aerating IV 530; and walls XII 63; cropping III 422; renewing VIII 439
covers, *galvanized* IV 13
culture XX 303; on a large scale VII 409
cuttings of, vitality of III 108
fences X 341
hedges VIII 479
management IX 444
planting III 149; hints on VIII 506
protection XIII 153 213 254 282
protector III 58
protectors XIX 412; *vide copings as* XIII 176
rest in winter XIII 492
stocks, rotation of IX 248
sueker I 439
trellises III 236
trucks, moveable II 403
winged pyramid XIII 213
wash for, a good IX 562
Fruit-trees along a Belgian railway I 206
and mankind II 49
and rabbits III 150
and Roses in Dorset IX 486
and seeds, distribution of amongst the working classes XV 194
as decoration subjects VIII 237

Fruit-trees as fences III 496
as ornaments XX 187; in small gardens VIII 223
autumn and spring planting of IV 485
avenues of XIV 344
barren XI 440; old III 166
best cropping hairy XII 360 367
branching low XI 86
by real-sides VIII 94
cause and cure of gum in V 517
causes of the exhaustion of VI 26
cleansing XVI 422
cordon XVIII 351
cultivating VI 474; hardy XII 381 393 425 454 473 498 549
destroying insects on II 216; XVII 164
drainage for I 476
dressing XX 590
dwarf XVII 142; best XII 151
early planting of XII 337
effects of frosty nights on XI 379
effects of the season of 1879 on XVI 448
enemy to XII 439
experiments with, suggested XVII 532
fast budding of XIV 451
fastening labels on XIV 546
for back walls XVIII 370
for cottages I 229
for gable ends and waste wall spaces X 111
for high elevations XIII 167
for north walls VIII 538; IX 204; X 481
for ornament I 34
form of III 54
for small orchard II 330
for walls XVII 143
from an ornamental point of view XIII 245
front garden of XI 474
furnishing south-west wall with VII 45 74
girdling XVIII 324
grafted XVII 444
grafting V 92
guano for VII 444
historical notes on V 288
how to save barked II 83
improving weakly XII 457
in autumn XIV 499 521
in bloom, beauty of XVII 189
in Belgium, effect of the winter of 1879-80 on XVIII 170
in Bohemia XVIII 131; XIX 220
in hedgerows XVIII 544
in houses, water supply to VIII 224
in January I 321
in Kent, young XX 348
in kitchen-gardens XV 16
in orchard-houses IX 539; XV 92
in pleasure-grounds II 82; XVII 175
in pots XI 450; XVI 561 562 (3 cuts); XVII 70 201 238 324; culture of XIII 281; protection of XI 391; v. trees on trellises XI 379 427
insects in XV 401
in the Jardin des Plantes III 128
iron filings for IV 486
lectures on in Paris XVI 429
left to Nature IX 204
lifting and root-pruning XVIII 316
losing their bloom-buds XIV 573
low espalier VI 243
low v. high II 430; III 76; XVII 30
making borders for XIV 221
manuring II 154; III 226; XVI 515
mistakes in buying XII 599
Mistletoe on I 704
mode of curing barked III 337

Fruit-trees, more water for X 61
moss on I 296 415; III 128; XI 59; XVIII 318; destroying II 216
movable shelters for XIII 167
moving XVIII 266
Mr. Dancer's VIII 308
mulching VI 474; XIII 352; XVIII 268 316 363; XIX 75; XX 401; and non-ripened wood XVIII 324; in autumn XIV 546; newly-planted XIX 630
nails in II 83
naming XV 335
natural age of IX 131
new material for tying up II 300
new way of training pyramid XIV 327
new way to “make” I 123 228
N. Hawthorne on II 58
old, are they worth saving? VIII 461 513; transplanting VII 23
on arches over walks XIII 11 56
on gable ends and cottage walls IX 292
on high and low ground, relative success of I 704
on north walls IX 24; XIII 25
on out-buildings XIX 629
on “Policy” walls II 380
on railway embankments X 376
on surface-planting IV 462
on the Red Lands VIII 427
on walls I 587; XIV 429
opening up the hearts of standard VII 196
orientation of II 120
ornamental XIX 513
over-cropping I 638
painting XIII 282
pinching the shoots of II 154
plant everywhere XIX 355
planting IV 416; Sir W. Scott on I 13
preparing for IX 183
preventing from splitting VI 494
prolific XVIII 106
protected by rabbit-fences XV 198
protection of VII 213; XIV 52;
Cordival's mode of XIII 343; in winter XVII 71; from birds VII 342; standard XVI 95
pruning IX 170; XII 566; XVIII 602; XIX 197; XX 590; and dressing XIX 46; and management of IX 148; newly-planted VI 263
pyramidal-trained XVIII 544
rag manure for III 89
re-grafting worthless I 227
remedies for injuries to XII 359
restriction v. extension IX 39
ripening the wood of XII 183
road-side VIII 425
root-pruning IV 418; VIII 368; X 302; XIV 519; XVI 429; XIX 628
roots of, too deeply buried XIII 576 587
screens for XII 20
seedling, how to induce to bear early I 124
select XIV 385
selection of young XII 316
shelter for XV 392; XVI 372; XIX 162
small XVI 372
soil for IV 506
spring protection of V 285
spur-pruning of III 226
steel brushes for XIV 519
summer pruning I 611; VIII 6; XII 29; XIV 120
tap-roots of VII 433
top-dressing IX 127; XIII 195
training III 482; XIX 30 577; best methods of VII 293; erect XII 456

Fruit-trees, transplanting VI 242; VIII 223; old XX 553; twice XIV 196
upright system I 148
vertical training of VIII 439
wall space for XVIII 665; XIX 77 109 138
wash for II 105; V 92 501; X 454; XI 380
water evaporated by VIII 6
watering VIII 186; XIV 80
where to plant IV 331
willows for tying XII 551
winter dressing XV 146
with low branches VI 388
young best XI 388
Fuchsia, *apetulus* XVII 333
arboreascens XVII 197
as a basket-plant IX 579
as a climber XI 320 453; XIII 292; XIX 542
aubaeifolia XIA 108
best double white XVI 60
boliviiana IX 402; XVI 416
BOLIVIANA XI 70
chandlier V 181
coccinea XII 10 77
corallina XVI 355
corymbiflora IV 397; V 534; XVI 66
culture of V 102
dependens XVI 415
Dominicana XII 534; XV 288; in the open air X 353; useful pillar plant VIII 434
Earl of Beaconsfield XII 151
Edelweiss XX 477
first XII 10 52; white XIV 253
fulgens multiflora pumila IV 65
gracilis XII 175; XVI 298; g. *variegata* IV 251
Guiding Star XX 223
hybrid, Earl of Beaconsfield XI 98
insects V 368
lilac-flowered X 11
microphylla XIV 94; XVI 390
on an old wall XIII 283
penduliflora XIV 110; XVIII 417
procumbens VI 126 303; VII 173; XIX 303 (*cut*); XX 415; flowers and fruit of XVII 31; hardiness of XVI 463 527
in fruit XIX 181; not hardy XIX 374
pumila XIV 498
reflexa XX 318
regalis XII 356
Riccartoni VI 320; VII 150; X 129; and its uses XVI 191; as a hedge-plant in Ireland II 72; in Ireland IV 250; large X 327; origin of VII 173
Roderick Dhu XVII 5
Rose of Castile VII 175; XVIII 58 132
seeds of IV 214; VI 71; saving VIII 510; treatment of VIII 523
serratifolia XV 112; XIX 327 (*cut*)
splendens XV 189; 233 (*cut*); XIX 214
standard XVII 482
Sunray IX 530
syringeiflora IV 177; X 11
Tom Thumb XVI 557 571; XVII 54 77 138
trial at Chiswick, the V 80.
velutina XX 603
virgata XVIII 367
winter-flowering XIII 72
Fuchsias XIV 98; XVI 425; XX 93 405
amongst Ivy XIV 321 372 416
amongst Roses XVI 235
and Yuccas intermixed IV 339
annually from cuttings V 301
as exhibition plants XIV 374
at Kew XX 71

Fuchsias, autumn - struck XVI 289
bedding-out XVII 565
best, classified III 356
best, single and double VII 339
culture of XIV 463
drooping clustered XVII 447
dwarf XIV 416 462
erect-flowered IX 285
florists' varieties of XIV 372
for arches IX 566
for autumn decoration XVIII 415
for planting out-of-doors XIV 462
for standards or pillars, the best V 328
from seed XX 264
grafting IV 10
hanging IX 209
in baskets XI 289
in Devonshire, in August IV 164
in Ireland VI 196
in May XV 348
in sea-side gardens X 304
in small pots XV 233
in the flower-garden XX 320
in the Isle of Man VI 222
in the open air I 652
in winter VIII 382
keeping in cellars XVIII 370
large II 464
late-flowering pillar and roof VIII 409
light and dark XIX 304
lilac-flowered IV 339
malformed XIII 530
market XVIII 57
new XVI 31
NEW XVII 326
new hybrid XIII 208
note on XIV 539
on bottom-heat out-of-doors XIV 434
on grass VIII 127
on rafters XVIII 58
on walls XIII 301 327
out-of-doors XIV 281 305
planted out and in pots IX 244
plea for VIII 522
propinquata XIII 447; XVIII 317
pyramidal, at Kew XVIII 188
raising seedling X 327
shrubs for mixing with XIII 410
simplest way of growing VI 34
species of XI 70
specimen in six months XVI 128
standard VII 422
trial of at Chiswick in 1875 IX 466
undergrowth of XIV 394
various races of garden IX 284
white-corolla, as bedding plants IV 356
winter-blooming XVII 83; 294 384
Fuel, economy in XX 583
new V 42
Fullham, magnolias at XI 266
Nurseries, notes from the XII 78
Palace, old trees at III 131; VII 93 (*cut*)
Fumigation XI 20
notes on X 274
Fumigator, good IV 385
improved XIII 273
new XII 126
Fumitory, climbing XIV 136
Fungus, Beefsteak XVIII 319
cause or a consequence? XVIII 332
exhibition of, in Scotland, the first VI 310
feasts XII 247
foray at Shobdon Court X 396
in cocoa-nut fibre XIII 166
in hot-beds XI 470
moulds XIX 272
of whooping-cough XII 556
Pear-leaf II 353

Fungus, show of, at South Kensington IV 310
Tinder XVIII 319
Fungi, Abnormal Care XVII 465
and their diseases IX 522
at South Kensington, exhibition of IV 269
“Bird's-nest” XVII 325
“*Britannici exsiccati*,” Cooke's III 120
coloured charts of VI 336
colours, odours, and habits of IV 324
death from eating IV 162
edible I 35 458; XII 321 (*21 cuts*); and poisonous X 356
exhibition of at Munich 1874 VI 422
how to preserve III 196; X 275
in flower-beds XVI 48
in hot-beds XII 372
in Mushroom-beds XV 48
insect XVII 445
new use for IV 292
notes on VI 489
of cellars and mines XVII 464
on leaves XIV 548
on trees XX 478
Peziza class of VI 530
poisonous IX 112; XII 340
Rev. M. J. Berkeley on VII 104
root VI 548
select edible XII 364
yearly show of, in Scotland VII 375

Funkia XX 79
grandiflora II 245; XI 45 (*cut*); XVII 430; XVIII 247 376
japonica IV 439
ovata XVIII 78
Sieboldii XVI 145; S. var. *Fortunei* X 366
subcordata IV 5
Funkias as edging plants XIII 614
best time for transplanting XX 585
in the wild garden X 184
select XI 45 69
treatment of VII 218
variegated, as pot plants XV 278; forced XIX 242
Furnaces, flues, and boilers XVII 19
Furze or gorse XV 198
as a hedge plant XVI 430
chopped & mice XI 232
double VII 436; XII 485; as a plant for exposed positions XVII 210; yellow XV 385
dwarf XVI 401
Spanish IX 600; XIX 558

GAGEA Intea XVII 362
Gaillardia amblyodon IV 206; V 139
aristosa maxima XX 343
grandiflora XX 235; g. *maxima* XIX 645; propagating XX 453
picta XIX 523; p. *Lorenziana* XX 337
Télemachei II 135
Gaillardias XX 235
Galanthus Elwesii VII 378; IX 305 (*cut*); XI 195 (*cut*); XVII 150; XX 564 624

Galanthus Imperati V 156; XI 194; XV 210; XIII 72
latifolius XI 223
lutescens XVII 249
nivalis XI 194
placitus XI 194 231; *p. reflexus* XI 311
posiformis XVII 249
præcox XVII 249
Redoutei XI 207; XIX 336
reflexus XI 226
Regine Olga XI 207
serotinus XVII 249
Shaylocki XVII 249
virescens XVII 249
GALANTHUS XI 194
note on XV 217
species of XI 194
Galatella cana XIV 323
Galax aphylla XX 216; in November XVI 446
Gale and autumn fruits in 1881 XX 439; destructive, in October, 1877 XII 387 419; effects of, in 1881 XX 411
Galgea officinalis XIX 121; *o. alba* II 273
Galegas, the XIX 121
Gales, utility of XX 551
Galeworts XII 348
Galingale XI 392; XIV 213
Galium Mollugo variegatum XIII 222
saxatile, for carpeting ground XII 282
Galinins, note on XIV 28
Galleyworm (*Polydorus*) XIX 27
Galls XVII 329
Galpinia glauca XVI 149
Gamma Moth XVI 519
Gamolepis euryopoides X 203
“Garbanzos” VIII 422
Garcinia Mangostana VII 170;
flower of XIX 161
Garden Account Book X 595; form of II 296
acrostic II 550; III 414; solution to III 12
allotment agreements I 274
allotments XIII 610
alpine II 7 (4 cuts) 71 (7 cuts);
in Vienna XIV 431; under glass XIV 478
“Americau” VI 262
Amateur’s VI 568 590 VII 14 32
46 69 90 111 134 156 217 246
260 281 309 333 345 368 388
400 428 453 497 484 514 528
VIII 12 27 44 59 94 104 135
151 183 292 225 240 261 284
300 330 348 372 392 412 443
453 480 502 529 544 IX 10 36
60 81 110 138 152 184 205 223
248 264 288 319 343 366 393
407 437 453 477 501 532 546
573 587 597 X 20 40 56 83
104 135 163 189 217 246 267
290 313 337 361 386 408 427
467 487 509 524 549 569 587
607 XI 13 35 51 76 93 108
128 150 172 195 216 255 275
300 315 332 362 389 406 438
461 487 505 530 554 XII 12
38 66 90 133 161 185 214 239
265 283 312 335 349 378 408
432 450 479 507 518 553 574
596 625 XV 450
ancient Assyrian V 511; *Roman Villa* V 473
and *Church of La Trinité des Monts, Paris* III 443
and house, the late Canon Kingsley's XI 95
Annual, the XVIII 454 550 615; XIX 191
appointments XV 92; XIX 509 543; XX 432
aquaria V 219
architecture III 325
“Art” in the XIV 451

Garden, ashes in the XX 380
at Bayham Abbey, view in IX 129
at Duncarran, view in VIII 395
at Edmonton, Messrs. Hayes' XI 375
at Hamma, the great VI 477
at Hyères XI 346
at Newstead, plan of II 487
at nightfall XVIII 252
at Paris, the “Acclimatisation” VI 185
at Rambouillet II 40
at St. John's Vicarage, Ryde XVI 411
at Weirleigh XIX 523
autumn XVIII 352; notes on a rock X 397
Belfast Botanic II 413
birds XX 250 251 549
boues for the XVIII 160
Botanic, at Adelaide V 112; *in the West Indies* XII 511
Botany (280 cuts) XIII 103 126 145
163 211 235 261 287 316 339
365 393 421 438 465 496 524
551 577 603 626; XIV 8 34 68
82 114 138 159 182 205 226 249
270 292
bridge, rustic XIX 5
bridges VIII 47
brook-side X 523
Buddhist IV 133
Canon Kingsley's, at Eversley XII 493
calendars XIX 324
cascade, a XIII 66
catalogue of A. D. I., the III 183
catalogues XIX 209 290
cats XIII 482 582
cemetary XIII 50 58 (cut)
cemeteries X 186 187
chalet, a rustic VIII 164
charm of II 315
château VIII 414
Chelsea Botanic VI 388; VIII 447
Chinese XII 552
church V 125
churchyard XIII 183
churchyards in London XII 224
city II 270; XII 609 (cut)
city avenue XII 81
clearing a herbaceous of weeds XIV 501 526
climate II 324
clog X 411
club, ladies XVI 52
contents of a small XVII 121
contractor sent to gaol, a VIII 98
country parson in his IX 1
covered way XIV 56 57
craft of Shakespeare, the XII 278
305 331
cropping V 64
crops in 1879 XVI 394
cultivation by boys I 603; effect of local influences on XV 356 386
404 416 452 476
design II 485; XI 508 (cut); XII 34; XX 33; what to avoid in XII 449; use of ropes in VIII 457
destroyers XX 382; in February I 244; in India III 9
DESTROYERS—
Aleurodes chelidoni XX 633
Aethonanus pomorum II 535
Beetles which injure Conifers IV 395
Bambyx lasiocampum Pini II 139
Butterfly, large Tortoise-shell II 543
Cheimatobia brumata III 85
Cherry Fly, the IV 297
Coccidae XX 306
Cockroach or Blackbeetle XVI 20
Crioceris meridiana III 345
Geometra (Fidonia) Pinutria II 53
Gipsy Moth, the II 365

Garden destroyers—*continued*.
Goat Moth, the III 203
Hylolius abritis II 281
Luckey Moth, the II 343; V 425
Lepidopter Moth, the II 510
Lime-hopper, the III 25
Lime-tree Acarus II 425
Mealy Bug V 141
Mice I 629; III 308
Moth, the brown-tailed and caterpillar IV 244
Moth, the Colchic Apple IV 357
Moth, the Heart-and-dart IV 357
Moth, the Plum IV 255
Moth, the White Thorn V 233
Moth, the Yellow-tailid IV 447
Nortua (Truchen) piniperda II 129
Oak-haf Roller, the III 109
Phylloxera vastatrix II 73
Pine-boring Beetle, the II 31
Rose Saw-fly III 145
Satin Moth (Liparis Sulcic) II 165
Snake millipedes and centipedes VI 104
Tenthredo adumbrata II 198
Tomicus typographus III 63
Tortrix (Retinia) Euclia II 399
Tortrix (Stigmoneuta) dorsata II 451
Vapourer Moth III 355
Woodlouse, the V 162
Douglas Jerrold on the I 594
Drapers' VI 348
ducks in the II 212
edgings IX 200; XVIII 242
enemy, unknown XX 247
established in six months III 178
Evelyn's, at Deptford II 208; V 411
exhibition grounds II 309
expenditure XX 621
failures XVII 124
farmhouse I 344
fences III 133
fertilisers V 431
festes VI 19
flower screens XII 272
food XVI 90
for April, indoor I 448
foreign edition of the XII 582
forming a rock XIX 596
future, improved VII 532; VIII 208; new XI 183
frames IX 403; *Horley's Patent* III 58
friends and foes X 239
furniture XVIII 192
geometrical II 407
Gilbert White's X 27; XI 29; XVI 29
glimpse at a “Wild” II 247
good work for a National VII 497
Hummock, a VII 525
Harvest, the VI 380 (poetry)
Hector in the VIII 157 (poetry)
hedge, good II 122
hedges, cutting and felling XV 27
herb III 424; VIII 376
Hobart Town Botanic XII 531
horror XI 360
Hotel XII 106
house sewage in the IX 307
house-top XI 523
how to mismanage a public IX 322
ideal view in a Greek VII 407
in a small XIII 122
in a Somersetshire XV 253
in a sun-burnt land, a XII 528
in autumn, my VI 533
in Central Europe XIV 551
index expurgatorius XX 38
indoors II 166; for July II 18;
town XII 536
in Drury Lane, a XI 346 369 392
in Jamaica, in January XVII 314

Garden in Java, glimpse at XVIII 144
in Kent XII 465
in May III 389
in Natal XI 546
insects, and how to destroy them V 2
in Southern France XIII 249
in Spain VI 344
in the graveyard of St. Sepulchre's VIII 146
in the South of France XV 449
irrigation in X 350
Japanise III 147; XII 483; at Alexandra Palace X 3; at the Paris Exhibition, 1878 XIII 431; *rice* XI 222
Kentish Hop II 299
kitchen XVI 9; XX 310
labels XV 102 122 194 344; XIX 172; exhibition of XIX 260
lubber, *Mitchell's convertible* XII 606
Lady Corisande's II 80
Lancashire XIX 563 641
land III 306; XVII 441
landscape, small XIII 260
landscapes and flowers in the water-colour exhibitions VI 11
Leicester Square as VI 1
Leigh Hunt's prison VIII 261
literature in America IV 352
lizard XI 255
Lover's VII 452
loving poet, memorial to our I 223
manures XI 455
marker IX 391; *new* IV 179
Mediterranean Shore IX 263
Melbourne Botanic II 413
memorial XI 225
mixed IX 233
modern Chinese VI 201; *Egyptian* V 59; *monastic* II 553; XX 179
Mr. Hanbury's at La Mortola V 479
Mr. Lascelles' house-top V 97
mouse-trap III 453; IX 490 (cut)
my II 515; in summer VIII 170
(poetry); town VIII 108; XI 414 491; XIII 6 83; wild VIII 99; XIII 327 353 488; winter IV 474
Nation's safety XIII 141
nature & art in XIX 527
new, at Westminster Abbey XIX 310; experimental XIV 125; town VI 240; London public XI 539; public for Manchester VIII 2
noble gift of VI 270
notes from an Irish XVII 145; XVII 306
notes from North Durham XVI 479
nursery XX 77
of Acclimatisation at Paris II 335; VIII 167 (cut)
of Alcinius VII 406
of British wild flowers XII 83
of Chelsea Hospital VIII 293
of iron XIX 624
of plants, as a school of Horticulture XVIII 610; *in old times* XI 506
of St. Paul's Cathedral XVI 28
of stonework IV 237
of the Abbey at Laacher See XX 609
of the Drapers' Company III 251; *view in VI 103*
of the Elysées, *view in VII 487*
of the Hotel Dieu XII 271
of the Trocadero Palace, *plan of the* XIV 487
of the Vatican II 387
of the villa d'Este, *view in X 543*
on the house-top, a II 332
operations daily XII 103

Garden, ornamental rustic work for VI 35
over the Canal de l'Ourque III 395
Oxford College VII 527
 party XX 152; in 1875 VIII 106
 parties VI 61; VIII 165; X 147; for gardens XX 21; in public gardens VIII 142
 pencils, indelible III 218
 people's V 538
 perfumes from IV 419
Persian IV 421
 pests V 263 282 315 337; and their eradication XX 363
 picture XIX 298
plan of canal III 397; of fruit by M. Ballet XX 446; of London Villa II 529; of Professor Owen's VII 133; of small XII 51; of small Rose III 217
 plant for the sub-tropical XVIII 471
 plants for the wild XV 501; Japanese VIII 96
 plough in XV 502; XVI 5 27
 poet Waller's XX 34
 practice, extremes in XVII 261; nature as a guide in XX 253
 pretty town XII 126
 produce, French XIX 535
 Professor Owen's II 147
 progress XIX 8
 propagating frame, Rippingille's XVI 94
 proposed, in front of St. Paul's II 386; new experimental XIV 188
 railway bank terrace XIX 324
 recipes IV 74
 receipts X 195 248 269 294 320 345 369 392 412 433 452 472 494 512
Rhododendron XIX 659
Riviera, in February IX 262
 rock XIX 276 468 507 516; at Easter Duddingston Lodge IV 453; at Fettes Mount VIII 41; in Keut XV 491; natural X 355
rocky streamlet in XII 544
Rose IV 433
 rotation of kitchen I 273
round Tour St. Jacques XII 237
 rubbish VIII 394
 run wild X 253
 rural villa XIII 568
Salisbury Cathedral X 583
 scene by moonlight II 371; in a Chinese IV 259
 scenery, bold variety in V 78; needless structures in picturesque XI 421; river-side VI 391
 sculpture I 104
 sea-gulls in the IX 572
seat, stone XIII 235
 Shah on European VI 532
 Shakespearean VI 115 175 198 227 271; XIII 378
Sir Richard Wallace's, in the Bois de Boulogne VII 113
 small herb VII 88
 small not spoiled by beds XII 369
 small town XX 592 593
 Society, Royal Summer and Winter VI 66
 songster VII 369
 songsters VII 366
 spider XIX 70
 statuary III 286
St. Paul's Churchyard XV 57
streamlet XII 249; with groups of Zuecas, &c. XIII 110
 structures, architectural forms of II 414
 suburban III 165; XVI 409 (*cut*) terraced, near water III 423; with unclipped vegetation VI 11
Thames-side XIV 127
 thoughts XIX 1 41 60 85 114 143 167 222 249 274 297 343 537 564 651; XX 3 151 475

Garden, toads in VI 188 tools XIII 173
town XVI 407
 Trafalgar Square as a VI 262 trespassers in Japan V 100 tube covered with cork VII 175 Tuilleries XII 2; in 1870 VI 543 value of to a farmer VII 491 vases, planting VI 221 vegetation, and climatic changes in Scotland V 125; at *Fota, Co. Cork* VIII 459; for August VIII 217; for June XII 70; in April IX 475; in February IX 260; in January IX 174; in June X 76; in March IX 378; in May VII 501; IX 566; XI 528; in November VIII 528; in October VIII 432; in September VIII 431; in South Devon II 87
view at Weybridge XVI 125
view in a London Villa II 533
view in Isola Bella IV 11
 walks XIII 21; edgings for V 349; grass V 500 wall II 293; XVII 190 (*cut*) walls XVIII 556; best mortar for VII 347; cleaning and colouring XVII 188 237; pointing XVIII 228 310; wiring II 154; V 332 361 426 440 457 574 West of Ireland XIII 1
 wild II 477; IX 352; XIII 113; XVIII 536 563; about XV 501; and fernery X 129; by the water side IX 566; charming VIII 146; formation of my VIII 123; in America XIV 248; in a Scotch lake XIX 493; in Devon IX 561; in Oxfordshire IX 513; in spring IX 145; on stiff soil VI 470; Plants for XVIII 464; Rose VIII 24; what is a? II 247 winter XV 12 53; at Liverpool VI 402
 woodland VIII 68; XVII 319; XIX 334
 work for every day X 507 520; 547 567 587 608; XI 14 36 52 76 93 109 128 150 172 196 217 235 256 276 301 316 333 363 390 407 439 462 488 506 530 555; XII 13 39 67 91 113 134 162 186 214 239 262 284 311 337 350 378 409 433 451 479 508 518 554 575 598 626
 workmen XVI 94
 Gardens, Abbey, Bury St. Edmunds V 140
 Abbey, Reddich VI 484
 Allotment II 176; VII 329; at Coventry II 78; for the poor XI 58; judging XI 161 203 206
 and aquaria, winter VI 286
 and flowers of the ancients II 403 491
 and grounds at Hartsfield II 85
 and the season in 1874 VI 65
 and vegetation in the Riviera V 436
 and woods in Britain XIII 23
 arrangement of Botanic VIII 492 514
 art in XIII 539
 artistic effects in XVIII 302
 artistic laying out of XVIII 455
 at Alexandra Palace III 386
 at Alnwick Castle V 100 188
 at Alton Towers II 15
 at Bagatelle, plan of the XI 15
 at Battle Abbey, view in the VIII 547
 at Bearwood, in the XVI 53
 at Bilton III 311
 at Bournemouth X 478
 at Brauntingham Thorpe VI 294

Gardens at Buckingham Palace IV 530; view in IV 531 at Cascata, near Naples, the Royal V 309
 at Chatsworth V 5 26
 at Chillingham Castle II 462
 at Cliveden II 235
 at Combe Abbey IV 147 149 (*cut*)
 at Cragside II 315
 at Cromwell House VI 334
 at Cyfarthfa Castle X 580
 at Drumlanrig Castle III 123
 at *Dramont Castle* V 443
 at Eslington Park V 65
 at *Forceres, Baron Rothschild's* V 267; XVII 188
 at Glasgow, Messrs. Thyne's VII 378
 at Grange Park IV 360
 at *Hampton Court*, the VI 76; in May VII 418
 at *Hockfield* VII 447
 at Hinchingbrooke VI 334
 at Holland House IV 483
 at Luton Hoo Park VIII 248 at Lisbon, the Royal V 292
 at Morton Hall VI 224
 at Moor Park VI 152
 at North End House, the IV 66 at *Oak Lodge, Kensington* III 51
 at Oxton Hall V 398
 at Penny Hill V 226
 at railway stations II 5
 at Ridgeway XVIII 377
 at *Rocquencourt* VI 321
 at *Rome, the Pamphilii* V 375
 at *Sans Souci* III 497
 at South Kensington XI 493; XVII 155
 at Streatham Hall IV 437
 at Sundridge Park V 206
 at *Syon House* IV 15
 at the Crystal Palace V 366
 at *Thorshay, plan of fruit and kitchen* XVIII 428
 at Tresco Abbey VIII 324
 avenue in *Regent's Park* III 475
 birds in I 444; V 155; and birds' nests in IV 504
 book-hawkers in XVIII 45
 botanical XIX 627; arrangement in II 497; at St. Petersburg IV 142; list of V 300; *Martinique* VIII 329
 Melbourne IV 167
 bridges in XI 373
 Burghley VI 27
 burials in II 230
 by moonlight II 371
 Canon Hole on the Sunday opening of public XI 420
 cats in XVII 462
 character in IX 540
 children's XV 329 370 400 476; XVIII 129
 Chinese IV 258
 church X 582
 churchyard VIII 543; XI 444; in St. Pancras XI 62
 colour in XVII 537; XVIII 661 cost of some of our public XII 244
 cottage VIII 88; XX 396; v. shows IX 518
 decay of the Crystal Palace VI 214
 experimental XVIII 606
 farmers' IX 552; kitchen XII 351
 female labour in XX 339 367
 floating VI 472

Gardens, formal and picturesque II 551; and terraced XIX 145
 formalism in XX 419
 future of our Botanic XVI 25
 gas-line for XIX 540
 geometrical II 406; XVII 107; and old houses IX 286
 good plea for public VI 224
 graveyard X 483; XIII 334 379 406 588 616; XVIII 3 group in the *Doria* V 379
Hampton Court XVI 128
 hedge-hogs in XIII 502
 hill XII 40
Horticultural, South Kensington III 91
 house-top XI 21
Hull Botanic XI 391
Hyde Park and Kensington VIII 213
 in Algeria XVII 107
 in autumn IV 411
 in California VIII 278
 influences of VIII 188
 in Kent III 357
 in London II 95
 Inner Temple XI 466
 in New Guinea IX 540
 insect pests in XVIII 342; in town XVIII 294
 in Suffolk III 412 432 454 474 490
 in the *Regent's Park* III 15
 in the South of France IX 584
 in the South Sea Islands XVII 262
 in the West of Scotland XIV 473
 in towns IX 606
 in valleys XVIII 351
 in Wiltshire XVIII 295
 irrigation of vegetable VI 418
 Jephson III 198
 judging cottage XI 161
Keusington VI 401; XIII 243; and London trees IX 70
 Kew XI 376
 kitchen XX 358
 large, hints to owners of I 61
 laying out small IX 374
 “little birds” in XVIII 342
London IV 205; churchyard IX 24; XIII 183
Luxembourg VIII 287
Manley Hall IX 588
 miniature Apple I 189
 mirror-globes in IX 448
 mole-hunting in I 249
 monastic XVIII 453
 Mr. Gladstone on cottage VIII 201
 Museums and Parks, Provincial XII 79
 my two II 551
near the Louvre XI 482
 new metropolitan XVII 83
 new public (1880) XVII 285
New Quarterly on VII 26
 nursery beds in XVIII 118
 Oak-stumps in XIII 135
 of ancient Greece IV 301
 of *Le Petit Trianon* V 421
 of Mexico, floating V 37
 of Paris in the winter of 1879-80 XVII 66
of Schönbrunn, the Imperial VIII 221
of St. Gratién, the VIII 483
 of the ancient Romans III 5
of the Grand Trianon, the X 607
 of the Hesperides, the VI 421
 of the Khedive III 155
 of the Middle Temple XVI 28
 of the new Workmen's Cities VI 283
of the Villa Albani II 35
of the Villa Pamphilii II 79
 of the Villa Frazosini XI 63
of Villa d'Este, Tivoli II 297
 old-fashioned XX 433

Gardens, old kitchen XX 16; renovated X 39
on firming soil in XVIII 141
ornamental, at Rochester, U. S. XIV 107
our London VI 103
Paris II 12
Piedmont School (California), XVI 110
Pincio, Rome V 331
plagues of town I 288
pounds and foul water in XIX 581
produce of French IX 385
proposed opening of Lincoln's Inn VI 259
Prussian II 147
public and war I 280; at Lyons V 287; in Florence II 445; of Paris in 1872 II 96
raised mounds in XVII 537
rating XII 249
rats and mice in XVII 94
recent additions to our II 33
Regent's Park, view in the Royal Botanic VII 51
remarkable of Portugal VIII 169
Rochester Castle II 24
Rossherville II 310
Royal, Frogmore IV 508; X 307; Hampton Court VIII 180; Kew VIII 207
Saturday Review on modern X 252
school XVIII 434 456; XIX 593; at Marlborough XIV 130; in Austria X 202
sea-side XXII 433
shears in old Irish I 658
shrubs for small XV 236
single plants in cottage XX 365
sites for kitchen and fruit XV 18
size of XIII 133; XVIII 292; and management of XVIII 204
small XVIII 194; kitchen I 67
soil in town XII 146
statuary in XVIII 375
stone ledges for rock XIII 541
stone seats in VIII 80
storks in XV 142
St. Pauers XIII 4; XVI 450
suburban, trees and shrubs for III 434
Temple VI 382
Terrace I 46
Thames Embankment III 18; XII 271
too large XVIII 268 301 338 547
town, in autumn VIII 319
two views in XI 400 401
ugly structures in XIII 37
variety in small III 26
Vatican III 156
vegetation in, in December IX 78
Viceregal, Dublin XIV 125
view in the Boboli, Florence IV 443; in the Medici VIII 443; in the Palazzo Pitti XI 247 251
views in town XIII 487
village, and cottagers' allotments VI 226
visiting the Paris XIII 559
water in small XI 298
water tanks in VI 111 509
"Wild" III 323; flowers for I 279; and woodland flowers IX 407 457; v. highly-kept XX 208; water XIX 490
window VI 395; and balcony IV 377
winter X 255
wireworms in XVII 484
worms in XVII 335; XX 580
Zoological and Botanical combined VIII 66
Gardener, the XVII 354 (poetry) and the owls I 600
centenarian XII 556
distance walked by II 548
heroism in a French XVII 530
Shakespeare as a X 552

Gardeners XIX 30
and botanists II 499
and situations in America XVII 469
and the *Saturday Review* IX 275
appointments, public XVIII 456
Benevolent Institution, a scheme for XX 125
calendar for October 1609, Evelyn's VI 420
Chronicle and the Iris article, X 575 595
cottage at Henham Hall V 435
dwellings for under- XX 578
emigrating XX 496
English, in America II 69
Englishwomen as XVIII 431
few very long-lived XVIII 35
French v. English XIX 413
Friend VI 348; Clarke's X 415
German, in England XVIII 34
German, in England XVIII 34
gun licence for XIX 194
holiday XX 152
holidays XVIII 153
house and garden XII 336; plan of I 175
in America II 48; IV 510
Institution, Chelsea III 196
in the United States IV 370
in 1881 XIX 508
life IX 528
lodgings I 175
notes, an electric XVII 335
Orphanage, a French VIII 134
Paradise, not a VI 188
party at Caution XX 72 124
promotion for young XIX 105 190
rooms XX 499
Royal Benevolent Institution I 221 673; II 21; VI 40 163 188; VII 62; VIII 556; X 48; XI 166; XII 3 89; XIV 2; XVI 21; XVII 44; XIX 275 375
shearing XII 228
soldier XIII 219
soliloquy over the seed catalogues, the IX 352 (poetry)
song III 344
Spectator on V 473 495
two XVII 545
United Order of Free II 209; VII 458
wages of five hundred years ago VII 195; in Australia I 496
weather lore for XVII 174
women as XII 293; XIII 404
work, Earl Cowper on XVII 536
Gardening II 346 368 392
amateur XVII 276
and bulb-growing in Holland XI 456
area at Eastbourne X 436
as an industry XI 412
as a recreation III 185
at a railway station VIII 146
at Belvoir Castle III 378; in spring VII 450
at Cistercian XI 529
at Frogmore XIII 296
at Heatherbank XVI 1361
at Hoxton in the olden times VI 268
at Salt Lake VI 171
at Vienna XV 44
balcony V 393
book on indoor XIX 21
calendars XVIII 658
Chinese VI 215
convict, in India I 86
co-operative XII 287; XVI 471
cottage V 248; X 152 178 214 236 285 330 357 404 422 464 504 533 541 561 592; XI 27 53 60 91; XIX 374; and allotment VIII 490
courtyard in Venice V 357
Crystal Palace school of XIX 345 364 543

Gardening, D'Israeli fond of VI 238
drawbacks of geometrical VIII 500
Dr. Goeppert on X 55
effective spring VII 462
electric XIX 413
Elizabethan II 443 472
epitome of XX 40
expert workmanship at Mr. Henderson's I 1538
florist XVIII 612
for lunatics II 423
formal leaf X 234
for the week, in each number for women III 403
geographical, at Munich XIV 340
"geometrical" XVIII 226
German mosaic XVIII 352
gossip about I 236
hardy XIX 324; flower XIX 9; spring IX 233
Harper's Magazine on the future of XIX 353
"housemaid" II 234
house-top XI 1144
idiotic III 382
illustrated XV 247; XVI 501; XVII 72 143
in America V 20; XVIII 175
in Austria XX 319
in Austro-Hungary XX 465
in Belgium II 99
in Berlin I 676
Indian, book on X 516
in Egyptian deserts XII 260 285
in grave grounds XX 444
in Greece, a few notes on XIII 118
in Iceland XIX 524
in India, military VI 489
in Ireland, school XX 185
in its higher sense XVII 461
in Japan IV 453
in London XVI 372
in Mysore IX 48
in Russia XV 178
in South Africa XVI 317
in Spain VI 344
instruction in IV 539
in Sweden VI 167 442
in the London Parks XII 269; XIV 5; XVI 319; XVII 123
in the midst of house-building X 319
in the South of Ireland II 209
in the time of Pliny V 455
in Victoria XI 102
in winter at Vienna XIV 587
Japanese XIX 111; at Lamport Hall XIV 189; books on XVII 74
landscape IX 311; XIV 86; XVIII 660; M. André on XV 447; Mr. Milner on XIX 546
Mr. Ruskin on V 454
"Multum in parvo" XVIII 224
nomenclature VI 62
of the future XVIII 269
on grass XIX 413 493 536 542; XX 40
on the sea-coast IV 391
profitable XII 485; for cottagers XI 236
progressive I 597; XX 142
Roulling's School of VII 259
rock v. carpet XVI 2
room XVII 601
round London II 43 66 88 133 155 177 199 225 263 285 331 353 375 415 435 455 475 517 537 557
school of II 277; XIX 93; in Ireland XIX 259
season of 1879 XVI 383
sewage IV 308
some of the present aspects of XI 101
Spanish balcony VI 25

Gardening, spring X 415; XVI 527; XVII 261; XIX 373; and early summer XIX 323; at Castle Ashby XI 537; at the Westminster Aquarium XI 62; both sides of VII 483; preparing for XIV 152
street IX 518
sub-tropical II 343; III 95
town IX 23 52; XIV 408; XVI 407; XVIII 167
under difficulties in India XIV 287
what bedding-out has done for XVII 171
wild X 7; XI 269; XIII 376; for public parks XI 61
William Morris on XVIII 660
window I 710; XIII 373
winter and spring VIII 542; X 439; XII 297
woodland XV 286
Gardenia citriodora VI 149; XIII 204; XIX 252
culture XVII 268; XVIII 374
flowers all the year round IX 352
Fortunei I 657; III 12; hardiness of XV 287
intermedia XVII 405
Kaltreyeri XIII 303
lemon-scented VI 149
roots of nodosities on XVII 166
Stanleyana XIII 433; XIX 437
Gardenias IV 64; IX 33; XVI 438
and their culture X 599; XVII 126
at Bexley Heath XVII 102
culture and propagation of XIV 480
cure for mealy-bug on V 555
for cutting I 582
green-flowered XIII 516
grove in England VII 216
in small pots XV 376; XIX 450
losing their leaves XX 548
planted out XI 190; XVI 540; XIX 528 607; for cut flowers VIII 19; v. pots XI 352
propagating XX 574
Gardinia betonicoides XIX 597
"Garket" XVI 52
Garland Flower, the V 462; VIII 355 388; XX 414; Indian VI 193 215
Forest, destruction of Rome's VII 183
show III 370
Garlands IV 358
Garlic III 444
blue XIX 643
butter X 275
culture and uses of VIII 76
Garrya elliptica IV 105; XII 583; XIV 253; XVII 96 140; XX 602; and other tender shrubs XIX 605; catkins of X 365; female catkin of IV 105; e. femina X 254; for vases VIII 322; in flower XI 39; in fruit X 365; in pots XII 582; male catkins of IV 105; on walls XVII 27; propagation of VII 406
Garston Vineyard, sale of the XI 466
Gas, danger of I 226
effect on trees I 700
heating by I 403; VII 112
under boilers, explosions of VII 336
warming greenhouses with I 342
lime XI 264; as a manure I 437; XVI 340; for gardens XIX 540
Gasoline XVIII 432
naphtha and benzine XVIII 262
Gasteria Peacockii II 421
Gastronema flammum XII 247; *sanguineum* IV 292; XVIII 291
Gate lodges in the parks X 312
shut your own, behind you XVI 228

Gates I 80
rustic XII 89
Gateway, the architectural, a mistake IX 300
Gaultheria procumbens X 586; XIV 368; XX 209 (*cut*)
Shallon I 156; at Balmoral XIII 132
Gaultherias XX 209
Gaura Lindheimeri VI 174; VIII 368; XVI 508
Gaylussacia III 436
pseudo-vaccinum III 436
Gazania Pavonia VIII 363
pinnata integrifolia XX 367
splendens XII 440
“Gehemia,” a new insect destroyer XIII 316
Gelsemium sempervirens XVII 320 444
nitidum X 516
Genetillyia fuchsoides II 482; X 599; XII 629
Hookeri XV 32
tulipifera, propagating XV 328
Geneva, Lake of I 443
Genista acutensis XVI 148; at Glashenew II 136
amsautica XVIII 145
elegans XVII 66
fragrans XVII 396
hispanica XIX 584
praecox X 192; p. sulphurea XI 420
prostrata VI 10; XV 496; XVIII 73
sulphurea XIII 434
tinctoria XIX 503; XX 52
virgata VI 2; XIII 589
Genistas, the XIX 503
Geutiana acaulis III 364 394; V 440; X 518; XV 369; XIX 523
554; as an edging I 586; in pots XII 582; on mounds XIII 490; varieties of XVII 279
descendens XX 320
affinis XV 295; XVI 231 365 (*cut*); XVIII 228
algida XVII 343; XVIII 68
Andrewsi XIII 132; XVI 275 320
arveneusa XX 153
asclepiadea XVIII 180 203 (*cut*)
248 XX 222; in autumn XIV 257
bavarica II 288; XX 9 438
BAVARICA XV 278
ciliata XVIII 304
crinita XVIII 366; XX 423
Duuni XVIII 262
excisa II 201
gelida VIII 514 530; IX 123;
XVI 127; XVIII 78; in Edinburgh XX 184
Kurroo XVI 369; XVII 67; XVIII 423
KURROO XVII 264
new XX 153
Paeumoua the VIII 298; XVIII 151; fine specimen of XVIII 376
pumila XVIII 107
Saponaria, var. alba XVIII 417
septemfida XII 223; XX 99 130;
s. var. cordifolia XVIII 187
verna V 497; XV 389; XVIII 582; XX 613; at York V 474;
growing amongst stones X 7;
in bloom in February XIX 153;
in pots XIII 355; XX 153
Gentian, Bavarian XX 9
closed II 468; XVI 320
fringed IV 305; XVIII 304 366
late-flowering XII 223
stemless V 440
vernal XX 529; at York III 450
Willow XX 222
Gentians XII 246; XX 216
autumn-flowering XX 203
culture of VII 460
in bloom in August IV 84
in borders VIII 482

Gentians, new varieties of alpine XV 520
notes on VIII 147; XIII 94
rare species of V 474
species of cultivated V 497
Geutiauwort, new XX 362
Geometra (Hybernia) defoliaria III 24
Geouoma gracilis XIV 436
princeps XII 560
Seemannii XIV 389; XVI 415
Georgetown Botanic Gardens, Demerara XIX 56
Georgia fruit-farm, a XIV 155
Pine lands XII 28
water-melons in X 255
Geranium anemonifolium IV 292;
VI 245 (*cut*); XV 84
arenarium V 496 518
argenteum XVIII 293; XX 614
armeniacum V 198 518; VIII 97;
XI 125; XV 496; in autumu X 458
ARMENUM XI 478
Backhoussianum V 112
best bedding variegated XIX 112
cinereum and G. argenteum XII 492
double Ivy-leaved VIII 81
echinatum VII 226
Endresi X 50
molle aureum XII 570
platycotulum VIII 7 34; X 7;
bearing seed VIII 42
polyauthes XVI 80
Robertianum album VI 470; IX 608
sanguineum, as an edging plant
VII 500
South African XIII 19
sylvaticum fl.-pl. XIV 28
v. Pelargonium I 547
Wallichianum XII 196; XVI 555;
XVIII 518
Willisi roseum, for vases VII 395
Geraniums, bedding VI 196; new
way with VII 200; wintering
VII 238
for forcing VII 252
for indoor winter decoration VII
102
for Rose-stems V 78
golden variegated IV 116
good double VI 217
hardy, in bloom in June XIII 572
Mr. Pearson's II 161
pit in which to winter IV 139
potting bedding VII 276
raising seedling VII 82
scented-leaved VII 153; XVII 66
Gerardia purpurea XVII 123
Germander Speedwell, verses on I 714
German gardeners in England XVIII
34
mosaic gardening XVIII 352
School of Gardening I 438
Germany, Botanic Gardens in XVI
127
Handbook to the Flora of XVI 60
Potato crop in XV 510
Germination in a very low temperature
IX 190
promotion of by camphor-water VI
296
Gesnera, best winter-flowering IX
388
cinnabarina IX 388: for winter
decoration IX 35 90
Cliftoni XV 57
elongata III 261; IX 472
exoniensis XX 414; from leaves
XII 443
Hendersonii XI 325
Houttei XI 205; H. coccinea IX
340
macrantha XV 246
maculata VIII 382
refulgens II 421
zebrina XVIII 366 512

Gesneras I 546; VI 430
and their culture XIII 445; XVI
437
beautiful XX 178
cultivation of V 36
diseased XX 626
for the greenhouse in winter IX
169
management of III 471
Gesneraceous roots in winter, storing
XIV 134
Gesnerad, showy winter XIX 116
Geum, choice species of XIV 562
coccineum XX 343
COCCINEUM FL-PL XIV 562

Gladioli, culture of XVIII 420;
XX 584
degeneration of XVIII 347 401
481 536
dividing XVIII 564
dwarf XIII 335
EARLY - FLOWERING XVII
156
early XIX 616
English v. French seedlings II 162
exhibiting for certificates XVIII
482
fine XX 264
forcing VI 535; X 180
French XVI 231; and English
raised XIV 277
growing XVIII 347
hybrid VIII 385 457; Lemoine's
XVIII 152 290
HYBRID, NEW XVII 306
in Rose-beds XIII 162; XVI 56
346
in trenches IX 306
late XIII 35
M. Souchet's new IV 438
new races of VIII 324; XVIII
569
of 1874, the new VI 78
raising from seed IX 31
seedlings and good varieties of
VIII 293
select XVIII 348
Souchet's new III 110
spring culture of XIX 255
wintering XIV 354; XVIII 243
473; XX 545; new mode of
XVIII 193; out-of-doors XIV
553; XIV 466; XV 493; XVI 3
within the reach of all XII 248
Gladstone (Mr.) on cottage gardens
VIII 201
Gladwin, the XVI 571
as an indoor ornament V 55
as undergrowth, the IX 32
in fruit, the VIII 517
seeds of IV 425
seed-pods of the V 55
v. Holly-berries XV 126
Glasgow Botanic Garden XIV 166
Glasnevin, artificial bog at VII 483
Botanic Garden I 309; . II 10
(*cut*); XVI 6 25 460 499; XVII 10
245; spring flowers at XIX 418
Disa grandiflora at XVI 232
flowers from XX 368
hardy plants at XVIII 52
Lilies at XVI 232
new ground at XX 496
notes from XIII 248; XVII 58
Orchid-house at XIII 136
plants hardy, in bloom in May at
XIX 489
Rhododendrons and Camellias at
XV 246
Sarracenia at XI 470
spring flowers at XIX 299 321
Veronica Hulkei at XI 471
Glastonbury Thorn III 22; XIX 84
Glass copings and frost VII 242
cutter, a new patent IV 175
cutting, methods of X 294
experiments with coloured III 36
for green-houses, the best V 338
for screens, how to frost VII 436
mania XVIII 475
“metal” VII 316
new kind of VII 316
of various colours, experiment with
I 175
on light, action of XX 382
Pears and Apples under I 292
298
ribbed XIII 583
rolled plate IV 407 518
rough plate IV 482; XVIII 554
sheet v. rolled plate IV 429
structures VII 70
to regulate temperatures under XX
593

Glass, toughened VII 332; VIII 2; IX 218
tough plate XVI 304
Glasshouse, Richardson's Patent V 291
293
walls of, embellishment of VI 579
Glasshouses XIX 625 626
and the Building Act XX 382
cool XVII 478
double roofs for XIV 340
encrusting tile-floorings for VIII 486
flooring in VIII 384 443; best VIII 451
forms of XVIII 184
glazing XIX 118
in America V 234
lath blinds for shading XVII 99
materials for VI 416 447
notes on VIII 90
painting IX 13 83; XIX 625
permanent shade for I 657
preserving the woodwork of IX 126
scorching in VIII 196
span roofed XVII 203
with open laps IX 283
Glaucium corniculatum XVI 555; XVII 33
luteum XVI 33
Serpieri V 50
Glaziers say, what will the? VII 333
(poetry)
Glazing a greenhouse XVIII 665
on Mr. Pearson's plan XI 214 264
313
Rendle's system of XII 616
with tile-shaped glass VII 507
without laps XI 120 156
without putty XVI 459; XVII 17
Glaziova bankinopis XX 112
Glazonia insignis IV 130
Gleditschia Bujotii XIII 268
chinensis XIX 409
in Professor Owen's garden II 147
weeping XIII 268
Glechoma difurpa IX 447; *d. longipinnata* XVIII 185
Glechomias at home XX 504
how to treat VII 128
species and culture of IX 445
Glen Eyre, Bassett, Southampton V 65
notes from XIX 205
Glevering Hall IV 49
Globba coccinea XX 362
Globe Amaranthus XII 419
flower, European XIX 646
flowers VIII 449; XVII 407 450
486; autumn-blooming X 416;
note on XIX 571
Thistle, the Bunt V 139
Globularia Alypum XI 214
Gloneria jasminiflora XIII 433; XV 365; XVII 404; XIX 392; XX 437
Gloriosa, a hybrid VIII 346
Plant at Chelsea XVI 196
superba, hardy VII 498; how to treat imported bulbs of VII 36;
s. grandiflora XVIII 28
Gloriosas and their culture X 499
Glossary of materials X 512
Glossocoma ovata V 474
Gloxinia bulbs, storing XVI 195
Frederici XX 228
maculata XX 402 415 547 (cut) 546
remarkable XX 142
Gloxinias XVI 18; XX 137 472
all the year round XV 415
and their culture XI 288; XVII 564
at Anerley XV 189
at Chelsea XI 285; XIX 592
at Reading XVII 491; XIX 534
best VI 361
diseased XX 280
failing XIX 640

Gloxinias for early flowering XVIII 452
for winter blooming I 346
from leaves VI 317
from seed XX 103
in cool houses X 228
in winter XVIII 630
NEW VARIETIES OF XV 162
origin of the Spotted XV 175
propagating XIV 65
proper temperature for XIII 559
raising from seed IX 505
seedling X 360; XII 377 421; XVIII 78; for autumn blooming X 578
select XVII 468
semi-double XII 153
speckled XII 458 589
spotted XV 162
striking in cocoanut fibre XI 321
wintering XIV 355
Gluic and flower gum X 294
Glyptostrobus sinensis XII 561
Gnaphalium arenarium XX 23
decurrens XIX 99
Leontopodium VI 238; VIII 382
polycephalum XVIII 330
Gnats in the garden IX 480
Gnidia pinifolia XI 206
Goat Moth, the XII 504 509; XV 366; XVI 384; caterpillars of XV 226
"Goat's Beard," the XIII 589
Rhus, the XIX 121
Godetia, Flag of Truce XVIII 189
Lady Albemarle XII 148 174 223
446; XIX 348
Nivertiana I 423
Godetias for indoor decoration VIII 234
God, a false XIX 251
Godwinia gigas II 418 500
Golden Feather, double-flowered XVI 442; Osborn's XVI 556
Drop XIX 618; XX 183 (cut)
Rod XII 320; an ornamental IV 504
Rods, alpine XIX 27
square VI 262; bed in I 108
Golder's Hill XVI 530 531 (cut); view in the garden at XVIII 105
Goldfussia amabilis XX 234
isophylla VII 60; XV 86
"Goldhearts" VI 366
"Gold-thread" VIII 294
Gombio XII 112
Gompholobium angustifolium X 66
polymorphum II 94
Gomphira decorans II 390
Gomphrena globosa XII 419
Horrigera XII 419
Gomphrenas, the XII 419
Gougoora portentosa XI 233
Gonopldeium appendiculatum I 315
subauriculatum for the house and conservatory VIII 551; in basket I 683
Good King Henry, the III 300; as a vegetable XI 431; seeds of X 576
Good time coming, a XII 139
Goodwood XVIII 507
Park, view in XVIII 515
Peach-trees at XVI 551
Goodyera Dawsonii VI 197
pubescens XVI 216 383
Rollissoni XII 449 490 536 558 604
Gooseberry at Longleat, the XIII 458
buds and birds IX 360
Cape XII 533 568
Caterpillar I 677; II 53; V 441; XV 488; XVI 72 115; XVII 67 130 168 171 602; XIX 577; XX 39; and hellebore powder VIII 126; and the cuckoo IV 87; Elder bush a cure for XIII 356; how to destroy II 358; VIII 94; X 294; tan cure for XIII 408

Gooseberry, culture of the VII 322
fungus XI 211; XX 17
golden drop XIII 520
grub and toads VII 445; destroyed by chaffinches, the VII 508
Moth, the XVII 283
New Englander on XI 384
sawfly XVII 272; XVIII 429 (cut)
shows X 340
twin-bearing VII 55
Gooseberries, American III 305
and Currants as espaliers X 235; budding with VII 87; culture of XI 16; grafting X 62; late XII 222; notes on X 461; standard X 560
early and forced X 116
espalier IV 530
for exhibition IX 128
good kinds of XX 531
green IV 13
growing and training IX 444
heavy XX 172
Lancashire show IX 195
large IV 171
late XVI 261
on a north wall VIII 186
on walls V 314
pruning XI 104 542; XX 633; and training IX 500
standard XIV 325 344 382; XX 400 471 509
wild American IX 484
Gooseberry bush, a pyramid II 58
Fuchsia-flowered XVII 342
large XX 400
pruning v. birds XI 170
standard XIV 325; XVII 273 (cut)
training and protection II 7
Gooseberry bushes for garden fences VI 54
moving XVIII 266
planting XVI 111 394
pruning XVI 458
standard II 524; XIX 138; XX 448; grafted VIII 61
summer pruning XII 20
trained as pyramids V 310
training V 548
wood instead of fruit in V 441
Gordonia aquatica VIII 122 166; XIII 506
Gorse or Furze XV 198
covert of, how to get up XIII 559
eradicating XVI 72
Gourd, Gooseberry VI 3; XVI 295 (cut); XX 457
ornamental miniature VI 193
Gourds I 584
for ornament I 584
grafted VII 85
history of XI 54
keeping in winter XII 412
large X 525
ornamental VI 3; VII 75; XIX 432 (cut); at Kew XVIII 251
some very extraordinary VII 26
Goutier, Mousieur I 434
Govolia aquatica XIII 506 534
Gowan, the IV 356
Horse IV 191
v. Daisy IV 245 306 339
Gowans and Bowans IV 278
Gracillaria syringella XV 443
"Gram" VIII 422; X 605
Grammanthes chlorantha XX 99 130
gentianoides XVI 149; for bedding XVIII 29
Grammatophyllum Ellisii II 92
Graft hybrids XX 507
Grafts, cutting and storing VI 436
Grafter combined I 201
Grafting I 386 (5 cuts) 406—407 (7 cuts); II 262—263 (6 cuts) 284—285 (4 cuts) 291 (2 cuts) 327—328 (3 cuts) 373 (4 cuts) 411—412

Grafting—continued.
(4 cuts) 431 (3 cuts) 471 (3 cuts); III 133 (cut) 229 (cut); XII 383 (2 cuts) 394—396 (12 cuts) 425—426 (9 cuts)
Acers III 10
"affinity" in VIII 62
and bearing XIX 220
and budding III 72; art of XIII 329
anomalous I 286 317; VIII 266
art of (illustrated) I 111 122 157 200 212 233 257 275 315 334 386 406 467 508 575 595 642—643 675 712; II 26 105 154 175 242 262 284 291 327 373 410 431 471; III 132 229
bad effects of XX 539
Bignonia radicans on the Catalpa I 286
Bur-reed ligature for II 471
Cabbages VII 190
change by XVII 493
clay, how to make X 295
cold mastic for I 415
conditions under which it is beneficial XV 46
crown by inlaying I 713
curiosities of VI 312; VIII 460
double XVI 569
effects of XIX 315
experiments in III 72
gouge I 201
implements XIX 238 239
in winter VI 293
knife, chisel and mallet for I 201; inlaying with I 712
late XX 127
make believe I 481
methods of I 315
natural X 30
new Roses obtained by III 229
on different stocks XVI 458
on large branches, evils of IX 404
on roots IX 385
Pelargoniums III 240
preparations for I 286
Rhododendron I 675
side I 595; with a vertical cut I 595
terminal cleft II 175
to increase size (2 cuts) I 467
to test, new varieties VII 87
variegated Pelargoniums I 446
woven crown (2 cuts) I 676
Vines II 432; VII 433
Walnut I 446; VII 168
wax for II 26; III 237; V 272; cold III 230; how to make X 295; turpentine injurious in IV 10
with a based branch (2 cuts) I 575
with an oblique cleft I 595
with fruit-bearing wood IX 15
Grape, Abercarnie Seedling X 8 478
Ahnwick Seedling XII 488; XIV 301 408 476; XVIII 164 171 261 278; XX 435
Barbarossa, the best VIII 472
Black Alicante VI 474; VII 278
Black Hamburg, as a late XIV 405 521 558 584
Blussard Blanc XX 509
Buckland's Sweetwater XVI 114
Catawba XIV 454
cellars, Chinese XIV 208
Champion Muscat in a ground vineyard XVI 432
Chasselas XVI 432
Chasselas de Fontainbleau VIII 264; X 208; XII 440; XVI 386
Chatsworth Seedling XVIII 237 316 586
Clive House Seedling XI 122
colouring III 422; and large bunches VIII 290

Grape crop in California, the VI 54
culture XVIII 662; amateur I 61; at Berkhamsted XII 342; at Castle Kennedy III 103; at Messrs. Lane's V 71; at Thoresby IV 146; economical X 303; effects of soil on XVI 54; for market VIII 297; XI 61; hints on X 8; in California I 580; VIII 450; indoor VI 290; in England, outdoor XVI 73; in France, returns of I 454; in market-gardens XV 325 335; in plant-houses XVIII 152; in the open air VII 169; of Mrs. Pince's Black Muscat XI 39; on back walls XII 567; peculiarities in V 19; simple XII 276
cure VIII 507; at Meran VI 87
Duke of Buccleuch VII 412
Early Ascot Frontignac VIII 122; IX 523
EARLY ASCOT FRONTIGNAC IX 180
Eptahilo XIX 284
failures IV 146
Ferdinand de Lesseps IV 171
Foster's White Seedling X 221; XX 365; best when shrivelled XI 65
Frontignac shanking XX 33
Golden Champion IV 146 233 269 311; V 334; XV 274 324 334 350 373
Golden Drop V 441
Golden Hamburgh VIII 224; in pots IX 605
Golden Queen VIII 186; XIV 558; XVII 202 218
Grizzly Frontignac XVIII 430 464; XIX 660
Gros Colmar VI 566; VII 196; IX 113; XVI 497
Gros Guillaume II 403; XIX 138; heavy bunches of X 560; Robert's XIII 134; XIV 584
Gros Marve XVI 477
growing at Oak Hill XII 601; in the open air VII 221
jelly VI 509
Kempsey Alicante XIX 165
Lady Downe's III 338; XI 182
leaves, dew-like drops on VII 433
Lisbon Black VIII 385
Madresfield Court I 228; II 201; IV 184 462; V 224; VII 458; VIII 370; X 378 446 481 602; XI 443; XIV 132; XX 121 169; as a late X 536; colour of VIII 386
market IX 550
mildew XI 362; XIV 143
Mrs. Pearson XVII 161; XIX 284
Mrs. Pince's Black Muscat X 79 402 462 536; XI 65
Muscat Champion IV 370
Muscat of Alexandria XX 348
new American XIX 109; Belgian XII 582
nomenclature XX 379
Pearson's Golden Queen VI 360 519 596; VIII 232; IX 262; XIV 435
PEARSON'S GOLDEN QUEEN XII 600
preserver, the Ashton Court V 61
preserving in China XVIII 656
protector IV 485
Rail, Kemp's I 467
room I 348; XX 536; in March XIX 271
scissors, French X 319
Scuppernong XVI 566
Seachife Black III 225
seeds IV 37

Grape, Smyrna seedless XIII 570 sport XII 231 stand, exhibition VIII 125
Sultana XIV 278
Syrian, how to prevent from shanking VI 595
Trebbiano VI 244; as a late VI 220
Tynningham Muscat XX 554
Van den Laenen IX 496
Venn's Black Muscat VI 566; X 62
Vineyard, the Royal IX 24
Waltham Cross III 430
want of colour in Mrs. Pince's Black Muscat XI 17
“Welcome” XVI 379
White Lady Downe's VIII 538
White Muscat of Frontignac VI 494
Grapes XX 33 90
Almerian V 88; VI 380; XIII 614; in cork dust X 50
Aluwick Seedling and others XX 68
American XVIII 492 558; XIX 76; XX 470
and birds V 19
and Cyclamens in the same house XX 588
and mice XVI 381
and Peaches, Belgian, in Covent Garden market IX 403
and Roses, XIII 166 190 198
and their classification XVI 423
another use for XII 183
at Chiswick XVI 429; XVIII 381
at Heckfield X 327; during 1876 XI 45
at Montreal XI 75
at Oxenford Castle, Dalkeith XV 229
at Wortley XVI 386
autumn and winter X 279
badly-coloured XVIII 294
bearded XI 65
best white IX 180 222; XIX 4
“blind”—a caution X 62
“bletting” in XI 492 494
bottling I 292 298; XVII 2
brown spots on XIX 444
burying IX 16
Charleville Forest X 598
Chilwell, varieties of XVII 324
Chinese method of preserving XVI 553
classification of XVI 516
colouring VIII 507; XX 436 530; badly VIII 538; IX 40
colour of II 38; XVI 424; XVIII 376
cracking VIII 126 146; XVI 382
damping off VIII 353
diseased XIII 400; XVI 296; XVIII 471; through non-fertilisation XIV 165
Duke of Buccleuch and Golden Champion VIII 168
early VI 263; XIX 550; forced III 453; in pots IX 523; on late stocks VIII 507
effect of light on XVIII 163
English and foreign XX 633
Eskbank, bunch of VIII 239
extraordinary crop of XX 241
family and high class XX 537
finc bunch of Muscat of Alexandria V 71
forcing early VII 315
for cool house XX 633
foreign XVIII 475
French Chasselas IV 206
from Vines raised from eyes the same year XV 349 374 403 420 440 450
foxy and slimy XIX 549
grafting bunches of VIII 353
growing on back walls in lean-to houses XII 498
grown in the open air VI 382
Hamburgh VI 360; XX 393

Grapes, hardy VIII 442; Continental XVIII 463
heaviest bunch of black XII 476
heavy bunches of X 280; of black Alicante VIII 441
huge bunches of VI 455
hybridisation of the Monukka and Black Hamburgh VII 19
imported III 128
in a stake-hole IV 442
in a warm greenhouse XIV 363
in a washhouse IV 378
in bottles filled with water I 180; 270 350; II 120; V 373 374; IX 261; XVIII 557
in conservatories XIX 667
in cool houses XX 32
in Covent Garden XIV 166; XX 319
in Cyprus XVI 432
influence of light on IX 412
in greenhouses IX 151
in paper bags XVIII 364
in the open air in Notts. XIV 344
in unheated structures VII 240; X 369
Italian method of preserving V 88
judging VIII 224
keeping V 245; XIV 584; XIX 109; in water II 466 520; III 273; VII 295; Lady Downe's from “scalding” X 124; on the Vines IV 462
Lambton Castle VI 331
large-berried X 438
large bunch of Black Hamburgh VI 190; and Gros Guillaume XII 551
large bunches of X 481; XIII 70
large v. small XVI 538
late X 458; XI 85 104 163; XV 35; XVI 238 429; XVII 162 202 310 336; XVIII 309; XX 556; and how to produce them XI 289; Black Hamburgh XVI 457 516 538 582; houses for XX 473; keeping XI 64; XVI 496; XVII 427 444 493; XVIII 170; keeping in bottles III 319; keeping on the Vine III 266 305; ripened XX 452; when to start XI 330
mammoth bunch of XIII 25
management of shy-setting XIV 241
mildew on X 62; XII 580; XIII 25 583 629
mouldy IV 334 378
Mr. Bushby's XX 509 553 578
Muscat, fertilising XIX 444; in bottles of water X 481; low temperature unsuitable for VIII 309; note on IV 332; setting of XI 86 126
new IV 397; XVIII 503 (1880); XIV 472; XVII 272; of the last 25 years XVIII 371; white X 458
not setting XX 48
on open walls XIV 80
open-air X 398; XVI 95
out-door II 187; V 92 361; X 481; XIX 3 661; XX 121 267 400 425 447 509 531; in Italy II 486; in Scotland VII 212
over-thinned IX 484 496
packing VI 54
Paris XVI 405
peculiarities of different XVI 277
preparing for exhibition VIII 125
preserved in bottles of water I 496; II 58; VII 398; VIII 455 (*cut*); XII 500; XVII 49; through the winter XVIII 371
prices of X 557
prizes for, in 1880 XVIII 133
protecting XVI 110

Grapes, Raisin de Calabria and other late VII 30
remarkable bunch of IV 514
remedy for mildew on X 320
ripe and unripe VII 508; losing colour XII 385
Royal Muscadel on walls X 416
rust on I 637 682; II 38; IV 90; VII 150 196; IX 422 444 483 510 523 576 605; X 4 414; XII 123 142 551; XX 592
saving a crop of IX 550
sous-sûre XIII 53
“setting” of IV 529; without fire-heat XII 128
shanked VI 380; VII 106 150; VIII 185 200; XI 542; XII 230; XVI 317 498; XVIII 276 314 361
some new XII 359
span-roofed *v. lean-to* houses for VIII 338 359
splitting XVI 340
succession houses for XX 33
sulphur often the cause of rust in VII 170
testing VI 473 565
thinning IX 583; X 35; XV 420; late XII 185
to eradicate mildew on XX 74
to ripen XX 486
travelling without packing material VII 22 30 74
two kinds on one Vine XIV 550
utilising unripe XVI 330
v. birds IV 485
Viceregal gardener on the Lambton Castle VI 494
White Almerian IX 376
why not cut when ripe and bottle? I 229
with and without fire-heat XVI 457
without artificial heat VII 340; XIV 343 472 521; XVII 142
worth growing IV 88 134 169
Grape-vine, in pot IV 73
in the open air I 587
Waltham Cross VII 196
Grape-vines, open-air XX 8
Grass I 398
another ornamental XI 78
China III 62; IV 102
cutter, a new patent XVII 315
deadly I 282
predators XI 245
dwarf, silvery XVI 330
Esparo IV 456 482
feather IX 199; XX 222
flower-gardening on XX 613
gardening on XX 40 125 182
golden-edged Cock's-foot XVII 279
hats (Zulu or Japanese) as protectors XVII 55
in Loudon XI 393
lawns and mowers XIX 97 174; renovating XI 529; XIII 306
margins unknown VII 403
mowing XVIII 509
new I 252; VI 386; and beautiful X 462; (*Reana luxurians*) VIII 128; variegated Cock's-foot XIII 589
nuts XII 251
of Parnassus, the fringed XVI 105; XIX 553 (*cut*); XX 203
on “sewage” farms IV 144
ornamental X 605; new Japanese I 120
Pampas I 159
plot forming XIX 257
pretty ornamental XX 325
renovating XIX 257
seeds XVI 45
star XX 88
substitutes for XVIII 350
turning brown XVIII 346
Tussock VI 440
uses of short XX 210
v. Ivy for town terraces X 440

Grass walks VI 79
yellow variety of the Cock's-foot XVIII 199

Grasses and border flowers VIII 21
and immortelles VI 382
bleached V 70
bouquet XX 3
fertilisation of III 218
for table decorations I 556
giant XVI 321
in pots XI 241
large, isolated on turf XII 418
ornamental II 206; IV 83; VIII 128; 539 (*cut*); IX 24; XVI 124; XVII 488; for house decoration in winter X 557; harvesting XII 75; tall-growing XI 427; two new XVI 368; silver-edged XVI 350 393
variegated XVI 392 414 445; new British III 68
wild V 544; for bouquets VIII 21

Grasshoppers, destroying I 9
in Cyprus VI 464
in Kansas VI 336

Grass-tree, the Australian IV 130; XVI 45

Gratz Botanic Garden XVI 276

Grave-grounds, gardening in XX 444

Gravel, how to bind loose XIII 583
pits, disused XIII 334
substitute for I 21

Graviesa guttata, var. superba XVII 137

Graveyard desecration I 46 109

Gray, Professor Asa XIV 101; *portrait of* XVII 334

Greatness, source of I 482

Greece, a few notes on gardening in XIII 118
kitchen-gardening in XIV 251
principal vegetable products of XIII 270
vegetable plants of XIII 174

Greek oracles as meteorological observatories XII 592

Green crops in market gardens XVIII 381; winter VIII 159

“Greenery,” native VIII 406

Green-fly, or Rose-blight, the XVI 137
cure for V 266
on Ferns VI 317
on Pelargoniums XVIII 191

Greenhouse XX 357 383 405
amateur's XV 138 163; XIX 288; in mid-winter XIII 15
arranging a XX 127
“Art” in the XVII 139
blinds XIX 342
climbers, winter-blooming XIV 363 385
cool succulents for I 168
glazing a XVIII 665
green XVI 387
heating a small I 200; XIV 476 501
in an engine-room, a VII 501
in winter IV 374
Mr. Sme's “Poor Man's House” I 691
parasites VII 471
shading XV 365 385
stages XII 572
stands XII 603
walls, outside decoration of low XI 44
with a north aspect, plants for I 233 283

Greenhouses I 32
esthetic XVII 106
amateurs' XV 211
cheap and good XVII 219
covering the back walls of XI 77
Dennis's small III 137
frost-lamps for III 102
glazing XI 177 184 (*cut*)
grouping in XVI 298

Greenhouses, heating small XIII 274 348; XV 176 211
lean-to, heated by flues IX 115
plant arrangement in XIV 479
portable XV 164
Read's span-roofed II 389
tilled floors in XVIII 376
toughened glass for IX 172
unheated XVII 35
warning small XIV 466; with gas I 842
white-fly in VIII 448
winter gardens in IX 97

Greenland, the flora of XII 611

Green lace in the grounds at Holland House IV 491

Green Park, the XIII 277; XV 131
“Greens,” cooking VI 509
winter XX 26; culture of XVI 326; planting out XVI 26

Greenwich Park II 332

Grefle-Metro I 201

Grenada Ink Plant II 24

Grevillea laevigata XIII 263

Manglesii II 167; XIII 459; XVI 66; XVII 274
new XVII 66
Priesii X 578; XX 606
robusta XVII 34; from seed XI 541; XIV 244
rosmarinifolia II 418; VI 580

Grevilleas XX 355
culture of V 466
from seed XVII 170

Grevia Sutherlandii VII 378 478

Griffonia Blumenavia I 13; XII 178; XIV 257; XV 389; XIX 528 (*cut*)
hyacinthina IV 65; XII 488 560; XIV 257; XX 280; h. macrantha XVII 1585; XIX 33; h. maxima XVI 423 452; XX 515
new VIII 556
ornata IX 234 553 (*cut*)

Griffiniis XX 357
and their culture X 381; XVII 510
from seed XVIII 539
propagation and culture of XVIII 575

Grisebach's Herbarium XVI 116

Griselinia littoralis in Somersetshire XIII 480
lutea XII 226
macrophylla, as a window plant V 168

Grizzly Giant I 55; in Mariposa Grove I 54

Grovovia, a lizard caught in a XI 386

Grotto in the garden of an ancient Roman villa V 459
of Thetis at Potsdam IV 117

Ground carpeting beneath trees I 72
eropet I 95
forming a cricket IV 390
plan of the Royal Horticultural Society at Bath III 485
surface, the Beautiful in III 299

Ground-work III 21
new VII 70; practical hints VI 421

Grounds, laying out I 162

Groundsel, Ivy-leaved XX 544
large crimson XX 128
Piedmont XI 15

TYERMANS IX 572

Tyerman's IX 591; X 151; XIV 212 389; XVI 415 488; XVII 202; in autumn X 558

Grouping, errors in II 465
v. dotting XVII 389; XIX 420

Groups of hedges and walls I 164

Grove at Tew Park, Oxon IX 585

Growth force, singular instance of VI 184
without light IX 135

Grubs, effect of frost on XVII 271
grass-destroying XI 364
c. Ranunculus I 568

Grugru Palms XIII 265

Gryllotalpa vulgaris XIV 287

Guano I 208; XVI 162
and its application XVII 316
“bat” IV 178
Company, Native I 385; show of XX 454
death from IV 228
“dissolved Peruvian” IV 352
early mention of IX 13
first cargo of VI 402
for fruit-trees VII 444
for plants XVII 357
in wet seasons XVI 114
nature of III 503
origin of IV 540; VI 437
recent discovery of VI 58

Guanos, analysis of VI 62

Guarana, as a remedy for nervous headache VI 203
rival to tea and coffee I 643

Guatemala, frost in XI 354

Guava, the II 216; XIII 52 (*cut*)
purple-fruited VII 252; IX 183

Guelde Rose, the XVI 524; XIX 618
great III 499
Ketelver's VII 287
large V 183
Pear-leaved V 489
plaited-leaved V 489
yellow-fruited XVI 290

Guelde Roses for forcing XI 205

Guernsey, price of land in XVII 10

Guiana, river scene in I 281

Gum Anima V 18
Copal trees VII 202
in fruit-trees, cause and cure of V 517

Ladanum gathering in Cyprus and Crete XIII 263

Gum tree, blue VI 32; XIV 187 190; in fruit XIV 236; valuable quality in XI 79

Dr. Hooker on X 300

fever V 204 386; VII 247 (*cut*); in Surrey XIV 572; in the Campagna IX 168
giant XVIII 440
hardiest VII 471
in Algeria IX 190
in California VIII 374
in Derbyshire IX 200
scarlet-flowered XVII 52

Gum trees XVIII 345
great height of Australian XI 554

hardiest IX 390

Gun licence for gardeners XIX 194

Gunnera, cultivated species of XVI 513
manicata II 318; XIII 614; XVI 216; and G. seabra XVI 262
seabra II 27 273 (*cut*) 288 318; XI 613 (*cut*); XVI 80 234 412 (*cut*); flower-spike of III 307; for the wild garden VIII 97; large fruit of IV 22; large specimen of IX 563

Gunneras, group of XIX 149
in rooms XVI 540

Gunnery Park XIX 227
Seakale culture at X 395

Ganton Park, Norfolk XX 531

Gutta percha III 216

Guzmannia tricolor XVIII 646

Gymnocladus canadensis IV 400; XV 240; a fine XIV 77
chinensis VII 398

Gynnoptogramma decomposita VI 71 495 (*cut*)
schizophylla XIX 608; XX 311

Gymnomologia Porteri XIII 162

Gymnotrix latifolia II 557; IV 83 (*cut*); VIII 286 360 404; XII 105; XX 393; in Cork VIII 328; in Lancashire VIII 318

Gymnotrix japonica as a conservatory plant X 352

Gynerium argenteum I 159
a. nanum XIV 279
jubatum XII 150; XV 179 (*cut*); second flowering of XIII 55
roseum Rendatieri VIII 165

Gypsophila cerastioides XI 515
474
paniculata XVI 453 507 528; XVII 6 84; XX 204

H.

HABENARIA ciliaris XVIII 379; XX 62
fimbriata XVI 60
psychodes XVI 196
radiata XVIII 138

Haberlea rhodopensis XII 199; XIV 389 462; XV 375 431 (*cut*) 454 468; XVII 67; XIX 490; r. robusta XIX 463

Habitzia tananoides IV 158; XVIII 79; XX 71

Habranthus pratensis XVII 463; hardiness of XV 287

PRATENSIS FULGENS XIV 514
pratinus fulgens XV 497; XIX 587

Habrothamnus Aubleti XIII 199
cyanus XVIII 79
elegans XV 32; XVII 83; e. argenteus XVIII 160; fruiting in winter XI 22; hardy VIII 553; small plants of XII 397; e. variegatus XI 42
fasciculatus XVI 572; XVIII 559; XIX 173 (*cut*); in Cornwall XIII 589; in fruit XX 456
hardiness of XVII 525

Hugelii VIII 362
Newelli XIX 199; XX 544
variegated XII 512

Habrothamnuses propagating XX 574

Hackberry, the XVIII 379

Hadrian Hill XIX 104

Hedera heissia XVI 251
oleracea VIII 34; XIV 535 (*cut*)

Hemanthus albo-maculatus XII 560; XV 109
carneus XVI 232
cinnabarinus X 438; XI 98
coecinens IV 199 250; VIII 510; XX 366
finely-flowered XX 124
flower of XIII 19

Kalbreyeri XVI 6; XVIII 374

KALBREYERI XVI 438

Katherinae XX 153

natalensis XVII 83

species of III 44

Hallfield, Ledbury, gardens at I 266
plan of pleasure-grounds I 267

Hail, and the configuration of the ground XIX 209

Hailstone, remarkable XII 160

Hailstorm, destructive in the summer of 1879 XIV 142

Relief Fund, 1879 XVI 203 262
317 364 521

Hairbell, double XX 222
Peach-leaved for cutting IX 588
Rainer's XVI 81
SILVERLY XI 314
Van Houtte's II 273; VIII 477
Wanner's III 478
Hairbells, dwarf rock II 9
hardy annual XV 356
large IV 258
mountain VII 273
species of VIII 172
Hair-worms XIII 506
Hairy Caterpillars I 255
Hakeas, culture of V 466
Halesia tetraptera I 392; II 39; XIX 478 567 (*cut*) 583
Halifax, new park at XX 17
Halimodendron argenteum XI 515
Hall Place, Tonbridge XII 464; plan of XI 469
Haltica nemorum X 453; XVII 457 (*cut*)
tetraptera XIX 622; XX 10
Hamamelis XX 475
arborea XV 101; XVII 56 251 (*cut*)
virginica XX 361; foliage of XVIII 585
Zuccariniana XIII 144; XVII 251 (*cut*)
Hamlet in Mud-salad Market XVIII 528
Hamma, the great garden at VII 447
Hampden House, Bucks XX 306
Hamper, something like a XVIII 551
Hampshire, effects of the winter of 1878-79 in XV 353
Hampstead Heath I 67 85 109 183 700; VI 152; XVI 149; what to do with I 131
proposed park at VIII 78
Hampton Court XX 105
gardens at VI 76; XVI 128; in May VII 418
view at XX 105
Hanover Park, notes from XIX 636
Hand-flower Tree, flower of the XIX 123
Handlights, Gilbert's Registered II 279
Hanging baskets I 416
Haplophyllum patavinum XIV 125
Hardwicke Hall XVIII 572
House III 412
Hardy aquatic plants I 478 608
bedding combinations XX 390; plants XX 157
bulbous plants XX 415
Cacti XX 43 637
Clematis I 375
Cyclamens XX 319
double Primroses I 703
fernaries I 377
Ferns XX 157; and spring flowers XX 571
flowers I 261; XX 262 308; at Belvoir XX 500; at Kirkstall XX 107; in October IV 351; in September XX 317; in winter XX 522; mixed border of I 262; notes on I 119; XX 135
foliage decoration XX 583
fruit XX 69 171 215 309 556; and the weather XX 597; best I 660; garden XX 452 491; thinning I 682
Heaths XX 78 220 327; British XX 9
herbaceous perennial I 672
Palms I 377 442 479 (*cut*)
Pitcher Plant XX 78
plant lists XX 460 500 520
plants I 160 427 559; and alpines, laying out a garden for XX 464; in flower round London I 561 578 598 603 648 672 713;

Hardy plants—continued.
in November XX 502; new, notes on I 120; notes on I 24; raising seeds of I 255; round London I 539 626; two noble XX 72
Prickly Pear XX 548
shrubs I 332
trees I 160; X 332; and shrubs I 504 573 664 693; for moist places I 633
variegated plants I 543
water plants XX 299
Haricot Chevrière XVIII 208
chocolat VII 478
green XV 247
Hartsfield, gardens and grounds at II 83
Harvest and spring XI 515
decorations, few words on XII 461
“Hassagae” tree, the XVI 50
Hastings, new park at XIII 485
Hatfield XIX 647—651 (*cut/s*)
Haverholme Priory XX 336; trunk of Willow at XX 337
Hawkwood, the Red XIX 40
Hawley House Horticultural Show XX 234
Haworthia subulata IX 529
Haws on the double scarlet Thorn VI 506
Hawthorn caterpillars IX 120
curious growth of VI 206
double, scentless VII 514
forcing III 219
heart-leaved I 504
infant, in flower XII 206
large XVI 568
large fruited yellow VII 321; VIII 521 (*cut*)
variegated XX 195
Hawthorns, fragrant I 667
infant, in flower XII 263
in June XIX 583
late XIX 643
on the heights XVI 116
pink XIV 21
species of VII 41
“Hay fever,” the cause of IV 144
loose, as a protector VII 292 295
Hazel, the Constantinople XIX 191
Hazels, Witch VI 503
Heading back, after planting XVIII 207
Health, influence of different occupations on III 386
Heartsease as bouquet flowers I 493
best bedding IV 356
common XI 293
Heat and drought in 1874 VI 105
from fermenting materials, for Vine starting and forcing XV 200
how to withstand VI 72
in horticultural buildings, economy of IV 407
in turfed and unturfed ground VII 313
materials for bottom III 114
without cost IV 346; VIII 275
working in I 693
Heated walls v. glass cases VIII 61
Heath, Irish or Connemara XVI 543; in Hants XII 344
new seedling XVI 228
new station for Mackay's VI 335
scarlet autumn XVIII 336; XX 262
Sea XIV 100
St. Dabeoc's XX 262
Tree V 12 114
useful white XI 520
various-flowered variety of St. Dabeoc's V 138
white Irish XIV 147
white Mediterranean XX 203
winter XVIII 451
Heaths XX 355
abnormal I 377

Heaths and Anemones mixed XIX 464
at Clapton XX 361
at the Ascot Nurseries XVI 66
autumn-flowering VIII 258; XX 594
British X 545
Cape, and other hard-wooded plants X 11; and their culture II 62; at Clapton XII 272; at home IX 352; in trade establishments XIX 579; propagating XIV 374
culture and propagation of soft-wooded XV 480
hardy II 405 418 425; IV 258; V 293; VIII 189; XIX 166; XX 53 78 220 327; as autumnal flowers X 419; as bedding plants II 527; British XX 9; gold and silver XIX 618; species of IX 93; two beautiful XIX 322
native I 543
NEW CAPE XV 102
planting out soft-wooded in summer XV 84
plea for I 519
propagating XX 511
shading XIV 78
transportation of III 334
treatment of, after flowering XIII 196
winter-blooming VIII 473
Heather. Alport's XX 203
common, collection of XX 203
double XX 203
edgings of IV 339
golden XX 203
white Scotch XX 203
Heatherbank, Begonias out-of-doors at X 306
flowers at XX 25
rock-plants at VII 449
Lilies at X 254
new Lily at X 278
Heather-thatched summer-houses V 392
Heating XVI 94 115
and fire-extinguishing apparatus, Smuton's VI 81
and ventilating XVI 67
apparatus XIV 296; Cowan's Lincklin III 347 373; IV 249 290 291 330 518; V 134 471; VI 142; Deardorff's II 299 415
by candle IX 396
by gas VII 112
by hot water XV 494
by lamps or candles IX 448
by paraffin lamps III 137
Cannell's system of VI 462
economical XIX 303
flues XX 382
hot-air XIX 497
in cold weather XV 30 55 78
limekiln III 469; VI 483 596; VII 21; VIII 318 359
material for I 684
new mode of XI 144
propagator XVIII 665
successful instance of hot-air IV 348
three houses from one boiler XVII 437
waste of force in XX 455 476 514 547
with hot water at Swanley XVI 51
with oil stoves XV 217
with small connecting pipes IX 118
Hebeclinium ianthinum I 484; XV 55; XVII 167
urolepis IV 460
Heckford, flower-gardening at X 327
gardens at VII 447; X 232
Grapes at X 327; during 1876 XI 45
Heledra conglomerata XIX 176
Rægueriana as a low pillar plant XI 546

Hedge, a beautiful XIX 128
cutters IX 286
evergreen XV 249
good garden II 122
growing, tan for V 147
impervious VIII 87
permanent XVI 274
Hedges I 164; V 151; XVI 104
and screens XV 362
Barberry XX 12
clipped and natural XX 219
cutting and felling garden XV 27
evergreen V 185; XIII 400 429 451
for exposed situations V 487
good XX 596
Hemlock Spruce XI 94 117
in Cornwall, in May XIX 503
notes on XVI 342
ornamental IV 93; V 307; IX 510 515; XIX 92 154 190
picturesque XVIII 490
profitable V 253
waved XX 60
well-shaped XVI 338
Hedgehogs in gardens XIII 502
Hedychium XX 414
coronarium and its culture XI 103; out-of-doors XVI 276
Gardnerianum III 478; VI 193 215; VII 234; VIII 355 388; XIX 544 (*cut*); XX 203; flowering out-of-doors XIII 343; hardy near Bristol VIII 294; out-of-doors XI 30; XII 398
Spicant XVIII 283; XX 393
Hedychiums, the XIX 544
as fine-foliaged plants XV 96
Hedysarum gyras XIX 634
humile XV 424
Mackenzii IX 78; XIV 390; XV 520
obscurum XX 614
Helicia sanguinolenta VIII 524
Helenium autumnale XX 343
Helianthemum rugosum XIII 616
vulgare III 96
Helianthems XIII 535; XVIII 311
Helianthus angustifolius XVIII 402 423
argophyllus XII 280
cucumerifolius VIII 242; IX 78; X 182
divaricatus XIV 563
giganteus XX 326 366
globosus pistulosus XVIII 235
lenticularis VIII 340
multiflorus XX 222; m. fl. pl. XII 282; XIV 239; m. major XX 48 500 520
orgyalis II 318; VIII 298; XV 116; in flower XIV 301
tuberous IV 55
Helichrysum, buds of III 18
flowers of XIX 313
orientale X 7; XII 508 (*cut*)
Helichrysums as biennials XIV 106
by the sea XIX 313
double XX 82
Heliconia areo-striata XX 493
Heliotrope, the VII 498 (poetry)
best VIII 349
culture of the VI 339
Miss Holland XVII 514
new XI 515
wall covered with IX 606
well-grown VIII 91
White Lady XX 598
winter I 305; II 295; III 50; VII 220; XIII 92 94 132 249; XIX 2 88; XX 497 585 603; in a fernery XIX 166; in Ireland XIX 175
Heliotropes XX 512
and their culture XVI 571
as winter-flowering plants VII 190
for winter flowering XV 94

Heliotropes, small XVII 167
standard VI 446; VIII 500
Hellebore, Bear's-foot XIX 204
green XV 117
powder and the Gooseberry caterpillar VIII 126; *distributus* VIII 158
seed XIX 257
spotted XV 247
Hellebores I 305
at Kew XIX 321
at Tooting XIX 373
from seed III 434; IX 176; XVII 108
GROUP OF XVI 60
in bloom in March XVII 213
in flower in December XX 563
in pots XV 391
nomenclature of XVII 281
spring-flowering XV 266; XVII 284
trial of XV 23
Helleborus V 392
alchasicus IX 137
altifolius XIII 196; XX 496; in pots XIV 451
angustifolius XII 584
argutifolius II 144; III 316
caucasicus III 312
colchicus XI 144
fatuus IX 199; X 459 (*cut*); XII 288 (*cut*); XIX 204 (*cut*); in a wild state XIX 391 448
giganteus, or *maximus* XVII 7
guttatus XV 247
niger XI 127; XVII 149 194; n. major V 350; n. *maximus* II 438; XII 440 462
NIGER MAXIMUS XIV 178
niger var. *altifolius* XX 479
orientalis XIII 72
paruprascens III 2; X 459 (*cut*); XI 127 (*cut*)
species of XIV 178
vesicarius XVII 250
viridis XV 117
Helmingham, cottage gardens at XX 67
Hemerocallis IV 132
in the water-side XVIII 118
disticha XX 41
flava XVI 286; XVII 204 557 (*cut*); XIX 300; nuder glass XVII 268
Kwanso variegata XIII 136
Mittendorfiana XIV 305
species of XVII 557
Thunbergi XVIII 78
yellow XIX 620
Hemerocallises, the XVI 166
Henlock, cattle poisoned by XX 504
how to distinguish from plants resembling it XII 88
leaves of, and their uses XII 63
poisoning XX 467
Spruce I 195; hardiness of the VII 526; hedges of XI 94 117; scarcity of the XVI 240
Hemp II 250; VIII 203 (*cut*)
Agrimony, the purple XVI 279 as a garden plant VI 310; VII 215
Giant VIII 215
slender-leaved Borrstring IX 387
v. caterpillars I 445
Hemp plants, male and female VII 215
Henderson, Mr. Peter XX 142
Henfreya scandens XIX 252
Hengrave Hall III 432
Henham Hall, Castor-oil plants at X 426
Henslow, Rev. G., Lecture by XX 599
Hepatica angulosa XIII 180; large-flowered, best VII 102

Hepatica Barlowii VII 136; and other kinds IX 242
double blue XI 232 261 328
Irish V 366
seed XIX 257
single white VII 195
triloba and H. *angulosa* XVII 322
Hepaticas II 97; III 297; VI 553; XVII 284 362
at home XIX 233
for spring bedding XVII 344
from seed VII 385; XI 168; XIX 555
in bouquets VII 149
in masses XV 259
in pots IX 115
note on XIX 11 288 452
seedling XV 287; raising XVII 316
under glass VII 82; XI 168
Heracleum I 326
giganteum VIII 42; XVII 33 (*cut*); XVIII 28 105; as a fine-foliage plant IX 490; in the Regent's Park IX 540
Herbaceous bedding XIX 570
beds and borders XX 383; planting X 354
borders, errors in planting X 380; in Victoria Park XX 204
plants XX 393 594; and alpine plants I 25; aspects for XX 108; at Birmingham XX 380; for exhibition I 117 187; large XX 135
Herbarium at Dublin, a British VI 512
European X 593
Grisebach's XVII 116
insects, how to destroy X 295
Linnean, at Burlington House XIII 78
Mr. Wilson's Moss VIII 34
“Mycological (Econicum)” III 440
National II 475 513; III 248
paper XIII 559
plants of Gay's VI 489
Welwitsch VII 254
Herbaria, on access to public XII 367
Herb cultivation at Mitcham VI 166; in America XVII 23
garden VIII 376; small VII 88
Herbs, cutting and drying IV 306
harvesting I 20
homeless IV 6
mixed X 119
scarcity of in English gardens XII 238
Hereford Fruit Show, 1879 XVI 473
fungus forays and feast XVI 376
Herefordshire, cottage garden in I 252
“Pomona,” the XVIII 380
Heritiera macrophylla XVI 341
Hernaria glabra II 318; XX 519
Heron's-bill, showy XI 125; select V 179
“Hero's Targe,” the XV 5
Herpesia reflexa XVI 369
Herpestis reflexa XVII 315; XVIII 538; XIX 578
Hertfordshire, “Flora” of VII 234
Hesperaloe yuccafolia XVIII 188; XX 71 361
Hesperides, gardens of the VI 421
Hesperechiron pumilus XV 455; XVII 394; XVIII 3 (*cut*)
Hessea spiralis V 158
Heteranthera limosa IX 47
Heterocentrum mexicanum XVI 472
Heterocercism, of the Potato parasite VI 532

Heuchera lucida X 577
Menziesii XI 529
Herba brasiliensis XVIII 564
Hexacentris mysorensis XIX 323; and its culture XIV 283
Heythrop XIX 301
Heywood, new park at XVI 149
Hibberd, Mr. XX 174
Hibbertia dentata XX 625
Reedi XV 455
volubilis, flowering spray of XVIII 645
Hibbertias, cultivated XVIII 645
Hibiscus africanus XIX 558
blue-flowered XVI 144
cauaninus IX 118
coccineus VI 563; XVII 41 (*cut*); XX 317
Colleri X 538
Copri, propagating XVIII 144
Denisoni X 490
esculentus III 250
hardy kinds of V 157
Hughes XVIII 137
insignis X 366
Lamberti XII 519
Manihot, as a bedding plant XIV 353
Moschentos II 245; VII 127; XVII 32
new shrubby XX 130
palustris in flower XIV 302
praecox XII 112
rosa sinensis IV 207
ROSA - SINENSIS SCHIZOPE-TALUS XVI 486
rosa-sinensis schizophalus XVII 428
schizophalus XVI 133; XVIII 474; XX 415
some ornamental species of XVI 486
sprengelii V 157
syriacus IV 212; XVIII 250; XX 252 343 360 (*cut*); S. *celestis* XVI 144
white shrubby XIV 190
Hibiscuses XVI 540
hardy, in New England XVIII 368
Hickey, late Rev. William VIII 478
Hickories, transplanting X 389
Hidden Wealth I 225
Hughes I 613
hardy trees at XVI 271
its park and grounds I 613
High House, Campsey Ash IV 49
Hillfield, Reigate XIV 172
Himalayan Cyrtandracea XVI 232
Mountain scenery I 459
Himalayas, hardy plants of the VI 191
Hinchinbrook, gardens at VI 334
Hints, horticultural I 27
Hip jam I 65
Hippastrum aulicum, finely-bloomed plants of XI 2
villatum VIII 257
Hippastrums, removing offsets from X 400
seedling XI 205
Hippophæa rhamnoidea VI 232 380; XX 524; *stellate hair* of XI 523
Hobart-town Botanic Gardens XII 531; *view from* XIII 435
Hoe, new and useful III 502
Hoes (Dutch) adapted to various sizes of blades VII 416
prong XX 37
Hoeing, advantages of IV 118; VIII 506
Hogg, Dr. Robert XIX 387
Hohenbergia exsudans XVII 322
Hokkaido woods, climbing shrubs in X 118
Holboellia (Stauntonia) latifolia XIV 369
Holeus lanatus aureus XVI 368

Holdings, small X 76
Holiday tour, a V 246 266 286 308 330 352 374
Holland, gardening and bulb-growing in XI 456
House—south front IV 483; *two views of* X 236 237
Hyacinth cultivation in XV 368
International Flower Show in, in IS7 XI 321
Holly XIX 626; XX 594
ancient name for the XI 420
and climbing Roses XIV 56
and its varieties XVIII 171
and Mistletoe season in Sherwood Forest XII 583
and other berry-bearing trees XII 592
berries XI 203; XIV 572; XV 9; and Apples II 486; and birds XII 583; and hard winters XIII 412; cause of the scarcity of XI 48; in 1879 XVI 481; scarcity of in Ireland XI 117; scarcity of in 1876 X 577 616; XI 40; scarcity of in 1880 XVIII 584; scarcity of in ISSI XIX 18; substitute for in XV 48; two-year-old XI 48 79
dwarf Rock II 405
fly XIX 601
from seeds V 296
green weeping IV 254
hedges, planting X 450; XV 226
Hodgins's XIII 14; XIV 511
in berry IX 450
in flower, at Christmas XI 47
Ivy, and Mistletoe, in the London markets IV 493
large XIII 452; XVIII 253 441
leaf of Lawson's XI 233
Magnolia I 504 633; leaf of I 633
new XVI 105; XVIII 367
notes on the fruiting of XI 521
propagating IV 45; XIV 289 (*cut*)
Scotch golden-aylded, leaf of XI 315
sports XII 626
varieties of the XVII 141
yellow-berried XX 602
Hollies VIII 534
at Dublin XX 523
berryless XIII 412
bud variation in II 464
fasciation in XIII 376
from Dublin XX 497
from Hardwicke XX 560
golden, in hedgerows XVII 105
grafting XIV 429
green-leaved XI 368
how to invigorate old II 172
in terrace vases XIX 104
moving XVI 122
on an Elm XIII 310
planting III 340
propagating II 242
root-eaten XV 288
Sea XX 177
Shawdon I 266
sugar-loaf XVIII 340
transplanting VII 2; and pruning XVI 48; old IV 33
variegated XV 74; when to take cuttings of V 185
when should they be pruned? VII 183
Hollyhock I 606; IX 30; XX 254
culture of the VI 403; XIII 209
disease IV 376; VI 215; specific for the VI 42
Mallow XX 82
new Japanese XII 10
roots of, dividing VIII 477
seed of, sowing VII 256
Hollyhocks XX 103 138
amongst Rhododendrons X 426
best twenty-four VII 62
diseased XX 126
from seed XV 118

Hollyhocks, improved XVIII 262
new XI 89 234
novel way of treating VI 270
propagating IV 128; XIV 186
(*cut*)
pyramidal XIX 122 175
wintering VIII 512
Home travel XIV 197
Honesty, in spring XI 354
pods of, as winter ornaments XI
2 25; cleaning XI 163
purple-crimson variety of XIX 461
Honey, cause of the flavour of Nar-
bonne XII 187
Honey-dew in plants XI 102
Honey Locust, as a hedge plant, the
VI 548
Honey-plants, the XVIII 354
Honey, poisonous XII 279
Honeysuckle XX 177
berries of, poisoning by X 351
destruction of an old and beautiful
XX 179
Dutch XI 87
evergreen VII 491; trumpet IX
566; XI 88 (*cut*)
Golden-veined Japanese II 238
Gold-netted IV 44
Hall's XIV 267; XVIII 224
Japanese on stem of Beech XI 322
perfoliata III 191
small Trumpet II 261
Trumpet III 191; XVIII 355
variegated Chinese VIII 328; for
edging XVI 346; Japanese and
its uses XI 329 425
wild XIV 300
winter-flowering XI 22 60; XIV
329; XX 540
Honeysuckles II 50
for forcing II 522; X 599
indoors IV 30
in pots for forcing XIV 284
in the dwelling-house IX 304
on Fir-trees XIV 485
species of XI 87 410
three most useful XVIII 431
winter XVII 305
Honolulu I 226
vegetation in II 515
Hooker (Dr.) and the Treasury II
445
Hook-thorn I 516
Hop, as a vegetable, the XIII 404
common, as a climber XVI 143
fibre, as a material for paper IV
42
Hornbeam, the XIX 428
plant, the Little XVIII 129 184
Hops on arches XVIII 280
spent I 21; as manure V 464;
IX 190
wild, at Penshurst Place XVIII
455
Hornbeams, the Hop XII 372
Hornet, death from the sting of a VI
203
Horse Chestnut, the XVIII 485
as a town tree, one fault of the V
366
birds of, and sparrows IX 412
crimson X 37
double XVII 282; XIX 621 (*cut*);
white-flowered XVII 164
erratic habit of the XIII 504
leafing in February III 82; in
January III 62
leaves of, injured XX 150
liquor *v. wormus* XIII 198
origin of the name IV 123 152
212
remarkable III 155
yellow-flowered XVII 86
Horse Chestnuts XIX 621
and Buck-eyes XVII 52
early leafing I 410
in bloom in October VIII 298
starch from VII 92
“Horse Gowan” the IV 223

Horse-hoof parings as manure XII
530
Horse Mushroom ketchup II 215
Horse Radish I 340 385 576; III
77; IV 328
culture of I 112; III 425; V
229; VIII 506; XII 18
from Holland 516
imported X 255
in Covent Garden X 576
large stick of XIII 555
poisonous to cattle VII 478
root VII 171
Horse-tails IV 393
Horticultural absurdities XIV 570
Association, the Scottish XII 170
556; XIV 430; XV 132
buffoonery XVIII 662
Club VI 554; VII 458; VIII 472;
IX 26 51
Company, the General XIX 191
Congress at Birmingham II 23 86
drawings XVII 336
education in England XVI 410
Exhibition at Ghent, in 1873 III
254; at Gilmore's Garden, New
York, in 1876 X 396; at Phila-
delphia, 1875 VII 386; at
Vienna in 1873 III 176; of 1880,
International XIV 179 467
exhibitions, provincial XIV 230;
shop element in XX 291
Exposition (1878) International
XIV 130
French Relief Fund I 112
implements, new VI 118
literature XIX 172
millinery XVI 518
publications, foreign VII 236
show at Birmingham I 222 250;
II 36
Society at Preston XX 362
Society, Royal I 200; XX 234
605; and guinea subscriptions V
195; as it is, and as it might be
V 129; dates of shows, 1882 XX
564; future of IV 351 389 428
452 474 496 518; V 23; rules of
XX 240; show of XX 598
swindlers I 454; V 298
toasts in America I 412
Vaporizer, the II 84
Horticulture and “Science” XIX
197
as a profession for ladies II 208
at the French Exhibition, 1879
XIV 169
at the International Exhibition of
1876 VI 534
at the Paris Exhibition in 1878
XIII 157 483; XIV 389 486
587
Barber-ons XII 199
Belgian VI 575
colours and watering XX 507
educating power of XII 590
electrical XVII 305; XX 435
508
household XII 430
humbugs in XVIII 291
in America, surprising growth of
VIII 450
in Belgium IV 123 175
in France, schools of VI 557
in Midlothian XX 365 430
in Portugal IV 478
in public gardens of Paris, revival
of I 380
in Texas in 1875 VII 192
in the Middle Ages IV 143
in Vienna at Christmas I 150
new school of, at Versailles V
473
political XVII 545
popular errors in XX 507
Roman III 202
without humbug X 516
Horticulturist, M. Thiers as a VIII
137

Horticulturists and gardeners,
noteworthy British VI 459
Hose collector, a XI 161
Hot-bed, a small portable VII 314
Hot-beds and their uses XV 121
fungus in XI 470
German III 37
notes on VII 102
on early Vine borders VIII 430
471
rope-refuse as a mulching for V
160
Hot-house building X 544; and
heating XI 161
heating, future of III 136
Messrs. Howitt's Prize II 100
Hot-houses, aspect and elevation of
VII 506
at Milner Field III 35 36
birds' nests in XI 498
cheap heating of V 474
cleansing XIX 56
fresh air at night in XVII 152
glazing XI 30; XIV 109
planting on benches, in XVI 297
preparing for heating X 212
preservation of XIII 404
ventilation of VII 88
Hoteia japonica for edging beds XV
512; potting XX 490
Hot-water apparatus I 110; lamp-
heated XI 19
pipes, form of XVII 204 218 248
in fruit-houses III 457 458; oval
jointing II 537; III 474; oval
and square XVII 186; sulphur-
ing XVII 24; underground XI
75 100
House, cool, for ornamental plants
XX 35; ventilator for door of
XX 617
flies, a remedy for VIII 256; X
296
for Clematis IV 405
fruiting, for pot Vines III 435
Gilbert White's XI 31
growing, for pot Vines III 435
plants, liquid manure for II 84
section of a hip-roofed XI 342
site for I 200
spau-roofed XX 76
Houses, cheap VIII 336
cool XVII 453 485 499 521 536
548; XVIII 34 301; and their
uses XII 564; fruit XX 213;
Grapes for XX 633; profitable
XX 49; ventilation for XX 639
early XX 595
forms of roof for hot XX 583
for Orchids XX 574
hip-roofed or pits XI 264 342
late XX 427 511
lean-to and spau-roofed XV 161
necessary for different purposes
XX 576
newly-painted, ill effects of XVI
460
orchard I 105; XX 309
plauts XX 15 53
span-roofed XIX 212; v. garden
walls IX 383 403; v. wall
protectors I 537
store XX 76
succession XX 59 122 451 556 620
sunken XIX 399 454 542; for
Orchids and other plants XIX
141
temperate or intermediate XV 29
temperature of XX 535
vegetation on I 180
v. pits XVII 203
Household VIII 231
horticulture in XII 430
Management and Cookery, the
Scholar's Hand-book of X 616
receipts V 273; for cookery and
preserving fruits and vegetables
V 600; VI 552
Houseleek, the Cobweb VI 21

Houseleeks in windows XVII
217
House-top Conservatory, a VII 283
Houstonia alba XIX 535
cerulea XVIII 557; XIX 26; XX
614; white variety of XIX 600
serpyllifolia XX 87
Hovea Celsi grown as a standard
XVI 17
ilicifolia XIX 252
Horcy, Mr. Chas. M. XX 70
Howardia caracensis XX 129
How little we know X 55
Hoya australis XVI 369
bella in a cool vivier XV 334
blooms of, how to pick XVIII 646
campanulata XVIII 152 354 (*cut*)
carnosa and H. bella XV 311;
how to pick blooms of XVIII
595; wall-rooted VIII 524
globulosa XVIII 187
imperialis XVIII 355
Paxtonii, fruiting VII 340
Hoyas, the XVIII 354
as basket plants V 415
Huckleberries III 436
Hudson River notes from Mr. Par-
sons XX 580
Huguenots, Gardens of I 353
Hull Botanic Gardens, the XI 391;
XII 103
“Humbugs in Horticulture” XVIII
291
Humea elegans III 141; XVI 231;
XIX 628; as a fine-leaved plant
VII 320; culture of XI 387;
e. purpurea VII 482
Humming-bird, the IV 160 (poetry)
Humphreys, the late H. Noel XV
508 521 *portrait of* XVIII, *Frontis-
piece*
Hunnemannia fumarifolia XVI 6
Huntingdon, hardy flowers at XVI
58
Nurseries XII 406
Hunton Court III 357
Huotman's Cup, mode of growing I
521
Hut, the woodman's VII 223
Huts and arbours, rustic VII 222
Hyacinth, Armenian Grape I 687
bed, pretty VII 373
blooms of, severed from the bulb
XV 365
bulbs of XVI 500; rotting XIX
372
candidus XX 78
Cape XX 78 130 177
culture of the IV 293 335; in
Holland XV 368; in pots and
glasses VI 217
flowers of a second season IV 241
glasses XIV 219; improved XII
574
Grape and the common Primrose
mixed IX 407
Great Feather X 7
growers of, good news for XVIII
298
Homère XX 515
how to grow, force, and show the
X 229
new double II 267
notes on the XVI 299
offsets XIX 286
propagation of in Holland XVIII
312 313 315
remarkable V 218
Roman VIII 523; XVI 550
roots of V 224
twining IX 379
white Roman XIV 194
wild, mixed with Scilla campanu-
lata XVII 486
winter-flowering Grape X 518
with fifteen flower-spikes XV 266
Hyacinths XX 573
after flowering, treatment of XVII
425

Hyacinths and Tulips in Hyde Park V 343
at Fulham XIX 367
different degrees of fragrance in VII 258
Dutch XX 476
dwarf in sand X 254
easy way to increase IX 194
for bedding IV 355
forcing XII 256; Roman and other VIII 195
for forcing IX 172; XX 477
for glasses XX 477
for winter flowering XII 490
Grape IX 327
in beds or borders VIII 457
indoor II 289
in 1880 XVII 56
in glasses VIII 472; XVI 353; XVII 500
in Hyde Park III 274
in Moss baskets X 582
in pots VIII 250; beds and glasses XIV 320
in rooms, culture of XVIII 421
in the open ground XIX 494
in water II 312
in windows XVII 254
late-potted XVII 351
Messrs. Veitch's XI 226
new way of growing II 417
out-door III 331
propagation of by their leaves X 616
Roman IX 35; XI 143; XIV 577; XVIII 555; at the Manchester show 1874 VI 538; early IV 176; in the second year XI 110
second year V 280; XIII 208; XIX 454; XX 209
selection and cultivation of VIII 452
single, best for forcing IX 150
small pots best for early XI 159
some choice VII 234
species of Grape V 5
tying together the spikes of VII 237
white wood XIX 558
wood full of wild VII 450
Hyacinthus amethystinus V 454; a. albus XI 442
candicans IX 74; X 185; XIV 101; XVI 163 232 326; XVII 137; XX 137 157 172 222; flowers of XVI 343; hardiness of X 208; XII 446; XIII 117; in Holland XIII 135
CANDICANS XIX 70
principis XIX 535
Hybernia defolia XV 169
Hybridisation, facts in III 350
in relation to grafting X 349
pure I 480 506 521 574
Hybridiser, curious experience of a V 222
Hybridising, hints on V 85
Pansies I 285
Pedargoniums I 397
Hybridist v. Botanist XVII 18
Hybrid plants XX 81
Hybrids, are they sterile or not? X 150
graft X 418 461
Mr. Grievson X 67 76 250
raised by Messrs. Veitch and Sons VIII 436
various kinds of IX 442
Hyde Park XI 394
alterations in XII 271
bed in XX 545; of fine-leaved plants XX 545
“carpet-gardening” in XIV 224
dell in XII 175
flower beds in XX 252
flower-gardening in VI 189; VIII 38; X 206; XIV 152; XVI 233

Hyde Park, gift of Charles 1st I 558
grass in X 182; XIV 125
Hyacinths and Tulips in V 343
labelling in X 151
meetings in XIII 221
mounds in IX 327
new house in XII 344; XIII 178 204
new ride in I 294
Orange Lilies in XIV 28
planting in XII 199
wild gardening in XV 289
Hydnoræs, the XII 357
Hydnora repandum II 64
Hydrangea III 295
acuminata V 198; VI 402
and its varieties XIX 477
best for shrubbery borders VIII 553
carnescens XIV 154
climbing X 50; XV 237 301; XVI 360
culture of for market XVII 64
flowers of blue IX 554
hardiness of XV 103 126
Hortensia cyanoclada XVI 430
japonica I 325
new white XI 22; Thomas Hogg XI 345
NEW WHITE XV 58
nivea XIV 154
Oak-leaved XVI 307
panicea XII 363 628; XVI 340; XVII 74 140; XX 420; p. alba VIII 325; p. grandiflora II 214; III 125 322; IV 376; XI 5; XII 33; XIV 172 190; XV 289; XVI 384; XVIII 202 521; XX 368; as a standard XVI 360 431
PANICULATA GRANDIFLORA
X 264
plumed, in masses XII 628
queriefolia II 135
radiata XX 217; and H. arborescens XII 193
rosalba XVI 568
Thomas Hogg XVII 394
white XI 420
Hydrangeas at Cowdray Park XX 318
at South Kensington VI 262
blue-flowered I 248 279; II 295; III 125; VIII 305 328 346 364 408 475; IX 200; XVII 70; and others XVII 386; at the Crystal Palace IV 104; first VIII 543; in Cornwall IX 67 123
different races of VIII 145
extraordinary IV 234
hardiness of XV 28 58
history of species of X 264
in autumn XX 237 325
in Covent Garden Market VI 217
indoors XX 608
in London XX 172
in pots XI 393; XIV 477
in the south of Ireland XIV 478
planted out XIV 579; XVI 194
propagating XVIII 168
two choice XIV 154
variegated XVIII 528
Hydrocotyle sibthorpioides XIII 224
vulgaris XIX 184
Hydrophobia, plant specific against IX 531; XII 436
Hydrophyllum plants IX 371
Hyères, a garden at XI 346
Hygrometers, XVIII 582
Hylobius abietis XIII 583; XIV 121
Hylotoma (Tenthredo) rosaceum XIV 245
Hylurgus Pimpla I 287; II 31 (cut)
Hymenanthera crassifolia XI 145; XVIII 403

Hyumenocallis macrostethana
XVI 44; XVIII 533
MACROSTEPHANA XVIII 36
select species of XVIII 36
Hyumenocallises XVIII 58
Hyacinthoides undulata VI 197
Hyoscyamus physaloides XX 217
Hypericum aegyptiacum XVII 267
balearicum XVII 119
calycinum under trees XVI 325
Coris XIV 429; XVI 232
grandiflorum XX 124
hircinum XII 175
Hookerianum XVII 48
monogynum and others VIII 360
multiflorum XX 234
nepalense XVI 297; XVII 53 (cut)
oblongifolium XVI 291; XX 320
olympicum XII 445; XVIII 106
patulum X 415 420; XII 377; XVI 216; XX 362; at Comely Bank XII 293
PATULUM XII 280
pink XVI 524
prolificum XX 171
repans XVIII 198
uralum XX 396
virginicum XVI 524
Hypericums XX 422 434 480
hardy shrubby X 450
ornamental II 172
species of XIV 238; select XII 280
Hyphaea thebaica V 52
Hypnum Moss XVI 272
Hypoestes aristata IX 464
Hypogymnia dispur XV 383
Hypolepis millefolium XVIII 107 140
Hypolytrum latifolium XI 233
Hypoxis erecta XX 88
Rooperi VI 46

I.

IBERIS *coronaria pumila* XII 204
correaefolia IX 516
GIBRALTARICA X 288
gibraltarica XIII 463 490; XV 493
jucunda VIII 268
petraea XI 493; XVII 448
rosmarinifolius XIX 414
Sander's new dwarf XII 204
semperflorens about London XIII 225; flowers of at Christmas XV 171
sempervirens X 460
superba XIII 533
umbellata hybrida nana IX 80
winter-flowering XIX 226
Iberises in wet seasons XVI 166
select X 288
Icacia Marinii X 565
Ice, collecting and storing VIII 513
Ice-house and cool chamber VI 435
floors of XIV 501
open-air IX 76
plan of XV 59
Ice-houses III 98; XIV 585 (3 cuts); XV 69
and ice storing XV 191
and how to fill them XV 59
cheap VII 421
filling XIX 155 272
ventilation of I 175

Ice stack, how to make an I 199
Ice, storing XV 91 161 (2 cuts) 227 239 261 286 322; XVI 526
Ice-well on fire I 136
plan of XV 191
Ice, without an ice-house IX 211
Ice flowers on window XI 302
Iceland, gardening in XIX 524
Ice-plant, the XII 281
variegated II 273
Ickworth Park III 412
Idesia polycarpa V 233; VII 498; XII 55 532 (cut); XIII 99 (cut); XX 26; *crispa* XV 471
Hang-Hang XV 239
Ilex Aquifolium Hodgesii XIV 511
crenata II 405; XX 361; variegata XIX 128
insignis XVIII 367
latifolia I 504 633; III 453
verticillata X 424; XVII 98
Illecebrum verticillatum XVIII 805
Illicium religiosum III 413; XI 265; XVII 261; in Kent VIII 245
“Illustration horticole” Linden's XV 145
Imantophyllum miniatum III 302; V 305; VII 276; XI 544; XIII 303; XVII 82 128; XIX 399; as a forcing plant XIII 180 233; as a house plant IX 311; m. princeps XIII 114; m. superbum XVII 197; XIX 392; m. var. Cooperi certified I 366
Imantophyllum XX 638
“Immortelle” plant, the IV 152; X 7; XII 508 (cut)
O. Wendell Holmes's XVIII 416
Immortelles and Grasses VI 382
large, silvery white VI 580
or Everlastings XII 508
wreaths of XVIII 153
Impatiens III 401
glandulifera X 304; XVI 367
Hookeri II 546
Jerdonie XII 560; XIV 328 377; XVI 149
repens VI 384; as a basket plant VIII 514
 Implements for opening packing-cases XVI 93
horticultural XVI 87 115
new patents I 467
IMPLEMENTES :—
Plough, garden hand I 661
Pruning chisel I 661
Improvements, Metropolitan I 2
Incavillea Olga XVII 487; XX 72
Incense VI 56
Inchibald, scientific honours conferred on Mr. Peter XIX 166
Indian Corn I 712
canned XII 251
in England V 175
Mr. Bright on V 102
petrified IX 300
INDIAN CROCUSES, OR PLEIONES XVIII 180
Indian Forest I 355
forests XI 452
seas, in the XII 317
shot, propagating VI 254
India-rubber II 473
new source of VI 451
plants III 155; VII 128; XVIII 564; XIX 263; cutting down XIX 287
supply of I 505
tree I 558; new XII 388
trees cultivated IX 371; in Columbia VI 163; in India VI 312
India, southern XI 495
Indigo, the false XV 17
berry, the XVIII 477
trade, the III 196
Indigofera Anil XVIII 187
australis IV II 2
decora alba XIX 592

Indigofera floribunda I 160; II 197; IV 212
junccea XVI 447
Royleana XX 331
tectoria XIV 29; XIX 93 (*cut*)
Indigoferas, the XIX 93; XX 195
Indoor garden, the II 166; for April I 448; for August II 108; for December I 31; II 494; for February I 231; for January I 145; for June I 619; for July II 18; for May I 531; for November II 393; for October II 302; for September II 220
Inga pulcherrima XX 222
Ink-berry, the XVII 282
 American II 17
Ink, indelible XIV 347
Insect borers XII 568
 curious power of VIII 471
 destroyer I 98; Kemsley and Howes' XIX 16 436; new XII 411
 destroying powder, Vesper's XIII 625
 fungi XVII 445
 pests and forest trees XX 39;
 and how to destroy them IV 494 501; in town gardens XVIII 294 342; paste remedy for XX 66; plant remedies for I 583; stamping out XI 490
 powders I 186; Dalmatian and other VII 25
 stings, remedy for VI 251
 traps, the best baits for XIII 385
Insects and birds IV 255 302 315
 and colour in flowers VI 469
 and flowers II 334
 and flower fertilisation V 393
 and fowls VII 275
 and insecticides XVIII 613
 bark-boring I 547 567 628 629
 (2 cuts)
 cure for the sting of IV 82
 destructive VII 524
 effects of paraffin on XVIII 609
 exhibition of V 540; at Paris in 1874 VI 238 402; of useful and hurtful I 536
 garden, and how to destroy them V 2
 great swarm of V 233
 how to forward in letters IV 76
 how to keep gaudens free from XX 429
 hurtful I 9 57; or useful to the Rose XV 380
 in Florida, scale XX 104
 in general, how to destroy X 296
 in houses, trap for XVII 351
 injurious XI 443; to Cabbage and Turnips XVII 272; to corn XVI 272; to field and garden crops XVII 272; to Pine trees XVII 272; to room plants VII 261; to timber and fruit trees XVII 272
 in vineeries VII 278
 in winter I 244
 kerosene for XVI 443
 leaf-mining XIV 21
 mixture to destroy IV 76
 Oak XX 195
 on gravel walks XVII 400
 on Peach trees I 445
 parasitic XVIII 294
 Peach-tree III 9
 ravages of IV 170
 scale XX 306 307 (3 cuts)
 spotted Trumpet-leaf VII 117
 useful XX 468 589
v. chickens I 244
 war with I 548
 which attack timber trees XIII 530
 which infest Herbariums, how to destroy X 295
Insecticide, hot alum-water as VI 212

Insecticide, new VIII 508;
 paraffin XIV 576
 paraffin oil as XIV 340 376 391 476 526 535 573; XV 22 53
 Stockton XV 439
 tobacco-powder as an III 425
 Tomato as an XX 353 383
Insecticides XX 307
 and American blight IV 270
Inula candida XIV 490
Inverary Castle X 463
Iochroma longiflora XV 475; XVII 551 (*cut*)
 Tonelliana XX 71
 Warscewiczi XVI 60; XVII 302
Ionopsidium aculea II 526; X 538; XIV 217; XIX 279 (*cut*); when to obtain XIX 320
Ionopsis paniculata XVI 480; XVIII 5
Ipecauanha plant I 430; II 266; III 2
 at Kew II 475
 culture of XX 604
 propagation of I 481; III 445; VI 532; new method of IV 124
 roots of III 445
 wild V 280
Ipomoea Bona Nox IV 463; VIII 510; XVI 298
 coccinea V 416; XVIII 533 562
 cerulea X 479
 decora XVI 228
Horsfallia VI 495 496; X 538; XII 488; XIV 500; XVIII 559; XX 543; how to propagate VI 538; XIX 315 (*cut*); in a Pine-stove VI 594; in small pots XIV 549
 pandurata X 426
Ipomopsis elegans XX 130
Ipse speciosa XVI 369
Ireland, American Aloes in XVI 521
 Aralias in the South of XI 226
 as a market garden XVII 182
 Auricula culture in XVII 249 313
 comparative hardiness of hybrid Aralias in the South of XI 215
 destructive gales in, in 1878 XIV 257
 effects of the spring frosts of 1879 in the South-east of XV 370
 effects of the winter of 1880-SI in XIX 388
Eucalypti in XVI 342
 hardy Bamboos seedling in XI 346
 hardy Palms flowering in X 68
 heavy rain-fall in October, 1880 XVIII 472
 horticulture in XIX 116 259
 market-gardening in XVII 229 233
 260
 new trees and shrubs in X 125
 planting and nurseries in X 564
 Potato crops in 1876 X 204
 school gardening in XIX 259
 severe frost in, December, 1879 XVI 582
 weather in December, 1878, in XIV 55
 winter of 1879-80 in XVII 176
 woodland scenery in II 360
Iresine acuminata as a bedding plant IV 440
 brilliantissima XV 228
Iresines, wintering XVII 194
IRIS I 407
Iris I 418; XX 41
 African XX 522
 alata X 579; XII 463 582; bulb of X 581; hardiness of XV 23
 Alberti XVII 487
 and Golden Periwinkle XX 42
 anglica XI 127
 barbata, varieties of VI 195
 best varieties of I 687
 beautiful XIX 616
 bulbous XIX 59 98; early V 364; new XVII 75

Iris Chamaeiris XI 329
 chinensis XVII 194 321 (*cut*)
Christmas-flowering X 579
clouded XX 42
common V 224
cretensis XVII 7
cristata XIII 516; XVII 447
Darius IX 592; XIII 561; XVI 105
DARIUS AND I. FLORENTINA
 VAR. XVI 82
Douglasii, new variety of XVI 6
early Persian XI 207
ensata, var. chinensis XVIII 187
ever-blooming X 379
fimbriata XIX 199
florentina X 111; root of XII 210
fetidissima IV 425; V 50; XVI 571; XX 42; in fruit VIII 517; seed-pods of V 55; variegated form of IV 455; XVI 465
Gauymede XIII 589
Germanica I 419 643; V 224 462; at Hale Farm Nursery I 643; varieties of VI 195
gigantea XIII 303; XIII 537; XVIII 5
great spotted V 475
GROUP OF SPANISH XX 442
Histro V 50; XII 607; XIII 276; XIX 33; XX 624
iberica III 2; IV 270; VI 195 (*cut*); IX 474
IBERICA X 526
iberica, culture of X 576; flower of III 393; i. insignis XIX 463
JAPAN IX 476; XX 53 103
Kaempferi I 458; IV 312; VI 2; VII 504; XII 116; XVI 60 198; and its varieties XVIII 59; K. Chelsea Hero XVI 445; culture of XX 154; K. Jersey Belle XVIII 68; seedlings of XV 247; K. Sir Stafford Northcote XVII 146
KÆMPFERI IX 476
Kolpakowskiana XIII 83; XVII 75 (*cut*); XIX 299
Korolkowi IV 270
Krelagei XIII 276
lavigata X 459; XI 140; l. var. *Kaempferi* XVIII 68
longifolia VII 170
longipetala XV 497
Melpomene XIX 616
missouriensis XIX 634
Monnierii VIII 79
nudicaulis I 586; XVII 394
ochroleuca V 496
olbiensis XIX 634
ORIENTALIS XX 272
persica I 72; IX 356 (*cut*); XI 207 (*cut*); and reticulata indoors XIV 557
Pigmy XIV 62
Pseud-Acorus variegata XI 346
pumila V 326; XVII 403 (*cut*); for spring gardening XIII 406; p. var. *lutea* III 364
reticulata I 480; V 264; VII 214; XI 181; XIII 158 228 276; XV 266; XVII 213; XIX 252 294
RETICULATA XX 112
reticulata and its seedlings XI 205; and its variety I. *Krelagei* XIII 199 224; and other spring flowers XVII 285; forced IX 27; indoors VII 168; in pots XIII 303; not flowering VII 484; r. *purpurea* XI 102; XIII 199; under glass XIII 180
Robinsoniana XI 443
ruthenica X 355 379 (*cut*); XIV 62
Saari XIX 463
scorpioides XIX 98
setosa XVIII 78
sibirica orientalis XIII 561
Spanish XX 442

Iris stylosa III 174; V 116 462; XI 43 (*cut*); XIII 224; at Kew XI 102; planted amongst *Helleborus giganteus*, fine effect of XI 140
susiana V 475; XIX 585 587; as a border plant V 479; in Scotland V 521
Tangier I 603
Telfordi XV 496
tenax NV 545; XVII 490; XVIII 4
Thunderbolt XIX 616
tingitana I 603
tomiolopha V 302
Van Houttei XIX 489
variegated XVI 555
VICTORINE XIII 80
winter-flowering XI 43; XIX 113
yellow Spanish XIX 616
Irises V 304 499
 amongst *Salisburia adiantifolia* XVI 82
 and other bulbs, forcing IX 83
 as border-plants V 500
 autumn-flowering XII 247
 beautiful and rare VI 48
 best on stiff clay soils III 470
 cut flowers of XVI 58
 dividing XIII 269
 dying off XIX 619
 English XI 127
 forcing IX 272
GROUP OF BEARDLESS XVI 558
GROUP OF HARDY XIV 12
 handsome IX 498
 in autumn XII 344
 in flower in July XIV 7
 in Kensington Gardens V 544
 in Vienna XIV 394
 Japanese X 511; XVIII 59
 new VIII 38; XIV 2; and rare XIII 459
 planting XIII 400; aquatic XX 390
 rare V 522; VI 24; in Oxfordshire VIII 60
 seedling XIII 250
 select X 259
Siberian XIX 643
 species of X 526
 spring-flowering XIX 345
 white XVIII 35
WINTER-FLOWERING XIV 490
 yellow XIII 616
Irish Yews in Scotland X 365
Iron tree, the XIV 320
Iron v. wood I 51
Irrigation VII 439 (24 cuts); XI 509
 in Picardy VIII 263
 in the garden X 350
Irrigator, Deverill's patent XX 203
 “Island” in the Serpentine, the IV 184
Islands in Lakes or rivers II 313
 miniature floating IX 428
Isle of Man, Flora of the III 42
Islets II 314
Isles of Arran, plants in the VII 274
Ismene Amancaes VII 376 416; XVII 29; XX 154 209
 calanthina IV 130; VI 46; out-of-doors XII 392
Isola Bella IV 11
Isolepis gracilis, for surfacing pots XIII 177
Isotoma axillaris XX 178
Italian garden at Holland House IV 494
Italy, fruit-growing in XIV 117
 loam and peat in XI 368 392
Itea virginica XII 193
Ivy and dry houses VI 548
 and flowering plants XVIII 480
 and its uses I 607; XVIII 399
 and the poets IX 48
 and trees IX 50 76
 and Virginian creepers XVII 48;
 on rock walls XIII 234; wreaths of XIII 95

Ivy as a carpet under trees XI 117
as house plant I 22
as window plant II 193
best time for clipping XI 425
borders of I 6
bound trees XX 59
bower grown from one central stem
XI 118; *movable* VI 123
Cape XIV 351
Clouded XX 196
Clustered XIX 176
different kinds of VII 350
does it injure trees? I 633
does it injure buildings? XVI 567
edgings of I 226 703; XVI 320;
XVII 262; in shady places XIII
134
embroidery XII 347
for indoor decoration V 503
found on damp moss in Arran IV
209
garden railings covered with I 607
German XX 629; as a house plant
V 412
Harebell VI 221; on a lawn VI 248
hedges of X 545
in dwelling-houses VIII 472 513
531
in a church XIX 541
in border XIV 3
indoors XIX 541
in dwelling rooms XX 353
in Fern cases XV 91
in houses IX 354; XIV 362 373
in Paris XI 118
in rooms XVIII 447
in the *Potanic Gardens, Montpellier*
VII 267
in the garden VIII 433
in the house I 680
Irish, Bower of I 607
Japanese on tombstones XVI 380
my window I 600
new XIX 420
not hurtful to trees XX 59
on a high window XII 480
on an Araucaria II 339
on Arundel Castle, the VIII 474
on Beech trees VII 370
on buildings XI 480; XVI 582;
XVII 2235; XVIII 271
on cemented walls VI 380 424
446
on evergreen trees VII 311 322
on high walls XI 498
on railings of *Auteuil* XII 452
on rockeries and rootwork XIV
288
on ruins and hollow trees XII 388
on stakes IX 415; XIII 335
on trees VII 263; XIII 300; XVI
431 (*cut*); XX 134 219; in
pleasure-grounds XIII 13
propagating XVII 254
purple-leaved XI 119
rocky caves covered with XII 33
screen of XI 397; *with flowers* I
608
substitute for XVIII 168
thin at bottom XVIII 642
variegated in suspended basket I
607
vase culture of IV 249
Ivies III 221
golden XI 145
on stakes XIII 286 306
propagation of V 210
selection of choice XVIII 222
their uses and cultivation IX 377
variegated IV 166; for rootwork
VII 200
Ivy-clad rocks in park XII 129
tree trunk XII 589
walls XVI 167
Ivy-leaved Pelargoniums I 196
Ixia viridiflora XIX 585
Ixias and *Sparaxis* XVII 558; at
Tooting XVI 127
at Tottenham XI 515

Ixias, culture of IV 209; V 241;
XVI 247
from the Channel Islands V 432
in conservatories XVII 330
in Covent Garden XI 393
in pots XIII 378
note on XVI 81
planting V 116
Sparaxis and similar plants XIII
523
Ixiolirion Ledebouri XIX 463
montanum XVII 403
Pallasi XVII 463; XVIII 417
PALLASI XVIII 382
tataricum XVII 434; XIX 584
585; XX 63 (*2 cuts*); t. var.
Ledebouri XVIII 417
Ixiolirions, the XVIII 382
culture of XVII 465
note on XVII 565
Ixora amabilis, propagation of XVIII
500
Burbidgei XX 97 150
coccinea, fine specimen of VIII
258
Colei XII 30
croatica multiflora XVIII 448; c.
var. Prince of Orange XVIII 417
DUFFI XIII 312
Duffi XIII 329
Fraseri VI 118; VII 383 (*cut*);
XVIII 448; XIX 34
javanica IX 516; j. floribunda in
bloom X 578
odorata XX 320
Regina IX 426; X 64; XX 311
root insects VII 336
Ixoras and other plants at Bangalore
IX 56
and their culture IX 26 115
rapidly-grown XI 42
select species and culture of XIII
312

J.

“JABORANDI” IX 364
cultivation of X 36
Jacaranda filicifolia XII 490
nimosaefolia XVII 83
Jack Frost XVII 135
Jacob's Ladder, British X 576
variegated VIII 144 201 220;
XX 25
Jacquemontia azurea XX 479 631
(*cut*)
violacea II 167
Jacquinia aurantiaca XVI 384
smaragdinia V 156; XIV 531
Jalap plant, the IV 352; VI 515
(*cut*); VIII 341; XVI 471
true VI 360
Jalap plants VI 558
Jamabuki, the XVI 228
Jamaica garden in January, a XVII
314
Jamesia americana IV 366 428;
VII 514; XVII 469; XIX 622;
XX 440
January, a sunless XV 132
Japan, the climate of XIX 27
ereper 1 151
cultivation in VI 561
flora of XVI 60
garden plants from XV 1
Pear I 292
Peas III 174
plants in XIII 179

Japanese as tree lovers, the X
506
curiosities, Mr. Maries' collection
of XVII 74
dwarf trees X 495
dwarfed trees and shrubs XIV 174
175
gardening XIX 111
garden plants VIII 96
gardens III 146
Mushroom culture XI 164
sketch XIII 179
vase XII 384
“Jardin d'Acclimatation,” the VIII
67
des Plantes at Paris IV 243
Fleuriste, at Paris III 82
Jardinier Fiv-Place XVI 305
with flowers and fine-leaved plants
XIII 372
Jasmine and Honeysuckle on Birches
VII 220
Bignonia XX 9
Bornean XVIII 662
Carolina X 516
Catalonian XVI 404
Chinese XVIII 412
common, in London XIV 148
golden-leaved XVI 529
large-flowered VII 228; in autumn
XII 330; white X 97 158 285
(*cut*) 328; winter XX 522;
yellow V 185
Jasmines, the IX 41
Jasminum aureum variegatum XX
420
azoricum planted out XVI 275
didymum XVI 471
gracillimum XX 618; *flowers of*
XVIII 636
grandiflorum VI 238; VII 228;
X 328; XII 309 (*cut*); XVII 102;
as a standard XII 488
hirsutum XV 96; XX 457
ligustrifolium XIII 433
nudiflorum III 50; IV 478; V 4;
IX 41 (*cut*); XIX 74; against
light-coloured walls IX 72
officinale X 97; XII 533 (*cut*); as
an edging IV 376
pubescens XVIII 477
PUBESCENTS XIX 628
revolutum IV 415
Sainbac IX 388; XII 377 460 489
536; XVI 306; fl.-pl. XIX 495
streptopus XX 457
Java garden XX 343; glimpse at
XVIII 144
mountain and its vegetation XX
587
Jeannel's fertilizer X 556
Jeffersonia diphylla XIX 392
Jephson gardens, the III 198
Jersey, Dr. Thurber's notes from
XVIII 647
Potato culture in III 444
Jerusalem Sage II 17
Jessamine, grown for pipe-stems IV
228
white-flowered Indian IX 388
Jessamins III 492
indoors IV 30
Joad, G. J., XX 474
Joldwynds XX 166
Jonquil in November XX 540
Jonquils, Campannelle XIX 374
Jordan, banks of the, in spring XVII
292
Jottings by the Way XVIII 457; in
France XVIII 405
“Journal des Roses” X 557
“of Forestry” XI 346
“of Horticulture” XIX 364
Journalism and the east wind XIX
547 564 622
Jubaea spectabilis II 135; V 413 (*cut*);
hardy at Glasnevin XI 43
Judas tree, the V 425; VII 478;
XIII 155; XVII 498

Judas tree at Frogmore House, a
fine XIII 196
fine old XIX 591
flowers of in salads IX 390
Japan XII 263; XVIII 31
old in the *Jardin des Plantes* XIII
130
Judea, the trees of XII 206
Juglans cinerea XIX 216
intermedia pyriformis IX 392; *i.*
quadriangulata IX 368
laciniata variegata IV 500
longirostris XIII 411
regia I 130; *r. Benthiana* IX 367;
r. gibbosa IX 363; *r. laciniata* XI
522; XIX 409; *r. microcarpa* IX
361; *r. variegata* IX 362
Jujube tree, the XIII 194
Juncus effusus var. *spiralis* III 294
zebrinus XX 18
June-berry, the Dwarf XVI 119;
XIX 478
June day, a fine XIII 369
Jungermannias, under cultivation XV
217
Jungle, a Tropical XIX 140
Juniper, Chinese X 586
golden XIII 158
Irish XX 572
tall IX 452
Young's new golden Chinese II
404
Junipers, various XX 572
Juniperus chinensis aurea XIII 158;
XVII 54
drupacea XVIII 73
hibernica XX 572
pachyphleia XX 396
Sabina XII 464
virginiana VII 234
Jussiaea natans XX 99
Justicia carnea XX 366
calycotricha XVII 93
speciosa, as a good room plant XV 30
splendens XVII 93
yellow-flowered XVII 93
Jute, manufacture of IV 342
trade in I 208
Jute plant, the V 319
true IX 118

K.

KAKI, the Japanese III 330
Kale, Asparagus XIX 580
cottager's VI 80
dwarf green or Scotch XIX 509
thousand-headed XVI 506
variegated XV 344
Wardie Lodge, variegated VII 314
Kales for beds in winter XX 480
for flower gardens VIII 407
grown at Chiswick, report of III
76
hardy VII 303 415
ornamental XVI 269
Kalmia glauca XIX 616; XX 87;
g. var. *alpina* VII 378
latifolia XII 595; XIX 478
Kalmias, as water-side plants X 9
best on the margins of lakes XI
306
for small gardens VIII 37
on pure sandy loam VII 491

Kalosanthes XX 92 338
coccinea XI 398
versicolor X 25
Karaka nut of New Zealand XX 261
Karatia humilis XVI 97
Kaulfussia amelloides XX 597; a.
kermesina IX 80
Kauri gum VII 254
“Keatlegs” XI 459
Keats, floral elegy on II 298
Kennedya coccinea, large shifts best
for XV 96
Marryaltiana XI 166
Kensington Gardens VI 401; XI
166; XIII 243; feller in XVIII
394; improvement in XII 367;
lecturing and music at XIII 355;
tree-pictures in IX 515; trees in
XII 405; vegetation in, February,
1878 XIII 178
Kent, climate of XVIII 587; and
Cheshire XVIII 563
experiments in XX 263

Kew, labels at XX 25 270
locked gates at XII 344 416; XIII
93 136 176
management of II 169 176 188 218
246
Mock Oranges at XX 10
naming hardy plants at VII 486
National Herbarium at II 428
notes from XII 77 128 176 296
389 415 451 472 486 512 534
559 587 607; XIII 3 26 68 71
111 131 155 158 177 200 226
251 278 303 330 354 380 408
434 460 486 534 538 562 590
618; XIV 4 26 56 95 102 126
148 170 192 214 236 258 280
302 324 346 368 388 412 452
477 524 572; XV 31 58 86 108
130 144 171 189 209 227 246
265 286 290 317 329 354 375
opening of XIII 221 223 271 297
351 374 407 428 529 562; XIV
95 256 275; early VI 381; XII
195 209 247; XIII 538; XIV
161; XV 230; in the forenoon
XIII 133; in the morning VI
357
Orchids at XVIII 422
Palm-house in I 548; XVI 433;
XVIII 412; new heating ap-
paratus for XII 246
Palms at I 523
plan of I 378; of *Temperate-house*
I 659
planting at XIII 614
plants on the rockwork at III 450
Professor Owen on II 307 325; III
212
Report XX 543; for 1872 III 449;
for 1877, extracts from the XI
143
rock-gardening at XII 105; XIII
178
salary of the assistant director of
VII 458
some of the old trees at XI 216
state of XVI 142
Syon and Chatsworth conserva-
tories XII 435 443
Temperate and Palm houses at I
527
tropical Arums at XII 207
tropical plants in the Palm-house
at XX 14
wall shrubs at XI 515
Weekly Dispatch on XVII 461
Keynes, Mr. Jno., portrait of XIII
417
Kidney Beans, to force XX 525
Vetch XX 287
Killarney, Camellias at X 263
Killingia monocephala X 599
Kilas for charcoal VII 78
Kirkstall, hardy flowers at XX 107
Kilruddery, trees and shrubs at VII
124
Kingia australis XVI 45
Kingsley’s (Canon) garden and house
XI 95
Kingston Chrysanthemum Society
XX 538
Kingston Lacey, Dorset XX 241
Kitchen garden, arrangement and ex-
tent of the VII 469
at Drumlaug III 145
cropping V 339; IX 307; XIII 563
crops in 1874 V 427; forward-
ing early XI 160; labelling XIII
349; of 1880, the XVIII 650;
shelter for VI 418; that come
in early XIX 357
late Imperial II 197
of Versailles V 50; the State V
112
plan and management of the IX
551
renovating the III 119 238 374
rotation I 273
supply IV 492 534

Kitchen garden walks and edgings
X 64 90
when should it be manured, V
482
work in March XIX 311
Kitchen gardens XVII 333 338
brick edgings best in XI 55
cropping XV 128
edgings and walks for X 69
fruit-trees in XV 16
hedges for exposed III 503
irrigation of IX 581
large r. small XIII 388
walks in XVIII 376
watering X 525
Kitchen-gardening, high-class VIII
65 97
in Greece XIV 251
made easy XII 529 543 579 602
627; XIII 32 47
Kleinia repens VII 372
Knap Hill, Rhododendrons at XI
534; XVI 49
Knappwyd, new public park at VII
274
Knife Grafting I 201
Knives, English and French budding I
201; *pruning* I 200
grafting and pruning XIV 315
Kniphofia XX 129
aloëoides nobilis XVIII 152
carnosa XVI 462; XVII 149
CARNOUSA XIX 548
caulescens IX 563; X 4; XVI 59;
propagating XI 546
foliosa XIV 324
grandis XVIII 228
triangularis XVI 216; XVIII 152
Kniphofias, propagating XIV 223
Knotweed, Giant VIII 261 283
Rock X 398
Whortle-berry-leaved XVIII 582
Knotweeds, Giant XVIII 337 402
select species of XVI 452
Koala, the XVII 464
Koelreuteria, as a lawn or hedge plant
XIX 360
japonica XIII 292 316
paniculata IV 125 160; V 205;
XVII 498; XVIII 228 316
Kohl Rabi X 119
Early Green Vienna XVII 68
green XIV 530
Korolkowia Szwarczovi XVII 376
Kunquat, the II 120; V 501 (*cut*);
VII 170
fruiting in Cheshire VII 192
Kyrle Society, the X 536

L.

LAACHER See, Abbey Garden on the
XX 609

Label, best for trees I 156
competition XX 126
for borders, a good IV 140
for Botanic Garden XVII 236
for pots I 616
for Rose cuttings XIV 402
good and durable VII 253
in Kensington Gardens I 156
new kind of XVII 96
new fruit I 270
new kind of garden XVI 445
new plant XV 488

Label, position for tree I 156
ties, metal XV 345
Labels, tree, shrub, and plant I 156
180 190; II 423; IV 127; VII
292 397; XII 56 412; XV 91 102
122 194 344; XVI 466 491 533;
XVIII 144; XIX 116 172; XX
143 151 176 202 229 302 333
467 506
and labelling at Kew XX 270
and sticks, for gardens VII 478
Bell’s IV 476
cast iron I 156; III 120
exhibition of garden XIX 260
for Conifers IV 428
for orchards III 76
for preserve bottles II 435
for wall trees IX 204
for glass XV 245
how to make and preserve X 297
how to preserve wooden IV 292;
V 503; VI 530
imperishable II 507
in Kensington Gardens XVII 429
in St. James’s Park, the VII 396
machine for stamping VII 315
new plant VIII 472
parchment V 173
self-adjusting V 245
slate VI 464
stamped lead or zinc VII 315
staring XX 196
terra cotta II 259
trial of VII 435
whalebone V 534; VI 14
zinc VII 168 394 (*cut*); improved
V 411; ink for III 60; IX
450; with lead pencil writing
XVI 360; writing on VII 376
Labelling in Hyde Park X 151
Labour in gardens, female XX 339
367
Labrador Tea XX 87
Laburnum bloom in 1878 XIII 560
586 597; XIV 104
evergreen IX 600
fences VI 32
in bloom in February in the Isle of
Wight XI 97; in November
XIV 408; in October II 339; in
winter X 538
Indian XIX 78 133
Moth XIX 429
poisoning by VIII 349; by the
roots of VIII 311; by seeds of
XI 54; XII 273
robustum X 263
sports XV 522; XIX 605 664
sweet-scented X 424
Laburnums among evergreens XI 536
in flower in October XVIII 412
worthless varieties of VIII 79
Lachenalia orchioides XV 170
pallida XIV 389; XIX 464; p.
purpurea XV 57
pendula V 213; XV 131; as a bas-
ket plant XV 257; p. splendens
XIV 574
quadricolor XV 109 289
rubida XII 316
tricolor XI 166; in baskets XI
225; t. var. aurea II 294
Lachenalias I 74; XVII 394; XX
449 573
as basket plants XI 286
culture of IV 527; XIX 285
GROUP OF XVII 110
seedling XIX 166
Lackey Moth, the XV 129
Lackland I 22
Lacquer tree of Japan, the XII 622
Lacquerwork, Japanese VIII 122
material of, vegetable VIII 92
Lactarius deliciosus I 596; VII 190
Lactuca macrorhiza XX 422
Ladders for picking fruit VI 239
Ladybirds, the XVII 183
and green-fly XIV 197
complaint from XII 170 (poetry)

Lady's Bedstraws, note on XIV 28
 Lady's Slipper I 517
 English XIX 586
 in open border I 667
 long-tailed III 313
 purple IV 293
 shown III 177
 SIBERIAN XI 30
 twin-flowered XVII 168
 WHITE IX 524
 Lady's Slippers XVI 92; XX 61 561
 616
 at Kew VIII 551
 hardy XII 65; XV 388; at home
 XIX 586; XV 388; species of
 III 177; VI 43 (*cut*); species
 and culture of VI 43
 note on XIX 306
 tender species of VI 67
 "Ladies' Plate" for 1876, a VI 496
 Lalia albida at Tooting X 578; a.
 Salmoniana XVII 196
 anceps X 538; a. alba, large sale
 of XVII 150; and albida XX 617;
 a. Dawsonii VII 2; a. Lawsonii
 XIII 50; varieties of XVI 472;
 white-flowered XVI 54
 autumnalis XIV 500
 AUTUMNALIS ATRO-RUBENS
 XVII 368
 autumnalis atro-rubens XX 344
 416
 carminata XII 582
 Dawsoniana XVI 34
 elegans from Ashgrove XX 478;
 e. alba XV 454
 ELEGANS ALBA XVII 132
 elegans prasiata XVIII 251 416
 fine Mexican XVI 163
 flava XIII 250; XVII 284
 harpophylla XX 522
 majalis VII 436; XVIII 29
 Mardelli XVII 403
 peduncularis XVII 34
 prestantis II 520
 pumila Dayana XI 476
 purpurata XVI 59
 Sedent XVI 231
 Veitchii XIII 250
 Lelias XX 561
 at Christmas XX 616
 best winter-blooming VI 580
 Lageneria vulgaris IX 235
 Lagerstroemia elegans carnea IV 155
 indica II 261 290; IV 373 (*cut*);
 V 322 368; X 280; XIV 253;
 XVIII 138; XX 26 (*cut*) 212
 396 i rosea IV 192
 Lagerstroemias XX 382
 Lago Maggiore, wild flowers at XIX
 336
 Lagoon, Covel-bottomed XVI 381
La Granja, fountains in the gardens at
 XI 432
Lake and islands, artificial XI 421
 of Geneva, blue colour of the III
 57
 scene in Switzerland XII 264
 view in Grange Park, Hampshire
 IV 361
 with wavy margin XIX 119
 Lakes and ponds, forming VII 178
 woodland XVI 28
 Lambeth Palace Park XIV 130
 Lamerton Castle, vine borders at XI
 292
 Lamium, golden-leaved XIII 269
 longitorm XVII 514 534 558
 maculatum I 252; m. aureum II
 143
 striatum XIV 462 502 526 539
 Lamp for destroying caterpillar nests
 XII 536
 for gardeners' use VI 507
 for warming conservatories, &c. IX
 531
 heating by XIV 386 477
 stove, Schreiber's True Friend IX
 144; small VII 289

Lampert Hall, Japanese gardening
 at XIV 189
 plants at XVI 248
 rockery at XX 217
 Lamprococcus Weilbachi XIX 34
 Lancaster, gift of a park to XII 367
 Laud and Tithe Commissioners III
 164
 in Great Britain, garden allotments
 of V 88
 poisoned V 161
 question XIX 268
 Lands, Crown II 356
 cure of alkali VI 61
 our waste XIII 14
Laudes of Gascony, the VI 289
 Landowners, the education of XVIII
 424
 Landreith, the late Dr. XVII 340
 Landscape and railways I 104
 and architecture VI 548
by Hobema, a XIII 461
 home VIII 450
 "not all at once" I 222
 overdoing I 30
 small property I 130
 treatment of farms I 124
vignette of I 18
 Landscapes, Home I 18 28 (*cut*) 261;
 in March I 473; Belvoir Castle
 I 495; Hyde Park and Ken-
 sington Gardens I 557
 winter XVIII 606
 Landscape gardeners XVIII 455
 hints for amateur X 277
 of the future X 1
 r. architects V 21 25 68
 Landscape gardening IX 311; XII
 336; XIII 400; XIV 86; XVI
 523
 M. André on XV 447; XVI 68
 Mr. Milner on XIX 546
 Mr. Olmstead on X 149
 notes on V 47
 Landslips, the cause of IX 312
 Lanes, green V 206
 Laugport, flowers at XX 58
 Lantana, Harkett's Perfection XVI
 360
 Le Greuadier XI 464
 Victoire XIX 11
 Lantanas and their culture XVI 31;
 XVII 523
hybrid XVI 31
 in pots XX 149
 r. Verbenas XIII 518
 Lapageria XX 368
 alba II 88 184; IV 272 295; XIV
 110; XX 416 477; as a pot
 plant XIV 78; hardiness of VII
 236; layering VII 385
 at Milver Field VIII 294
 culture of XX 163
 cuttings of in water VIII 188
 double-flowered XVIII 107 153
 (*cut*)
 finely-leaved VIII 382
 from cuttings X 451
 out-of-doors in Cornwall VIII 553
 rosa I 64; II 201; V 82; XIV
 279; XX 456 566; and alba X
 456; best compost for XIX 296;
 finely-bloomed XII 421; from
 seed VII 258; hardiness of II
 272; hardy at Exeter VI 464;
on an open wall at Exeter VII
 63; *propagating* XVIII 424;
 shading XX 626; r. superba XII
 534; XVI 261; r. superba out-
 of-doors XIV 347 385
 ROSEA, VARIETIES OF XIV
 376
 rubra grandiflora II 203
 seed XIX 376
 varieties of XVIII 279
 white XII 463; XIV 301; XVI
 275; XX 414; fine specimen of
 VI 288; hardiness of IX 67;
 large XV 57

Lapagerias V 467; XVIII 389;
 XX 595
 and shade VI 46
 and slugs XV 69; XVI 545
 as standards XIX 451
 at Chelsea XII 271
 at Southgate XVIII 246
 best from layers XV 220
 best mode of planting VI 262
 finely-flowered XII 560
 from seed VII 68; XIX 331
 how to grow V 534
 in a cold pit XII 587
 in November IV 412
 in the Isle of Wight XIII 157
 in the open air XX 540
 new mode of treating XVIII 331
 propagating XII 377; XVI 195
 248 263 289
 remarkable XX 203
 root-room required by XVII 170
 soil for XX 212
 under coloured glass XVIII 142
 white XVI 227; and red X 419;
 XI 422; and rose-coloured I
 315; propagating XVI 132
"La Poire" VII 525
Lajortea caudans VI 39
pustulata III 349; V 218
La Quintaine, portrait of III 247
 Larch, American V 99
 aphides on XVIII 74
cone-bearing twig of Kampfer's VIII
 325
 for poor lands I 155
goblet, of China XII 497
 heart-rot, or dry-rot in X 492
 in Britain, on the decline of the V
 204
Kampfer's IV 69
 plantations of II 380
 substitutes for IV 466
 weeping II 405; X 585 (*cut*)
 Larches, American and British VII
 227
 at Warwick Castle XVIII 611
 Dunkeld VI 351
 Lardizabalab laternata III 413
 Larix americana, singular develop-
 ment of IV 228
Kampferi II 339; IV 69 (*cut*);
 XIII 363 484; how to graft
 XIII 519
 LARKSPUR, CARDINAL XIX 234
 Cardinal XIX 254
 CASHMERICAN XVIII 568
common annual XII 362
 double Siberian XIX 642
 dwarf scarlet XX 9
 Keteleer's V 304
 large-flowered single III 297 334
 scarlet X 20; XX 103
Larkspur VII 459 (*6 cuts*); XVI 89;
 XVIII 29 604; XX 53
 annual VII 459
 from seed XVII 210
 how to prolong the blooming of
 VIII 84
 in August XVIII 147
 perennial VII 503; IX 459; XIV
 86; XVI 44
 second flowering of XVIII 202
 select XIV 286
 some choice IV 2
tall perennial XVII 55
 varieties of VIII 218
 Lasiaudra Kunthiana XX 222
macrantha II 357; XVI 529; XX
 541; cool culture of VIII 390;
 m. floribunda XII 534; XIV
 411; XVI 127; m. floribunda
 in winter XI 42; planted out
 XX 366; m. purpurea XIV
 276
 Lasianthas, propagating XX 574
Lasthenia glabrata II 9
Lastrea annua XIX 314
elongata, hardy in Ireland XIX 65
Richardsoni multifida XIX 556

Lathyrus biflorus XVIII 349
Drummuodi XIII 512; XIX 597
 643
grandiflorus VII 524
latifolius II 158; l. *roseus* XX
 157; l. *splendens* X 103; varie-
 ties of XVIII 226
 ODORATUS VAR. XIII 44
pyrenaicus X 380
rotundifolius XX 72
Sibthorpii V 139; IX 592
 Latin plant names XX 90
Lattice-bordered plant I 565; V 222;
 X 334 (*cut*); XV 474; culture of
 X 534
 Laurel, Alexandrian XX 201
 banks in pleasure-grounds IX 306
 Californian III 253; V 523; XVI
 197
 common, a usurper I 129
 cut back IX 397
 for a high hedge, the best XIX 166
 large Portugal XVII 54
 mountain XIX 478 616
 new IX 83
 variegated VII 311; common VII
 336
 varieties of the common II 127
 Laurels and Laurustinus, propagat-
 ing XVIII 96
 hardiness of different kinds of VII
 272
 in Ireland XIII 225 251
 in Kensington Gardens XV 509
 Portugal, in flower XX 60
 propagating VI 481
 pruning XVI 241; XVII 53
 turning yellow XV 248
 variegated VII 346
Laurentia carnosula X 490
Laurus latifolia VII 252
Sassafras XII 206
 Laurustinus, as a cottage wall plant
 III 371
 forcing VII 216; XV 220
 for cut bloom IX 48
 for winter flowering IX 246
 glossy-leaved XV 253
 indoors XIV 549
 new XIII 433
single, glossy-leaved XV 197
 white XIX 117 189 290 299 369
 Laurustinuses XI 190; XIX 663
 smelling offensively? IV 212
Lavallie (Alphonse), portrait of XVII
Frontispiece
Lavandula lanata XIV 539
 vera XII 199
Lavatera arborea X 519
Lavender XX 154
 and other plants at Hitchin IV 82
broad-leaved sea I 702
 erop in 1876 X 240
 culture of in Hertfordshire IV 159
field at Mitcham XVII 89
 woolly XIV 539
 Lavenders, the XII 199
 sea XX 154
 LAW:—
 Boughs, lopping overhauling III
 100
 Carter v. Sutton I 366
 Cats, killing I 714
 Cats, poisoning I 196
 Chemical works injuring vegetation
 XIV 252
 Cherries, decayed IV 102
 Commissioners of the Exhibition of
 1851 v. the Royal Horticultural
 Society XIX 640
 County Court costs III 216
 Crop, damaging, by chemical fumes
 I 196
 Drainage, question of III 156
 Euston Square Garden IX 144
 Exhibiting, alleged wrongful XIII
 560
 Fennemore v. Spice I 472
 Flower, plucking a VIII 56

Law:

Flowers and shrubs, injuring II 200
 Flowers, stealing I 714
 Fowls, damage done by, to a garden VII 529
 Fraudulent purchase III 156
 Fruit, carriage of, by railway II 424
 Fruitmen's baskets, law in reference to I 196
 Gardeners' notice to quit XX 352
 Gardeners' (head) perquisites IV 430
 Goods supplied VIII 426 448
 Greenhouse: is it a chattel or a fixture? I 317
 Greenhouse, removing a XIII 560
 Greenhouse, what constitutes a removable? III 270
 Greenhouses XVII 23
 Hedge Briers, right to remove XV 70
 Hemsworth v. Mann I 434
 Hole v. Bradbury XV 504
 Kaille v. La Farque XX 640
 King of Portugal v. Carruthers and others VIII 448
 Landowners and Footpaths I 197
 Mushrooms, gathering IV 268
 “Partnership Property” III 270
 Right of Common case II 200
 Rose-trees, stealing III 216
 Seed, damages recovered for bad IV 40
 Sheep poisoned by Yew III 270
 Service, leaving without notice IX 420
 Thoroughfares, old, new entrances into I 197
 Timber, cutting, during a shooting lease VII 335
 Tooting, new park at I 342
 Tree, man killed by the fall of IV 390
 Trees and crops, compensation for damages by smoke to XX 640
 Trees, cutting IV 430
 Trees, damaging III 216
 Trees overhauling a stream XVII 87
 Trees, the removal of X 24
 Trees, removal of at end of tenancy I 374
 Trees, what are timber-like? X 68
 Vegetables, &c., carriage of by railway II 200
 Village green XVIII 615
 Vines, moving at end of tenancy I 342
 Yew-tree clippings, poisoning with I 407
 Lawn and garden XX 485; well-designed plan of XX 403
 forming a XI 36
 grubs XVII 271
 making a XVII 437
 mower contest, the Birmingham VI 64; Excelsior XIX 509; new V 86
 mowers XIII 483; new patent I 564; Ransomes & Sims' XIII 430
 renovating a bad on chalk X 260 283
 re-arranging a confined XVIII 591
 roller, the best II 258
 sand IV 357 395
 sprinkler, Californian II 385
 tennis XVIII 520
 turf, Paris VIII 119
 weeds XVIII 241
 well-designed XX 403
 with artificial water XI 299
 Lawns XX 575
 Alders for XX 27
 and pleasure grounds XX 619
 and trees III 33
 improving XVII 311 320; XVIII 191

Lawns in autumn XX 326
 laying down XV 348
 moss on I 95
 of Savin Juniper I 653
 on light soils XIV 210
 renovating and improving the turf on exhausted XII 509
 renovating patchy IX 80
 should cut grass be left on? XIX 30 232
 tennis XX 571 584
 turfing XI 266
 worm-casts on V 241
 worms on I 255 288 442; XIII 400; XVII 254
 worn-out XVI 404
Lawson, Charles, portrait of XI
Frontispiece
 Laxeuburg XIV 387
 Lead wire, injurious or not? XV 327
 Leaf and flower impressions VI 300; X 333
 Leaf-leaf, a villa garden XVII 313
 Leaf fall II 286; VI 249 (*cut*)
 and renewal of the VI 577
 in various latitudes VIII 347
Leaf fork, a XIII 363
 gathering machine wanted X 216
insect V 27
 lesson of I 351
 miners IV 494
 mould VIII 463; XVI 442; and root fungi XV 239; uses of XVI 356
 music VI 205
 photographs II 357
 pictures in autumn IV 254; VIII 553
 printing IV 475; from nature IV 432
propagation XI 38
 question, the fallen VIII 475
 shedding, rapid XVI 458
 tints, autumnal XX 506
 uses and functions of the VI 526
 Leaves and flowers, skeleton X 414
 and grasses, nature-printing V 202
 and silk-worms IV 372
 and trees XII 104
 as manure III 284; XI 478
 autumn I 470; IV 308; X 396; XIV 349; XVII 98; how to preserve II 456
 beautiful XX 342
 capable of absorbing water VII 26
 cause of the green colour of IV 426
 coloured XX 568
 colouring-matter of IV 60
 dead X 522; as mulching X 564
 do they absorb moisture? V 328
 drying IX 24
 electricity of X 606
 fallen III 326; VIII 457; XIX 10; not a nuisance VIII 428; removing XIV 391
 falling IV 456
 fresh, as manure V 464
 flavouring with I 535; VI 39
 for garnishing the dessert II 54
 for hot-beds, and leaf-mould VI 406
forms of XV 515
 fungi on XIV 548
 movements of XX 133
of Crataegus odoratissima II 77
 of shrubs, colour from XII 555
 on the diffusion of gases in V 148
 pictures in XVI 319
 printing IV 535
 skeletonised III 505; XIII 629; XV 45; bleaching XIV 209; preparing IV 263; XVIII 120
 uses of XX 398
 value of as manure X 394
 Willow IV 212
Leather Jackets XVIII 242
 Leather-leaf, the American XVII 424
 “Leather-wood” VII 370

Leavenworthias XX 87
 Lebanon and its Cedars IX 28 56; XVII 8
 Lecture of Rev. G. Heuslow XX 599
Ledum latifolium XIV 241; XX 87
 Leeds Gardeners' Benefit Society XV 87
Leek Club, Peebles XVIII 450
 culture of XVII 335; in Flanders IV 222
 good winter vegetable XVII 182
 Welsh III 216
Leeks, cottagers' IX 581
 culture of V 18; X 430
 for use in spring XIII 371 390
 grown for market, varieties of VI 255
 in trenches IX 253
 notes on IX 520
 speediest way of growing XIV 339
 transplanting XX 122
Lee, Mr. Charles XX 281
Lee's (Messrs.) tree nurseries XVIII 356
Leianthus longiflorus XVI 480; XVIII 152 304
Leicester Square I 84 644 700; II 158; V 411
 as a garden VI 1
Lemon grass, the XI 230
 to propagate XX 359
Lemon peel II 160
 seeds germinating inside the fruit XIV 256
 singular V 441
Thyme, golden-edged I 95
 tree, a new disease of the VII 296
Lemoos XX 600
 boxes for IV 533
 English-grown XX 632
 wholesome V 273
Lentil, the VIII 333; X 505
Lentils XI 440 464; XII 80
Leonotis leonurus V 69; XII 613 (*cut*)
Leontice altaica XVII 197 213 227 363 (*cut*)
Leontopodium alpinum XX 182
Leopard's Bane XIII 286
Leopoldina pulchra III 139
Leptodactylon californicum, propagating XIV 467
Leptopteris superba II 516
Leptosiphon roseus VIII 343 378; X 50
Leptospermum bullatum VIII 111; XIII 172; XVIII 412; hardy in Kent XIII 613; hardy in Valencia XIV 31
lanigerum VI 450; XIV 125; XVI 275 291; XVII 557; hardy VIII 87
LANIGERUM XIX 42
Leptosyne maritima III 316; XVIII 517 (*cut*)
Leroy, M. André VIII 556; IX 256; death of VIII 100
Leschenaultia, blue II SI
 formosa VI 295
 Leschenaultias and their culture XX 210
Lespedeza bicolor XX 262
 Letters from Southern France XVI 475 516; XVII 101 122 211 297
Lettuce I 41; XII 336
 all the year round VII 102; VIII 382
 banks of VIII 430
 Bath Cos IV 57
 best White Cos VI 80
 best winter XII 530
 Black-seeded Brown Cos XIX 382
 boiled II 30; IV 95
 Bossin Cabbage XIV 273
 Brown Cos XIX 312
 Burnell's Alexandra White Cos VII 190

Lettuce, Californian curled XVI 206
 Cos X 356
 crisped Californian XVIII 311
 culture of IV 56
 Drumhead X 276
 Early Paris Market Cabbage IX 582
 Foote's Green-fringed XIV 148
 forcing in pots VIII 534
 Jefferies' Little Queen XIV 252
 Lamb's IX 190
 Moor Park X 92
 packing IX 47
 Paris Early Market XIII 207
 Paris White Cos X 318
 Rowden's Brown Cos XX 215
 Sander's St. Alban's All Heart VIII 98
 Scott's Favourite XIV 165
 Stanstead Park Cabbage IX 582
 Webb's Summerhill Cabbage XVI 328
 Wheeler's Tom Thumb IX 582
 winter IV 222
Lettuces II 40; XIII 470 (26 cuts); XX 194 524
 all the year round XI 146
 and Endive to stand the winter XII 185
 and their culture XII 34
 blanching VII 211
 Brown Cos XIV 586
 French XIII 390
 good XIV 148
 grown for the London market V 164
 in winter, without glass VII 232
 new VIII 43
 notes on XIV 207; XX 37
 running to seed XV 311; how to prevent XVI 570; new plan of preventing XV 296
 seeding XVI 225
 some good kinds of XIII 550
 sowing X 220; for winter XII 74
 three good XVIII 30
 under glass XI 399 464; XV 192
 varieties of cultivated XIII 469
 winter X 485 505; XV 206; XX 394
Leuchtenbergia principis VI 71
Leucocarpus alatus X 558
Leucium astivum VII 156; XIX 300; as a winter-flowering plant XIII 111; forced XIII 132
autumnale VI 142
carpaticum XI 232
hyemale XIII 434 537
roseum XIV 100
trichophyllum XIII 162
vernum X 366; XIII 225 251 525 555; XX 460 584; flowering time of VII 190
VERNUM VII 156
Leucojums, the II 193
Leucophyta Brownii III 68; VIII 389; indoors IX 246; out-of-doors VIII 433; propagating XX 453
Leucopogon Cunninghami VI 380; cutting of XVI 289
 Richie V 351
Leucothoe Davisiae X 203; XIII 210
Levant, notes from the VI 71 93 124
Levens Hall garden I 614
Lewisia divaricata I 701 III 430; V 478; VIII 244; XIII 589; XIX 314 348 646; XX 440
Leycesteria formosa V 231; XVI 362 401 406 430; XVIII 583; best places for XIX 37; propagating IV 468
Liane in the North, a XIII 115
 murdering VI 206
Lianes, or twining woody plants XIII 55
Liatris XX 318
 genus XIX 38

Liatris macrostachya VIII 234
pycnostachya XII 369
spicata and squarrosa VIII 189
Liberia formosa XIV 12 62
grandiflora, pulchella and ixioides
IX 584
Liberias, the XVII 449
Lilodendron decurrens II 541; VI 328;
XVIII 280; and *Thuya gigantea*
III 116
Lilium floribunda V 302; XX 597;
in mid-winter XIII 15
peurhoesiensis VI 578; XVI 471;
XVII 139
Lionias and their culture XIX 327
Lichen and Mosses I 279
geographicus, rate of growth in the
XIII 568
on trees V 18
Lickhouse, the wood-work at Sacramento VI 382
Liege, flower show at, in 1881 XIX
668; XX 126
Lietzia brasiliensis XVIII 68; XIX
99 (*cont.*)
Light, influence of green on Sensitive
Plant I 282; of violet on Vines I
269
Lightning-rods V 68
Ligularia macrophylla XVIII 287
Ligustrina amurensis XII 623 624
Ligustrum XX 273
Fortunei XX 72
japonicum XVI 325; j. incisum
XIV 172; j. robustum IX 170
ovalifolium XVII 198; as a hedge
plant XVIII 583
sinense XVI 149; s. nanum III
281
variegatum, propagating XVIII 31
villosum XI 539
Ligustrums, species of XIII 410
Lilae, best for forcing XI 315
Charles X. XIV 171; XV 144;
XIX 300
double X 365; XIX 437; new
XVIII 643
early forced XVII 100
English forced XIX 113
forced XI 30
hedges of IX 318
Madame Moser XX 134
Moth XV 443
Persian IV 332; fructification of
the XIII 82
pruning IX 400
season prolonging the XI 443
sucker-flowering of the X 492
white VI 557; XV 228; forcing
V 453; XI 102; in winter V
197; new VI 74; new large-
flowered IX 535
Lilacs II 76
Alphonse Karr and his XII 592
best XI 48
double XVII 404; XVIII 126
dwarf III 194
early-forced XV 78
forced XIII 48; XVII 197; Persian
XIII 518
forcing I 166; IX 327; in dark-
ness XIII 79
for forcing IX 376
for indoor decoration I 416
from seed XIV 186
in hedges XIII 433
in Paris XI 347
new VI 450
note on XV 470
Persian, for forcing XIII 468; in
Covent Garden XIII 50
preparing for forcing XV 138
species of VI 251
three new VIII 448
white I 325; without darkness XI
423; XIII 314
Liliaceae, monograph of XVIII 412
Lilium auratum I 394; IV 191;
VI 146; XIII 196 248; XIV

auratum—continued.
253; XV 268; XVI 437; XIX
472; XX 52 153 178 625; a.
arboreum XII 289; at Christmas
581; a. eructum X 327; XVI
105; XVII 66; XVIII 60; XX
228
AURATUM CRUENTUM XVI
576
auratum, culture of XVIII 438;
double-flowered V 10; finely-
flowered VIII 220; XVI 336;
XX 381; fine variety of X 72;
XIV 190; XVII 228; XX 130;
forcing VII 237; hardiness of
XIII 555; imported bulbs of
XI 86; in bloom in October
VIII 278; inferior bulbs of XIX
313; in Gloucestershire VIII
276; in Ireland XIX 40; in
Lancashire XIV 286; in London
IV 112; in Norfolk XVIII 327;
in Nova Scotia XIX 337; in the
open air XVI 393; late-flowering
VII 198; long-established
roots of XIX 447; monstrous
form of VI 462; planted out
XVI 346; remarkable specimen
of VI 118; remedy for house-
flies III 274; ripening its seeds
in the open air IX 51; seedling
plants of XIII 162; show of at
Chelsea XII 247; singular pro-
perty of II 267; a. var. Emperor
XIV 169; a. var. Purity II 232;
a. virginale XIV 28; v. sulphate
of lime XIII 197
Batemaniae XIV 147 188; XV
430 462; XX 203
BATEMANIÆ XV 396
Bloomeria I 466; III 350
Brownii v. L. japonicum Colchesteri
XIII 505 541
californicum VI 42
callotoma XVIII 348
canadense XX 25 440
caudatum VI 2; X 50; e. aureo-
marginatum IV 339; blooms of
for indoor decoration XII 146;
bulbs on the stems of IV 116;
evergreen (?) XII 375 398; e.
marginatum as an edging plant
X 460; time of blooming of XIV
105
Carolinianum XX 217
Cattanii VI 215
Chaiii X 37
colechicum VIII 8; XVII 565
concolor var. *luteum* XI 233
Coridion IV 270
dalmaticum XVIII 68
davuricum XIV 2; anomalous
growth in XI 114
excelsum XIV 62
eximium XIV 238; in Covent Gar-
den Market VIII 80
giganteum I 325; II 28; VI 20;
VII 191 (*cont.*) 478; VIII 8 20; X
50; XVII 136 321; XVIII 29
123 518; XIX 11; among Rhod-
odendrons VII 218; and other
lilies XI 269; base of flowering
stem of XII 546; fine specimens
of VII 256 292; hardiness of VII
173; XVII 281; in Scotland IX
8; in Wicklow XI 539; large
XI 394; transplanting IX 608
GIGANTEUM VIII 504
Hansoni XIV 8 26; XVII 282;
XX 128; in pots XV 454
HANSONI XVII 108
Harrisii XX 82
Hoveyi XVII 197
Humboldtii V 33; VII 501; XX
568 (*cont.*)
HUMBOLDTI XX 568
japonicum Colchesteri VIII 292;
XVI 59; flavum XVIII 123

Lilium Krameri IV 270; VII 422;
XVI 45; XVIII 123; XX 98
KRAMERI X 162
lancefolium rubrum XV 497
Leichtlini VIII 100; XX 283 326
longiflorum II 92; VIII 58; XIX
642; and its varieties XVI 196;
and L. eximium compared IV
167; *l. floribundum* XX 505;
forcing IX 578; *formosanum*
XVIII 459; in bloom in October
VIII 320; in Scotland VIII 188;
second growth in XIV 146;
verum XVIII 366; Wilsoni
XVIII 201
longiflorum eximium VIII 146
Martagon dalmaticum VI 42 215
medeoloides XVIII 123
monadelphum, and other Lilies
VIII 38
monstrosum XVII 387
Mr. Elwes's “Monograph” of the
genus VII 59
neilgherrense VIII 404; X 151
490; XII 247; XIV 345; XV
289; XVIII 279; XIX 314; XX
320 361
nepalense IX 77
nitidum XVII 558
pardalinum VI 42; XIX 325 (*cont.*)
XX 53 526 (2 *cuts*)
PARDALINUM XX 526
PARKMANNI XV 456; XVIII
188; hardiness of XVII 534
Parryi XVIII 28
PARRYI XVIII 652
Parthenocion IV 270
philadelphicum at home XIX 26
philippinense X 378
phyllanthum VIII 20; IX 218;
XVII 375 490; XVIII 4; XX 52
POLYPIYLUM XIX 180
pomponium VI 214
POMPONIUM VERUM XX 420
pomponium verum XX 439
puberulum VI 42
pulchellum II 92; XX 5
purpureum IV 478 498
pyrenaicum XIII 519
Robinsoni VI 42
rubescens XX 484
rubro-vittatum VII 52; XX 293
scutellans XVI 105
speciosum II 135; V 263 (*cont.*)
culture of XVIII 438; different
forms of II 224; s. *Melpomene*
XVIII 138; s. *monstrosum* XVII
83 210; new varieties of XIV
257; s. *roseum*, out-of-doors
XIV 238; s. *rubrum* XX 150;
s. *rubrum*, with white flowers
XIV 509; s. *splendidum* II 116
superbum XX 262 440; at home
VIII 55; XVIII 175; in Ohio
XII 84
Szovitsianum V 518; XI 514; and
its varieties XIII 561
SZOVITSIANUM IX 204
testaceum XVI 148; XX 78
Thompsonianum IX 608
THOMPSONIANUM XII 136
Thunbergianum XIII 594; T. au-
reum nigro-punctatum VI 142;
propagating XIX 136; T. Wil-
sonii VII 124
tigrinum XX 137; t. *splendens*
VIII 146; t. *splendens*, fine
specimen of IV 164; VIII
168
trigynum XIX 20; not a shade-
loving plant XIX 160
tubiflorum *luteum* VI 580; XVIII
68
Wallacei XII 208
Walliehanum V 70; VIII 320
457; X 182 438 458; XVIII 79
305 518; and L. neilgherrense
X 228 252; culture of X 480
WALLIEHIANUM X 426

Lilium Washingtonianum VI 2;
VII 343 (*cont.*) 421 436; XX 484
Liliums VII 297 (44 *cuts*)
all the species of VII 297
notes on XVIII 123
propagating XX 453
Liliorrhiza laeocelata XVI 404
Lily, African XVIII 358; XX 200;
double XI 523; for window de-
coration X 304; hardiness of
XVIII 421 468 474 482 574;
note on XVIII 402; small XVIII
188
Arum XX 314
bed XI 493; at Moulton Grange
XX 585; Cheshire XVI 31;
XVIII 121; how to make XIX
204
beds, wet X 562
Belladonna II 250 266 506; VI
311 (*cont.*) 382; culture of VI 340
black Martagon VIII 84
blue African III 222; near water
VIII 408
Brisbane XI 166
BRISBANE XII 472
bud of auxiliary bud of XI 268;
three generations in one XIII 143
bulbs XI 132 (15 *cuts*); XI 153 (14
cuts); XIX 336; and other bulbs
as food XI 199; annual or peren-
nial? XIX 120 314; are they
annual? XIII 86; cheap XIV
238; growth of XII 546; XIV
177; XIX 203; hints to import-
ers of XIV 303; how to treat
damaged XVIII 195; imported
XIII 141; notes on X III 131
155 175 188 208 260 268 311
327; XIII 49; packing XX 620
624; reproduction of XII 505;
XIV 61 (33 *cuts*); scales of im-
ported XV 83 135 157 178 210;
vitality of XIX 197; winter
treatment of XIII 34; young,
independent of their parents
XIII 451
Cape XVIII 272
Columbia XX 23
CRIMSON-ANTHERED IX 204
crimson water VIII 388
culture of the Scarborough XVI 41
Day IV 132
discussion, the recent XV 118;
double Tiger V 119; XVIII 226;
flower of V 93
Ethiopian VIII 435 477; in water
VIII 514
forcing VII 506; golden-rayed VII
237
from birth to death of XIII 385;
XIV 60 91 140 237
giant VI 496; VII 191 (*cont.*);
XVIII 474
golden-rayed I 499
GREAT ST. BRUNO'S IX 12
Great St. Bruno's IX 591
great water VI 169
growers, fallacies of XII 557;
XIII 27
Guernsey II 288; IV 270 358;
VI 311 (*cont.*)
hardy rose-coloured water XVI 6;
XX 390
Harris's XX 82
Humboldt's X 50; XX 568;
Orange VI 33
hybrid XX 103 137
insects XI 327
in winter VII 48 (poetry)
Knight's Star VIII 257
Kramer's XX 52
large red rayed X 72
leaves of diseased, remedy for XX
126
long-tubed X 151
monstrous XVI 298
Mrs. A. Waterer XVIII 228 653
(*cont.*)

Lily, Mrs. Bateman XX 203
names, index to VII 522
Neilgherry, in winter XX 624
new XVI 105; XVIII 366; at Heatherbank X 278; crimson-rayed X 327 352 383; hardy water XX 124; hybrid XVIII 202; seedling XVI 520; white Martagon XII 81; yellow water XX 17
noble XX 320
of the Incas XVIII 327; XIX 586
of the Nile, as a house plant V 412; at Valentia XIII 594
of the Scriptures XIX 522
old stem and new bulb of XIV 237
old white X 50; XVIII 560
Panther and its varieties XX 526
Parkman's XVIII 188
Parry's XX 9 52
Peruvian XX 201
prairie X 519
Pyrenean, wild XIX 618
rose-coloured water XX 17 124
Scarborough II 158 261; IV 323 (*cut*); XVIII 310; XX 318 367
scents XX 52
Siebold's Plantain XX 82
slender scarlet XIX 617
small-flowered XVIII 348
sowing seed of water XX 414
St. Bernard's XX 6
St. Bruno's V 440 500; IX 540; XVIII 201; XIX 583; *abnormal bloom* of IX 591
stem of, abnormal XIV 78
sweet-scented water IV 368
vagaries XX 184
variegated-leaved Plantain XX 82
WALLICH'S X 426 438 458; XVIII 305
Washington VII 343 373 377
water at Bingham XX 128
white I 239 276; African VII 509; Belladonna XX 222; Japan X 97; Martagon XX 23; Peruvian XX 53; wood V 462
yellow water I 608
Lilies III 297; VII 297 (44 *cuts*); XX 23 450
all the species of VII 297
American XVI 124
and Amaryllids on chalk VIII 530
and Pansies XVI 404
and rabbits XVI 115
and their reproduction XIII 198 232
annual growth of XIX 58
are they annuals, biennials, or perennials? XIV 262
Arum XVIII 520; XX 490
at Chelsea XVI 196
at Glasnevin XVI 232
at Heatherbank X 254; XVIII 97; XX 318
at home XVIII 28
at Totteham XVIII 59
at Windermere XVI 106
Bed of Tiger XX 585
Belladonna VIII 368 388; from the North XX 388
best aspect for XIX 165
best for pots XX 620
best in shade and shelter XIX 152
book on XIX 194
bulbs of VI 340
button-hole XX 23
Californian III 7; V 1; VI 583; X 72; XVIII 6 77; XIX 325; XX 25; three beautiful VIII 320
carpeted by Arabis XVII 261
C. M. Hovey on VII 420
cultivation of VIII 277 339 361; XIV 216 393 433 461 507 538; XVI 88; XVIII 467 535 561 622 640; XIX 96 390; XX 80 136; at Rochdale XIV 264; deep pots for XV 521; experi-

Lilies, cultivation of—*continued*.
ments in XVIII 419; extraordinary VIII 99; fallacies in XIV 351; in Lancashire XVIII 591; notes on III 505; XIV 200; XVIII 148
cutting down XIII 489; after blooming XIII 591; in full bloom XIII 196 227 387
deep pots for XVI 42
disease among IX 8
Dr. Kellogg on VIII 39
“Dunedin's” replies to questions on XIII 184
dwarf, for flower-beds XIV 90
early scarlet XIX 643
effect of the frost on, and other border plants XI 374; of the winter on white XI 422
for conservatories XVI 98
for forcing XVI 230
for small gardens IV 258
for woods XX 390
from Colchester XX 154
from cuttings V 95
from seed II 176; XIX 255 315 600
giant X 72
Groom's hybrid VIII 426
Guernsey VIII 294; second-year VI 337
hardy XII 176
hybridisation of XIII 5
imported XII 584; treatment of XII 457
in bloom in August IV 104; in July IV 22; VI 2; in June III 434
in California XVI 406
in Cornwall XVIII 2
increasing II 410
in 1874 VI 174
in 1880 XVIII 201
in flower in October XVIII 337
in grass XIX 11
injured by insects V 266
in May, at Tooting XIII 485
in mud balls XV 194
in October XVI 341
in pots IX 183; XIV 354 370; XVI 80; XX 381 413; for greenhouse decoration XV 520
in shade or sunshine XIX 201
in the wild garden XIII 588; XX 178
in woods XVI 384
Ixia XVIII 382
Japan V 263; VIII 1; at home XVI 192; culture of XIII 290
large and small Plantain XX 361
lifting and re-planting XIV 100
maturing XVIII 140
Mariposa XX 78
more notes on VIII 455
naming newly-imported VII 416
notes on IV 184; XI 81; XIX 29
Orange, in Hyde Park XIV 28
past and present III 492; IV 3 43 110
perennial or annual? XIX 97 232 257
pigmy XII 1
Plantain XX 82 390
planted out XIV 121
planting IV 456
potting and transplanting XIII 83
prices of II 520
propagation and growth of XV 82
raising VIII 476
rare V 76; IX 584
re-planting XIV 98
root history of XIII 514 555
Scarborough XX 402
scales and stem-roots of XIV 560
season of XVIII 5
seed buds of XIII 160
soil for XIII 530
St. Bruno's XI 143

Lilies, stem-roots of XIV 434 460; XV 35 83
strongly-scented XIV 134
sub-dividing varieties of XIV 121
tall scarlet for planting among shrubs IV 70
thinning XIV 21
times at which they bloom XIII 536
transplanting XIV 238 286 332 354 370 393 433; and top-dressing XIV 304
tropical water XX 499
under glass XVI 539
WASHINGTONIANUM AND RUBESCENS XX 484
water VI 318; XX 130; large XX 78
white, and rabbits XIV 106; barren VIII 168; border of XVIII 535
wild garden XVIII 188
Lily of the Valley I 233 258; III 208; IV 70; V 440; VIII 148; XVI 547; XVIII 24 662; XX 540 565 (*cut*) 582 618
at home and imported X 399
bed of, in a London court VII 398
best undisturbed XVIII 482
culture of XVIII 374
failure of XV 312
forced IV 478; IX 246; early XII 540
forcing VIII 196; XIII 79; XX 413
for forcing XVII 247
for market XI 619
flowering crown of VI 445
freezing XVIII 415
from home-grown roots XI 246
from Toulouse V 411
home-grown XVII 65; XX 608; for forcing IX 470; *v. imported roots* of XI 266
how forced in Holland V 182
how grown for market V 119
importations of XI 226
improved culture of VI 444
in a cyme XVII 77
in a wild state XVII 149
in a wood XVII 137
in fruit XX 291
in market gardens XIII 505
in pots I 168
leafy crown of VI 444
mauve-coloured XI 464
potting XX 490
preparation of for forcing XI 48
roots of, exposing to frost XII 604
single bulb of XII 619
tree XX 559
varieties of XVI 58
winter forcing of VI 408
Lima Bean I 20
Lime and its compounds XX 106
as a preservative of wood IV 366
burning in a pit VII 269
carbonate of XX 107
chloride of XVI 334
cultural uses of, summarised XVI 28
cure for Potato disease I 591
foe to the Camellia I 232
garden uses of II 168
in the garden IX 190
Mississippi XX 396
phosphate of XX 107
quick XX 106
sulphate of XX 107
superphosphate of IX 190; XX 380
sweet at Combe Royal XI 166
Lime-juice and the Arctic failure XI 437
and lemon juice and disease X 606
biscuits XIII 148
Lime-kiln, heating VIII 295

Lime-kilns, ordinary and improved IV 362
sections of IV 362 363 364 365 367
Lime-tree avenue at Torquay XIV 170
English in America X 323
historic IV 82
in London parks X 151
in towns XIV 309
in winter III 73
leaf of, the nail-gall of the VII 512
silver XVI 318
Lime-trees at Longleat XIII 330
at Tor Abbey XIV 214
for avenue or street planting XV 288
in Dublin IV 434
in London II 92
in Montserrat XII 302
remarkable VII 310
select X 199
Limanthus Douglasii XIX 634; hardiness of XX 88
Limnocharis Humboldtii II 135; IV 144; X 129; XII 255 (*cut*); XVI 261; in an open tank XII 228
Limonia trifoliata, hardiness of IV 400
Linaria alpina VII 320; XVI 285 326; XX 423
cymbalaria V 499; VI 50; as a window-plant IX 506
genistefolia I 499
multipunctata XVIII 68; XIX 609
pallida XVIII 77; XIX 618
repens XI 366
reticulata aurea purpurea XVIII 197 434 (*cut*); XX 216
villosa II 115
Linarias, British XII 345
Lincoln's Inn Fields gardens XVI 460; XVII 463; proposed opening of VI 259; *view in* I 108
Linden, the XIV 130
Lidenia *rivalis* XX 362
rivalis XX 609
Linden, J., portrait of XV *Frontispiece*
Lindera Bezooin VII 370
Ludley Club, the VII 234; VIII 404
Library X 24
medal VI 442
Ling, gathering in China III 214
re-discovered in Massachusetts X 199
Linnea borealis IV 43 339; culture of XVI 32; in London I 377; white variety of VIII 514
Linnean Herbarium at Burlington House, the XIII 78
Linoleum and dry-rot IV 500
Linton Park III 357
Linum Berlandieri V 139
candidissimum XIII 380
corymbiferum VIII 268
flavum XVII 258
grandiflorum X 129
monogynum VIII 298
narbonnense III 470
salsoloides II 24; XIII 376; XVII 558; XVIII 203
Linums, the dwarf XIII 260
Lion's-tail, the V 69
Lippia aegyptiaca VII 532
Liparis liliifolia XX 62
longipes XVI 480
Liquidambar at home XIII 205
in autumn XVII 548
in flower XVIII 629
orientale XVII 88
styraciflua XIX 478

Liquorice III 114
Lirioceris tulipifera XII 481; t. *aureo-marginatum* XVIII 228; flowers, foliage and fruit of VI 107
Lisianthus glaucifolius XVIII 228 331
GLAUCIFOLIUS XIX 424
 how to grow successfully VI 593
Russelianus XI 546; III 104 301 431; IV 312; XVI 261; XVIII 228; XIX 424 (*cut*); how I treat V 531
Litchi, the Chinese IX 51
Lithospermum fruticosum I 661; VII 375; XIII 228; XIX 535
Gastoni V 474; VII 436; VIII 268; XVII 448
petrenum XVII 546
prostratum II 51; III 42 312; XVIII 4; XIX 414; at Heckfield VIII 448
scandens under glass IX 245
Little Trianon, Versailles I 310
Littonia modesta XI 540; XVII 468; XX 98
Livermore Park III 454
Liverpool Botanic Gardens, Curator of I 430
 Chrysanthemum show at, in 1878 XIV 521
Livistona australis XI 189
chinensis XI 259
sinensis XIX 47
subglobosa I 501
Lizard caught in a Gronoria XI 386
Orchis imposture, the Llandudno XVII 423
 Loam cure for Verbena disease I 441 storing IX 486
Loasa hispida IX 80; XVII 383 (*cut*) 448
lateritia XVIII 558
volcanica XIV 147 281 (*cut*) 302; XVI 261; XIX 495 (*cut*)
Lobelia, as a rock plant XVI 414
axillaris XI 342
 best bedding XII 316
Blue Beauty VIII 12
Bride XI 539
cardinalis X 232; XVI 405; XVII 120 341 (*cut*); XVIII 226; and *L. syphilitica* XIX 27; as a hardy plant XVII 98
compacta, Crystal Palace VIII 111
coronopifolia X 92; XVII 65 (*cut*) 128
Dortmanni at Killarney X 125
Emperor William XIV 191
Fabri XVII 546
Fuelli XX 203
fulgens XIV 394; XVI 414 556; XX 460; as a bedding plant X 352; French mode of culture of XX 518; hardiness of XX 480 518; in Ireland XVII 226; in pots XIV 217; winter treatment of XII 231; with cankered roots XX 518
 good white XIV 130
Heckfield Favourite XVIII 296
Holly-leaved XVIII 298
ilicifolia X 64; XVII 298; as a hanging plant XII 570; as a winter plant XVIII 523; in fruit XIV 353
Lady Macdonald VI 363; XIV 151; XVI 58
 large blue-flowered X 92
littoralis XIII 618; XIV 28; XX 563
Lustrous X 176
lutea XVI 197; XVIII 251
Milleri XX 388
Omen XIV 55
pumila, double-flowered VI 405; VIII 144; p. *grandiflora* I 252; III 476; XIII 461 484 516; p. *grandiflora*, double III 430; p. *magnifica* X 380

Lobelia ramosa XX 217
 scarlet XX 171
 seed, sowing XIII 63
speciosa I 252; and its varieties XII 9; from seed XVII 316
Stevenson's Blue XVI 124
St. Martin's Blue X 306
subundata X 131
syphilitica XI 59; XVII 226; XVIII 175; XX 320 341; and *L. cardinalis* XVII 415
Tupa II 136
 yellow (*L. lutea*) XVI 44 197
Lobelias among bedding succulents II 250
 bedding VIII 342; XX 210; best IV 233 276; XIII 306
 blue XII 178
 choice summer border of V 543
 cool treatment of, for bedding XIV 65
 for winter flowering XVII 522
 from cuttings XV 462
 of 1874, notes on the new VI 296
 scarlet XX 154
 seedling VIII 389; XVIII 197
 two good XII 78
 watering bedding XI 84
 white-flowered IV 488; bedding VIII 328
 wintering VIII 234
Loch Achray, margin of I 25
 “Loco” VI 168
Locust seed sprouting XVI 432
Locusts, a feast of VIII 34
 in Spain IX 374
Loenst-tree, Besson's XVIII 368
Locust-trees, end of the old X 364
 growth of VI 478
lodgings for nuder gardeners I 175
Lodoicea seychellarum XII 286
Logs, a good use for old XV 392
Lomaria attenuata on a dead Tree Fern trunk XV 519
chilensis II 295; IV 191
ciliata X 565
gibba, var. XIII 27
L'Herminier XVII 241
procera hardy in Cornwall XII 103
Lomatia filicifolia III 149
longifolia V 496
propinqua, leaf of VII 129
Lombardy Poplar I 130; XX 11
Lombardy Poplars for lightning-rods XIV 470
London, Altheas in XIV 190
 cemeteries XIII 148
 common Jasmine in XIV 148
 commons and parks IX 584; X 3
 dining-rooms, vegetables in I 116
 environs of XII 591
Eucalyptus globulus about XIV 427
 floriculture in X 577
 florists' flowers in XIV 55
 fogs XVIII 414
 gardening round I 364 407 431 471 491 513 539 577 598 644 668 696 706
 grass in XI 393
 green trees in XV 454
 hardy plants in flower round I 561 578 598 603 626 648 649 672 713
 improvements, more VI 188
 list of deciduous trees and shrubs for X 596
 market-gardening XIV 409 448
 market-gardens XVII 336; at Christmas XVIII 639
 open spaces for XVI 552
 park in, a new I 318
 parks and commons X 336; and trees IX 75; gardening in XVII 123
 proposed new park for XIV 389
 rooks and rookeries of XIV 49

London, squares of I 84; III 124; and parks, in May VII 417; opening the XIX 345
 swimming baths for I 186
 want of plan in I 109
 winter garden for I 249 309
London Pride as an edging to beds IX 96
London Purple, an insect poison XVI 52
Longleat, the engraving of XVI 510
 gardens at XVI 481
house and grounds at XVI 483
 in olden times XVI 499
margin of lake at XVI 485
 sale of timber at XII 152
sketch at XV 493
 timber sale at XX 247
Lonicera aurea reticulata IV 44
fragrantissima VI 539; VIII 498 (*cut*); IX 179; XI 22 60; XIV 329 (*cut*); XX 544; at Killakee XI 125; in Ireland XI 88; in Yorkshire XI 164; pruning XI 184
Halleana XIV 267
semperflorens VII 491; s. minor XVII 213
semperfervens IX 566; s. minor II 261; XVIII 355
 species of XI 410
Standishii V 264; XV 324 352; XVII 274; XX 540
tatarica XX 217
tomentella XVII 487
 Looking forward X 289
Looking-glass tree, the XVI 341
Loose Churchyard III 357
Loose-strife, Clethra-like X 355 380
purple XX 129
rosy IV 132
twiggy XVIII 196
Lopezia coronata XX 587; in winter XIII 166
Lophyrus (Tenthredo) pallidus XIV 559
Pini XVIII 341; XX 247
Loquat, the V 125; XX 121
 as a conservatory plant VIII 472
flowers and fruit of XX 121
 hardy in Dorset VIII 520
 in fruit XIX 345
 out-of-doors in Devon VIII 494
Loranthus from Australia XIII 157
Loranthus europaeus I 665; at Glasnevin III 81
 macranthus, change of habit I 453
London and Duke of Wellington I 298
Loudon, J. C., portrait of I *Frontispiece*
 recollections of I 697; II 147 488 532; III 47
Love-lies-bleeding XX 255
 for harvest decoration XV 162
Lowfield Nurseries, Crawley XIX 573
Loxford Hall XVI 116
Loxia curvirostra XVIII 164
 “Lucerometer,” the IX 123
Lucombe Nurseries, Exeter, the VII 63
Luculia gratissima I 656; II 184 478; III 65; V 276; VI 532; VII 44; VIII 1451 (*cut*); X 557; XI 29; XII 587; XIV 478; XVI 547; XVIII 523 558 631; XIX 2; XX 563 574; as a wall-plant XIV 108; at Drumlanrig X 577; in America XII 535; in flower XII 223; in small pots XII 582; XVIII 642; on walls XIII 495; propagation of VIII 486; XX 574
Pineana XVII 150 292 (*cut*); XX 582
Luisia Psyche and *L. brachystachys* XVI 335
Lumbrieus communis XII 356

Lunaria biennis XI 163; in spring XI 354; purple-crimson variety of XIX 461
Lungwort, Siberian XIX 592; XX 23 Virginian IX 488
Lupin, the Tree XIII 561
Lupines, annual XX 421
 Tree as sea-side plants VII 220
Lupinus arboreus I 643
Luton Hoo Park, the gardens at VIII 248
Luxembourg, Garden in the “English” part of the XIII 487
Lycaste lanipes XIII 74
lasioglossum IV 352; X 378
macrophylla VIII 404
Skinneri III 198; V 28; varieties of XVII 275
 white XIII 136; XVI 529
Lychnis alpina XX 585 615
Bungeana IV 84; B. *miniatia* IV 84
coronata grandiflora XIV 345 372
 double-blossomed scarlet VI 98; X 208
Flos-cuculi fl.-pl. albo et roseo X 30
Haageana XX 71; H. *hybrida* II 51
Lagaceae I 652; as a border flower X 3
nivalis XIX 463
Sieboldii VI 20
Senno striata VIII 220
vespertina fl.-pl. XVIII 107
Lychiuses, alpine X 120
 Japanese XVIII 79
Lycium barbatum II 322
Lycopod cones and pyramids XI 221
Lycopods on tree stumps XII 519
Lycopodium dendroideum II 196
 dentieulatum, hardiness of XIV 509; indoors, and for bouquets IX 283
 edgings for VIII 300
Lycoperdon giganteum I 273; V 388; XVII 380 (*cut*)
Lycopersicum esculentum X 42
texanum X 463
Lyda elypeata XII 509
Lygodioides palmatum XIII 149; XVI 283 (*cut*)
 scandens XIX 128; hardy XVIII 31
Lygodiums, select species of XVI 282
 Lyme grass, the XIV 124
Lymexylon navale I 255
Lysimachia clethroides X 355 380
Nunularia V 233; XX 71 318; N. *aurea* XII 282
Lythrum flexuosum II 24 241
Graeffei XVIII 187
Salicaria XX 129; S. *roseum* IV 132; S. *r. superbum* XIV 101
virgatum XVIII 196

M.

MAACKIA amurensis XVIII 288
Macadamia ternifolia II 388; VI 314 356
 Macadamising, so-called XV 88
Macherium firmum XVII 275
Mache, or Corn-salad IV 36

Mackaya bella IX 168; XVI 248; XX 441
BELLA XVI 150
Macleaya (Bocconia) cordata XII 203 563; well-grown XIV 302
Maclura aurantiaca, not flowering VIII 166
Macrozamia corallipes IV 101
Paulo-Guilielmi X 366
plumosa VII 480 483 (*cut*)
tridentata X 366; t. var. oblongifolia X 366
Madagascar Christmas Roses XII 357
river-bank scenery in I 655
Travellers' Tree of I 337
vegetation in II 5
Madaria elegans VI 79
Madder IV 285; VII 438
Madeira, Phylloxera in X 368
vegetation of VIII 143
winter vegetation in III 158
Madrona, the V 522
Madwort XX 255
Maggot Apple I 528
hunting XIX 622
Maggots, cutting-pot VII 143
Vine and Peach destroying VII 168
Magnolia auriculata XIX 605
barren VII 498 514
brandy IV 138
Campbellii II 146; in Ireland XII 436
citrinodora XI 286
couspicua III 400; XIII 239; XV 387; XIX 414 479; forcing flowers of VIII 238; for town planting IX 328; in the conservatory XIII 329; c. superba XIX 663
cordata I 420
double VII 494
flower of IV 93
Fraseri XVI 565
fruit of IV 92
fuscata XI 393; XIX 619
glauca XIII 348; XX 129
gold-leaved VIII 69
grandiflora IV 126 166; XIV 322; XVI 122 240; XIX 478; XX 154 373; Exmouth variety of VIII 234; XVI 259; injury to XIV 121; near London VIII 122; pruning XIV 476; transplanting XX 443 505
Halleana VIII 69; XVII 375; XVIII 9
HALLLEANA XIII 572
hardiest evergreen XV 105
Islands in Texas II 205
late XVI 52
large evergreen X 182
large-flowered at home II 205
Lenné VIII 320; XIV 322; XIX 479 534
LENNE IX 548
macrophylla II 238
new late flowering XII 373
parviflora XVI 229
profuse-flowering III 294
Soulangeana VII 375; IX 415; S. nigra XVII 468
Swamp II 380
Thunbergi XVI 568
Umbrella XIX 643
Magnolias and their allies VIII 269 and their propagation XVII 359
at Fulham XI 266
at Tooting XIII 407
desirable species and varieties of VII 91
early n. late-flowering XV 439
hardy IX 548
layering V 369
new XII 82
notes on XI 78
round London XI 306
species of IV 92

Magnolias, transplanting XX 572; best time for XV 440
uninjured by frost XIX 439
Magpie Moth, the XVII 283
Mahernia pinnata X 207
vestita III 461
Mahogany, Australian I 430
large piece of XII 342
Mahogany trees in India VI 308
Mahonia glumacea V 524
pinnate-leaved IX 17
repens, as an edging plant VIII 553
Mahonias, species of IX 17
Maiden-hair Fern, lasting properties of the VI 208
Maiden-hair Ferns in the house VIII 102
Maiden-hair Tree at Longleat X 537
fine V 34
in fruit XVI 430
larger IV 366
Maiden Pink XX 79
Maidstone Cemetery III 358
hardy fruit nurseries at XVIII 502
Maize, as a vegetable XIV 319
as a window or balcony plant VI 223
as food XI 34
Cobbett's Improved Early VIII 190
green I 712
home-grown XVII 549; XVIII 12 30
parthenogenesis in XII 360
variegated Japanese IV 177
Malaga raisins X 596
Malaria of the Roman Hills XX 487
Mallow, shrubby XVIII 250
Tree X 519; in California IV 296
tribe of perennials VIII 530; white Musk VIII 111; XVIII 150; XX 53 172
Mallows XX 184
Malope grandiflora XI 398; raised in beat XVIII 155
Malva Alcea XX 82
crispa II 288 315 (*cut*); as a fine-foliage plant XIV 302; for garnishing II 468
family II 48
Heildrechi XX 388
mauritanica II 144
moschata alba VIII 111; XII 297; XX 53 173
sylvestris, var. II 295
Malvern Hills, levelling the V 410
Mannillaria dolichocentra XVII 203
elephantidens I 396; XIII 545 (*cut*)
erecta XIV 395
longimamma XIV 329
sulcolumata V 221
Mammoth Tree, in the Atlantic States, the VII 183
Manchester Botanical and Horticultural Society VIII 190; XII 440
Botanical Society III 102; dates of shows of XX 640
criticism at XX 311
exhibition at XX 178; in 1879, herbaceous and alpine flowers at XV 468; International XX 224 230
flower and fruit show in 1877 XI 440
Flower Mission, the XII 37
fruit and vegetable markets at XVIII 53
National Horticultural Exhibition at, in 1877 XI 393
new public garden for VIII 2
Manchineel of South America I 158
Mandevilla suaveolens XIV 275; fine specimen of VIII 212; in Devonshire VIII 328; in the Isle of Wight XVIII 185; in the open air at Battle Abbey VI 42; out-of-doors XII 446; variegated XII 412
Mandragora autumnalis X 558
Manettia bicolor XVIII 533
cordifolia XVI 480
micens VIII 486
Manetti Rose among evergreens XVI 262
stocks III 230
Mango, the IV 219
and its varieties IV 298
in Portugal, fruiting of VI 510
Mangos, from seed VIII 51
how to eat II 216
in Covent Garden XII 271
West Indian XI 62
Mangosteen, the VII 170 413
flower of XIX 161
Mangrove, the I 342; III 319 (*cut*)
Swamp XIII 36
trees and oysters IV 522
Mamhot carthaginensis VIII 328
utilissima VII 146
Manley Hall estate, sale of the VII 296
Manna Ash, the XIX 583
Californian XI 412
Maui Orchis XX 198
Mantel-piece decoration V 89
Mantisia saltatoria III 220
Manufactories made picturesque V 371 387
Manure XX 39
Amies' Chemical VII 212
and weeds IV 306
artificial XIII 24 176; XVIII 588; and their adulterations II 56; Gould's XIV 514
bones as V 64; and oyster-shells as VIII 434
buffalo-horn XIII 464
different modes of preparing sewage V 61
farmyard IX 22; liquid VIII 489; substitute for XII 436
for pot-plants, Standen's VII 416
for Roses I 377
fresh v. birds XVII 261
garden XI 455
gas lime as I 437; X 574
Gould's chemical XIV 547 557
“Le Floral” proved to be valuable XIII 129
liquid I 219; VI 324; XVIII 478; and its application XVI 197; for house-plants II 84; for pot plants V 328; how to make X 320; in gardens IX 549; tank for I 219
mineral III 152; VI 597
new VI 18; IX 370
note on XII 494
remarkable V 535
road-scrapings as V 428; VIII 514 534
salt as X 432; XI 120 224; and soot as XI 42
scarcity of XVII 233
sewage II 500
spent tan as XI 263
Standen's VII 276
street IV 179
top-dressing XX 636
to Potatoes, applying patent XX 16
town XI 505
trenching in XVIII 411
value and application of III 186
yard V 80
yeast as VIII 379
Manuring III 148 171; XX 596
plants XIX 372
Manzanita, the V 524
Maple, acute-leaved III 371
Ash-leaved, in spring XI 325
Athenean, leaf of the V 83
blunt-lobed-leaved Hungarian II 257; leaf and fruit of II 257
Bohemian II 322
Carolina II 322
Columbia “keys” of II 237; leaf of II 237

Maple, Cretan III 143; leaves and fruit of III 143
crimson-leaved XVIII 367; Japanese XIII 572
cut-leaved III 241; Norway II 465; leaf and fruit of II 465
Eagle's-claw II 465
entire-leaved, Nepaul III 205
French or Guelder Rose-leaved II 483; leaves and fruit of the II 483
glaucous-leaved, Himalayan IV 499
Hyrcanian II 379; leaf and fruit of the II 379
Iberian III 179; leaves of the III 179
Italian II 443; leaf and fruit of II 443
Japonica, leaves of XVI 579
leaves of XVI 450; of five species of the various-leaved II 283
Montpellier II 423; leaf and fruit of II 423
Mountain III 57
Neapolitan II 337; leaf and fruit of II 337
new (Acer insigne) XIX 355; variegated VII 352
Norway II 322
red-flowered II 320; XV 324; XVII 284
round-leaved III 255; leaf of III 255
Siberian III 69
Sikkim IV 211; leaf of the IV 211
soft or Silver XII 128; XVIII 252 316; XX 581; new forms of XX 167
Spanish III 3
spotted field XX 29
striped-barked III 351
Sugar IV 45; XVI 430; and other kinds XVII 23; as a street tree IV 340; how to propagate IV 296; leaves of IV 45; variegated XX 59
Tartarian II 405; leaf and fruit of II 405
thick-leaved V 231; leaf of V 231
trifid-leaved IV 127
truncate-leaved V 274; leaf of V 274
varieties of the Norway XVI 568
various-leaved II 283
white II 320
Wier's cut-leaved XII 82; XX 220 (*cut*)
woolly-leaved Nepaul III 93
Maples, the II 237
Japanese XIV 31; XVII 448 547; XVIII 145 404 489; XIX 583; XX 125; hardy XX 134; inarched XIX 344; of the palmatum type XV 514; select species of XVI 578
North American VIII 216
ornamental-leaved XII 269
variegated, in pots XVI 132
Murantid, a hardy X 425
Maranta as a Vase Plant I 709
croatica XIX 226
fasciata II 3
Mackayana IV 87
roso-picta II 3
sanguinea XX 457
tuberculata VII 336
Veitchii II 545; III 104
Marantas I 709; II 3
culture of XVIII 17
descriptive list of XVIII 18
species of II 544
Marattia attenuata X 378
Marasmius oreades I 333 IV 37 (*cut*)
March, seasonable work in XIX 271 283 318

Marchantia on the rock-garden VIII 477
Margin, formal I 121
of lake, Berry Hill I 143
Margins to artificial water, broken
XIV 79
Marguerite, the XVII 282; XVIII
560
new yellow XVII 204 423
Marguerites, in autumn and winter
XVIII 373
Marica gracilis XIX 322
Northiana XVII 302; XVIII 449
Maries, Charles XX 543
Marigold, common III 142
Corn I 502; XVIII 195 (*cut*)
double V 540
French VI 194
“*Meteor*” XVI 505; XVII 547;
XVIII 401; XX 571
pot XIV 285
seeds, saving II 344
shining-leaved X 328
Marigolds XVI 453; XX 264 294
as autumn border flowers XIV 233
at Manchester XII 234
double Marsh XVI 59
dwarf X 233; XIV 354
French XVI 318
indoors XVI 505
Marsh and Ficarias VI 47
pot XVI 286
single XX 462
Mariposa Lilies, as cut flowers X 3
Marjoram, the Mount Sipylos XVIII
184
Market carts IV 142
Covent Garden VI 16
fruit-gardens XX 428 473 536
595
fruit-growing for XV 301
crops in November XIV 424
garden competition XVII 208;
farms XVI 64; incendiaryism in
I 694; green crops XVIII 381;
January in a Paris VII 54;
labourers' strike I 694; Mr.
Lancaster's XIX 12; notes XII
135 440; XV 353; XVIII 67
186 257 309 436 476 499 509;
XIX 13 102 210 267 415 509
635 657; XX 195 423; planning
for horse culture IX 468;
plough in I 274; sixty years
ago I 86; suburban XI 169;
West London XI 270
gardens XX 507; and nurseries
(London), at Christmas XVIII
639; and railways XIX 158;
around Paris, acreage of VI
422; digging in VII 50; flower-
forcing in XV 11 43; flower-
ing plants in XIV 568; fruit-
picking in I 703; in Great
Britain, acreage of VII 122;
irrigation of VII 439; of Lon-
don II 241; XVII 336; of
Paris VIII 256; Pear-culture
in XV 341; plant-culture in
XV 50 75; plough in II 416;
Roses and Bouvardias in XIV
522; round London II 130;
vegetable culture in XV 397
gardener in Paris, a London XIX
365
gardener I 451; waggons XIV
116
gardening I 622 632; II 14 44;
and farmers XVIII 611; and
sewage XIII 89; and want of
market accommodation in Lon-
don XV 91; at Paris II 323
336 372 490 511 554; III 16
97; in Cornwall I 21; in Ire-
land XVII 229 233 260; in
North-West of France XX 94;
London XIV 409 448; Mr.
Wood on XX 148; round Lon-
don II 172

Market, “Mud-salad” XVIII 192
305
new near Leicester Square I 309
practices XVI 460
question XVII 155
Marl, as a cultural agent XIV 559
Marmalade III 98; V 273
Marnock, Robert, portrait of VI *Frontispiece*; XV 365
Marriages, happy IX 260; XI 322
“Marronier du 20 Mars,” the XI
214
Marrow, the Cucumber X 220
Marshallia cespitosa XX 216 253
Marsh fever, the cause of XVI
384
lands, the Roman III 119
Mallow, new application of VI
335
Marigold as spring greens I 384;
double XVII 393
Marsilea macrocarpa XVIII 373
Martens, British XVI 405
Martou Hall, gardens at VI 224
Martynia fragrans XVI 258; XVIII
251; out-of-doors XX 293
proboscidea XVII 99; XIX 453
Martynias II 30
and their culture XIX 453
Marrow of Peru, a new XVIII 337
Mascarenhaia Curnowiana XX 228
Masdevallia attenuata VII 82; XI
189
Baekhousiana XV 442 455; XVII
515
bella XVII 115
Cheloni XIX 384
Chimera XX 492
coecinea IV 312; XVII 490
Davisii VI 557; IX 47
ephippium IX 50
Estrada IX 579
first hybrid XVII 341
Harryana I 472
highly-coloured XIV 147
infracta XVIII 187
ignea VII 59; XI 186; i. Mas-
sangeana XX 598; i. superba
XIII 114; i. var. Boddaerti
XVII 137
ionocharis X 503
Lindeni II 294; VII 214; XVIII
284; XX 184
LINDENI X 240
new XIII 433; XIV 323
polysticha VIII 524; X 490;
XV 23; XVIII 187
Shuttleworthi XV 375
three new species of V 432
tovarensis IV 480; VI 402; XIII
3; XV 32 455; XVII 7 322;
finely-flowered X 516
Veitchii IV 374; XI 226 346;
VII 210; and Linden XI 306
velifera XIV 474; XVI 105
Masdevallias XI 493; XX 61 344
at Christmas XX 616
culture of VII 384; XIV 361
GROUP OF XIII 102
in May XI 443; XIII 485
in pans XI 226
note on XVIII 227
quick increase of XVII 196
select X 241 (*12 cuts*)
species of IV 47; XIII 102; and
culture of X 240
Massachusetts Horticultural Society
VIII 360; XVI 52
Massangea heterophylla XIII 569
Mast Flower XX 254
Maté, or Paraguay Tea X 515; XII
552 (*cut*) 592
Materials, glossary of X 512
Matricaria, double white XVII 513
eximia grandiflora I 423
inodora XX 209 342
Matricarias, double XX 408
Mats, Bamboo XIV 519 570
Aston Clinton straw XX 538

Mats, gravel-walk metal-scaper
XII 405
of cocoa-fibre, as a protection from
frost IV 352
straw I 42; XX 587; frame for
making VII 491; machine for
making XVII 336
Russian Bast VII 118
Matthiola incana I 702
tristis V 241
Maurandya Barelayana, in Ireland
XII 492
Mauritia carana V 4
Mauritius Botanic Gardea X 396
Mow, George, portrait of XIV *Frontispiece*
Maxillaria grandiflora VI 262;
XVII 478
Lehmanni XX 416
pieta XIV 500
porphyrostele XVII 146
Turnerii VII 340
venusta XX 408
Mazimowiczia sinensis VI 583
May Apple, Oregon XX 199
May Apples, abnormal XV 217
May Blossoms for Easter-tide XI
266
May-bug in France, the XVI 71
May-bugs XV 502
how to destroy III 308; XVIII
317
May Duke, origin of the name XII
172
May-flower, the XVII 302
American XVIII 174
at Edinburgh X 456
Mexican VII 436
verses on XX 26
May, forcing I 502
May frosts in Suffolk, in 1877 VI
394
Maze-berry, the VII 170
what is it? VII 168
Maze, plan of an ancient VII 513
Mazus Pumilio XIII 514
MacNab, Mr. Jones, portrait of XII
Frontispiece; XIV 459
Meadow Beauty, the XVI 216; XX
203
VIRGINIAN XI 294
Meadow Rue, Maiden-hair I 95
Meadow Saffron, autumn VI 247
cattle poisoned by VI 335
chequered X 519 540
in bloom VIII 245
showy XVI 319
spring XI 91
Meadow Safrons XIV 323; XX
320
in tufts of Violets XVI 341
on lawns XVIII 298
Meadow, Welsh XII 307
“Mealie” XV 522
Maly-Bug VII 471
and alcohol IV 297
and the Chelsea Blight Composi-
tion V 162
destroyed by camphorated spirits
of wine IX 236; by whisky IX
196
how to destroy X 298
on Stephanotis VI 105
on Vines XX 304
Measurement of an acre, &c. IX 256
Measurer, the complete VI 553
Measuring instrument, Morris's VII
456; new IX 167
Merklenburg Square, London III
439
Meconopsis aculeata XI 515; XIII
537
cambrica, in the wild garden IX
566
hardiness of XVII 56 84
nepalensis XI 528; XVII 7 120;
XIX 336; in winter XII 533
simplicifolia XVII 443; true XV
454

Meconopsis, species of XIV 280
Wallichii VII 498 504 524; XII
105 (*cut*); XV 522; XVI 105;
XVIII 28
WALLICHI XIX 308
Medicago arborea V 148 197; VI
425
elegans X 380
Medick, the Tree V 197; VI 425
Medinilla magnifica XI 369; XIII
225; XIV 375; fine specimen of
V 411
Medinillas and their culture XIII
607
Mediterranean Flora, the XII 407
shore, garden on the XX 407
vegetation on shores of XIII 105
Medlar, Dutch V 524
jelly V 102
Thorn II 107; leaf of II 107
Medlars, keeping XIV 408
Megacarpa polyandra V 344
Megarrhiza californica XVII 147 344
416; XVIII 122; XIX 99 (*cut*)
Megasea cordifolia purpurea XVII
273
PURPURASCENS XX 242
Megaseas XX 242
flowering in January III 62
spring-flowering XIX 391
Melaleuca rigida XII 421
Melanerpes formicivorus I 214
Melanthium triquetrum XIV 368
Melasphaerula graminea XVII 285
Melastoma malabathrica III 301; XX
163 (*cut*)
Melastomads, noble XX 163
Melbourne Botanic Garden II 413;
XX 205
Melford Hall III 475
Melia floribunda XIX 377
Melianthus major I 50 95; V 302;
VI 430; VIII 228 (*cut*); IX
457 (*cut*); in Ireland XII 463
Trimenianus IV 455
Melittis Melissophyllum XIX 585
Mellidores XIX 585 591
Mell's Park, Conifers at X 424
Melocactus communis XII 443; XIII
269
Melocacti, culture of II 204
Melolontha vulgaris I 164; XIV
197 (*cut*)
Melon, A. F. Barron VIII 353
African VII 105
another new X 124
Austen's Incomparable IX 182
Beechwood XX 379
Bloxham Hall VIII 316
Cantaloupe VII 500; of the *Paris*
markets XI 85
Colston Bassett X 303 378
Cox's Golden Gem XVIII 260
Cucumerat Kew VIII 235
Cucumbers XV 45
culture IV 54; VII 105; IX
494; curious fact in IV 306; in
bedding-plant frames XIII 491;
in cold frames XVIII 632; in
hotbeds VII 49
Dell's hybrid XVI 329; XVIII
373
Dickson's Exquisite XIV 405
Eastnor Castle XII 142
from Africa, a new VI 215
gardens, floating XI 35
Gilbert's, A. F. Barron XI 470;
Netted Victory XVI 425; Vic-
tory of Bath VIII 186 200; IX
183 196
grounds, Spanish VIII 359
in open air XX 96
large Water IV 312
leaves, remedy for green-fly on XX
99
Little Heath IV 368
miniature, in pot XII 229
new, “First Lord” X 79; from
Khiva XII 216

Melon-pits, heating XIX 27
 Queen Anne's Pocket XII 126
 Reid's scarlet-fleshed VIII 62
 remarkable species of VI 190
 seeds of, germinating inside the fruit XIV 187 209 231; new v. old XIV 342; XV 238; simple method of cleaning VI 220
 Squire XVII 279
 Sutton's Hero of Bath VIII 291
 true Water XVI 320
 William Tillery XVI 342
 wine XII 561
 Melons XVI 6; XX 69 130 171 383
 and Cucumbers, liquid manure for XII 107
 artificial fertilisation of VIII 224 at Cardiff Castle XIV 74
 at Christmas XIX 56 77 83
 best two XV 69
 classification of XI 198
 early XI 152 253; XII 601; XV 48 92
 fertilising I 591
 for the open air XIII 454
 French mode of growing V 373
 from May to November IX 91
 how to prolong the season of cutting from the same plant VIII 93
 imported XVIII 309
 in brick pits XIV 275
 in cool pits III 224
 in Covent Garden XIV 279 574
 in 1879 XVI 202
 in Murcia IX 182
 in pots XVI 278
 insects on XIII 583
 in the open air II 392
 large II 300; XIV 278
 late VIII 370
 miniature XII 229
 netting XIV 344 385
 new varieties of X 369; XVIII 7 67
 not swelling XVIII 24
 ripening XIII 557
 rotting XVIII 346
 setting X 8; and swelling XIV 12; in frames XVI 55
 small houses best for VII 130
 sowing and treatment of early XIII 56
 Spanish VIII 516; XII 199
 splitting IX 605; X 8 462; XIII 559; XVI 115
 sugar from X 59
 three crops of, from the same plant VI 54
 variability in XVIII 170
 varieties of XI 210
 Water VI 262; XII 151; XV 502
 Menispernum canadense XVI 380
 Mentha gibraltarica XI 354
 Pulegium gibraltarica XIV 217; wintering XV 272
 Mentone, plants from XIII 48
 spring flowers at XIII 305
Mentzelia, flower of XI 385
ornata X 151 519; XIV 332 346
 Mentzelias, species and culture of XIV 371
Menyanthes trifoliata XVI 215
Menziesia polifolia XX 262; p. alba XII 503; XIV 147 190; p. var. XVI 543
 Menziesias, culture of V 244
 Meran and the grape-cure VI 87
 Mercurialis perennis aurea XVII 490
 Mercury or Good King Henry X 542; XI 431
 Merendera caucasica V 243
 Mereworth III 358
Mertensia alpina VIII 230
maritima XVIII 248
oblongifolia XVII 343

Mertensia paniculata XVII 404
sibirica XVII 507; XIX 59; XX 23
SIBIRICA XVIII 514
Mertensias, note on XVIII 538
 species of XVIII 563
 tall XVIII 514
Mesembryanthemum aurantiacum III 350
aureum III 370
cospeicum as a bedding plant VIII 340
cordifolium and sparrows XIII 400; c. *variegatum* II 206; VIII 546; XII 172; c. *variegatum*, propagation of VII 414; c. *variegatum*, wintering IV 504
crystallinum XII 281
edule XIV 324; hardy XIV 53
lupinum VIII 355
minimum VI 383
sessile album V 522
testiculare VI 385
tricolor II 273
truncatellum V 28
Mesembryanthemums VI 100
 annual XII 281
 best window-plants V 412
 collection of IV 291
 species of VI 383
Mesospindium sanguineum XV 375
vulcanicum II 184 357; XX 521
Mespilus, the Snowy IX 256
 Meteorologists, natural VI 359
Methonia (Gloriosa) superba XIX 578
Methonicas or *Gloriosas* XIX 578
 Metro-greffe I 201
 Metropolitan Suburban Cemeteries I 474
Metrosideros florida III 322
Meum athamanticum III 450; XVII 389 (*cut*)
Mexico, Alameda of VIII 27
 vegetation in VI 512; VII 26
Meyenia erecta alba XX 458
Mezereon in fruit XVIII 44
 large XX 540
 Mice and *Yuccas* XVI 71
 as garden destroyers I 629
 baits for field XV 24 48
 field, how to destroy XVII 376; in a rockery XIV 550 573
 trap for V 555
 v. Grapes XVI 381
Michaelmas Daisies II 266; XIV 562; XVIII 353 423 482; XIX 59
MICHAELMAS DAISIES XIX 498
 best XIX 38
 in Covent Garden Market X 376
 select X 416
 species of VIII 343
Michauxia campanuloides II 115; XVI 236
Michelia lanuginosa VIII 404
Michigan Agricultural College, horticultural department of XVIII 213
 forest fires in XII 160
Michrocachrys tetragona XX 457
Microaster globatus, pupae of II 140
Microlepia anthriscifolia, hardness of XVII 479
hirta cristata XIV 362; XVII 124
 Microscope, useful to the cultivator, the IV 260
Microserpma bartonioides XIV 91
Microserpma, the XIV 91
 Middleheath Cottage Garden XVI 149
 Midlothian, horticulture in XX 430 431
Mignonette XX 123 292 355 449
 all the year round X 497; XII 329
 and bees XIII 36; XV 498
 autumn-sown XX 211
 culture of, in winter VI 362

Mignonette for cutting in November VIII 433
 for market XI 285
 in cool house XX 49
 in Paris IV 144
 in spring XIX 657
 in winter IV 109; and spring XVII 454
Miles' spiral XIV 106
 new II 246; XIII 407; large-flowered XI 305; spiral XIX 368
 on walls XI 82
 Parson's white VII 373
 proliferous XX 150
 pyramidal VIII 146
 seed of XVI 366
 specimen plants of XVII 490
 Tree XVII 507; and pyramidal V 182; how to form III 122
 Victoria IX 304
 when to sow VII 217
 winter VI 10; XX 253
 Migration of useful plants, the VI 526
Mikania glomerata XVII 100
 scandens *variegata* XI 423; propagation of XIV 252
 Mildew and other fungi XVI 294
 destroyer, Speed's X 595
 eradicating from vineyards X 332
 Ewing's composition for curing VII 220
 in frames XVIII 444
 on Grapes, remedy for X 320; XX 74
 on Roses XIV 496; remedy for X 321
 on Tea Roses, remedy for XX 568
 on Vines X 376; salt not a remedy for XII 220
 remedy for XVI 239
 Milfoil XX 198
 golden-flowered XV 272
 serrated XX 222
Milk Weed XX 315; four-leaved XX 87
 variegated XVIII 268
 purple rock XX 541
Milla biflora VI 238; XII 199 292 296; XVII 316 335 564; XVIII 52 76 123 251; XX 210 283
LAXA XIX 98
laxa XX 23 53
longipes XVI 81 128; XVIII 4; *umbel* of XVI 285
uniflora IV 167
 Millet X 525
 species of XII 68
 Millipedes, how to destroy X 321
 Mill (J. Stuart) as a lover of plants III 370 402
Milner Field, hothouses at III 35 36
Miltonia candida XX 416; c. *grandiflora* II 204; XX 463 (*cut*)
cuneata VII 192
Miltonias XX 463 562
Mimosa prostrata VI 10
Mimosæ, the VII 274
Mimulus cardinalis IV 158; XV 116; XVIII 596; XX 53
 creeping XX 71
 culture of, in pots XIII 484
garden II 240
glutinosus VI 254; XIX 98
maculosus VI 42
moschatus *Harrisoni* XI 89; XII 78 439
primuloides XVIII 187
repens XX 71
Roezlii II 294
shrubby XV 139
Tilingii II 250
 two crops of, the same year VII 504
Mimuluses, Clapham's strain of VII 403; IX 543
 improved XIX 39

Mimuluses, indoors and in the open air VI 46
 in the open ground VII 450
 in water XVI 235
 seedling VII 436
 semi-aquatic XVI 258
Mimusops Elengi VIII 362
 Mineral poisons used by cultivators VII 350
Mint, black XII 251
 early XV 436
 forcing IX 22
white XII 251
 with Peas XVIII 107 186
 Mints, black and white XII 294
Mirabilis multiflora XIII 159; XVIII 337 (*cut*)
 Mistakes, horticultural XV 294
Mistletoe, the II 536; III 72 270; XV 455
 absence of in Devonshire I 436
 American IX 600
 Apple-tree killed by XIII 12 50
 as a tree pest IV 12
 bearing Oaks I 393 531
 best raised from seeds in spring VII 416
 ceremony, Druidical XVII 105
 chemically considered XI 79
 compulsory destruction of XIV 548
 effect of on Apple-trees XII 601
 growing on Mistletoe VI 102; VII 124
 imported XIX 59
 in Ireland III 144
 mystery III 69
 note on XVII 14; XIX 185
 of ancients I 372
 on Apple-trees XVI 500
 on a Scotch Fir XI 266
 on fruit-trees I 704
 on Oak I 357 393 531; XI 224; XV 92
 on the Acacia IV 533; V 63
 on the Hawthorn XI 80
 on the Horse-Chestnut II 405
 plants of, large III 116
 propagating VII 146; VIII 553
 trees on which it is found XI 203 233 255 347
 Mitcham flower-farms, the XVI 370
Mitella cordifolia XVII 404
Mitraria coccinea XII 262
 Mixed beds in flower-gardens XVIII 295
 Mixture, graceful IX 543
 Mixtures, natural XVIII 330
 MOCCASIN-FLOWER, the XI 254
Moccasin-flower, the XIX 643
 for indoor decoration X 29
 growing XI 304
 in a small pot XVI 59
 Mock Orange XX 78
 best VIII 123
Columbia III 233
 Mock Oranges XV 476; XIX 664; XX 52
 at Kew XX 10
 GROUP OF XV 476
 Mole-catching VII 272
Mole Cricket I 97 (*3 cuts*); IV 50; VIII 14 (*cut*); XIV 287 (*cut*)
 Mole Crickets II 32
 and Potatoes VIII 34
 modes of destroying VIII 14; X 321
 Moles not a vegetable feeder VII 60
Moles V 555
 and their worm-stores VII 262
 food of VII 438
 hunting in gardens I 249
 in cutting-beds VI 212
 in gardens I 358
 to destroy III 375
Mole-trap, effective VIII 52
Molinia caerulea variegata XI 122
Molopospermum cicutarium XIII 159
Mulicella laxis XIX 419

Momordica balsamina XX 190
Charantia VI 247; XII 161 (*cut*)
172
Monaco, Bougainvilleas at XVI 4
view in the gardens at XX 550
Monaupthes ariostaphis VI 8
muralis II 204
Monarch, the fallen XVIII 210
Monarda Bradburyana XVI 127
didyma XVII 249
purpurea XX 178
Monardas, the XVII 249
Monandella macrantha X 380
Money Tree I 9
Moneywort XX 71 318
as a window plant V 233
CREEPING CORNISH VII 70
golden XII 282
variegated XIV 124; *Cornish* VI
359
Monkey Bread tree I 240
Monkey-flower, Cardinal IV 158
scarlet XV 116
Monkey-flowers II 240
Monkey-fruit tree, the IX 118
Monkshood VII 171; XII 362 (*cut*);
XX 199
and Horse-Radish VII 171
Japanese X 490; XX 368
poisoning by II 48; VII 211;
XVII 11
variegated IV 104
white XVIII 228; XX 177
white-and-blue XVIII 106
Monochactum ensiferum XVII 82;
in winter XIII 3
Lemoineanum XVIII 559 630
Monochactums, culture and propagation of XVI 493
Monopyle racemosus IX 583
Monrepos, Strawberries of II 105
Monstera Adansoni XX 456
deliciosa I 394 661; IV 319; VI
168; VIII 217 (*cut*); XVIII
451 (*cut*) 484; XX 153 212 497;
culture of XV 220; in the conservatory XIV 256; in water
NV 78
fruits the XV 288
Montaguea herbelifolia VI 145
Montague House, garden at I 163;
photo of I 163
Mouthretia crocosmaeflora XX 203
new XVI 163; hybrid XVIII
188
Pottsi XVI 163 216; XX 129 171
POTTSI XVII 84
rosea XX 153
Mouths, epithets of the V 434
Montreal, Grapes at XI 75
Montreuil, March in XI 205
Moon-eater, the IV 463; VIII
510; IX 24
Moon-flower XX 515
Moon-seed, the XVI 380
Canadian XVI 194
Moon-wort XX 42
Moor Park House XI 541; gardens at VI 152
Moore, portrait of Dr. David XIII
Franzspicke
Moquilea utilis VI 183
Morea (Iris) fimbriata X 412 436
456
Mora excelsa X 288
Morchella esculenta II 391; III 442;
XIX 536
Morea iridioides II 144
Moral, the II 391
culture of II 390; III 442; in
tan V 451
edible XIX 536
More, Mr. A. G. XX 625
Moricandia arvensis VII 405
sonechifolia X 106; XVII 299
(*cut*)
Morina longiflora I 686; as a border-flower VIII 180

Mormodes armeniaca XX 228
Ocime XVII 9; XVIII 187
pardina armeniaca XVI 297
Morning Glory, different species of VIII 84
Morris, Mr. W., on the “Art of the Future” XV 298
Mortar for garden walls, how to make X 321
Morus pendulina XX 499
Mosser Bed, a XV 491
“Mosaiculture” XVII 507
Moss VIII 420 (poetry)
as an evaporating surface II 184
as a table-decoration VI 190
balls of, for bedding plants III
418
clearing walks of VIII 338
Dumesnil's XX 560
for the protection of herbaceous
plants VIII 543; IX 30
golden Club XVIII 575
Hypnum XVI 251
Inset V 27
iridescent XII 203
luteo VI 157
mulching the surface of pots with
XIX 156
on fruit-trees I 296 415; III 128
167; XI 59 65; and bushes
XVIII 572; how to destroy X
322; XI 126
on gravel walks XIII 348; XVIII
346
on lawns X 550; XIII 274 559;
XVII 424
on trees, destroying XI 495
on walks I 612; to destroy I
598
plateaux of XVIII 487
Spanish VIII 426
“Moss Dovedale” IX 490
Mosses and Lichens I 279
culture of hardy VIII 267
Dr. Moore's “Synopsis” of the
Irish IV 104
native, under cultivation XV 217
Mossing plants XIX 372
Moss Pink in America, the XVI 162
Moss Rose, origin of the II 53
Moss Roses and Provence Roses X 3
BOUQUET OF XVIII 84
in Covent Garden XIII 355
Mossy rocks, in pleasure grounds
III 410
Moth, Bee Tiger XVIII 414
Brown-tailed XV 245
Cabbage XVI 251
common dark XV 20
Death's-head XVIII 414 415
Gummi XVI 519
Goat II 399; V 4; XV 297 (*cut*)
366 392
Gosseberry XVII 283
Great Yellow Underwing XVII 414
Gipsy XV 383
Hawk-and-Hart XVI 92
Luburnum XIX 429
Lackey I 417 418 (*cut*); XV 129
(*cut*)
Lilac XV 443
Lime Looper XV 169
Magpie XVII 283
Vapourer XVI 186
Winter III 85; IV 447; XV
169 (*cut*)
Moths and Butterflies I 568
“Mother of Thousands” III 484
Moulds, and minute vegetation XII
313
Mounds raised in gardens XVII 537
Mountain Ash XX 204
avenue of XIV 350
berries of, poisoning from XII 224
Mountain Catfoot I 687
Mountain flowers I 330
Mountains and their work, the VI
508
beauty of I 258

Mount Edgecombe I 552 553 (*cut*);
from the sea I 552; *view in gardens*
at I 554
Mount Hope Nurseries, Rochester,
N.Y. XVIII 339
Mount Vernon XII 21
Mouse, short-tailed field XV 48; in
the garden XVII 358
Mouse-trap, garden IX 490
Patent Perpetual XIII 365
simple and effective XIII 270
Mousseron, the autumn VI 207
Mower, prize lawn XX 263
Mowing-machine, Globe XVIII 24
horses and ponies, bearing-reins of
X 20
Mowing-machines and tree-damage
VIII 276 360
Mucuna imbricata XVI 105; XVIII
337; XX 262
Mud-salad Market XVIII 192 305;
Hamlet in XVIII 523
Muhlenbeckia complexa VI 515;
XX 407 563; hardiness of XX
460
Muhlenbeckias XIV 56
Mulberries XIII 629
Mulberry in London XIII 614
introduction of VI 324
Russian XX 125
very dwarf VII 102
Mulberry-tree, decaying XVIII 168
historical IV 314
Milton's V 548
old XVIII 523
Mulberry-trees, City VI 260 (poetry);
Japanese VI 287
Mulching V 486; VI 324; VIII
545 (*cut*)
advantages of X 480
and watering XIX 661
dead leaves as X 564
importance of X 216
in the flower-garden VII 462
in winter XIII 213
surface of pots XVIII 624; with
moss XIX 156
tan for VII 40
v. top-dressing XX 48
Mulgedium Plumieri II 383; XVII
559 (*cut*); XX 41; as a wilderness
plant XIII 618
Mullein, Cretan XIX 645
tall XVIII 542
Mulleins XVIII 591
Mume of Japan, the XIII 281
“Mummy” Corn VII 511
will it germinate? XII 361
Mural gardening I 304
Murray, the late Andrew XIII 69.
Musa Cavendishii IV 178; XI 345;
XIII 178
Champagna, the fruit of VI 42
coccinea IV 206; XX 260
Ensete I 73; II 92; as a winter
decorative plant X 477; at
Kensington Palace XVI 105; at
Kew III 450; fruiting at Paris
IV 210; fruiting in the open air
at Palermo IV 164; in Berkshire
XII 177; XIII 513; in Hyde
Park XX 367; in the conservatory
XIV 587
Livingstoniana XIV 18
sumatrania XVIII 417
vittata XVI 197
zebrina XIV 244
Musas in Hyde Park II 136
new XVI 124
wintering II 344
Muscaria armeniacum I 687; XV
265 474
atlanticum and M. armeniacum
XI 466
bright yellow III 147
lingulatum XV 251; XVII 197
227
monstrorum X 7
new XV 365

Muscaria, pallens XV 375
paradoxum XV 389 442; XVII
394
species of VI 5
Szovitzianum XVII 343
Muscari IX 327
Muscats in full leaf, hardiness of VII
278
Museum, a Colonial for London XIV
477
Mushroom-beds XIV 252; XVI
225; XX 492 557; *in caves*
XIII 41; miniature I 207 246;
open-air XII 107; salting X
375; soiling XI 120; spawning
I 246
beetles eating XIV 231
cave XIII 40 66 90; *at Mont-*
rouge XII 477; *Parisian* XII
19
failures VIII 514; XVIII 411;
XIX 243
Fairy-ring I 333 334 (*cut*); modes
of cooking I 334
farm in a Mammoth Cave XIX
658
Fir-cone III 98
forcing its way through 12 in. of
concrete XII 151
giant IV 306
growth, singular IV 450
Hedgehog II 64
Horse II 215
house at Battle Abbey VIII 549;
ceiling of XIX 436 551; wood-
lice in XVII 379
ketchup XII 327
lime-stained III 136
maned II 251
Orange milk I 596; mode of cook-
ing I 596
scaly I 178
section of I 16
shot, section of X 311
spawn III 77; how to make X 322;
keeping XII 220
St. George's I 623; III 442
trade, French XIII 370
tribe, reproduction in VIII 489
true I 16
tub I 207
viscid white II 454
Mushrooms I 41; IV 306; XX
49
and **Mushroom-houses** VII 75; XI
77
and saltpetre XII 163
antidote for poisonous X 478
culture of I 208; III 486; V
317; VIII 205 280; X 10 375;
XIV 430; XIX 170; XX 153;
and sawdust IX 22; economical
II 212; failures in XVIII 342;
in cellars IX 551; XVI 114;
in sawdust VIII 554; in tan
VII 110; in vineeries XIX 112;
Japanese XI 164; on open lawns
IV 147; out-of-doors IV 159;
without manure XII 506
cooking IV 266; modes of I 178;
II 159
diseased XIII 112
diseases of XIII 420
for winter XX 202
from mill-track spawn IX 551
from Mr. Barter XX 596
from September to July, out-of-
doors XX 524
from straw XVIII 410
gathering XIII 388
growing, failures in XVIII 293;
on a brick wall IX 429
how market-gardeners manage VI
165
ideas about IV 291
in Anglesea X 616
in a fruit-room XII 530
in cellars XIII 222; XIX 455
in coal-pits XII 351

Mushrooms in deep cellars XVIII
310
indoors XX 578
in March XIII 248
in Melon-beds IX 213
in pastures XIII 629
in pots I 437
in winter and spring XII 483
on a wall IX 463
on the walls of turf pits IX 520
out-of-doors in winter XX 600 621
poisoning by XVI 327; in France
NI 420
preservation of XIII 597
protecting, from woodlice and
slugs X 525
rock of XIII 44
Soyer's breakfast II 193
to pickle I 428
under Tomatoes XX 323
Musk, Cardinal XVIII 596
Harrison's XIV 147; XVIII 318;
as a tewu plant XIV 284; as a
window plant XIV 221; new
XIII 278; propagating XII
430
out-of-doors XX 157
Mussenda frondosa XIV 220
luteola XVIII 478
Mustang Vine, the II 253
Mustard IV 362
Mutisia decurrens XIII 614; XIV
191; XVI 59 148; XVII 491;
XVIII 304; growing X 216
ILICIFOLIA X 134
Mutisias at Bitton X 167
in cultivation X 213
species of X 134
Myoporum album IV 192
crystallinum XIX 210
Myosotidium nobile XVI 499
Myosotis XX 156
alpestris elegansissima XVII 302
azorica II 521; X 131; culture of
XV 508
capitata XVII 393
disstiflora I 325 391 458; III 50
110; IV 70; V 12 478; VII
320; X 234; XV 318 348
369; XVII 330 422; XVIII
518; d. alba XIX 565 654; and
rain XI 143; best from seed
XV 294; autumn and winter-
blooming XVI 416; XVIII 399;
indoors IX 115; injured by frost
XV 202 245; in pots IX 300;
XI 130; notes on XV 342;
d. splendens XIX 464 523;
substitute for XI 232
elegansissima XVII 239
good bedding XV 462
Impératrice Elizabeth IX 165;
XII 175
new variegated XVI 32
palustris I 120; in the drawing-
room II 34
rupicola IX 499; XIII 276; XVII
404; XIX 557
RUPICOLA XI 130
semperflorens XIII 595
striped XVI 56
sylvatica VII 320
Weirleigh Surprise XV 512; XIX
523 597 654
Myosotis in Covent Garden Market
IX 443
in marshes XIV 62
in pots XII 106
Myrica arguta XII 349
Gale VIII 520
Myriophyllum proserpinacoides XIX
578
Myristica fragrans XIX 161
Myrsiphyllum asparagoides I 324
410; II 540; V 168; VIII
363 448 457; XI 305; XV 48
96
raising from seed IX 343
sprays of IX 343

Myrtle, centenarian II 208
common V 329
Crape II 290; XIV 253; XX 212
creeping I 324 410; V 168
double-flowered IV 338; VIII 500
mutilation of a favourite V 155
Rosemary-leaved XVIII 380
wax XX 87

Myrtles XX 603
as decorative plants XI 44
at Lochryan XIV 146
Crape XX 382
in Cornwall XX 111
in flower XX 53
in Leicestershire I 543
on walls XIV 236
wintering XVIII 394
Myrtus mucronata XVIII 380
teunifolia III 357
tomentosa XVII 490

N.

NAGELIA fulgida bicolor XX 515
Margarita III 357
Nailing in the cold I 19
Nails, to prevent from rusting IX
500
Nairnshire, effects of winter in XX
34
Name, wanted, an English XX 37
what's in a? XVI 334; XVII
469
Names, botanical XX 185
English XX 580 622; and Botan-
ical VIII 275; for plants XVIII
49 98 139 176 208 230 317 416;
XIX 129 354 528
for foreign plants, wanted, English
XIX 535
of plants IX 491; English XIX
598
question of IX 360
Naphtha, gasoline, and benzine
XVIII 262
Narcissus, all the species of VII 351
as a border flower VI 358
aureus XIII 199
bicolor dianthus XIX 633
biflorus XIX 439
Bulbocodium XIII 441 490; XV
282 493; in pots XI 406 443;
and its varieties XII 345; *B.*
monophyllum XV 202; *B.* var.
citrinus XVII 404
calathinus VII 371; XI 269 (*cut*);
XIX 368
Chinese I 543
Clusii XII 345 582; XVI 581
(*cut*); XVII 18 93; XIX 34
double XV 385
Empress XI 265
fly VIII 363
Grand Monarque VII 438
Graellsii XVII 67
heminalix IX 258
Hoop-petticoat, as a pot plant XI
443; in the Channel Islands
XVII 448
Horsefieldi X 519; XI 265
incomparabilis XVIII 142
juncifolius in flower, in January
VII 52
maximus XIII 225; XIX 321;
at Dublin IX 258

Narcissus minor III 62; XI 226;
XIII 158; XVII 273; and mini-
mus XI 269
monophyllum VII 192; IX 239
(*cut*) 259; X 578; XIII 199
montanus IX 404
muticus X 366
note on the XIII 204
pachybulbos VII 168
pallidulus XVII 68 137 (*cut*); and
N. rupicola XVII 448
Paper-white VIII 385; X 498;
XI 122; XIII 433
papyracaeus III 62
poetarum XI 393
poeticus V 478; XI 346; XIII
274; XIX 542; p. fl. pl. XVII
565; in masses XVII 447
POETS XVII 286
pumilus XV 388 468
rupicola XVII 68
Sea-shore XI 269
Tazetta, a fine variety of VII 104;
T. floribundus XI 102; XIX 59
Telamomius, single XVII 362
triandrus III 394; V 322; *t. albus*
XVII 312
varieties of double VII 343
white Hoop-petticoat XII 510 547
Narcissi VII 5 (28 *cuts*); XX 573
at South Kensington XIII 381
Cyclamen-flowered XI 377
different races of XIX 568
early-flowering V 278
Emperor and Empress XV 388
forcing XII 256; XX 477
from Cornwall VII 148
GROUP OF NEW XVI 174
hardiness of IX 400
Hoop-petticoat XII 412 445
hybrid and seedling XI 285
in Cornwall XIX 494
in December XX 563
in pots III 302; XIX 104 314
in the London flower-markets IX
443
in the shrubbery XIX 201
last of the XIX 557
Mr. Barr's XIX 392
naming XVII 5
notes on Spanish XV 511
three good IX 358
Nardoo plant, the XVIII 248 373
(*cut*)
Nardostachys Jatamansi XVI 164
197 235 (*cut*)
Nardus indica XVI 197
Naseberry, the VII 170
Nasturtium, Flame IV 131; XIII
97; XVIII 202; XX 53 177;
among Bamboos XX 6; at High
Beech XVI 124; growing XII
609
officinale XV 436
on Irish Yew IV 132
tuberous IV 23; XVIII 180 239
Yellow Rock VIII 268
Nasturtiums as screen plants XVI
194
dwarf XIV 300; XVIII 401;
XIX 419 468
in apple orchard VI 512
my IX 571 (poetry)
Natal fruits and vegetables IX 166
garden XI 546
Natural beauty VII 157
mixtures XVIII 330
selection VI 167
Nature I 413; II 268
and geometrical art VIII 504
lesson from XV 251
printing X 345
Navel-wort, wintering the Spring VI
174
Naret Marteau XVIII 72
“Neatlegs” XI 459
Nebraska, deep soil of XII 208
fruit culture in XVII 282
winter of 1880-81 in XIX 472

Nectarine and Peach I 296
branch of, extension-trained XVII
510
Galopin XVII 3
Lord Napier XIV 55
Murray II 382
Orange XIV 48
Prince of Wales VIII 370
Rivers's Pine-apple VIII 190
shoot of, pinched for the first time
XV 441
Stanwick VIII 538
Victoria VI 364; XII 608; XIII
12 25 70; and other good kinds
XII 567
Nectararies XX 69 383 473 575
at Manchester XX 305
best VII 82; outdoor XX 380
in pots III 396; XX 535
outdoor XX 330
red spots and cracking in IX 564
standard XX 144; indoors XX 171
summer pruning XX 187
THREE NEW IX 246
under glass I 537
Victoria, at Welbeck X 235
Nectarine trees disabled I 683; II 7
Negundo, variegated XVIII 173 252
271; for forcing XIX 124
Neil Bequest I 496; IX 208; X 38
Neja gracilis XIV 525
Nelumbium aspericula XII 356
luteum VIII 475; XX 339 500
(*cut*); in New England XX 318;
in N. America XVIII 317
speciosum VIII 2190; XVI 540;
XIX 213 (*cut*); flower and fruit
of X 293; hardy at Paris VIII
537
yellow VIII 268; XX 498 501;
at home XX 501
Nematanthus longipes XIX 34; XX
457
Nematus Ribesi XVII 272; XVIII
429 (*cut*)
Nemophila discoidalis vittata IX 232
insignis for hanging baskets IX
272; *i. grandiflora* IX 232
Nemophilas IX 232
for cutting I 680
Neottia maculata VII 62
Nepenthes XX 357
at Drumlanrig VII 146
bifilarata XVII 165
Chelsoni IV 332; XI 475 (*cut*)
distillatoria, at Drumlanrig VIII
98; fine specimens of VI 360;
VIII 58
hybrid, at Chelsea IV 479
intermedia XI 429
Lawrenciana and N. Williamsi
XVIII 452
Morganiana XX 388
new hybrid VII 62
notes on XVI 262
Rafflesiana II 159; as a basket-
plant XVI 263
sanguinea IV 292; XVIII 642;
large pitchers of XI 539
superba XVIII 625
Veitch's hybrid XI 429
villosa XVI 319
Nepeta Glechoma XX 201
Nephrodium fragrans XIV 110
Nephrolepis davallioides furcans XIX
155
Duffi XIII 136; XV 503 (*cut*)
new XV 23
select species of XVI 187
Nerine corusca major XIV 169
Fothergilli XVIII 203; *F. major*
XVI 275; XVIII 477; XX
422; and N. Planti XIV 257
Japanese VI 238
profusa XX 331
pubica I 42; XVIII 448
sarniensis II 288; IV 270 358;
VI 311 (*cut*)
undulata XVI 446 472

Nerines XX 437 477
new cross-bred race of XIV 301
new hybrid XVI 529
two good XIV 237
Nerium Maddeni grandiflorum XVIII
227
Oleander, poisonous XVI 228
Neriums XX 450
Nertera depressa II 482; VI 123
149 248; VIII 58 220; XVIII
160; XIX 445 (*cut*) 523 578;
culture and uses of VIII 168; how
to fruit VIII 51; propagating
XIII 304; XV 522
Nespras nepoica V 344 374
Nest of the Red-bird IV 504
Nettle, as a vegetable, the IX 300
Nettles IV 160; XV 4 122
for food I 197
note on XV 50
poison of VI 395
substitute for XV 84
under trees XV 24 48
Nettle-tree, the XVIII 579
Nevada, forests of Central XVI 101
Falls XVIII 213
"Nevergreen," a XIX 479
Nevinia alabamensis XVIII 145
223 (*cut*)
Newcastle-on-Tyne Horticultural
Society XV 327
new public park for XIV 345
New England, public gardens in
XII 2
wild plants of XII 587
notes from XVII 98 282 339 386;
XVIII 174 207 289 416; XIX
26 156 600
New Forest, the XVI 72; XIX 128
evils resulting from divided interest
in XVI 86
New Granada, vegetation of the
Paramos of XI 408
New Guinea, gardens in IX 540
New Jersey, May frost in XIII 570
New Orleans, *City Park* in XX 179
foundations of XII 342
New Pears, notes on I 205
plants IX 165 351
Newry, effect of the winter of 1878
at XVI 18
plants from XIX 533
Newspaper bye-laws IX 9
coverings and frost IX 15
Newstead, garden at, plan of II 487
New York, Central Park at I 524
544 639; XVI 544; *armlet of
lake* in I 639; *bridge over arm
of lake* in I 525; *cave and rocks
in I 640*; *English sparrows-house
in I 545*; *fountain* in I 525;
native Oaks in I 544; *portion of
lower terrace* in I 524; *rustic
bridge* in I 545; *summer-house
in I 544*; *view of lake* in I 639;
vine in ramble in I 640; *vinery
in I 544*
early vegetables in XI 481
herbarium at Columbia College I
603
Horticultural Society XVI 339;
exhibition of, in 1879 XVI 23
New Zealand Flax in Ireland VII
203; new kinds of VII 320
flora of XVIII 662
forests of XV 459
Karaka nut of XX 352
plants of XVI 476
wild flowers of XII 286
Niagara I 15 26; XII 23; XVII
288
*bird's-eye view of Islands above the
falls of I 15*
falls of XVII 11
Peach culture at XI 474
Nice, Roses at XIX 519
Nicotiana acutifolia XIV 125
affinis XX 222; rival to Tuberose
XX 21

Nicotiana longiflora XVIII 610
macrophylla gigantea, as a winter-
bloomer XI 314
Tabacum VI 126; T. var. fruticosa
IX 165
tubiflora XX 597
virginica I 277
Nicotine soap as an insecticide XVII
420
Nierembergia frutescens XVIII 106
grandiflora II 87
rivarularis XX 72; culture of VIII
100; X 519 537; hardy VIII
202; in Oxfordshire VIII 477
Nierembergias as basket plants XIII
537
Nightingales in gardens I 494
Nightshades IX 137
Nigritella suaveolens VIII 26; and
N. coecinea XVI 6
Nile vegetation VI 475
Niphobolus Heteractis XIII 158;
XV 29 (*cut*)
Niptus hololeucus VII 399
Nitrate of soda v. guano VIII
187
Nitrogen, substances from which
crops get their X 10
Niven, Mr. J. C. XX 432 528
Ninian, portrait of VII *Frontispiece*
"Nomenclator Botanicus," Dr.
Pfeiffer's II 478; VI 512
Nook, quiet XV 157
Nooks, sheltered XV 488
Normanhurst Court, gardening at
XX 408
North and South I 244
Northumberland Avenue X 438
House, the site of X 120
Norway, floral effects in IX 358
influence of coast climate on alpine
vegetation in X 158
vegetation in XII 286
window plants in IX 375
Nosegays, old-fashioned VIII 411
Notes, American XII 287; XVI 470
543 565
and Readings XX 220 291
artist's (illustrated) XIX 94 176
Australian XX 544
from America by Mr. Parsons XX
580
from Belvoir XX 236
from Bickley XX 264
from Birmingham XX 128
from Bromsgrove XX 528
from Carnarvonshire XX 79
from Cheshire XX 54
from Comely Bank XX 101
from Corwall XX 78
from Cravent XX 34
from Dublin XX 21 98 123 128 261
335 422 462
from Edinburgh XX 184 293
from Glasnevin XX 171
from Handsworth XX 162
from Ireland XX 544—551
from Mr. Ilbery XX 581
from Mr. Woodall XX 596
from New England XX 87
from Newry XX 171
from New South Wales XX
504
from Norfolk XX 327 580
from Passaic XX 440
from Reading XX 137
from Scarborough XX 101
from Schönbrunn XX 264
from Switzerland XX 37
market garden XX 39
summer XX 49
Nothochilus Grayi XVIII 32
Maranta XIV 305
Nothoscordum fragrans VI 100
Notre Dame, garden at XII 536
Nova Scotia, *Lilium auratum* in XX
337
weather in XII 10

Novelties I 202
for 1875 VII 81
worthless I 299
Newton Court III 432
Nubia, vegetation in II 325
Nursery, an Americau X 118
and Seed Association XV 126
at Brampton, Mr. Wills's IV 193
at Croydon, Mr. Ley's VI 368
beds in gardens XVIII 118
Convention XV 471
Fulham XII 175
garden, the City of Paris XI
144
ground in Great Britain, extent of
XVII 67
grounds, shelter and shade in XVI
156
Japanese VI 311
Jean Verschaffelt XX 130
Messrs. Lane's, Berkhamstead
XVII 245
Messrs. Witch's III 189
Mr. Vertegan's IV 322
of the City of Paris IV 174; *view
in* IV 175
public XV 471
St. John's, Worcester III 303
trade in America XVII 542; tele-
phone in XVII 408
watchfulness required in XX 111
work XX 546
Nurseries at Morte Fontaine, M.
Chantrier's IV 194
Coombes Wood V 397
Ellwanger and Barry's VII 238
Hatherside IV 113
Huntingdon XII 406
in 1839 XIX 110 133
in the United States XX 298
Larson, Edinburgh V 121; XX
293
Lucombe, Exeter VII 63
Messrs. Pennick & Co's IV 102
Nurseryman and Florist XIX 165
Nursermen, caution to XX 602
Congress of IX 315
Nut, Atlas XII 320
Karaka XX 588
Mount Atlas XIII 11
Norwich Prolific XVI 538
of New Zealand, the Karaka XX
352
Peach VI 520
purple-leaved IX 176
Nuts, American Hazel IX 167
and nut culture IX 40
"Grass" XII 251
hedge XVI 317
keeping VI 389; XX 509
origin of Brazil and Saputa VII
247
Pecan VII 274
preserving XIV 385
Turkish trade in Hazel XVI 278
Nut-tree at Preston Hall VIII 159
Pecan II 360
uplifting a mill-stone II 227
Nut-trees in flower in January XI
80
raising XI 86
summer-pruning VIII 94
wintering young XIV 343
Nutmeg, the V 133; XIX 161 (*cut*)
Nut Tree, the VIII 223; XIV
318
Nuttallia cerasiformis IX 79 328;
X 133 (*cut*); XVIII 303; XIX
299 359
Nycterina Lychnidea XVII 32
Nymphaea alba X 38; rose-coloured
variety of X 255; XIV 55;
XVI 6 325; XVIII 5; at
Brighton XX 128
ALBA VAR. ROSA XV 516
deutata, blooming in the open air
IV 522
Devonian IV 104
flava X 67; XX 17 184

Nymphaea obscurea v. N. rosea XV
272
odorata I 5; IV 368 (*cut*); VIII
89; XVIII 399; growing XI
471; o. minor XIV 191 232
239; O. rubra XX 124
pygmaea XI 493
rufa, proliferation of XIV 41
scutifolia XV 294
sphaerocarpa XIV 93
Nyssa aquatica XX 415 581
sylvatica VI 351

O.

OAK, Agnustus-leaved XVIII 390
ancient IX 436; XII 190
and the Ash, budding of V 422;
leafing of III 499; V 496; XVI
122; early leafing of XVI 86
Anderson's IX 200
as a substitute for Box XVI 86
Ash on the I 286
burr VI 156
caterpillars XX 93
Charlemagne II 359
Cork, at Goodwood XVIII 522; in
California X 133
curious V 238
"Douglas" III 322 340
dwarf Chinese VII 316
Danver's Yellow VIII 4
evergreen as a shelter XVIII 532
fine XIII 398
fine IV 192; and its inhabitant
XI 443; pyramidal XIV 408
four-fold-stemmed XIX 290
Fulham IV 231
galls V 388 393 (*cut*); VII 322;
X 1182 (*cut*); remarkable XV 47
Glenlowe's I 435
Golden XIV 580; XVIII 317; of
Cypress XVI 111 486
Golden Cup XVIII 73
Golyos IV 91
great Shropshire VIII 494
Hungarian IX 83
insects XX 195
Japan, fruiting in England VII
292
large evergreen XVII 105
Laugh-Lady VIII 4
leafing before the Ash XIX 628
Live XIX 478
Lodge I 124; *view in the gardens
at* I 125
Major at Thoresby Park IX 493
Mistletoe on XI 224; XV 92
Mourau XI 212
new evergreen XIX 285
new mode of barking X 564
noble X 564; XI 480
of Lebanon I 618; acorns I 618
old II 77; killed by Ivy VIII 472
on slope XVIII 573
original Lucombe, at Exeter X 506
palings II 380
Parliament II 127
phylloxera of the VI 35
poison II 76
price of, in Scotland X 133
prickly XX 274
pyramidal XIV 366
Queen Elizabeth's at Hatfield XIX
649

Oak, safe removal of a large VIII 80
sea-shore Live IX 48 56
Shakespeare III 340
Sidney, at Penshurst XVI 442
singular discovery in an old IV 166
spangles IV 275
striped XVIII 390
Swamp or Pin IV 313; VI 252; leaf of IV 313
timber XV 285
truffle VIII 347
varieties of XVIII 279
weeping, at King's Acre Nurseries V 165
“Winfarthing” VIII 69
woods in South Yorkshire, decay of XIV 308
Yardley V 63
Oaks and other trees at Goodwood XVIII 554
and Truffles VI 512; IX 75
celebrated III 253
evergreen II 172; XVIII 375 395
441 500 577; fine XVIII 523;
large, removing II 339; new XVII 167; XVIII 404; pollarding XVIII 444; transplanting XIV 341
grouping in parks XIV 534
growing where sown IX 28
hybrid VIII 234
in chemical manufacturing districts VI 53
king of V 22
large V 551
of America, the V 97; laws respecting I 667
of California IV 17; XVII 210
of Europe I 169
of the United States, the X 208 222
old III 180 322; at Thoresby XVI 361
pictorial IV 191
propagating XV 46
protection of young evergreen XVIII 462
quick-growing X 522
raising ground around VI 53
remarkable III 400
removing large evergreen XIII 376
sizes and ages of XVI 422
with fine foliage XIII 103
Oakley Park III 491
Oasis, an Algerian XI 199
OBITUARY:
Alexander, James, sen. XIX 320
Allgrove, Jesse XVI 252
Andrews, Mr. William XVIII 144
Ayres, Mr. W. P. VII 82
Baines, Henry XIII 374
Baltet, pere, M. XVI 382
Barillet, M. IV 268
Barnes, Mr. James XI 437
Barter, Mr. Frederick V 216
Beeton, Canon XV 487
Bell, Mr. John VII 146
Bell, Mr. Thomas, F.R.S. XVII 296
Booth, Mr. W. Beattie V 557
Brehaut, the Rev. T. C. XVIII 528
Buckley, Mr. VII 82
Budd, Mr. R. X 476
Buist, Mr. Robert XVIII 144
Caparn, Mr. W. H. II 518
Carson, Mr. S. M. XX 17
Challoner, Colonel II 112
Cocker, Mr. James, sen. XVIII 472
Cooke, Mr. E. W. XVII 48
Cramb, Mr. XI 272
Crittenden, John XX 538
Cullum, Lady VII 168
Cunningham, Mr. David XI 344
Cutbush, Mr. Wm. IX 464

Obituary—continued.
Dale, Joseph XV 24
Davis, Mr. XVI 274
Denny, John XX 538
Derham, James XI 464
Dickson, Alexander XVIII 418
Dickson, Mr. Thomas XI 264
Don, Mr. P. N. X 252
Donald, Mr. James III 40
Duncan, Mr. J. X 252
Dunnett, Mr. W. H. XVII 232
Durieu de Maisonneuve, Michel-Charles XIII 326
Edmunds, Charles XIX 84
Fenzl, Dr. Eduard XVI 382
Fish, Mr. Robert IV 370
Fortune, Robert XVII 356
Gibson, Mr. John VII 60
Gillbanks, Mr. Jackson XIII 534
Godfrey, Mr. Robert VI 90
Gordon, Mr. George XVI 382
Gorrie, William XIX 84
Halliday, Mr. Wm. XVII 232
Hawbury, Mr. Daniel VII 292
Harcourt, Colonel Vernon XVIII 31
Harden, John W. XVIII 96
Harrison, Mr. XI 120
Headly, Mr. Richard IX 420
Henderson, Mr. E. G. X 476
Hind, Mr. Henry VII 252
Holmes, Mr. William XIV 24
Hooker, Mrs. VI 486
Hope, Miss XVII 420
Hoyle, G. W. I 625
Hudson, Dr. XVIII 554
Humphreys, H. Noel XV 486
Hyde, Mr. XX 126
Ingram, Alexander XX 494
Ingram, Mr. John X 576
Ingram, Mr. T. I 387
Ivery, Mr. James II 134
Jacob-Makoy, M. L. V 196
Jacquemyns, Professor VI 460
Jamin, M. Jean-Laurent IX 120
Jodd, G. J. XX 474
Johnson, Thomas XIII 326
Keynes, Mr. John XIII 176
Kingsley, Henry IX 512
Knight of Kerry XVIII 168
Laage de Meux, M. de XIII 176
Landreth, Mr. David XVII 276
Lankester, Dr. VI 440
Lawson, Mr. Charles V 21
Lee, Mr. Chas. XX 281
Lightbody, G., of Falkirk I 714
Lord, Mr. J. K. II 518
MacNab, James XIV 459
Margetts, Rev. B. H. XIII 608
Mas, M. Alphonse VIII 472
Masters, Mr. VI 332
May, Mr. H. XVIII 500
Miers, Mr. John XVI 382
Moffatt, Mr. Thomas XIII 45
Moggridge, Mr. John Traherne VI 554
Moore, Dr. David XV 485
Mudd, Mr. XV 366
Munby, Mr. Giles IX 420
Munro, General William, C.B. XVII 143
Nash, Mr. Daniel VI 530
Neale, Mr. R. XVII 48
Nesfield, Mr. Markham V 538
Nestfield, Mr. W. A. XIX 296
Niven, Mr. J. C. XX 432
Niven, Mr. Ninian XV 186
Ormon, Mr. H. XI 184
Osborn, Miss Emma XI 464
Osborn, Mrs. XIV 232
Osborn, Mr. J. I 250
Osborn, Mr. W. I 387
Parlatore, Professor XII 291
Parsons, Mr. XIX 3
Patterson, Thomas X 496
Paul, William XVIII 666
Pearson, Mr. John Royston X 228
Perkins, Mr. Thomas XVII 336
Pfessendorf, M. X 252

Obituary—continued.
Plant, Dr. Wm. VIII 404
Powell, John XVII 356
Rendle, Mr. W. Edgecumbe XX 281
Rivers, Thomas XII 411
Riviere, M. XI 306
Rollisson, Mr. Wm. VII 534
Rucker, Mr. VIII 382
Russel, Provost XX 432
Saunders, Mr. Wm. Wilson XVI 274
Seemann, Dr. Berthold I 112
Sharpe, Mr. W. XX 150
Sidney, Rev. Edwin II 396
Sim, Robert XV 166
Smee, Mr. Alfred XI 60
Smith, Mr. Augustus II 112
Smith, Mr. James Macbeth XVIII 268
Solomon, Lewis XIV 50
Souchet, M. XVII 356
Spencer, John XIX 84
Squires, Charles XX 150
Standish, John VIII 98
Stansfield, Mr. Abraham XVIII 218
Stansfield, Mr. Thomas XVII 72
Stephens, Mr. Henry VI 64
Steveuson, James XV 288
Stewart, Mr. Peter X 616
“Strawberry King,” the III 40
Stuart-Milne, Mrs. Jane X 372
Tanton, Mr. Ransley XIII 429
Taylor, Mr. VIII 166
Thompson, Mr. Charles N. VII 22
Tighe, Lt. Hon. W. F. XIV 24
Tillery, Mr. W. XV 336
Tucker, Thomas XIX 84
Turnbull, Mr. A. VII 82
Turner, Charles George XIII 326
Vaillant, Marshal I 715
Van Houtte, Louis IX 464
Van Houtte. Madame XX 228
Veitch, Mr. William XVII 232
Veitch, Arthur XVIII 346
Wallace, Mr. Peter VIII 56
Waterer, Mr. Michael XX 578
Watson, Mr. Hewett Cottrell XX 150
Weddell, Hugh Algernon XII 243
Weeks, Mr. John XVI 165
Wheeler, Mr. George XIII 586
Wight, Dr. I 625
Willermoz, M. XVI 382
Williams, Mr. Thomas, of Ormskirk XX 640
Willmer, John Thomas XVI 546
Wyness, Mr. II 46
Ochnia multiflora XV 442
“Ochra,” the VII 274
as a fibre plant IX 147
pod of XII 507
Ocytum sauctum XII 208
Ocypus olearis XV 323; XVI 72
Ode, dedicated to the Hon. Marshall P. Wilder VI 440
Odontoglossum XIII 33
Alexandri IV 241; XVII 7 292;
finely-flowered XIV 549; white
XII 582
Almond-scented X 443
anceps XVIII 558
Andersonianum XI 20 144; XII 524
Bintonense IV 498
cirrhosum IX 376 401 (cut); X 109
(cut) 203; XI 22 82; XII 510;
XVI 19 (cut)
coradiatum IV 522; XX 61
coronarium V 28 82; XIV 235
crispum XI 102; XX 12 37 320
581
CRISPUM XX 12
Edwards XIX 105
finely-flowered XIII 102 156
grande IV 332; XIV 257; XX 344
496
Hallii III 294; X 106; XI 246;
H. xanthoglossum XVIII 422

Odontoglossum hastilabium XX 416
hebraicum XVI 571
houses X 107
Ingleayi leopardinum IX 464
luteo X 503
Lindeni, flowering of XIV 146
Londesboroughianum XI 90; XVI 369 502 563 (*cut*); XX 416; L. pardinum XVI 383
Iuteo-purpureum XI 226
madrense VII 378; X 443 (*cut*); XX 344
membranaceum XIX 333
nevadense XIX 425
new V 70; IX 328 401
odoratum XVIII 229
pardinum XIV 190
Phalaenopsis XVIII 447
Roezli IV 228 251 (*cut*) 332; V 28; XII 582; XVII 34; XX 344; R. album XI 326; fine specimen of VIII 450
ROEZLII X 106
roseum IX 376 577
Rossii XIX 306; R. majus XII 449; XVII 167; varieties of XVIII 417
Schleipérianum XX 150
tripudians IX 539; XVIII 229
Uro-Skiáneri XII 582
vexillarium III 330; VI 2; IX 468 554 577 (*cut*); X 108 (*cut*); XI 393 493; XV 365 388; XVI 66; XVII 428 515; XX 6;
at Gunnersbury Park XVI 80; cool treatment of XVII 205; fine variety of XIX 457; v. floribundum XVII 546; in pans XIII 74; v. multiflorum XVI 163; varieties of IX 595; XVII 469
VEXILLARIUM XVII 474
Warscewiczii VII 143; XIV 525
Odontoglossums XIX 361
at Christmas XX 615
BEST OF THE X 106
brouzy-leaved XVIII 593; XIX 104 133
cool house XVII 127
from Wortley XX 560
in America XVI 248
Miltonia-like XI 537
species and culture of X 106
sweet-scented XII 510
treatment of XVI 79 281 336
two well-grown XII 126
winter-flowering VI 408
Odontosoria (*Davallia*) aculeata XIII 114
Odours preserved III 222
Enanthe crocata IV 30 428
Enothera bistorta Veitchii I 703
caespitosa X 304
eximia X 34
Fraseri XX 44
Giant II 250
grandiflora XII 244
marginata I 303; III 125; XVIII 246
montana X 306; XII 303
serrulata V 139
siuata IX 79
speciosa XIV 101
taraxacifolia XIX 467; XX 203
234
trichocalyx X 419
Youngi XIV 62
Enotheras II 143; VI 196; XVIII 298; XIX 26
“Ohio,” the XIII 492
species of XVIII 329
Ohio Squash, the II 350
Oil-heating XV 217
Oil-trees of China in Europe, the IX 190
Okra, the III 250
Oldenburgia arbuseula V 547
Old friends I 160

Olea europaea VII 321
fragrans XVI 24 252; XX 611
ilicifolia XVI 122
Oleander, the II 272; IV 191
culture of VI 429
double pink-flowered V 118
flowers dropping off XVII 461
large XVI 109
new varieties of IV 129
new white-flowered XVIII 227
poisonous XVI 228
white-flowered XIV 55
Oleanders XX 53
and Orange-trees in tubs in the Luxembourg gardens VIII 291
as window plants V 56
double XX 203
shedding their flower-buds XIX 485
Olearia Haastii X 125; XX 223
360
stellata XIX 386
Olearia palustris XVIII 33 452
Olive-tree, the VII 321
fragrant XIX 261
grow, an old XIII 618
growing VII 92
in California II 398
in Italy XVII 124
in Portugal VII 352
in the Riviera XVII 101
oil at Nice, production of IV 307
old XIX 268
silver variegated wild I 711
wild XIX 478
Olives at Nice, the crop of II 458
giant VIII 156
in the south of Ireland IX 117
notes on VII 60
on the shores of the Mediterranean VII 13
out-of-doors at Camberwell VII 52; at Clapham VI 53
Omaseus melanarius XI 396
Omphalocarpum procerum XX 456
Omphalodes linifolia XVIII 641
Lenticille II 20; III 394; IX 443; X 480; XII 547; XVI 3 (*cut*); XVII 403; hardness of XII 558
611; with bright-green leaves XVI 232
verna III 382; XIII 136; XIX 348; XX 41; v. alba XIX 524; double XVI 524
Oncidium cheirophorum V 281; X 538; XI 189; XX 521
concolor V 300; XIII 433
CONCOLOR XIII 58
coroigerum as a winter-blooming plant X 578
Cresus XVI 133; certificated I 451
cucullatum XIX 62
curtum X 131
dasystyle XVI 298 521; XVIII 68 80 112; XX 104
euxanthum VI 445
excavatum VIII 429; finely-flowered XV 190
flexuosum XIX 132
Forbesi XIV 411; XV 23; XX 598
Gardneri XVIII 187
Kramerii VI 384; XX 542
lanceanum XIV 389; XX 208 416
leucoxanthum, at Ferrières XIII 3
macrantha var. hastiferum XVI 6
Marshallianum XI 346
O'Brianianum XX 453
obryzatum II 167
ornithorrhyncum XX 453; o. album XVII 487
platyodon VII 192
Rogersi VI 402; XII 510; finely-flowered XII 416
Russellianum var. pallidum XVIII 187
splendidum XI 144

Oncidium stramineum X 378
tigrinum III 201; XII 416; XIV 345
varicosum XI 166
Weltonii VII 232 252
zebrinum VI 238 262
Oncidiums at Christmas XX 616
at Holloway XII 247
at home XX 208
few good XIII 58
golden XI 325
Onion beds, salt for XI 387
Catavissus Tree XI 75
diseased XVIII 142
enemies of VIII 34
fair, in Birmingham II 376
festival of IV 164
fly VI 324; IX 81 (*cut*); X 92; XIV 347 (*cut*); how to destroy X 297
Improved Reading XVIII 411
juice & stings of insects XII 391
maggot V 337; XVIII 191; destroyed by salt VIII 182; remedy for XX 65
new Giant Yellow Zittau XII 364
seed of XIII 196; for an acre VII 22; saving XVIII 528; scarcity of XVI 506; of white Spanish in 1878 XIII 174
silver-skinned Tripoli X 486
Spanish, at home XI 347
Trebons X 194; XV 112 150
Tree IV 158 262
Webb's Improved Baubury XVI 273
Welsh IV 158
wild XIII 238
Onions I 42; XX 26 196
and M. About II 324
autumn-sown X 120; XII 124 127; XVIII 311; XX 215
culture of III 171; IV 534; V 228; VIII 306; IX 211; XVI 465; XIX 111 196; and its profits X 440
frost-resisting XV 276
grown at Chiswick, report on IX 20
heavy crop of VIII 402
importations of II 392
in America IX 75
in London market-gardens VI 583
keeping XIV 273; XX 54
novel way of preserving VI 39
preparing ground for XIX 157
rolling, to fasten IX 332
silver-skinned XIV 381
soopritic property of IX 315
sowing XI 174; autumn XVIII 238; in heavy soil XIX 157; winter XII 135
splitting VI 117
spring-sown XIII 173
thinning VI 14; XVII 310
transplanting XIII 270; autumn-sown XIV 273 342; in spring XV 192
Trebons XVI 506
winter X 92; XIII 494
Oniscus Asellus V 162
Onoclea sensibilis XIX 380
Ononis arvensis XX 216
fruticosa II 88 127
rotundifolia I 687
viscosa II 267
Onopordum Acanthium II 295
Onopordons, the II 295; XIV 28
Onosma echioioides XI 524
megalospermum IV 4
tauricum VIII 84; XIX 618; XX 183 (*cut*)
Onosmas, cultivated XX 183
Onychium japonicum XX 234
Open Spaces, *Puurb* on XX 196
Ophelia nervosa, culture of XX 381
Ophioglossum XX 199

Ophiopogon Jaburan aureo-variegatum VI 294
japonicum as an edging plant IX 32
Ophiopogons, variegated XVIII 533
Ophrys, Sawfly XIX 166
tentredinifera XIX 166
Oporto, Horticultural Exhibition at in 1877 XII 52
Opuntia clavarinoides cristata XIII 107
crassa XIII 107
exuvia XIII 107
in the South of France XIX 265
pubescens XIII 107
Raffinesquiana I 150; II 288; V 158; XX 130 548 614 637; in flower XII 151
RAFFINESQUIANA XX 548
vulgaris, hardy XI 100
Orange and Citron, hybrid between XI 292
and sugar-cane garden VII 225
as a conservatory plant III 66
cestrum XVIII 304
chips I 334
dessert, culture of III 13
distinct kinds of VIII 474
groves in Spain III 217; Pararamatta I 473
in Japan III 155
large XI 452
mince II 30
Mock V 524
Myrtle-leaved IX 26
peel of, to preserve I 596
salad I 334
supply, our IV 433
v. Grape culture in California V 334
wild XIX 478
within an Orange VII 60
Yube IX 491
Oranges I 176; III 14 153; XX 53 600
and Lemons in Greece XII 102; soil for XIII 481; varieties in XI 331
and other Citron-worts at Combe Royal, South Devon XII 533
and orangeeries VIII 527
Australian XVI 319
black V 36; culture of I 105; VI 442; at Sawbridgeworth XVIII 654; at Wentworth XV 349; dessert XVI 74; in Florida VI 209; in Texas VII 108; in the Azores V 548; profits of IX 500
English-grown, as dessert fruit XIII 25
fertility of I 476
from Brazil XII 367
from Florida XVII 303
from Naples VIII 168
from the S. States of America XV 396
home-grown III 102; IX 125; for dessert XIII 4
in Florida II 466
in Sicily III 76
maggots in III 76
Malta Blood, seedless IX 183
Mock VIII 3; XIX 664; XX 52; species of VI 131
sold in London IV 455
South Sea X 201
when fit to gather for dessert? IX 92
Orange blossoms, in the manufacture of perfumery IX 165
Orange-flower, Mexican XIX 368 409 558
Orangerie in the Petit Trianon XII 576
Orange-tree, death of an old at Versailles X 538
scale on XII 621
vitality of IV 270
Orange-trees I 585
dwarf XVIII 605
greenly on XIII 506
indoors IV 30

Orange-trees in pots XX 564
in the open air IX 137
in vineeries I 661
old X 137
Roses on I 286
shedding their leaves XV 190
small, in pots XVIII 631
top-dressing XVII 248
wintering XIV 550
Orchard, Appleless XIX 532
best position for XX 469
blossoms XIX 441
Cherry XVI 110
country IX 300
culture I 19; notes on IX 203
Date II 253
Fig XVI 110
ground, ornamental and useful XVII 532
in an Apple IV 265 (poetry)
ladder IV 359; XIV 118 (*cut*)
largest in the world I 538; IV 119
management of XX 347
marking out XX 528
Mr. Chapin's great XVI 566
of the world I 604
ornamental JV 431
Pall Mall on XIV 242
planting X 378
pruning III 76
valuable XII 215
vegetable crops in I 469
wild XIV 501
Orechards, allotment XVI 406
American II 507
and plantations, earth-shelters for XVII 509
and their culture IX 114
Apples for I 611
bearing years of XVI 91
culture of V 402; VIII 186; X 602; young XIX 502
drawing X 602
filling up XX 469
grafted VII 29
green crops for XII 200
in bloom, beauty of XVII 123
in England XVI 453
in Great Britain, acreage of the V 112; VII 122
in the Carse of Gowrie V 272
in the Maidstone district III 358
laying out VI 576 577
manuring IX 444
market-gardens, nurseries and woods in Great Britain, acreage of IX 300; in 1877 XII 434
mixed cropping in XIV 405
neglected I 415
Oak Shade XVI 110
of Hereford and Worcester, the XIII 555
of seedling trees I 661
on grass XVI 425
pigs in III 226
planting IX 128; XI 474; XVI 48
points to be observed in judging V 214
pruning bearing X 221
rare in the British Isles XVIII 519
registering VIII 62; XVIII 406
renovating IX 183
screens for X 221
setting out XVII 444
shelter for XII 245; XVII 3 532 654
space and cultivation for XX 121
timber screens for XII 287
top-dressing X 279
two:—a contrast XIII 153
Orchard-house, the IV 168 187 216 235 273; X 96; XIX 162 356 474 550; XX 170 244 385 473 590 620
culture, hints on XV 159
glass XIX 77 140
late, in March XIX 271

Orchard-house, my IV 81
rustic II 474
section of I 475
span-roofed, glass-sided X 308
successful cool XII 183
trees XX 447; everywhere XIV
257; pruning XX 551 577
with north aspect XVIII 534
Orchard-houses I 105 188 475 535;
II 83; XVI 348; XVIII 276
313; XIX 109; XX 309 357 427
and walls I 638
at Culford IV 168 169 188 189
(2 cuts)
fruits for XX 591
Roses in XX 579
Orchid Album XX 98
basket, pottery-ware VII 143
baskets, pottery-ware VII 168
beetle, how to destroy X 297
calendars XVIII 136
collector II 479; American XIX
657
continuous-flowering XIV 55
(cool) houses III 65 67; XX 357 534
619
cultivator XX 593
culture in America X 501
diseased XVIII 528
Dove VI 168; XI 224
flowerless XV 385
flower, parts of III 163
flowers and fog XI 40; drying
XVIII 531; for table-decoration
II 207; lasting properties of XV
170
garden, hardy XIII 594; house-top
XVII 98; of one Orchid XX 6
golden XX 320
insects, how to destroy X 369
leaves of, diseased XVI 450
new hybrid XX 62; white-flowered
XIV 549
noble XX 203
notes from Dublin XIX 657
pans, shallow XVI 474; XVII 7
peat, Scottish I 657
pot II 522
powerfully-scented XIV 500
roots of, how to protect II 232
seed XVIII 504; sowing XX 562
singular X 594; XVI 60
strange XVIII 305
terrestrial XII 539
violet-scented, winter-blooming XII
416
Orchids and alpines, planting I 6
and Camellias in the same house
XV 131
and cool treatment XVIII 644
and Ferns, cool-house V 66
and foggy weather V 4; IX 23
and Palms in winter XII 560
antiquity of XVI 190
are they easy to grow? XIX 656
as cut flowers at Christmas XVIII
644
at Avenue Road, Regent's Park
XVI 521
at Birdhill, Clonmel XVII 303
at Bretham Park, Stirling XX
582
at Bridge of Allan XX 104
at Burford Lodge XVII 128; XIX
305
at Camden Park XX 504
at Chelsea II 357 500; XVII 225
at Christmas XX 615
at Clapton XIX 504
at Darnleigh VIII 194
at Down House VI 317
at Downside, Leatherhead XX 541
at Drumlanrig XII 416; XX 61
86 252
at Glasnevin XX 382
at Holloway XIII 26
at Kenwood, Albany, U.S. XVI
196
at Kew V 4; XVIII 422

Orchids at Lord Londesborough's
VI 467
at Norbiton XV 453
at Oaklea VIII 32
at Regent's Park XX 86
at rest X 301
at Selborne XIX 198
at Silverdale Lodge, Sydenham
XIX 51
at Stamford Hill XIII 228
at Stevens's VII 335
at Sudbury House XVII 375
at Sydenham XIX 481
at the Firs, Sydenham XIX 61
at the York Nurseries XVI 480;
XVIII 32 523
at Whitechurch Rectory IX 75;
XIII 328
Australian terrestrial XVI 247
autumn-flowering XVIII 366;
hybrid XVIII 478
baskets v. pots for IX 398
bedded out XVIII 57
best cool VI 254
book on growing XVIII 665
bottom-heat for IV 437
British III 433; for the garden
XIV 25
Buckinghamshire I 499
Burton Constable XIX 172
cheap basket for XIV 484
choice, in flower in November X
498; in bloom in October XIV
301
classification of XIX 140
collecting II 479
cool V 434; VII 276; VIII 70
426; X 307; XVI 355; XIX
105; XX 521 561; and how to
grow them, Mr. Burbidge's
work on V 88; at Clovenfords
VIII 257; bouquet of II 459;
for conservatories I 325; from
Columbia XIV 125 169; grow-
ing II 439 459; IV 512; house
for XX 490 574; talk about
XX 576; treatment of XVII 42
252 270; treatment of East
Indian XVII 169; treatment of
in winter VII 507
culture of II 271; XVI 435 550;
XVII 8 128 151; XIX 133 171
224 250; XX 37 305 382; clay
slabs for XX 382; Fairfield
system of II 389; for market
XIX 273; in America XI 168;
XV 519; in baskets XIV 543;
in New Jersey V 182; in shallow
pans XVI 436; modern XVIII
529; past and present VII 141;
of cool XX 562; under diffi-
culties XVII 65 89 99
damping off XVII 530
decline of, in England XIII 109
difference in treatment required by
XIX 383
diseased XVIII 582
Dove VI 288
Dr. Paterson's XX 617
effectively arranged XII 533; XIV
389 525
epiphytic, Bromelias and Ferns
XIII 57
evils of flue-heating XVII 194
failing to bloom XX 495 522
Fairfield system of growing II 361
feeding atmosphere for XVII 143
Ferns and Ficuses amongst XIII
74
figured in “Jenning's Orchids,” in
1874 VI 20
finely-flowered XII 30 126
flowers of, at Whitechurch Rectory
XIII 74; in Covent Garden
Market VIII 516
for cool houses XIV 481
for cut flowers X 205
for general cultivation IX 373;
XII 571

Orchids for rooms I 62
for vases VI 341
for winter blooming XII 585
four new hybrid V 258
from cuttings V 466
from “My Garden,” I 691
ground, notes on IX 441
growing cool XVIII 112; without
heat XIV 376
hardy XIII 565; XVI 89 346; at
Kew XV 442; in bloom in May
XV 375; in flower in June XIX
593; planting of I 6; terrestrial
XVII 28
hybrid XIV 465; at Chelsea IV
312 479
hybridising III 163
importance of cleanness in the
culture of XVIII 613
importation of XX 463
imported XVI 72 115
importing III 103
in America XVIII 112 136
in bloom XX 542; at Gunnersbury
in March XIII 199; at Sunbury
House XX 617; at Kew in April
IX 400; at Kew in August IV
110; X 228; at Kew in July
VI 46; at Kew in June VII
481; at Kew in May V 415; at
Kingston in February XIII 94;
at York in April XIX 352; at
York in December XIV 525
in flower in America XVI 480; in
April IX 376; XV 287; in
December II 546; XIV 549;
in December, notes on XVIII
594 614 644; in February III
82; V 178; IX 170; XIII 102
113 136; XV 109; XVII 138
196; in January III 62; IX 26
115 123; XI 22 62; XIII 70
74; XIV 32; XV 87; XVII 83
103; XIX 133; in January,
notes on XIX 6 52 62 142; in
July VIII 50; XVI 6; in July,
at Glasnevin XVIII 29; in June
III 490; VII 520; IX 516;
XIII 537 614; XV 454; XIX
637; in June, at Stamford Hill
IX 553; in March V 260; VII
217; IX 218; XI 166 205; XIII
223 277; XV 210 247; XVII
252; in March, notes on XIX
251 332; in May V 366; VII
375 385; XIII 433 459; XV 374
388; in May, notes on XIX
482; in November II 442; X
438; XII 416 488; in October
VIII 320; X 398; XVI 320
383; XVIII 422; in September
XII 272
in California V 388
in conservatories XI 286; XVII
224
in Covent Garden Market IX 51
in dwelling-rooms III 149
in November XX 521
in open Teak-wood cylinders V
547
insects infesting III 204
in spring XI 14
in Surrey II 294
in the College Botanic Gardens,
Dublin, XVII 82
in the open air XVI 543; XVII
123; XVIII 531
in the United States XVIII 531
in the York Nursery XIII 621;
XIX 457
in Wisconsin XX 13
in Yorkshire XVIII 503
late Mr. Wilkin's XI 186
made up specimen plants XX 149;
making up XX 207 251
manures for XVIII 136
mixed collections of XIII 228
mixed with other plants XVII
387

Orchids, Mr. Day's XIX 368
Mr. Jenning's book on V 218
Mr. Wrigley's XVI 18
native habitats of XX 158
new and rare XI 444; at South
Kensington in 1876 IX 258
new pot for IX 593
notes on XII 449 468 490 523 620;
XIII 74 628; XV 331 488; XVI 11
339; by a Tea-planter IX 149;
on ground IX 470
odours of I 13 44
of Madagascar I 509
our XVIII 567; XIX 6 104;
native X 34
out-of-doors, at Messrs. Back-
house's, York XVIII 503
packing for importation II 546
palace for VIII 452
potting XVI 132; and watering
II 521; epiphytal IX 424
prices of II 266; III 174 194 198
312; V 156 258 344 518; VI 92
118 262; VIII 80 320; XV 87;
XVII 285 515; XVIII 60
prizes for XVII 285
propagation of III 183
pseudobulbs shrivelling up XIX
333
ramble amongst British I 456
rare, in bloom in March V 221
reputed shy bloomers XX 561
resting II 544; XIX 142 198
250
roots of epiphytal XIX 306
sale of XIX 490; of Lord Londes-
borough's XVIII 189; of Mr.
Day's XIX 415; of specimen I
604; of the Manley Hall III 194
294 312
scale on XVIII 194
seasonable notes on XVIII 530
select collection of IX 491
shading XIX 504
shallow pans for XVII 139
show cases for VI 383
show of, at South Kensington in
1877 XI 391
shy blooming XX 582
Sir Trevor Lawrence's XVIII 445
specific variation in III 23
suitable houses for XIX 351
sunken houses for XIX 141
tastefully arranged XX 495
temperature and management of
XX 334
terrestrial XVI 112; growing
without soil V 119; hardiness
of XV 194
thinning out bulbs of XVII 196
224 252 270 326
three rare XIII 114
to flower XX 561
to shade or give more air? XX
606
treatment of newly-imported IX
489; XVI 226
two good hardy XIII 614
two rare XIV 190; XVI 335
two well-flowered XII 440
under cool treatment XVI 305
Van Houtte's book on III 470
variegated V 180 481
watering X 25
well-grown collection of XV 287
winter-flowering II 519; V 35
117 135; VII 22; XIII 100;
XX 479
without heat XIV 465
without Orchid-houses VI 558;
VII 68 124
Orchid-house I 32
and fernery combined XIV 587
in the natural style III 84
pretty effect in XII 416
Orchid-houses in winter XIV 478
prevention of drip in XVII 66
ventilation of IX 578
Orchis Comperiana VIII 511

Orchis, fine hardy XX 72
foliosa II 88; IV 49 88; XII 1
156; XIII 589; XV 492; XVI 111
29; XIX 646; fine specimen of
VII 520
fusca and *O. purpurea* XVI 132
Great Lizard XVI 528
hiricina VIII 26; on Orme's Head
XVI 462; XVII 384
latifolia XIII 614; XIV 7 200
239; *L. sesquipedalis* XVII 558;
varieties of X 75 97
Lizard VIII 26
maculata VI 532; as a border
plant XVIII 29; *m. superba*
XIV 214
mascula XI 459; as a border
plant V 478
pallens XI 422
Purple Swan XVI 383
purpurea XVI 113
sesquipedalis NX 72
yellow-fringed XVII 111 279
Orchises, English names for XI 459
in flower in March VII 192
on Great Orme's Head XVI 368
our English XIII 166
Oregon woods IX 371
Oreodaphne californica V 523; VIII
327; XVI 197 241
Orchis nigra VI 313
Oregia integrifolia XVI 186
Origanum *Dictamnus* II 250
spp. XVII 113 129 184 197
Orkney, sea-side vegetation in XIII
431
Orlaya (*Caucalis*) *grandiflora* VIII
500
Orme's Head, native plants on XVI
346
proposed planting of VII 69
rare plants on XVI 445
Ornament, noble I 390
simple IV 345
Ornithogalum arabicum XI 515
Ancistrocladus XVII 423
aureum XV 520; XVI 235
nutans XV 429
pyramidalis XX 17
revolutum XIV 102
thyrsoides XV 32
Oryza europea, *florula* of X 505
Orobanche on *Primula* VII 82
Orobous cyanus IX 380 407; XVII
338
vernis V 372; and its varieties
XIX 414; forced XIX 350; on
rockwork XV 429
Oriole, Purple XIX 9
Orris-root X 111; XII 210 (*cut*)
whence derived III 120
Orwell Park IV 24
Orychophragmus sonchifolius XI 278
Osage Orange, not flowering VIII
166; wood of IV 446
Osbeckia pulchella XX 437
Osborn's Nursery, Sunbury XX 223
Osier, bitter IV 33
yellow XVIII 133
Osiers III 255
consumption of VI 319
Osmanthus heterophyllus XIX 261
ilicifolius X 561; XVI 276; XVII
558
myrtifolius XVIII 585
Osmyndula peduncularis XV 219
regular I 390; XIII 481; XIX
523; by the Serpentine VII
438
Ostrya virginiana XIX 428
large XIII 82
rubripennis XII 372
Osteospermum XVII 249
Othonna crassifolia X 260; XII 223
487; XVII 331 (*cut*); for baskets
XIV 76
Otiorrhynchus fulvipes and *O. notatus*
XI 536
notatus VII 416; XIII 573

Otiorrhynchus *picipes* XVII 271
sulcatus VII 143 168; XIII 490;
XV 366 (*cut*); and Roses XIII
503; natural history of VII 189
Otto of Roses VI 413
Oursinia coccinea II 163; XVII 564;
XIX 490
“Out of place” XVIII 6
Ovinaria lanuginosa I 565; V 222;
X 534 (*cut*); XIII 439 (*cut*); XV
474; XVIII 274; XX 546; and
O. Berberiana XVI 17
Oven and air-chamber, section of IV
348
Over-decoration XIV 439
Overdoing XII 591
Over-heating, ill effects of II 555
Over-planting X 557
Owls, destruction of barn XV 65
Oxalis arenaaria IX 47
Bowiei VIII 341; XVIII 325 433
corniculata rubra II 410; III 382
Pepper IX 234; *edible roots* of VIII
43
enneaphylla X 402
few good kinds of XIV 302
floribunda XIII 589; in pots
XVIII 6
imernata XX 391
lobata XII 446
luteola XIV 141; XX 366
odorata XVIII 29
flumieri XIV 213
rosea I 637; IX 234 (*cut*); r. *alba*
IX 80; as a pot-plant II 204
species of VI 312
Volubilis IX 231
violacea alba XIII 485
Oxalis IX 234
notes on IX 194
three choice VIII 389
Ox-tail X 525
Oxalis, *the great* XVIII 251
Oxford Botanic Gardens VIII 450
491; Dr. Ackland on VIII 470
Oxfordshire, notes from X 32
Oxalis XX 493 520
Oxydendron IX 436
arboreum VIII 400; X 586; XVI
360
Oxyopus macrocarpus XVII 237;
XX 32
Oxyria reniformis XX 584
Oxytropis baicalia III 470
Lamberti XVIII 29
Oxyniris, the VIII 166
Oyster-plant, the XVIII 248
Oyster-shell crocking XI 372
Ozothamnus glomeratus VI 10

P.

PACHYPHYTUM bracteosum IV 128;
VII 372; increasing VIII 500
Pachypodium V 230
Pachystoma succulentum V 416
Pachystoma Thompsoni XVI 341;
389 (*cut*)
“Pacific Rural Handbook” the XVI
147
Packing Lily bulbs XX 621
water for, *useful* IV 513
Packington Hall, Coventry I 647
Paddington Flower Mission VIII
165 492; XIII 204
Pandanus cornuta VI 181

Paeonia rotundifolia, note on XIV 462
arborea VI 531
Brownii XII 379
tenifolia XVII 321
Peony buds XVII 448
Fennel-leaved XVI 153
fruit of the common VIII 504
seed vessels XVIII 380
Peonies I 325 701
at home XVII 28
at Tooting XVI 45
double-flowered XVIII 4; scarlet
XVII 321
forced XI 185
French XIX 56
herbaceous XVII 513; *in the wild*
garden XV 313
in grass XIX 373
Montana, *double-flowered* IX 197
new and improved V 477
NEW HERBACEOUS XIX 14
notes on XVII 469; XIX 646
select X 259; XVIII 201
tree VIII 426; and frost XIII
328 387 406 432; and others
VIII 388; IX 543; best IX
197; grafting XVII 336; hardness
of XIX 233; indoors III
140; in the conservatory XIII
303; notes on VI 531; XV 228;
propagation of XVII 174; when
to move XVII 280
Painswick, American Apples at XX
425
Paint for garden purposes X 346
for Vines, &c. V 214
new XVI 406
or varnish for hot-water pipes IX
120 126
Paint-root and its curious effects on
pigs IX 276
Paisley, new park at XI 443
Pansy show at, in 1877 XII 124
Palafaxia Hookeriana XX 262
Palestine, fertility of XI 477
Pallavicini gardens, *civis* in the XI
247 251
Palin, Bastard XIX 585
Betel-ant I 521
Bull, at Edinburgh VI 558
Cabbage XVII 15
Carnauba IX 124
Chusan VIII 377; X 334; in New
England XIV 31
Cocoanut III 462
Date II 253; V 161 (*cut*); remarkable
V 182; slender XVIII 482
dinner-table V 20
Doun, of Egypt V 52
dried XIV 389
Fan I 311; Bourbon, in sub-tropical
gardens X 354; California
XIV 223; dwarf, hardy in Scot
land X 492; stately X 463
Fortune's, fruiting in the United
States VII 372
fossil in Colorado II 232
Gomati I 483
graceful XII 392
ground Rattan VIII 355
hardy I 442; II 51; flowering in
Hants XVI 72; in flower IX
566; out-of-doors I 667
in flower XX 604; and fruit XIII
55
in London III 450
Leaf water-baskets and baths IX
479
Lantana I 501
malva, *hirsuta* VI 517
M. Naudin on the European and
its varieties X 511
New Zealand XVII 435; edible X
11
of Upper Egypt I 173
oil I 643
Pashanbu II 169
Peach VII 422
seed of, sculptured II 503

Palm, sweet-scented I 521
Tulipot, *in a Buddhist garden* IV
133
Wine XI 517
Palms I 370
acclimatisation of XIV 195
and Bay trees, in Hyde Park VIII
80
and Calanthes XII 488
and their uses XI 517
Areca IV 177; XVII 15
as decorative plants V 547
at Kew I 525
avenue of, *in Botanic Garden at*
Rio Janeiro I 187
Chusan, and frost XV 289
Cocorite XIV 274
compost for IV 463
culture of I 74; VII 67; out-of-
doors at York II 266
Date XX 189
deep pots best for XVI 390
dwarf Fan, for house decoration IX
340
for market VI 197
for table decoration I 396; V 20
for the garden I 31 72 93 133 218
283 313 369 395 461 547
for the open air XVI 186
from seed XVIII 512
group of Coco-nut III 463
grave of IV 215
growing in loam XIV 484
half-hardy I 521
hardy I 377 442; II 9 343; XIII
47 49; flowering in Ireland X
68; in July XVI 94; in York-
shire X 458
in fruit at Kew XVI 503
in Guernsey I 458
in small pots XVIII 184
naturalised in Southern Europe XII
537
of elegant growth XX 111
of New Caledonia IV 372
of Panama and Darien, the XIX 363
out-of-doors XIX 485
restubbing IV 524 525
seeds of III 12
some of the harder XIX 47
stemless XIX 362
table VI 313
well-grown dwarf VII 66
Palm-house at Kew I 527 549 (*cut*);
XVI 433; XVIII 412
destroyed by fire XVII 482
“Palo de vaca,” the III 263
Pampas Grass I 159; IV 83 (*cut*);
XII 533; XIII 34; XVIII 424;
XX 519
as game covert III 284
at Longleat IX 76
at Reading X 376
at Torquay XIV 301
dead tops of XV 249
dyeing the plumes of VIII 534
hardiness of new varieties XX 202
imported plumes of XIX 166
in avenues XV 118 141
in winter, how to treat the II 245
large XI 144
male and female V 544
new XV 179
not flowering XIV 385
planting XIII 404
plume of, from California XIII 224
remarkable growth of XIV 279
rose-coloured VIII 320; XIV 367
416
specimens of, large VIII 38
splendid II 266
transplanting the VIII 457; XIV
187; time of III 493
var. elegans II 464
varieties of XIV 412
wintering VII 280
Panama hat plant, the IX 423; fruit
of IX 425

Panama hats VII 465
Panax laciniatus XI 453
Pancratium calathinum flowering in the open border XII 228
 caribbeum II 245 310; XXII 300; XIX 124
 fragrans XIV 191
illyricum XX 190
maritimum V 158
rotatum IX 544; XVI 383
speciosum XI 326
Pancratiums XX 357
 culture and use of XX 237
Pandanus XX 383 618
 flowering XVII 335
sylvestris XII 164 165
utilis XVII 128
Veitchii II 501; XVII 66 126; XIX 262; as a market-plant XVII 93; at Drumlaerig VI 594
Pandanuses, note on XV 333
Panicum capillare VI 341
miliaceum XX 525; XII 68 (*cut*)
placitum XII 517; XVII 66; self-sown XII 421
variegatum III 46; VIII 300; XII 63; as a pyramid XII 558
virgatum XIV 215
Pans, suspended for plant growing X 549
Ware's shelter IX 379
Pansy I 653
 as a pot plant III 460
 bedding, Alpha XIX 634
 black XIV 55
 Blue Bell VI 360
 Blue King III 370
 Cliveden Blue XV 348; XIX 348
 Cliveden Purple I 703
 Comet XX 71
 Golden Perfection XX 326
Lady Ross, tracing of XIII 416
 Miss Maitland VI 425 462
 Modesty VII 62
 on brick wall I 3
 singular new XIX 619
 Society, Scottish XIV 24; XVI 23; show of, in 1877 XI 560; show of, in 1880 XVIII 138
Pansies VI 298; XVI 446; XIX 267; XX 9 53 103 156 177 275 453
 and grubs XIV 165
 and Primroses mixed VIII 408
 and Violas XII 388; XV 408; bedding XII 446; propagating XVII 424; trial of, at Chiswick in 1875 IX 418
 and Violets XVIII 2; culture of XII 154; outdoor VIII 101 at Chiswick, bedding VIII 26
 bedding XVI 58; XVII 514
 best in each class XX 342
 blooming all the winter IX 462
 Blue Bonnet and Sunny Park Rival X 50
 border, at midsummer XIX 616
 culture of, in pots XV 218
 exhibition XIX 98
 fancy XIII 144 159; XIX 557; few good XIV 78; select XIII 122
 for exhibition XV 249; culture of XII 610; XVIII 592
 for spring bedding VII 320
 for spring decoration XX 391
 for summer bedding X 519
 French spotted XIX 555
 from Bath XIII 588
GROUP OF FANCY XIII 122
 hybridising I 285
 in autumn X 355
 in beds and pots XVIII 563
 in bouquets I 410
 in Paris gardens XI 224
 in pots III 434; XIV 512; XIX 398
 in Scotland XII 534; XVIII 140
 in summer XX 501

Pansies, late XIV 416
 let alone XIX 608
 named kinds of XX 501
 new bedding IV 503
 notes on XIX 287
 preparing soil for XX 501
 prolonging the bloom of X 54
 propagation of VII 534; VIII 8; XVI 338; XIX 659 (*cut*); of show IX 335
 raising seedlings of XX 501
 seedling XIII 459; for spring beds XIX 522
 select XX 58
 SHOW XIII 416
 spring and summer flowering XVII 515
 suitable for bedding IV 375
PANTHER LILY XX 526
Papaver arenarium IX 79
niduscaule XVIII 153; XIX 618; for cutting XIII 589
orientale XIX 592
sonniferum fl.-pl. IX 197
spicatum XX 42
nimbrosum IX 79 543; X 24 71; XIII 461; XVI 197; XVII 361 (*cut*) 515; XVIII 29; XX 393
Papaw tree, the XV 353
Papaw trees XIII 264
 North American XI 483
Paper, from new materials VI 42
 Japanese note XII 85
 making, material for V 236; X 335
 oiled XX 440
 waxed XIX 593 667
Paper Mulberry, the XIX 18
Paper-reed, disappearance of the II 340
 of the ancients V 504
Paphinia cristata XIV 293; XVIII 138
Papyrus antiquorum II 245
Egyptian V 504; medical IV 265
Syrian V 504; on the river *Anapus* V 505
Paradise stock, the III 289; XVI 552
 and the Doncian XI 338
flower of the true XII 514
 French I 638; II 450; IX 222 351
fruit of the true XII 515
 yellow XVII 26
Paradisia Liliastrum V 500
Paraffin oil XVI 162; XX 65
 and ants XV 224
 and kerosene XII 195
 and mealy-bug XVII 532
 and mice XIII 207
 and Peas III 148
 and scale XIII 69
 and seeds XII 35
 and woolly aphid XVI 308
 as an insecticide XIV 340 376 391 476 501 526 535 573 576; XV 22 53; XVII 353; new XIV 576
 as a preservative for seeds II 115
 effect of, on insects XVIII 609 616
 made harmless III 191
 no cure for slugs XIV 454
Paraguay Tea, or Maté X 515; XII 552 (*cut*)
Parasites, root and other III 135
 tropical XI 239
Parc de Courcelles I 401
 Monceau, bedding plants in the VII 89; drive in the IV 213
Paris, additions to the flora of II 267
 and Havre, difference in the climate of XIX 512
 City nursery garden in XI 144
 flower-markets in XI 265
 flower-shop in, on All Saints' Eve XV 47
 gardens in II 12; visiting XIII 559

Paris Horticultural Society's Show in 1880 XVII 529
 horticulture about XIV 587
 hothouses of XVI 551
 improvements in XI 62; XII 459
 London market-gardener in XIX 365
 market-gardening at II 336 372 430 511 554; III 16 97
 market-garden, January in VII 54
 new flower-market in XI 185
 notes from XVII 146
 parks in I 694; II 182; and gardens of I 30
 plant nursery of II 126
 public gardens in 1872 II 96
 School of Horticulture XVII 275
 state of the streets and boulevards in 1877 XI 62
 street paving in XIV 63
 trees of XI 393 482
 Universal Exhibition of, in 1878 XI 164; XIV 102 125; horticulture at XIV 486; English horticultural exhibits at XIV 548; nurserymen's exhibits at XIV 452
Paris Daisy XIV 165; XV 56; XVII 420
 double XVII 449
Etoile d'Or XVIII 244; XIX 211 new XVII 367
Paris Daisies XVI 462; XX 533 group of XVIII 466
 in autumn and winter XVIII 373
 "Paris green" IV 221
Paris quadrifolia at home XV 157
Park, Alexandra II 88 407; Palace in IV 372
 baths I 158; II 128
Central, New York II 61 63
 Eastwell VI 478
 for Ashton-under-Lyne I 272
 for Birmingham I 294
 for Sheffield, new VI 66
 for Warrington I 185
got-way, wrought-iron XII 611
 gateways XII 452
 gift of a public, by the Queen XII 510
 gigantic II 513
Greenwich II 332; economy in IV 332
 improvements in Hyde IV 475
 Lord Dunraven's XVIII 545
 National I 452
 new, at Deptford III 450; IV 347; at Dundee II 224; for Leeds II 2; public XIX 558; public at Knapllwyd VII 274
 noble State IV 97
of Viccinae, plan of I 426
 opening of Stamford IV 80
 People's X 483; plea for II 336
 Place XVI 572 573 (*cut*)
 proposed, for Stratford and West Ham III 120
 public, for Reigate VI 334
 Queen's VI 283
 roads XI 213; XV 278
 Roundhay, at Leeds II 266
 rules, new III 251
 scenery, improvement of XI 96; rustic buildings in VIII 371
 "Smithfield" III 450
 timber, thinning XV 281
 trees XI 282
 Victoria I 46; enlargement of I 178
view in St. James's IV 381
water, reach of XIV 31
 West Ham, opening of VI 66; plaiting VI 99
 Weston, at Sheffield, new V 388
Yellowstone Valley III 328
Parks and building ground I 343 and Gardeus Bill I 474; in America I 45 107; management of our public I 305; of Paris, new edition of XVI 132

Parks and open spaces VI 296; of London, expenditure on VII 435
 and public gardens, meetings in I 454
 and recreation grounds, public, II 223
 and woodlands in spring, our V 394
 bathing in the public IV 124
 City, situation of I 177
 co-operative III 112
 deer in the Royal IV 532
 driving in I 379
 Finsbury and Southwark I 46
 flowering trees and shrubs in XV 387
 grouping Oaks in XIV 534
 in America I 2
 London, dimensions of the III 304; VI 356; in 1881 XIX 566
 Lord Palmerston on the iron railings in VI 368
 management of, *Punch on* I 380
 meetings in the I 309
 of Colorado, natural VI 371
 of Stockholm II 413
 opening of private to the public VI 382
 paths in II 408
 public IX 294; XIII 134; XVIII 435
 refreshments in XIV 13
 Royal Act II 2
Parkinson, John, portrait of III 151
 Parlatore, the late Professor XII 340
 Parliament Square VI 286
Parmentier, portrait of XI 553
Parnassia asarifolia XX 380
fimbriata XVI 105 508 (*cut*)
palustris XIX 553
Parocheetus communis II 506; III 125 178; VI 424; IX 376; in Scotland X 419
Parrotia persica X 506; XIV 320; XVI 415
Parsley I 42; XII 35
 all the year round, on all soils IX 331
 amongst Broccoli XII 391
 as an edging VI 79
 best time to sow XVI 70
 canker in XIII 418 453
 Carter's Fern-leaved VII 498
 culture of V 84 111; and varieties of X 525; in beds of manure VII 50
 failure in XIV 232
 Fern-leaved VII 470; XX 254
 for exhibition XVII 420
 grown for its roots XIV 341
 how to grow fine I 405; XI 99
 late-sown VII 533
 protectors X 542
 sowing XX 16
 Sutton's Matchless VII 533
 thinning XII 240
 transplanting XVII 232
 wintering X 495
Parsnip, Cow I 326; XVIII 28 105
 Giant VIII 42
Parsnips XVI 448
 and Potatoes XVII 357
 culture of VI 323; X 318; XIII 371
 dibbling XIX 311
 rotting at the crown XII 486
 substitute for Potatoes XVII 314
Parson, the country, in his garden IX 1
 Parson's Green, Edinburgh X 38
Parterre at St. Germain-en-Laye VII 403
 in the time of Henry IV. of France VII 405
 of 17th Century, in France XX 419

Partridge-berry, the X 586
Pasque-flower, the III 295; V 326; IX 335
Passerina *nivalis* XIV 509
Passes, alpine, and alpine flowers XV 97
Passiflora edulis, as a dessert fruit XII 77; *fruit of* VI 317; in a cool house X 436
IN SIGNIS X 12
Kermesina XX 407 414; and *P. princeps* XIX 534
macrocarpa I 616; XVIII 402
pectenifera IX 80
princeps (*racemosa*) VI 495; IX 340; XII 175
quadriangularis, fruiting XV 371; in fruit XIV 478; q. *variegata* XI 325
vitifolia XIII 561; XVI 59; XVII 546; XX 26
VITIFOLIA XVII 242
Passifloras XVII 270
 species of X 12
Passion-flower, the II 366
 edible I 638; VI 317; fruiting VI 429
 golden-fruited blue X 250
hurdy XII 614
 large-fruited XVIII 402
Pumpkin I 616
 sprout II 369
 Vine-leaved XVI 59; XX 26
Passion-flowers IX 504 554; XVII 242
 at home II 367
 for rooms I 631
 showy XX 211
 species of X 12
Paste v. coal tar XX 121
Patagonian vegetation, Sir Wyville Thomson on XI 477
Patent record XIX 165
Patterson's Orchids, Dr. XX 617
Pattern Post, foreign XVII 484
Paulinia sorbilis I 643; VI 203
 thalictrifolia III 84 87 (*cut*); IX 256; XVI 472; XVIII 312; XIX 21; t. *argentea* XVII 449
Paulownia confined to one root XIX 479
 imperialis IX 555; XIV 309; XV 143 169 498; XVIII 44 521; XIX 558 622; XX 373; as a fine-foliated plant XIV 407; finely grown XX 319; flowering of XIV 282; *flowers of* XI 47; hardiness of XI 79; in the Isle of Wight and at Knap Hill XVI 50
 wood of IV 231 380
Pavement, improved wooden I 186
 tar XI 557
 wood XII 355
Pavetta horbonica XV 145
Pavia, long spike-flowered I 420
 macrostachya I 420; IX 280; X 263; XVI 291; XIX 309 (*cut*) 621 (*cut*); XX 223
Pavia, grouped with Horse-Chestnuts V 366
Pavonia Mackoyana XIV 531
 new XIII 303
Paw-paw tree, the II 288; VI 15 (*cut*); XVIII 316
 fruit, flowers and leaves of XVIII 289
 in tropical countries, culinary uses of VI 164
Pea, American Wonder XVIII 462 476
 Anderson's Mummy VI 262
 best late XVI 506; XIX 382
Bouquet VIII 242
 Carter's Commander-in-Chief X 299
 Carter's Extra Early Premier VIII 144
 Chick VIII 422; X 605

Pea, Cow IX 348
 Crimson Desert III 464
 Criterion XVI 391
 crop, in 1875 VII 392; in 1879 XVI 206
 Culverwell's Giant Marrow XX 323
 Culverwell's Prolific Marrow VI 207; VII 82
 Culverwell's Telegraph XII 507
 Cutbush's Magnum Bonum III 238
 Danpiere's Glory I 368 377; IV 124 210 319; V 474
 Darwin on the origin of the X 65
 Dr. Maclean X 299
 Drummond's Everlasting X 234
 Early Sunrise XIX 658; XX 16
 edible-rooted Everlasting VII 416
 Egyptian VIII 422
 Fill-basket X 120
 flowers, alpine X 97
 green soup in winter and summer I 535
 Hundredfold XII 284
 John Bull XX 148
 Kelway's Gladiator XX 557
 large-flowered Everlasting VII 524; XIX 618; *naturalised in shrubbery* XIX 347
 Laxton's Early Alpha XVI 127; XX 16
 Laxton's Standard IX 70
 Laxton's Supreme X 119
 Laxton's Unique Early Dwarf X 10; second crop from VIII 189
 Laxton's William the First X 92
 leading perfection to the VI 34
 Little Wonder XVI 153
 Maclean's Advance X 10 68
 Ne Plus Ultra VI 302; XVI 328
 349
 new XVI 570; XX 264
 Parker's deep rose Everlasting X 103
 Perpetual Bearer XX 173
 President Garfield XX 458
 protector, a useful and cheap XVII 440
 season of 1877 XII 484
 Shah X 220
 Shamrock VII 424; IX 376
 Sharpe's Invincible XIV 252
 Sugar VII 415
 Supplanter VIII 48
 Sutton's Giant Emerald Marrow VIII 55
 Sweet, and *Convolvulus major* intermixed VIII 166; *Violet Queen* XIX 94
 Taylor's "Richard Gilbert" XII 391
 tough XVIII 144
VARIETIES OF THE EVERLASTING XIII 546
 varieties of the Everlasting XVIII 226; of the garden III 168 187; V 189
 Veitch's Perfection XII 172
 Vicar of Winkfield VII 87
 Victoria Marrow XII 150
 white Everlasting IV 278; VIII 514
 William the First VII 456; XII 361
Peas I 42; XX 26 54 123 149
 among the XX 152 215 251 264 323 363
 and Beans, gathering XII 107; protecting early XVIII 549
 and Celery III 405
 and mice IX 255
 and Potatoes together XX 215 324
 and their culture X 86; XI 68 --
 and their flavour XVIII 185
 annual XV 343
 at Darley Abbey XVI 448
 attacked by *Erysipha* XX 150
Peas, autumn-sown XIV 530; v. spring-sown XX 54
 Broad Beans and Radishes VII 157
 depth to plant V 295
 dwarf XV 310; early VI 35
 for small gardens XV 255; unprofitable XV 296
 early III 503; IV 236; V 18 486; IX 332 339 582 587; XI 548; XII 6; XIII 175 563 598; XV 112 128 520; XX 557; and late V 384; XV 468; boxes for XV 160; forced in pots VII 470; for late crops XIV 273; for transplanting XV 151; in boxes XV 248; in pots XII 35; sowing XI 99; under glass XII 530 543
 early sown XVII 260
 Everlasting XVIII 201; in the wild garden XIX 347
 Fill-basket VIII 43
 first early XIX 24
 flavour in XVIII 159 204 265 310 343
 for early cropping XX 525
 for succession sown at the same time VIII 97
 from June to December XII 479
 from old seed XI 33
 green XI 205; in Covent Garden XI 443; tops of, for soups and flavouring XII 284
 growing I 405; and protecting XVII 484; in London market-gardens VIII 58; in small gardens VIII 487; in trenches X 572
 grown for the London market V 164
 how to cook IV 95
 in catalogues XX 639
 in November XI 486
 in pots VII 498; XVI 70; XIX 632
 insects and birds XI 548
 in trenches XI 334
 Japan III 174
 late VI 302; VIII 402; XIV 518 530 570; XVI 126; XVIII 30 310; XX 249 323; in 1875 VIII 144; in pots XII 163; notes on IV 262; XII 340; sowing III 385; in November VIII 138
 Laxton's VIII 15; new II 211 433 (*2 cuts*); IV 534
 London market V 552; VI 117
 mid-season and late, in trenches XIX 509
 mildewed VII 498
 mixed Sweet XVI 194
 mulching VII 498
 Ne Plus Ultra and George Wilson VIII 65
 new IV 37; VIII 137; X 92; XX 37 557; prizes for VII 190
 notes on V 237; XI 160; XVI 27
 November-sown X 542; plea for XII 550
 on hot sandy soils IX 212
 pods of II 306
 poisoned VIII 1354
 preserved XI 236
 protecting XI 120
 selection of dwarf X 194
 sowing in autumn XVIII 410; main crop and late XIII 349
 staking V 209
 Sweet VIII 255; XII 80; XV 98; and their culture VI 174; as basket-plants XIII 384; best sown in autumn VIII 97; blooms of, for market VI 269; choice varieties of VIII 166; continuous-blooming XIV 390; for cut blooms X 129; for market XII 103; for the greenhouse IX 120
Peas—continued.
 282; hardiness of VII 202; heading back XIV 212; in Covent Garden XII 30; in pots IX 488; XVI 326; in spring XII 201; in window-boxes XVII 304; lasting VI 146; sowing XV 182
 tall XV 508; v. dwarf XIII 390
 Telegraph and Telephone XVIII 142 186 238 264
 thickly-sown XVII 462
 to preserve from mice V 209; VII 416 456
 two good kinds of VII 533
 varieties of XX 122; and cultivation XI 120
 vitality of XI 184
 winter-sown XV 18
Pea Beetle (*Bruchus Pisi*) XIX 220
Pea-house, early XX 75
Pea-wellis, wire XV 405
Pea Wreath, the XV 65; XX 549 (*cut*)
Peace XII 10 (poetry)
Peach, À Beec XIII 438 458
 Almond VII 92
 Alexander IX 599; X 176; XII 339; XIX 558
 Amsden VIII 322
 and Nectarine I 296; enemies VII 278; stones splitting VI 293
 another early VI 204
 blister XVII 130
 brandy V 43
 blossoms and black ants XI 452
 Chili XIX 46
 crop, in Delaware, U.S. III 174; in Delaware, value of VIII 472; in Ohio II 267; in Texas, in 1875 VII 520
 crops, failures amongst indoor XV 3; immense IV 55; thinning XI 379
 "curl" in XVI 1544
 Desse Tardive VIII 418
 dwarf, Aubine IX 327
 Early Alexander XV 489; XVI 20
 Early Amsden XVI 18
 Early Beatrice III 2 289; IX 422; XIV 125; XVI 94 115; XX 90
 Early Crawford X 255; XII 271
 Early Freestone XVI 544
 Early Louise VII 212; XIV 98
 Early Rivers IV 89
 Early Victoria XII 147
 Flat of China XII 387
 Foster XVI 470; XVIII 200
 Frogmore Golden XIII 630
 Hale's Early XVII 491
 Henri Michelin XX 633
 history and culture of the VIII 334 356 396
 kernels poisonous VI 178
 large XVII 171
 late XX 252; best VIII 278 309 418 462
 Lord Palmerston X 436 462; large IV 62
 malady "Le Mennier" VIII 370
 new early IV 274; late III 482; ornamental I 393; seedling VIII 426
 on open walls V 270
 Parnell XIX 220
 Prince of Wales XIV 82
 purple-leaved VII 518; XIII 572; XIV 172
 Red Nectarine VIII 417
 Reid's weeping VI 74
 Salwey II 223; VIII 332
 setting XI 451
 stealer VI 284
 Stump the World XIV 143
 Thurber IV 412; VIII 6
 trade in America I 106
 Veitch's Diamond XVIII 656
 Waterloo XVII 473
 Wilder IX 444

Peach, "Yellows" in the II 540; XVIII 558
 Peaches XX 69 122 187 269 333 383 473 575 620
 America IV 219; quality of IV 378
 and Apricots on open walls V 426
 and Nectarines, ants injurious to IX 576; at Welbeck XIV 327; and Plums, late VIII 309; different kinds of, in one house X 204; dying off, the young wood of VIII 93; early XV 152; forcing IX 221; XIII 341; for succession XI 362; hardiness of VIII 18; heavy crops of XVI 148; how to keep from flies and wasps VIII 318; in 1877 XI 219; on the same tree VI 87; setting in XI 203; under glass II 353; VII 444; XVII 437
 and wasps IV 244
 at Gunton XVIII 532
 at Manchester XX 305
 at Moutreuil VI 336
 autumn treatment of XIV 167
 bad XII 367
 best XIII 282; XVIII 171; out-of-doors XX 380
 Chinese VII 490
 colouring VIII 144
 culture of, at Floor's Castle XVI 329; at Impney Hall XX 551; at Moutreuil IV 163; at Niagara XI 474; experiments in XIV 381; in America I 206; in Delaware VIII 58; in Maryland and Delaware XI 126; in orchards VII 45; in the open air XVIII 248; near the sea IX 522; on open walls XVIII 501; on the anti-mutilation system I 609; outdoor XVII 531; XVIII 42 130
 diseased XVI 115; XVIII 191; XIX 502
 dried XII 109; XVII 3
 dropping XX 380
 earliest and best for forcing XI 450
 early X 221; XIII 587; XIV 167 232 253; XVI 91; XVIII 237; XX 214; plate of XIV 156
 feast of new XVIII 321
 flavour of XVIII 164
 for the Midland Counties VIII 126
 fresh from America VIII 291
 from Alabama VIII 158
 from America VIII 159
 from France XII 30
 gathering XIV 167
 good varieties of VII 432
 gum in V 92
 hardy varieties of IX 550
 heavy crops of XVI 105 136
 in America XVI 470; XVII 560; XX 77; comparative earliness of the ripening of VIII 146
 in California XX 214
 indoor, how to colour VIII 108
 in Maryland in 1875 VII 438
 in November XX 455
 in October XX 427
 judging XVIII 278
 kept in a refrigerator VIII 278
 land of VI 9
 large XVIII 278
 late X 369 372
 lime for XIX 451
 new XVI 496; early X 255; XI 452 516; XII 175 268; XVI 110; XVII 393
 October XVI 348
 on open walls XVIII 277; XIX 576
 outdoor VII 170; XX 330
 packing for market XVI 537; XVII 29; XVIII 262
 preserved American VIII 406

Peaches, ripening of XII 287; variation in XII 64
 Rivers's Early Beatrice and Early Louise VIII 185
 setting VII 196; XV 288; XVII 202; before opening XX 8; indoors VII 272
 shipping to England VIII 322
 some early VIII 528; and late X 79
 stones of, poisoning by XIV 82; splitting XIII 52 75
 successional VIII 353
 training under glass VIII 291
 two singular IV 270
 under glass I 537
 what is a crop of? XIV 76
 with split stones VIII 58
Peach Aphid, or Black Fly XIX 529
 Peach-borders, covering VIII 23
Peach-garden at Moutreuil, a IV 163
 Peach-house borders VIII 353 370 417
 pathways XV 152
 Peach-houses, ants in XVII 166
 fumigating XVII 187
improved curvilinear III 169
 pathways for XV 249
 sectional trellises in XIX 431
 wrongly-planned XIX 409
 Peach Nut, the VI 520; what is it? VI 343
 Peach-orchard I 469
 large VI 364
 Peach-orchards, cultivated XII 200
 in Maryland VIII 418
 Peach puddings, baked V 273
 Peach-tree, as a bush and standard VIII 321
 at Moutreuil I 269
 blood-leaved III 458
 buds of, falling off V 548
 crimson-scarlet double-flowered XI 366
double U-form I 148
dwarf standard, in pot IV 72
extension-trained XVII 511
 flowers of, and black ants XI 250; fertilising XX 67
 forcing III 74
 grafting VI 474; with fruit-buds VIII 479
 insects III 9
 Juve budding of IX 583
 large IV 486; XIV 50
 leaves of XX 401; blister on IX 576; and Nectarine leaves blistered XI 377; XVI 56; brown dead spots on XIII 558; diseased XVI 72; glands in XV 335; perfume from XI 9; spot in IX 510
 profitable III 41
 prolific XIV 98
 protector X 310
 protectors III 76
 pruning XIV 546
 purple-leaved VIII 442; IX 318
pyramidal, in pot IV 72
 roots of, suckers on IX 148
 shoots of XVI 186; ill-ripened III 109; killed with oil VII 396; singular variety of III 410; *splendid* XIII 253; *spur-pruned* IX 151
 training, on the extension system XIV 348 372 386
 twigs of, scale on XVII 437
 with a pyramidal habit III 450
 young pyramidal I 475
 Peach-trees and chalk I 570
 and frost III 266
 and galvanised iron XV 249 265
 and Nectarine trees, cropping XVI 424 428; dropping their buds V 427; fruitless XVI 94 114; on east walls VII 365; on magnesian limestone X 303; pruning VII 242; ripening the wood in VII 29; setting the bloom of XV 326

Peach-trees, best time to thin VIII 22
 black fly on XIII 481; XIX 661
 blooming in January V 92
 brushing the foliage from XX 144 245
 clearing of leaves XVI 428 458
copings for young I 297
 crippled I 704
 cropping and training XVI 515
 cutting leaves off XVIII 216
 "curl" or blight in XVI 253 278 328
 disabled I 683; II 7
 double-flowered I 694; XI 102; XVII 367 (*cut*); XIX 439 553
 dressing for IV 462
 dropping their fruit VII 412
 excrescences on the roots of VI 520
 forced, shedding their bloom VII 324
 from seed III 266; XVII 494
 girdling X 402
 green fly on XVII 324
 growing on the extension system XVI 428 458; XVIII 279
 gumming in IX 496; XI 426
 in America II 87
 in pots III 396; XX 535; at Llanover XI 65
 in the open air XVI 552
 killed by paraffin XII 20
 large v. small-flowered XI 104
 "miller" in VIII 309
novel mode of treating X 390 391
 ornamental V 205
 potash for manuring III 482
 propagation of XVI 543
 pruning IV 528
 red spider on XIV 143
 renovating XIX 404
 root-trained IV 13
 root-moisture necessary for V 332
 root-pruning VII 18
 shedding their blossoms III 264; XVII 506; their buds V 169 457; VI 9; their leaves XVIII 142
 standard XX 144 221 253; at Waltham Cross X 255; indoors XX 171; in the open ground VIII 417
 summer pruning of XVI 44; XX 187
 syringing while in bloom III 167
 training, at Wilton XVI 513; on the extension system XVI 424
 transplanting large XVI 330
 trellises for XX 509; and borders XVI 277
Peach-wall at Coombe Abbey IV 147; at Versailles XII 253
 protected I 297
 Peach-walls, coping for XVIII 610
Pek of Ossau, Pyrenees, vegetation of the Middle XI 149
 Pear, Abbé Péte I 422
 Alexandre Lambre XX 305
 Alligator I 704
 Ansault XIV 471
 attacked by hypertrophy of the grit XX 150
 Avocado II 55; XIII 52 (*cut*)
 Belle Julie XVI 432
 best baking XIII 282
 best late (Beurré d'Espéren) VII 242
Beurré Bachelier XI 451
Beurré Bosc especially injured by birds VIII 370
Beurré Clairgeau VI 520
Beurré Coit XVI 109
Beurré d'Aujou XVI 544
Beurré de Jonghe VII 148; XI 331
Beurré de l'Assomption XII 223
Beurré Dubuisson III 482
Beurré Dumont XIII 491

Pear, Beurré Durandeau VIII 232
Beurré DURANDEAU X 594
Beurré Giffard XII 107
Beurré Luizet I 105
Beurré Père VIII 256
Beurré Sterckmans IX 222
 blight I 571
Bonne du Puits Ansault XVIII 612
 Bryant II 500
 Charles Cognée XVII 286
 Charles Ernest XVII 286
Chaumontel XVII 26
Clapp's Favourite I 205; IV 359; V 557; VIII 266; in Norfolk XIII 14
Colorée de Juillet IV 135
Comte de Lamy VI 360
 crops, failure of in 1880 XVIII 67
 Dana's Hovey, in Sussex IX 400
Délices d'Hardenpont X 560
Directeur Alphonse XVIII 632; XX 563
 Docteur Jules Guyot VIII 467
Doyenné as a stock X 602
Doyenné Boussac XII 183; XIV 308; XVI 516; XVIII 654
Doyenné d'Eté IV 135
Doyenné du Comice IV 412; VIII 406
DOYENNE DU COMICE XII 208
 Dr. Reeder XVIII 612
Duchesse d'Angoulême IV 632; VI 462; in England VIII 309; origia of V 314
 Dunmore XVI 425
 Durandeau IV 378
 Easter Beurré IX 328; influence of shelter on VIII 54 185; in Worcestershire VIII 166
 Emile d'Heyst, a good November XII 551
 favourite Morel V 361
 fine early XIX 5
Flemish Beauty VIII 462
Forelle, or Trout VII 60
 General Todleben XX 509 554
Green Chisel XVI 255 372; *section of* XVI 239
Green Fair XVI 387
Hacon's Incomparable IX 383
 hardy prickly XX 548
Hessle XVI 320
Howell VII 242
Huyshe's Prince of Wales VIII 528
 insects XI 245
 Japan I 298; on walls IX 318
Jargonelle XII 107; in Scotland X 419
Josephine de Malines VII 124; IX 15; XII 429; XIII 383
 Keele Hall Beurré IV 332
Keiffer's Hybrid XVIII 208
Knight's Monarch VII 170; VIII 296 309 322 418 426; X 481; XII 304
 Koolstok IV 90
 large Uvedale's St. Germain's VIII 516
 Lawrence IX 182
 Lebrun VIII 370 426
Léon Leclerc de Laval XV 188
 Lucy Grieve VI 382 462
Maréchal de la Cour VIII 298
Maréchal Dillon VIII 370
 Marie Louise VI 542
 Marie Louise d'Uccle VIII 418; XVII 2
Monseigneur des Hons XII 276
Naquette VII 196
Ne Plus Meuris VI 566
 new first-class V 361; late-ripening II 353; VI 494
 nomenclature VI 493
 Passe Colmar VI 510
 P. Barry X 221; XVII 494

Pear, Pitmaston VIII 556; XI 245; XII 416; XIV 546; XVI 458 497; XVIII 372; flavour of XVIII 495
PITMASTON XI 234
Poire Ananas de Courtrai XII 183
progenitors XVI 219
Kostiezer IV 334
Sand XVII 324
Seckle VIII 417
Souvenir de Samier VI 494
Souvenir du Congrès VII 508; VIII 338; IX 347
St. Germain VI 596
Sunmer Doyenne XII 147
Sutton's Great Britain X 124
synonyms VI 460 542; VII 73
Triomphe de Jodoigne XIV 546
Tyson XVIII 431
un-named seedling from Marie Louise XX 389
Van Mons Léon Leclerc XIV 546
Vauquelin XI 451
Washington VI 54; XII 287
Williams's Bon Chrétien XII 183
Williams's Duchess VIII 320
Winter Nelis X 593; XIV 558; XVII 28; XVIII 656; not ripening XIII 246
Pears XIV 417 (9 cuts); XX 309 358
American varieties of VII 488
and Apples, effect of dry summers on the flavour of VI 436; for cold districts VI 474; origin of X 8
and frost III 458
and their selection I 205
Arundel XX 380
at Gunton Park XVIII 376
at South Kensington XIV 367
at the ends of branches only X 360
autumnal IV 319; XII 388
bad XVIII 493
badly-flavoured in 1876 IX 75
baking XIII 253
best XX 88 144 167 188 213 330 377; bearing XII 456; dessert I 661
Beurré Rance and Easter Beurré XIV 546
bird-pecked XX 509
black spot on XV 508
Brockworth Park and Bonne d'Ézée VIII 341
cause of blight on XX 244
Chaumontel XIV 546; in Covent Garden XIV 500
Chinese XVI 470
Chiswick trial of I 628
colouring II 120
cooking VII 240
cracked IX 127; XIV 408; XX 331; and blackened VIII 426 442
culture of I 398; III 28 318 336; in America XVII 59 493; XVIII 127; in Japan VI 364; in market-gardens XV 341; in pots XVII 1; in the United States XVII 401; requisites for III 88
dessert XIV 419
destroyed by grubs VII 526
diseased VIII 237
dwarf III 167
early XII 107 183; autumn XII 334 (8 cuts); October VIII 296
early ripening of II 524
few good XX 448; market XX 245; stray notes on IV 171
finest for wire trellises I 147
flavourless XX 552
foreign and English-grown VII 106
for espaliers III 237
for northern districts XIV 380
for north of Scotland VIII 528
for rough and cold climates XIX 475 577

Pears for south wall VI 204
for walls in the Midlands, twelve good VI 436
for West of England II 83
four new I 122
French varieties of VIII 369
from California III 22; X 557; XVII 11
from Monte Video XV 365
from the Continent VIII 80
gathering VI 343; X 292; XII 255; XIV 260; early XIV 261; late II 120
good flavour in IV 274
Green Chisel and other XVI 239
growing in Virginia IV 485
hardy XVI 429
in America III 237
in cellars XIV 196
in Channel Islands I 384 415 535
in Covent Garden XVIII 434
in East Norfolk XVI 425
influence of the stock on II 83; V 245
in Huntingdonshire VIII 479
in New England X 221
in orchard-houses I 229
in Scotland, choice VIII 462
in succession VII 225
in the Midland district IX 16
Jargouille, from France XII 56
judging VIII 416
large III 150; IV 462; XVIII 372; Belle Angevine VIII 479; in South Wales VIII 462; large pines for IV 522; Triomphe de Jodoigne VIII 442
late winter XI 126
list of December IX 14; of good XI 17; of November VIII 526
many varieties of, on one tree VII 241
Marie Louise and wasps VIII 224; keeping II 430
market XIX 132
men like I 61
misnamed VIII 538
new I 176; VII 242 385
notes on VIII 289; XIV 417; on the best VIII 440
November and December XII 548 (10 cuts)
October XII 428 (8 cuts); and November XII 453 (6 cuts)
of the season IV 135 287
on different aspects VIII 126
origin of our cultivated V 156; of remarkable Belgian VI 474
plate of XVI 146
Poire des Peintres and Pyrus Simon I 570
popular American XX 9
prickly IV 272
quality of II 552; IX 256
remarkable, in pots XVIII 558
resting on a branch III 2
ripening VI 473; IX 262 347; after they are gathered IV 136; VIII 479; artificially VI 459; hastening IV 54; late IX 292; off the trees VI 387; premature XVI 238
select I 270
selection of the finest proved in England VI 494
September and October XII 334 (8 cuts)
setting before opening XX 8
show of, at Hereford XX 438
spotted XII 567; XVIII 610
standard orchard III 458
stand for XIV 307
suitable for northern England XV 4
swelling and ripening of XVI 371 428
thinning X 36
three good late VII 278; XIII 281 (3 cuts)

Pears, trials of IV 359
twelve select IX 152; to ripen in November and December XIX 83
two useful XI 451
under glass I 292 298
varieties of III 167
v. Peaches VIII 442
wall of Easter Beurré XII 393
want of flavour in II 487
which ripen from January to March, 8 illustrations of XIII 118 119
Winter Nelis, not ripening XIII 196 222
worth growing VI 455 474
Pear-garden, remarkable VIII 199
Pear-leaf Fungus VIII 296
Pear-orchard, good VI 566
Mr. Taylor's XVIII 364
successful VIII 461
Pear Saw-fly XIX 381
Pear-tree at Ashridge III 225
blooms of, effects of spring frosts on II 185; in 1877 XI 312; scarcity of, in 1878 XIII 308
continuous-bearing IX 262
extraordinary I 667
fine specimen II 382
grafted on the Quince II 105
grafts, new plan for double working III 230
happy old XVI 110
in bloom in December XVIII 648
in *Pulmette-Verrier* form XIII 383
in pot IV 73
insects XV 508
leaves of, orange-coloured blight on VIII 5
neglected XVII 24
old XI 214
original Seckel XVIII 363
refracted I 227
remarkable Beurré Claireau VI 489
rooted on both sides of a wall XII 216
shoots of, vitality of XIX 109
single upright, for very high walls I 148
Sir Philip Crampton's IV 82 101; V 314; in blossom IV 417
upright XI 503
Pear-trees, aged XI 543
as certain croppers XIX 361
at Frogmore XVI 369
avenue of VIII 321
best bearing XIV 117
best way of furnishing walls with VII 19
by the sea V 61
changing dwarf to standard V 225
elay soil for X 602; XI 401
cordons XVI 208; XIX 379; pruning XIV 209; single XVI 72 94; vertical I 106
different forms of training III 420 421 422
distances apart VII 131
dwarf XVIII 364
espalier II 402
experiments on grafted VII 398
fine XVI 386
for avenues and groups XIV 278
for north wall III 30
for northern districts XIV 435 472
free-bearing XI 21 47 65
grafted on Apple stocks I 13; III 289; VI 566; VIII 62; IX 351 383 404; on Cotoneaster VIII 6; on the Doucin Apple stock III 174
grafting XIII 213
gridiron XVI 330
ground cordon II 371
grown as cordons IV 392
horizontally-trained XVII 202
in bloom in January 1874 V 73
indulgence of time of pruning on season of blooming XI 348

Pear-trees in fruit and flower at the same time IV 90
in northern districts XIV 419
large wild X 561
on Pear stocks XII 551
on the Quince III 226 264 420; twelve VIII 462; duration of I 61
planting VI 578; rules for III 390
pruning XI 151 183; dwarf IX 347
pyramidal, at Chiswick XIX 516
re-grafting I 507; old VII 225
renovating old IX 219; XVII 278; XX 455 553
ringing the branches of VIII 418
scale on XX 633
selecting for planting XIV 278
that succeed on the Quince III 352
training XII 547; XVII 276
upright, in *U* form I 148
Pear-tree slug VIII 5; caterpillar of III 64; how to destroy VI 228; VIII 23; X 346; lime-dusting a remedy for the VIII 159; natural history of the VIII 402
Pear-walls of the future, the XII 429
PEARL BUSH, THE XI 152
Pearl Bush, the XIX 586
Peat I 66; III 28
and loan in Italy XI 368 392
bog, on planting on VI 349
fuel IV 367 396
in Germany VI 336
sifted, as a mulch for flower-beds VIII 476
uses of in gardens IX 46
value of X 181
Pecan-nut country, the X 71
Pecan-nuts VII 274
Pecan-nut tree II 360; IX 392
hardiness of XVI 544
Pecan-trees, bearing XVI 110
“*Pecatacelloë*” XVI 52
Pectis angustifolia XI 233
Pedicularis *Scoparia Carolinum* VIII 514
Peebles Leek Club XVIII 450
“*Peen-to,*” the XII 387
Pegs, garden XV 145
Pelargonium I 27
best variegated XIX 121
blue (?) V 81 119
Bonfire XX 172 275
capitatum XII 494
Comte de Morny XIV 491
Cooperi XI 538
Corsair XIV 362
cucullatum fl.-pl. XVII 515
cuttings of, striking in sand and water X 71
Daveyanum XV 273
double-flowered Ivy-leaved VIII 122; XII 151; Jewel VIII 201; Striped Vesuvius XIII 459; Tom Thumb VIII 128; white Zonal I 516
Dr. André XX 212
Duchess of Bedford XI 393
Eudlicherianum XVI 297; hardiness of V 264; only hardy Pelargonium I 472
Fancy VIII 258
Freak of Nature XV 496
Gauntlet IX 328; as a wall plant XI 265
Georges Sand, double white VIII 146
good XIV 244; white XIV 235 258
green-flowered V 82
Happy Thought VIII 428; IX 306
hardy V 137
Henri Jacoby XX 222
history of the Zonal IV 519
inopinatum XII 558
inquinans, “Old Giant” IX 467
Ivy-leaved *L'Elégante* XII 443; Nemesis XI 471

Pelargonium Jeanne d'Arc XIV
235
Jewel, double-flowering V 100
Jno. Watson XIV 30
Koenig Albert, basket of XI 287
large-flowered II 478
Leamington Lassie X 283
LEAMINGTON LASSIE XI 344
leaves of, spot on XIII 166 348
lecture on the XVIII 19
Lothair XIII 114
Lucie Lemoine XIX 663
Madame Thibaut XIX 606
Madame Vaucher, for cutting IX
388
Maid of Kent XVIII 68 95
Marie Lemoine XI 50
May Queen XVIII 298
M. Duhus, double Ivy-leaved
XVIII 484
Miss Bradshaw XVII 514
monstrosities XIII 588
monstrous XV 452; XVII 93
(*cut*)
Mrs. Laing II 438
Mrs. Miller XX 311
Mrs. P. J. Perry I 626
Mrs. Pollock, peculiar sport from
V 392
Mrs. Upton VIII 328
new double white-flowered II
272; XIV 525
new type of VI 581; VII 22
Oak-leaf XV 212; original XV
164
oblongatum (yellow-flowered) VI
46; IX 351
perpetual-blooming XI 22
Pioneer XII 436
Queen of Stripes XI 502
Queen Victoria IV 184 412; out-
of-doors XII 178
QUEEN VICTORIA VII 466
Rollinson's Unique XII 491; XIX
214 332
Rose Rendatler I 232
roseum multiflorum XI 144
Society VI 284 366 578; VIII 97;
X 29; XII 175; XVI 276; prizes
offered by, in 1874 VI 489
St. George, hybrid Ivy-leaved
XVI 540
tricolor XIX 396
Vanessa XI 179
variegated Ivy-leaved II 429
varieties of XVII 487
Vesta, double Zonal XVI 58
Vesuvius, good for forcing XIII
20; sports of XII 463
v. Geranium I 547
wonderful double-flowered IX 352
yellow-flowered VI 46
Pelargoniums XX 342 533 573
as basket plants in winter IX 5;
XIV 233
at Chilwell VI 538
at Chiswick, trials of IV 223; VIII
389
at M. Lemoine's XIV 189
at Swanley XIX 646
autumn treatment of XVI 280
bedding XIV 176; XX 149; best
III 376; in moss XIX 233;
saving old XIV 497; tried at
Chiswick in 1875 IX 458
bed of Cape and scented-leaved X
283
best market XI 42
blighted XI 491
Cape XX 71; at Kew VI 10;
hybrid XVIII 296
Cathin's new XVI 342
continuous-flowering XX 190
culture of VII 479 XVII 49 91 113
162 183 205; of specimen VII
412
cutting down XIX 262 287
cuttings of XVI 450
“decorative” XIII 495

Pelargoniums, defoliating XX
264 355
disease in XIII 583
double XIII 162; XX 149; Ivy-
leaved, grown for trial at Chis-
wick XV 334; origin of V 264;
white II 357
early-flowering XIX 122 544; best
VIII 103
FANCY XIV 64
Fancy, grafted IX 595
for winter decoration VIII 49;
XII 463
from root-cuttings, not true to name
XIV 330 364
grafting III 240; seedling to induce
variegation X 284; variegated I
446
grouped XIV 372
grown on turves IX 461
hardy, intermixed with hardy
Ferns XIII 602
hybridising I 397
improved XII 440
in the flower-garden II 73
Ivy-leaved I 196; XIII 622; XX
149; and Oak-leaf, and other
XV 235
large-flowered XI 230; XIII 207
market XVIII 57
M. Sisley on raising VIII 452
new XI 103; XV 496; XVII 514;
XX 162; double VIII 386; Ivy-
leaved IX 510; v. old XVII
74
notes on XIII 44
of the echinatum type XVII 167
old, for planting in the flower-
garden XIII 335
origin of double V 133
propagating XIV 223; and general
treatment of tricolor XIV 158;
variegated XI 257
pyramid at Clumber XVI 367
raising III 10; new VIII 148
Raspberry-leaved XV 376
saving old bedding XIV 412
463
scarlet X 75; for market XI
346
scented-leaved XIV 99; XIX 113;
as basket-plants X 419; XV 32
seedling XX 129; Cape XIII
233
semi-double show XIII 233
show XIV 186; at Clapton XIII
273; in March XIII 180; white
XX 15
single XX 149
standard XII 420; XVI 459 505
554; double and single XIV
394
storing bedding VIII 530; XVI
337
throughout the summer XIV
375
trial of, at Chiswick in 1873
V 93; at Chiswick in 1877 XII
386
tricolor XIX 407
TWO NEW XIII 622
variegated I 118; propagating I
161
v. formal leaf-gardening X 323
what are “variegated”? XVII
554
white-flowered XII 604
winter-flowering XIV 484; XVII
103; XIX 36; XX 626; and
autumn XIII 608
wintering XII 580; XIV 322 371
577; in cellars VIII 477
ZONAL XIII 520
zonal I 74; XVII 59; XIX 384;
XX 581; and their sports XIII
15; at Swayley XVII 100; best
IV 70; double V 178; XIV 2;
for market XVII 102; for winter
flowering XIV 557; for winter

Pelargoniums, zonal—continued.
decoration IX 33; hybridising
V 119 242; inarching VII 416;
indoors I 369; in the greenhouse
in autumn XII 480; in winter
VIII 515 536; IX 24; XIV 525;
new double-flowered VI 173;
notes on XI 344; XVI 32; origin
of double V 51; propagating
XIV 443; under glass XV 211;
white-flowered II 239; winter-
flowering IV 435; XVII 82
Pellea ornithopus, var. brachyp-
tera XII 204
procumbens XIV 515
Pellionia Daveana XVIII 188; XX
311 624
Pellitory of Spain XX 256
Peltaria alliacea VIII 84
Pendell Court, Bletchingley XIX 147
notes from XIX 440
Penoisetum fimbriatum XVI 232
Penny-wort, as a basket plant XIX
184
Marsh XIX 184
Penshurst Place XIX 393
distant view of XIX 408
from the garden XIX 397
*Pentapterygium (Vaccinium) rugo-
sum* XVI 459
Pentas carnea XI 352; propagating
XX 574
Pentstemon, the III 476
as a bee-plant XIV 133
barbatus XX 209 222
blue-flowered X 129
breviflorus VI 262
Clevelandii IX 79; XVI 196
Cobaea XX 171 216; flowers of
XIX 349
Crimson Bedder IX 406
DIFFUSUS X 80
heterophyllus X 129; XIV 101
505 (*cut*)
HUMILIS XV 416
Jaffrayanum XI 69
Letus XII 199
Lord Macdoald XVII 146
Meuziesii XV 295
Miss Dean XVII 146
Murrayanum XVIII 151
notes on the XIII 54
ovatus XI 69
Palmeri IV 164; XVIII 202
puiiceus IX 79
Scoularia XIX 585
secundiflorus XII 174; XV 521
select species of XIV 504
Torreya XX 343
Wrightii angustifolius XIII 594
Pentstemons II 51; IV 131 210;
XX 49 342
American XVIII 641
and Phloxes, alpine X 52
aud their culture XI 69 470; XIV
216
at home XV 408
best varieties of III 392
border XIV 234
for cut flowers XIV 394
from Edinburgh XX 343
from Leeds XX 184
hardy XX 44
hybrid, and their origin XI 89
improved X 204
in autumn XII 344
new X 255
seedling XIII 616
select IV 322; XX 129
species of X 80
young, best XVIII 514
People's parks, a plea for II 336
Peperomia prostrata XX 261
resedæflora XVIII 59; fine bou-
quet flower VIII 58
Peperomias XX 383
Pepperidge tree, the VI 331
Peppermint-growing near Paris V
198

Pepper tree, the VI 525
Pepper Vine, Black XIX 103
Peppers, red I 485
Peraphyllum ramosissimum X 133
Perennials, choice hardy XVII 147
cultivation of XVIII 108
for beds XI 559
for succession XVIII 400
hardy herbaceous I 672
list of select hardy XVIII 345
planting hardy XVIII 556
Pereskia lychnidiflora XIII 181
Perfume jars X 369
Perfumes IV 464
Perilla, Fuureal XVII 486
uankinensis laciniata II 295; v.
variegata XVII 250
Periploca graeca XIV 28
Peristera elata VI 288; XII 153
(*cut*) 224; finely-flowered XII 201
Peristrophe angustifolia aurea varie-
gata XII 584; propagating XVIII
192
Periwinkles grafted on the Oleander
IX 116
Indian, from seed XVI 227
note on XVIII 538
tropical XVI 97
Perkins' (Messrs.) Nursery, North-
ampton XIX 72
Pernettya, blooms of XIX 616
candida XIV 282
mucronata II 380; XVII 404; as
a pot plant X 601; new forms
of XV 74; propagating XV 123
Pentlandii IX 118
Peruettyas XX 613
cultivated X 596
two good X 476
Peronospora infestans II 348
Perpetual climbing Roses I 253
Persica Davidiana I 393
Persicaria in open spaces, good effect
of VIII 168
Persimmon, the Japanese VII 222;
XVII 3 (*cut*); facts about the XV
125; fruiting in California XVI
359; in California, XII 411
Persimmons, dried XVI 52
Perthshire, a Flora of III 174
Peruvian Trumpet, the IX 244
Pescatorea cerina IX 71
Dayana, var. Rhodacra IX 191
fimbriata XVIII 229
Klabochorum XVIII 587; XX 622
lamelloxa X 106
Petalostemon Searlsiae XV 295
Petals harder than pistils XIII 408
Petit Trianon, the English-garden side
of XII 513
in spring XI 325
trees clipped in XIII 140; untu-
tered in XIII 141
Petræa, climbing IX 578
vulobilis VII 378; VIII 70; IX
578; XV 442; XVII 275 449;
XIX 392 438
VOLUBILIS XII 40
Petroleum consumers, caution to
IX 72
v. garden destroyers IX 315
Petunia, death to the Potato Bug
XIII 420
Mount Beauty XX 407
Petunias VIII 232; XVI 425; XX
138
at Isleworth XIV 187
beautiful varieties of X 125
bedding III 393
culture of V 419
double and single XI 246
dwarf and tall XIX 521
from seed XIV 186; XIX 202;
XX 54
green XII 124
seedling XIV 147; XVI 3; XIX
521; at Sydenham XII 151;
double-flowered XV 175; for
indoor decoration X 383

Petunias, show of XX 17
single-flowered, in spring XIII 407
specimen double-flowered XI 543
striped XII 103; single and
drought X 181
Penfleur de l’Arquebuse, the III
410
Pfeiffer’s (Dr.) “Nomenclator Botanicus” II 478
PHÆDRANASSA CHLORACEA
XVI 286
rubro-viridis XVII 213
Phenosperma globosa XVI 375
Phajus Dodgsoni XIV 190 499
grandifolius III 183 221; XI 230;
XIX 172 191; as a cool con-
servatory plant VII 318
Humboldti XIX 105
irroratus IV 434
tuberculosus XIX 274
Phalaenopsis after flowering XIX 525
amabilis XII 572
at Clapton X 518 578; XI 186;
XIII 63; XX 407
Esmeralda XIV 411
feast of XVII 326
from seed IX 35
grandiflora III 459; V 300; VI
558; XIV 190; XIX 305 (*cut*)
intermedia VII 192; i. Brymeri-
ana IX 354
Lowii I 74; VIII 534
LOWII IX 312
Luddemanniana III 221
Mannii IX 300
new XI 325
on the cool system XVII 325
Parishii V 328
Portei, in bloom XI 22
Schilleriana III 183; V 134 243;
XVII 284; XX 453 485; fine
specimen of V 278; IX 218;
history and mode of culture of
IX 238
species and culture of V 211; IX
312
sumatrana XIX 637
treatment of XVI 550
Vetchii VII 234; IX 238; X
106
violacea XIV 411; XX 344
watering over-head XVIII 592
Phalaenopsis XVI 227; XVII 252
and flies VIII 323
at Chelsea XII 510
imported XVI 232
season of XX 521
section of lean-to house for IX 313
Phalangium elegatissimum XX 598
pomeridianum X 293
Phallus impudicus XVIII 168
Phascolaretus cinereus XVII 464
Phaseolus multiflorus IX 48
Philopea egyptiaca XVII 202
Phellodendron amurense XII 180 510
Phenomenon, an unusual XVI 236
Philadelphia, the Centennial build-
ings in VIII 316
Exhibition at, in 1876 X 4 438;
fruits at X 398
International Exhibition at, in 1875
VIII 142; *building for* VII 387
new cemetery at I 568
Philadelphus XX 52
anemone IV 468
best VIII 123
coronarius XIX 663
Gordoniensis III 233; XVI 144;
leaf of III 234
GROUP OF XV 476
Iaxus IX 588
note on XIX 664
Souvenir de Billiard VIII 156
species of VI 131
Philesia buxifolia II 136; V 212;
XII 50 494 513; XX 252; in a
cool house XII 103
Philippine Islands, vegetation in the
III 321; XIII 77 (*cut*)

Phillyrea Vilmoriana XVII 71
Phillyreas XVII 498
Philemonia Carderi XVII 563
crinipes V 416
Sollorianum VI 361
Wallisi XVII 569
Philodendrons XIII 57
Philydrum glaberrimum XVI 319
Phlomis XVII 172; XX 25 39I
armeniaca XIV 392
cashmiriana XVI 196
fruticosa II 17; XVII 227; XX
391
**PHLOX. BEAUTY OF EDIN-
BURGH** XII 184
best white hardy XVI 479
Boule de feu V 258
caespitosa XII 301
cavescens XII 301
Countess of Sefton VIII 150
divaricata XII 299
Drummondii XIV 235; continuous
flowerer XIV 265; D. grandiflora
XII 462; D. hortensiaeflora alba
XX 480; D. splendens grandiflora
VIII 26 355; IX 80; X 26;
striped XI 44; D. var. Cardinal II
51
glaberrima XX 99
linearifolia XII 303
longiflora XII 303
Miss Robertson XIV 368; XVII
547
Mrs. Hunter XIV 257
nana XII 303
Nelsonii I 480
new white VI 270
notes on the XIII 54
omniflora XVII 227
ovata XIX 620
panniculata XII 298
pilosa XIX 586; XX 440
Queen XX 23
setacea XI 213; XII 300; s. var.
atropurpurea VIII 34
speciosa XII 303
spring IV 23; IX 380
stellaria XII 300
stolonifera XVII 444
SUBLATA XI 502
subulata XII 300; XIX 558
Van Houttei XVI 194 324 394
verna IV 23; IX 380; XII 300
(*cut*); XIX 535; as a bedding
plant VII 416
white XX 53 480
Phloxes V 179; XX 56 177 283
broad and at home XIV 232
Alpine IX 491; XV 454
and their culture XVIII 244
best III 494; VIII 150; IX 165
diseased IX 498 515
dwarf XI 493; XVII 386 443;
XX 361; new XY 475; seedling
XVII 36; species of XI 502
from seed XX 388 393
GROUP OF DWARF XVII 12
herbaceous III 277; X 322; XI
167; XII 184; XVI 526; XX
223; in pots XIII 2; origin of
our best XI 334
notes on XIV 107; on late-flower-
ing VIII 244
on turf XIV 394
perennial XX 422; *propagating*
XIV 39; seedling XX 438
procumbent XIX 524
seedling XI 186
select X 259
species of XII 298; tall XII 7;
XVII 196 221
worth growing VIII 168
Phoenix dactylifera V 161
leonensis V 311
pusilla III 410
reclinata III 489; XVIII 483 (*cut*)
rupicola XI 499
sylvestris V 51
tenuis XVIII 482

Phormium tenax XIII 481; XV
512; atro-purpureum, seed varia-
tions of XIII 399; t. Colensoi,
flowering in Ireland VIII 18; in
flower IV 70; in water XV 327;
variegated produce of the seed of
XIII 378
Phosphate sewage works IV 506
Photinia serrulata I 374; in flower
in Oxfordshire XI 326; large XII
56
Phygelius capensis IV 210; V 284;
XVIII 367; XX 320 502 503 (*cut*);
as a wall plant VIII 387
Phyllanthus nivosus XII 540; XIV
78
roseus pictus X 261
rotundifolius XX 212
Phyllocactus Ackermannii IX 540
anguliger XII 620
crenatus XX 99
fine hybrid V 432
grandis XIII 613
niveus XIX 646
Phyllostachys flexuosa, flowers of XVII
44
Phyllotreta nemorum XVII 457
Phyllopora, the I 358; II 217 (*cut*)
366; IV 164; V 548; VI 168
336 402 422; VII 157—165 (18
cuts); VIII 358; XI 39;
XVI 297 381
and *Eucalyptus* VIII 34
and insecticides XI 37
and irrigation V 278
and its changes XII 183
and plaster of Paris XII 604
and sandy soil XII 332
and sulphide of carbon XIX 281
and the French Government XVII
402
at Gunnersbury XIII 178
Commission on, Report of the IX
258
destroyed by a current of electric-
ity XVII 47; by a solution of
guano V 300; by submersion
IX 123
does it attack other plants besides
the Vine? IX 539 583
efficacious remedies for the VI 519
General Maitland on XX 486
Government Prize for a remedy for
XVI 450
guarding against XI 515
in Australia XVI 384
in California XVI 543
in Devonshire XII 364
in France, ravages of the XIII
196; XVI 441
in Germany X 332
in Greece XIV 167
in London gardens IX 373
in Madeira X 368
in Victoria XIII 248
law respecting, on the Continent
XVII 339 382
loss sustained from IX 606
M. Laliman on III 273
natural history of VII 157
on American Vines XI 485
origin of V 465; VI 566
Quercus III 64; VI 35
rapid production of IV 297
ravages of II 519; in 1876 X 327
remedies for III 155 251 375;
IV 184 228 352; VI 238; VII
128 412 498; VIII 429; IX
484; X 304 462 478; XI 17;
XII 102; XIII 168; M. Dumas’s
X 351 401
steel glove for XI 246 543 (*cut*)
subject of a Bill in the French As-
sembly VI 92
Physalis Akekengi IV 460; X 433
(*cut*); XII 440; XYIII 412 420;
XX 201
edulis, as a vegetable IX 332
peruviana IX 544; XII 533 568

Physianthus albens VIII 268 302
516; IX 24; hardness of XIV 264
305
Physostegia (Dracocephalum) imbricata VIII 513; XIV 218
Phytarrhiza anceps XVII 322
Phyteuma comosum XVII 146;
XVIII 245 (*cut*); XIX 419 (*cut*)
Phyteumas, the IX 24; XIX 418;
XX 43
notes on XIX 446 634
Phytolacca decandra III 405; V
486; VI 508; VIII 389; XI
10; XIV 265; XVI 52
dioica X 576
electrica XI 54
icosandra VI 340
purpurea XIX 634
Phytomyza aquifolii XIX 601
Phytopus, the XI 445
Picea Alcockiana VIII 371 385
amabilis I 662 663 (*cut*)
and *Abies* XVI 543
cephalonica in Perthshire IX 216
concolor, foliage of XVIII 173
nobilis I 58; III 218; at Newstead
II 491; at Thorpe Perrow VIII
78; in cone XX 293
Nordmanniana XI 7
Parsonii V 99; IX 72
pectinata VI 182; XII 48; XX
394
Massoni XII 48
Pinsapo I 306; wasp destroyer
VIII 227
pungens XVI 359; XVII 98;
XVIII 31
Piceas I 464
Pickeringia montana XIII 363;
XVI 241
Picotee, Painted Lady XX I28 I30
section XX 282
Picotees I 95; XX 4 56
as town flowers XX 300
culture of XX 300
dressing of XX 73
freaks of XX 149
from seed I 420
seedling XIV 101
stake for I 518
yellow XII 546
Pictured exaggeration XVIII 262
Picture frames, rustic VI 514
Picturesque and Beautiful IX 299
Price on the II 420
Pieris brassicae XIV 94
Nepaul, goat-poisoning X 389
Rape IX 329; XIV 107 (*cut*)
Pigeon-berry, the XI 10
in the garden XVI 52
Pilaf: a Turkish dish II 215
Pilea muscosa, among orchids XV 23
nana XIV 323
serpyllifolia XIII 609
Pilocarpus pinnatus IX 364; cul-
tivation of X 36
Pilocarpus fossulatus (Houlletti) XII
132 133
Houlletti XIII 446
senilis, imported XII 30
Pilrig Park Nurseries XIX 471
Pilumna fragrans XII 416 572; XX
416
Pimelea decussata XV 353; in Ire-
land XI 5
“Pimentos dulces” VII 232 245;
IX 99
Pimpernel XX 256
large-flowered VIII 360
Pinang or Betel Nut Palm I 521
Pinanga Veitchii XVII 435
Pincenectitia tuberculata XIV 436
Pinching v. pruning X 36
Pincio Gardens, Rome I 589
Pine-apple II 371
as imported from St. Michael’s VI
586
best varieties of VI 8
best winter IX 371

Pine-apple, Black Prince IX 292
culture of the IV 298; for market VII 337
Henderson's best XI 55
King IX 39
Lambton Seedling XVII 324
Lord Carington XI 60
new variety of VI 542; XVII 494; XVIII 276 406
Prince Albert IX 144; XIV 253
Queen, culture of VII 105
variegated IV 418; as an indoor ornament I 128; cultivating VIII 510
varieties of VIII 507; obtained in raising IX 123
Veitch's Seedling IV 418
Pine-apples and Vines together II 329
at Southend, Darlington XX 449
best kinds of XIV 546
best structures for XV 101
Cayenne II 478; quickly-grown smooth-leaved XIV 499
cheap in America XII 287
culture of, at Drumlanrig VI 595; can it be made profitable? V 217; for January III 20; for market XV 325
early fruiting of III 14
English-grown, in the markets VIII 537
fine specimens of Queen VI 42
for market X 560
fruity II 524; prematurely XIV 260
fruitless XIV 143
growing, rapidly XV 405 420 450
grown at Frogmore, weights of VI 316
“heads” to IV 104
how to cut VI 54
imported XII 463; XV 144
improved foreign I 610
in Covent Garden XIV 478
in pits XX 633
in the Bahamas I 704; VII 316
in winter III 42
keeping after they are ripe XII 388
Lady Beatrice Lambton XV 52
largest garden in the world of VIII 507
new race of VIII 322
note on XV 79
Pitch Lake IV 478
pots for VI 315
proper temperature for starting III 167
quickly-grown XIV 526 550
sawdust for plunging XX 471
shading VII 294 324 356 385 432
small v. large pots for V 219
soil for XV 131
St. Michael's III 153; V 4; VII 30; IX 376 404; black-heartedness in VIII 54 62 93; in summer X 3
twin IX 15
variegated XV 32
v. Bananas XVI 543
watering V 402 426 440 478; VI 9
West Indian XI 326; XII 126
white scale on IX 204; XII 80
Pine-apple Nursery IX 400
Pine-boring Beetle I 287
Pine-houses XV 52 146 160
Pinery I 534
for April I 450
for August II 110
for December II 496
for February I 228
for July II 20
for June I 621
for March I 322
for November II 395
for October II 304
for September II 222

“Pines,” notes from the XIV 266
Pine-sawfly XX 247
Light-coloured XIV 559
Pine, Screw, cutting down large XIV 479
Pines, Screw XII 164; note on XV 333; species of II 501
Pine-tree I 220; V 232 (poetry) at Malta, the Duke of Edinburgh's Norfolk Island VI 156
Austrian XX 443; at home XVII 27
Black Austrian XIX 476
Bronze, of the Vatican Gardens II 417
Chili, in the Isle of Wight IX 555
Cluster XIV 20
Corsican XIII 571; XVIII 375; “rabbit-proof” XI 197; sowing XII 604
forest I 99; in Switzerland IV 380; in the Jura I 332; of Ravenna XX 505; *on the Alps, scene in* IV 153; Portuguese VI 350
giant V 425
Huon VII 138; IX 216; X 506 522; XII 405 (*cut*); at Long-leat X 537; XII 175; hardy in Wiltshire VII 183
Japanese dwarfed VI 99
largest in Northern Wisconsin XI 556
Norfolk Island I 710; XVIII 649 (*cut*)
oil XII 152
pest IV 340
Pyrenean XII 319
Red V 205
Sabine's XI 479
Scottish VII 119
seeds of, influence of temperature on the germination of XII 226
Siberian Stone XV 364
Sun-ray XIII 194
Swiss Stone X 491; XII 263; XIX 369
timber of the Kauri XV 169
tree XVIII 646
Umbrella I 436; II 301 (*cut*) VIII 310; X 492; fine specimen of IV 254; hardness of I 633
weeping XVI 408
Western Pitch XX 171
Weymouth XIX 552; in Wiltshire IX 168; large IX 120
white, for hedges VII 202
White Mountain III 142
wood of the Oregon VI 359
yellow I 10 99
Pine-trees and evergreen shrubs, transplanting VI 503 571
and Firs VI 156
at Bournemouth IV 94
influence of on temperature IX 119
N. American, at home XIII 391
of California XVII 210
on Californian Sierras XII 597
on mountains VI 450
red-rot of VII 322
Stone II 347
Voice in the IV 484 (poetry)
Pinetum, the XVIII 368
Gordon's V 28; VI 557; VII 233; XVI 405
Pinguisula, the V 462
caudata XIX 367; XX 212 366
grandiflora XX 327
offsets of the VIII 486
vallisneriæfolia VII 436
VALLISNERIÆFOLIA XIII 338
vulgaris XI 382; XV 409 (*cut*)
Pinguisulas, how to grow XX 99
notes on VI 2; XIX 413
species of XIII 338
Pink, Anne Boleyn XX 25
Atkinson's hybrid XVI 112
at Pilrig Park Nurseries XX 55
bouquet XVI 90

Pink, Clove XX 23 52 388
Crimson Indian XX 103
Flower of Eden III 1
from Exeter XX 72
garden XX 183
Glacier XX 9
Highclere XV 135
hybrids from the Alpine X 460
Lady Blanche XV 235
Lord Lyon IX 566
Maiden XX 79
Mule XX 283; Delicatus XIV 28; white winter-flowering XI 62
Newmarket XIII 433
old white XII 78
Pennsylvania XX 87
rose-coloured XX 130
single XX 613
true Clove VIII 168
Watson's white IX 304
William Bull XVII 300
Pinks I 95; XX 462
alpine VIII 256; XX 184
and Carnations XVI 122; and *Picotees, propagating* XII 79; new way of striking IX 200
Chinese XX 368 421
common, for forcing XV 174
cutting XX 408
dwarf XX 23 208; profuse blooming XX 25
for forcing X 535
GROUP OF XVI 510
iron-stemmed XVII 301
Mule XX 401
old and new XII 418
plea for XX 237
propagating XIV 158; XVI 51;
XX 294; by division XX 157
raising from seed XX 636
single XX 24 613
striking in water IX 543
suitable for forcing IX 399; XI 186
Tom Thumb XIX 619; XX 81
wild Austrian IX 476
Pinou, the V 185
Pinus arizonica XX 360
Austriaca XIX 477; XX 443 (*cut*)
Ayacahuite XVI 408
Boursieri XII 483
Cembra X 491; XII 273 373; cone-bearing branch of XIX 369; cone of XII 263; mandshurica XV 364
contorta (P. Tamrac) XII 348; cones of XII 348
edulis V 185
excelsa XII 593; XIII 171; scales and seed of XIII 171
flexilis III 142
insignis XIV 408 441 484; XV 282 364 368; and its timber XIV 533; and other conifers XIV 579; as a sea-shore tree XVI 290; best when fully exposed X 536; fine specimens of XIV 571; in Co. Dublin XI 48; large X 492; XIV 429; rapid growth of XIV 366
Laricio XV 106 125; cone and leaves of XIII 571; for exposed poor land VIII 447; v. rabbits XIII 194
macrocarpa XVI 59
Massouiana XVIII 174; M. variegata XIII 194
omorika XII 14
parviflora XVIII 583
Peuce, cones and leaves, scales and seed of XIII 171
Pinaster, at Monreith, large VI 567; for sea-side planting V 395; value of, for sea-side planting, in the west of Scotland VI 566; leaves and cone of XIV 20
Pineapple VII 350
Pinsapo, a fine specimen of X 86

Pinus ponderosa I 10 11 (*cut*) 39 99; XX 170 (*cut*) 171
pyrenaica XII 319
reflexa XX 360
Sabiniana I 474; XI 479 (*cut*)
Sinclairii III 322
Strobus XIX 552
sylvestris XIX 476; s. *aurea* XVIII 578; large specimen of VI 397
tuberculata and its cones X 491
Piper nigrum XIX 103
Pipes and boilers in frost XIX 199 hot-water, fixing XVII 160; jointing III 348; paint for XIII 583; should not be painted with gas-tar IX 196; should they be filled full, or only three-parts? VII 22; underground XI 75 100
painting with gas tar XVII 48 71
small connecting VIII 386 406
Piping at Clovenfords VIII 338
Piptanthus nepalensis III 352; IX 600
Pisum sativum, Darwin on the origin of X 65
Pistachio-nut tree, fruit-bearing branch of the XII 356
Pistacia tribe, the XII 392
Pistacias and their uses XII 355
Pitberry, the Australian XII 46
Pitcairnia Andréana XVII 268 corallina XIX 322 ferruginea XX 564 Jacksonii XX 311 manifolia XIX 587 mucosca XIV 549; at Tooting X 578 staminea VIII 426
Pitcairnias XX 415
“Pitcherine” XII 46
Pitcher of Nepenthes II 339
Pitcher-plant, American II 224; culture of VIII 500; flowering in Ireland V 544 at Chatsworth I 167
Californian I 667
hardy XX 78
New Holland II 196; III 276 401 (*cut*); XVII 405 (*cut*)
new hybrid VII 62
“sports” of IX 96
Veitch's hybrid XI 429
Pitcher-plants I 567; II 339; V 82; XVII 500; XVIII 34
PITCHER-PLANTS XVII 542 and ants V 162 at Chelsea XVI 480 at Drumlanrig VII 233 258 295 at Hamburgh XX 319 at Kew XVIII 250 Crotons and Palms in combination with XV 109 culture of I 167 in the Seychelles Islands VI 402 new XX 407 notes on XVI 262 raising XX 53
Pithocalobium Saman XVII 276 Pit, in which to winter Geraniums IV 139 span-roofed XX 75
Pits and frames I 26 cheap XVI 72 cold XX 76; covering for XII 580 604; in March XIX 287 earth VIII 250 economy of XX 486 heating XIV 187 Pines in XX 633 ventilating XIII 270
Pitting v. notching XVII 466
Pittosporum Colensoi X 492 May XVI 514
Tobira VIII 234; XII 80; as a small pot plant XI 82; in South Wales X 304 undulatum XI 305

Pittosporums VI 430 445
hardy in Ireland V 111 520
Place du Louvre, Paris, the XI 35
Plagianthus betulinus X 419
Lyallii II 294
pulchellus XVII 251
Plagiarism, a XIX 507
Plagues of town gardens I 288
Plane-tree, the XVI 430
Canopy I 588
Caucasian I 572; *leaf of* I 572;
twig of I 573
Corstorphine XIX 513
Eastern XII 541; XX 420 433
injurious effects of XVIII 368
in Stationers' Hall Court XX 488
in the Temple Gardens, old V 63
leaves of, various XX 370 371
Maple-leaved I 588
Mexican I 634; V 523
new variegated VII 228
Oriental I 550; XII 226; XX
524; *at Highclere* XX 369; *at home* XX 373; fine XVIII 316;
XIX 74; XX 370; large III
116; old IV 283
orientalis hispanica integrifolia XX
371
Spanish I 588
various-leaved I 634
wedge-leaved I 618
Western XX 372; large III 116;
propagation of XX 372
Plane-trees I 486 550 588 618 634;
XX 369
dying in town soil V 474
for town planting V 70
in Germany IX 278
in Green Park XI 393
in Leicester Square VI 547
in Piccadilly IX 59
introduction of, into England XX
369
large, in Mecklenburg Square,
London III 439
London V 63 124; XX 489
on River Embankment X 603
on the Thames Embankment III
459; V 344; X 537
propagation of XX 370
raising seedling VI 506
remarkable group of IV 45
Plant of farm-house garden I 345
Plant-in-Lily, Siebold's XX 82
variegated-leaved XX 82
Plantain-Lilies XX 82
Plantain, Rattlesnake XVI 383
Water XX 201
Plantains and Bananas I 396
on lawns X 596; how to destroy
XI 560
Plantation, tea IV 362
Plantations XX 273 510
advantages of large XVI 422
and woods XX 110
management of hardwood XIX
426
on thinning VI 374
ornamental XX 10
sea-side XIV 427 470
suitable situations for XIII 392
tranching new VIII 423
water-edge VI 434
Plant, beetles eating XX 382
best white edging VIII 434
black bedding VII 396
borders XVIII 125; hardy
VIII 1
carbolic acid I 146
carpeting, good II 322
catalogues, old XVII 386
Coffee IV 250
collector, rambles of XX 84 239
274
contrivances for rooms III 172
cures for hydrophobia XII 436
dangerous Queensland XVII 390
deadly I 369
disease, new XV 492

Plant, Egg III 17
electrical XI 54
evaporation VI 488
exchanges IX 490
fertilisers XX 557
fine basket XX 72
fly-traps V 36
for baskets, good VIII 12
for sea-side hedges, good XVIII
345
for table decoration, choice VIII
411
for the wild garden X 380
for window, a novel XX 538
gardener poisoned by III 120
Girdle XVIII 274
golden-leaved VI 424
good border XIV 302; hedge V
34; room XVIII 601; table
XIV 436 556
graceful basket XVIII 331; com-
posite X 439; *foliaged* XVII
171; table IX 579
growth of, exuberant XX 185;
silica not essential to VII 96
handsome berry-bearing VIII 327
hardy bedding XX 157; in bloom
in April XIII 405; in bloom in
February V 112
"Immortelle" X 7; XX 23
influence of green light on the
Sensitive I 282
labels XIX 116 375
laughing IV 535
life in Australia XVIII 439; in
towns I 113
Little Hop XVIII 129
"Man-eating" V 496
manure, new V 531
material for paper I 115
miniature XX 178
new British VIII 305; fibre III
135; heat-resistant lawn IV 460;
medicinal V 534; VI 410; name
for an old XX 271; Rosaceous
XX 53; sea-side V 148; stove
XX 263; twining VI 593
nomenclature XVII 535; errors in
XX 538
notes from Edinburgh XVIII 117
origin of coal III 231; of Japan
lacquer V 341
pests, remedies for XIX 315
poisoning IX 19
Preserver, Bonhôte's III 231
pretty basket XIX 226 303 (*cut*);
British XVIII 305; berry-bearing
X 419
protector, cheap and effective VI 280
protectors, newspapers as V 110
Ranunculus III 62
rarities at Edinburgh XX 236
remedies for tape-worm IX 315
Show, Artisans' XV 365
silver-leaved edging VI 298
Snow VI 416
specific against hydrophobia IX
531
suitable for growing under trees
XVIII 538
supports and plant protection
XVIII 652
tall XVIII 317
thefts VIII 338
useful basket XI 287; berry-bearing
XII 440; indoor VIII 323
vagaries XIV 450 469
valuable evergreen herbaceous XI
166
what is a hardy? XVII 4 31 55 84
what is a herbaceous? V 544
white bedding XX 223; berry-
bearing X 558
winter-flowering, for the dinner-
table XII 154
wintering the Rice-paper IV 488
Plants after a thaw XIX 233
alpine XVI 394; and hardy bulbs
on the window-sill VI 242; and

Plants, alpine—continued.
rock, XVI 393; and rock, with
white or whitish flowers VII
220; and rockeries XVI 370 416
444; and slugs VI 50; at Ben-
thall Hall IV 477; V 11; at
Edinburgh XVI 112; at Hither-
wood, Sydenham X 103; at
home XII 177 245; XVI 88;
XIX 664; collecting VIII 272;
X 228; cultivation of XIII 513;
XVI 58; XVII 279; XVIII
421; distribution of VI 79; IX
137; effective way of showing
III 450; few facts about XV
408; from Berwick XIX 646;
from Labrador IV 332; from
the Rocky Mountains IV 498;
green in winter I 305; hardiness
of V 241; house for XVIII 285;
implements used in collecting VIII
272; in charcoal dust XIX 122;
in chimneys IV 5; in pots, water-
ing V 30; in Yorkshire XVIII
51; layering shrubby XVII 230;
new, rare, or neglected III 244
256 277 296 315 332 360; on
walls XIV 416; propagating IX
287; rare V 223; selections of
XVII 137; when to divide XIII
247; wintering XIV 353
American XVIII 611; at the
Rookery, Bromley Common XIX
620; duties on XVII 340; exhibi-
tion of, in Russell Square, 1874
V 491; in loam X 76; trans-
mitting XVII 232
and animals, dreaming of XIII 403
and carbonic acid gas III 114
and Ferns, how to dry and pre-
serve X 59; in the wild garden,
our native X 177
and flowers, how to preserve X
369
and fruits, certificated XIX 118;
in the North of England XVI
96
and insects, cures for poisonous IV
471
and ozone IX 200
and shrubs for a cool room, a selec-
tion of VI 599; grown as
standards XVII 481
and sweet-scented flowers for
winter decoration VI 488
and thunder-storms IV 164
and trees in bloom, in June XIX
589; in flower in May XIX 538
annual, in bloom in August XVIII
190 217
applying artificial manure to XVII
400
aquatic II 310; growing XX 325;
in basins XV 298; in inverted
bell-glasses II 266; interesting
XX 394; in the Regent's Park
XI 409; three good XVIII 589
arrangement of, at flower shows
XVI 274; for effect VIII 103;
XX 54; in greenhouses XIV
479; in stoves XIV 575; new
method of VI 357; taste in XX
260
artificially-coloured, from China
VII 316
Asa Gray on the geographical dis-
tribution of III 93
as a test of water VII 516
ascent of water in XII 268
as figured in some periodicals and
catalogues XVIII 7
as formers of ozone II 275
as now seen at exhibitions XVII
563
as weather-guides II 498; III
218; V 236
at Dangstein VI 203
at exhibitions, baskets of XX 587
at Newry XIII 407; XIX 609

Plants at Roebuck Castle XVIII
423
at Singapore XII 317
Australian and peat X 37; at
Gunnarsbury Park XVII 284
autumn-flowering hardy VII 190;
herbaceous XV 421; three good
XIV 451
autumn and winter salad X 161
badly and well grown XVIII 118
battle of life among III 142
bedding V 390 461; XV 327;
XIX 618; XX 229 614; and
colour XIX 120 150 168; and
four degrees of frost XVIII 417;
and spring flowers intermixed
XI 329; around London, notes
on VI 338; best varieties of VII
172; Continental method of
establishing VI 92; distribution
of XIV 300; duration in beauty
of XVIII 280; from seed X 213
260; XIII 209; XVII 172; XX
319; from seeds sown in spring
XII 196; hardening XVII 423;
hardy early pink and purple-
flowered XI 492; in the London
parks XVI 342; in the Parc
Monceau VII 89; late propaga-
tion of X 444; new, in 1873 III
312; new, in 1874 V 53; new, in
1879; XVI 343; notes on I 252;
XIV 432; XVI 367; pink and
purple-flowered hardy XI 494;
propagation of VII 71; XIII
210; XIV 111; XVIII 346 (2
cuts); XX 236; propagating for
stock XV 452; propagating soft-
wooded I 481; sowing XVII
232; spring propagation of IX
54; storage and spring propaga-
tion of IX 25; striking cuttings
of I 662; watering XV 512;
wintering XII 519; XVIII 398;
wintering half-hardy XIV 232;
without pots V 477; yellow-
flowered XIV 105
berry-bearing VIII 517; XI 18;
XIV 101; and birds V 3; for
winter decoration IV 436; XI
23; tropical XX 596
best dwarf silvery or variegated IV
70; early-flowering hardy IX
241; for mid-winter effects XIII
203; in 1874 VII 40
blooming in autumn and winter
VII 363
blue-flowered XVII 42; border
III 464; greenhouse XVI 545;
XVII 18
bog, and underground tanks XI
253; cultivation of XVI 153;
hardy and their culture XV 291;
in botanic gardens XIV 371
boiler water for IX 388 403
bold water-side XIX 253
border, best protection for XVII
198; cutting down XVIII 554;
few good autumn XIV 434;
hardy XV 356; obtaining hardy
X 34; protecting material for
XVII 259; rare, in bloom in
October IV 323; useful XVI
444
box for conveying X 536 537
brackets for I 581
bringing from abroad XII 221
British, extermination of XVII 30;
garden of XVII 430; in gardens
XVII 490; for gardens III 157;
London Catalogue of VI 360
Bromeliaceous XX 627
bulbous, after blooming XVIII
179; American XVI 471; culture
of V 367; culture of, in pots
XIV 195; drying-off XI 143;
early-flowering XVII 226; from
seed V 55 95; in flower in June,
at Kew III 470; in bloom in

Plants, bulbous—continued.

September VI 288; not flowering XX 456; sowing seeds of XX 622; winter-flowering XX 476; wintering XIII 84
buying "common" for Kew XII 29
by Parcel Post II 23
by post XVII 232
Cape bulbous XVII 341; XIX 322
carnivorous VI 210 288; VII 192
390 (poetry); VIII 160 230; XV 322; XVI 474; XVIII 289;
XX 507; De Candolle on the so-called IX 544
carpet-bedding with hardy XIV 76;
for groups of Yuccas IV 415
case for conveying XII 221
CERTIFICATE—
Abies canadensis variegata XX
I73
polita IV 476
Abutilon Darwioi VII 456; D.
tessellatum IX 277 324
Lemoinei XII 194
Luddemaniannum IX 324
Pnritry XVII 233
Sellowianum marmoratum IV
247; V 364
Acacia sphærocephala XVII 378
Acalypha marginata VII 456
Acantholimum venustum IV 40
Acer flavescens V 364
pictum maculatum V 452
Polymorphum septemlobum
elegans XVII 552
septemlobum elegans V 452;
s. marginatum V 452; tri-
color V 452
tanacetifolium IV 162
vitifolium V 364
Actiniopteris australis XX 172
radiata IV 247; r. australis
XIX 363 588
Adiantum rẽmulum XI 243
aneitense XVII 552; XX 172
Bausei XVI 358; XVII 378
Capillus-Veneriscorymbiferum
XI 416
concinnum Flemingii VIII 77
cuneatum dissectum XVI 358;
c. grandiceps XX 389
cyclosorum XIII 560
digitatum IX 324
gracillimum IV 430 452
Hendersoni VII 456
Lathomi XX 389
Lawsonianum XIII 402
Luddemaniannum VIII 166
monochlamys XVII 459; XIX
411
mundulum XVI 358; XVII
378
neo-guineense XIII 507
Oweni XX 311
peruvianum II 46
princeps VIII 121
sessilifolium V 276
tetraphyllum gracile XIII 377
Williamsii IX 535; XI 366
416; XIII 531; XV 443
Zahnii V 516
Æcoelades guineensis VI 236
Echmea bracteata III 468 488
Aerides crassifolium XII 28
Mendelii IX 488
virens Elisii V 558
Agave Baxterii III 196 468
Beaucarnea VII 456
Besseriana major VII 456
Corderoyi IV 40
filifera superba V 430 452
Gibbeyi III 468
Hunti XIX 460
Kerchovia III 196 468
Leopoldii V 364
marginata VII 456
marmorata V 452; VII 456;
XVI 272

Plants, certificated—continued.

Agave micrautha picta V 452
Parryi XIX 460
perbella III 196; IV 40
Pilgrimii VII 456
polyantha VII 456
pubescens VII 456
Salmiana foliis aureis variegatis
VII 456
schidigera princeps XI 366
striata var. Richardii III 468
Taylori V 276
variegata VII 456
Veitchii VII 456
Verschaffeltii variegata IV 40
Victoria Regina VIII 317
Ageratum, Little Gem V 516
Alaus incana laciniata IV 122
Alocasia Thibautiana XII 28
Aloe Greenii VIII 77
myriostigma XVII 378
Alsophila australis Williamsii
VII 456; VIII 121
elegantissima V 176
hirta VII 518
philippinensis VIII 121; XI
243
plumosa XIII 507
pycnoptera XI 243 284
Amaryllis, Beauty of Reigate
III 271
Cecilia XIX 363
Crimson Banner XIII 326
Dr. Masters XV 70
Duchess of Connaught XVII
295
Duke of Connaught XV 307
Emilia XVII 295
Empress of India XVII 294;
XIX 363
E. Pilgrim XIII 377
Exquisite XVII 294
Hercules XV 346
International XVII 295
Iris XVII 295
John Heal XIX 294
Lady Bolsover XVII 398
Lady Louisa Egerton XV 444
Madame Albani XIX 363
Miss Alice Gair XIX 294
Mooreana V 364
Mr. Henry Little XIX 341
Mrs. Baker XV 266
Mrs. Ball XVII 378
Mrs. Burroughs XVII 378
Mrs. Garfield XX 389
Mrs. Morgan XV 406
Mrs. Rawson XIII 220
Oriflamme V 298
Prince George XVII 354
Princess Augusta Victoria
XVII 295
Princess Dagmar XVII 378
Princess of Teck XI 139
Royal Standard XIX 294
Stor's Beauty XIX 363
Thalia XVII 295
Virgil XV 229
virginale V 452
Anæctochilus Ortgiesii II 46
Augvæcum citratum V 176
Kotschyi XVII 393
Angulosa Turneri XIX 560
Anthericum Williamsii VI 462
Anthurium Andréanum XVII
355; XIX 363
Browni XI 366 416
cordifolium VII 518
crystallinum III 448
hybridum V 276
insigne XIII 531; XVII 552
Kalbreyeri XX 46
Scherzerianum album XIV
364; S. Rothschildiaoum
XVII 436; S. semi-plenum
XVII 293; S. Wardi XI 284
Veitchi XI 535
Warocqueanum XI 535; XVII
505

Plants, certificated—continued.

Antigramma brasiliensis XX 46
Aphelandra punctata XX 46
Aquilegia hybrida californica XI
492; h. cœrulea XI 492
leptocera lutea V 430
Aralia Chabrieri XIX 510 560
concinna XIII 531
elegantissima III 448 468;
IX 487
filicifolia XI 366 416
Gaulfoylei III 468
Kerchoveana XIX 457
Sieboldii aurea reticulata III
388
spectabilis IX 606; XIII 531
splendissima IX 606
Veitchii gracillima IX 487 511
Araucaria Goldiana IX 487
511
Niepreschki XV 509
Areca nobilis V 516
Aroebia echooides XV 406
Artocarpus Cannoni IX 606
Asparagus consanguineus XVII
460
gracillimus XV 425
plumosus nanus XVII 568
racemosus XVII 378
teniussum XIX 457
Aspidium crinitum XIV 364
Asplenium apicidens XIX 560
Baptistii XVII 552; XIX 294
contiguum fissum XIX 560
ferulaceum VII 518; VIII 121
longissimum III 195
neo-caledonicum XV 267
pteridoides XX 173
Saundersii XIX 363
schizodon V 276
Aster, Unique X 276
Astilbe japonica aurea reticulata
III 388
Thunbergi XIX 559
Athyrium Filix-femina acro-
cladon XX 73; f. f. apicale
VII 456; f. f. curtum cris-
tatum V 452; f. f. Jacksoniae
VII 456
Auricula, Alexander Meiklejohn
IX 396
Bessie Ray IX 396
Charles E. Brown III 368
Charles Lidguard IX 440
C. Perry III 368
Florence XI 366
Gertrude Knight IX 440
Grey Friar XV 346
Hilda XIX 460
John Ball XI 366; XIX 460
Lizzie XIX 460
Mrs. Moore XIX 458
Mrs. Purvis IX 419
Mrs. Wm. Brown XIX 460
Philip Frost XIX 460
Prince XI 366
purpurea XIX 458
Sarah XI 366
Slough Rival IX 396
Splendor XIX 458
Susie Matthews XV 346
Unique XV 346
William Bragg IX 464
Auriculas XVII 377
Azalea, Apollo III 368 388
balsamiflora XV 346
Duke of Connaught XV 266
Duke of Edinburgh V 364;
IX 440
Empress of India XV 229
Flambeau IX 487
indica, Apollo IX 464; i. imbricata
IX 535 608; i. Jean
Vervaeue IX 512; i. var.
Madame Paul Deschryver
III 408
Jean Vervaeue IX 487
Madame Lefebvre XIII 402
Madeleine XV 444

Plants, certificated—continued.

Azalea, Marvel XV 316
mollis, Baron C. Rebecque XV
425; m. Comte de Gomer
XV 406 425; m. Couleur de
Paille XI 315; m. var.
Alphonse Lavelle V 430
Mrs. Carmichael XI 204
Phœbus XIX 560
ponitica, Graf Von Mora XV
425 444; p. narcissiflora XIX
406
Roi Leopold alba XIX 363
Rölissoni XVII 398
William Carmichael XIII 220;
XV 346
Azara microphylla IV 60
Barkeria cyclotela XVII 72
elegans IV 476
Batemannia Burtii IV 410
Begonia A. Hemslay XVIII 70
altheaeflora XV 443
argentea zebraea XVII 552
Calypso XIII 611
Charles Score XII 75
Chiswick Blush XIV 144
Clovis XV 484
Comtesse de Choiseul XV 406
425
Comtesse de Thellusson XVII
552
Constance Veitch XVI 41
Davis X 148; D. fl.-pl. superba
XIX 510 560 588
Edward Morren XVI 46
Emperor VII 518
Excellent X 276
Frébelii VIII 121
Gloire de Nancy XI 492
J. Aubrey Clark XV 425
J. H. Laing XV 425 484
J. S. Law XVII 505
Jules de la Haye XVII 460
Lady Hume Campbell XVII
552
Louis Thibault XIV 276
Madame Triquaæux XVII
552
majestica X 276
Marie Bouchet XV 425 484
Mary Steele XVIII 70
Maude Churchill XV 444
metallica VIII 208
Miranda X 204
Model VI 236
Monarch XII 75
Mr. A. Coppin XVIII 70
Mrs. A. Potts XV 484
Mrs. Dr. Todd XIV 144
Mrs. Laing XVII 460
Mrs. Robert White XIX
588
Mrs. Sheppard XVIII 166
XIX 560
Nellie May XIV 276
Otto Forster X 204
President Burelle XIII 507
Prince of Wales IV 162
Prince Teck IV 162
Queen of the Whites XII
194
Reine Blanche XVI 46
Rosea grandiflora XVIII 70
Royal Standard XV 522
Royalty VI 356
socotrana XX 492
Souvenir de Gand XV 484
Stanstead Rival XVI 159
Sunrise III 368
Van der Meulen XVII 460
Vesuvius V 558
Viscountess Doneraile X 91
vivicans III 448
Wm. Spiuks IV 122
Zulu XV 425
Bertolonia Kilichi XV 509
Miranda VII 376
Rodecki XV 509
superbissima III 448

Plants, certificated—*continued.*
Bertolonia Van Houttei VII
 376 416; IX 510
Cetula alba purpurea V 364
 purpurea VII 518
Birch, weeping purple VI 63
Blandfordia flammnea elegans XI
 416
 flava XV 509
 princeps VII 456
Blue Spruce XII 194
Bollea Patini XIII 272
Bomarea Cardieri XIV 364
Boronia elatior V 452; IX
 488
 megastigma V 276 298
Bouvardia, Alfred Neuner XX
 172
 Dazzler XVIII 525
Bowenia spectabilis V 558
Brahea filamentosa VIII 317;
 IX 324
Bromelia Binoti XVI 93
Bulbophyllum Beccarii XV 509
Burbridgea nitida XVII 459
Caladium candidum XIX 638
 Frederick Bause XIX 459
J. R. Box XIX 638
L'Albane XV 425
Madame de la Deransaye IX
 510 512
Madame Herve IX 512
Mithridate XIX 638; XX 46
Calamus ciliaris V 516
deus XVI 358
Calanthe bella XX 598
Sedeni XIV 475
tricarinata XVII 354
vestita rubro-oculata gigantea
 XI 139
Calceolaria, Aurora III 448
Cloth of Gold XIX 559
Crystal Palace XV 444
Stanstead Rival XVII 460
Caltha palustris minor fl. - pl.
 XIII 377
Camellia C. M. Hovey XV 266;
 Mrs. Hovey XV 266
Campanula Smithii VI 63
Campsidium filicifolium III 448
Campylobotrys Ghiesbreghtii va-
riegata IV 40
Canna Ehemannii XVII 568
iridiiflora hybrida XX 173
tricolor III 388
Capsicum Little Gem XX 311
Carludovica Drudei XV 509;
 XVI 207
Carnation A. Alegatiere XII 555
Andalusia XIX 82
Coroner XVI 160
Duke of Albany XX 598
Gloire de Nancy XX 46 73
Guelde Rose XI 204
Heather Bell XVI 160
Imperial Dwarf V 538
Isaac Wilkinson II 68
King of Yellows IV 122
Mrs. F. Burnaby II 68
Mrs. Fowler VIII 423
Mrs. G. Hawtrey XIX 560
Mrs. Maclarens XIX 560
Mrs. Matthews XII 75
Negro XX 598
Osmann Pasha XII 338
Prince Arthur II 46
Queen XVI 94
Rose Perfection XI 204
Scarlet Defiance VIII 17; X
 475
Sir Archibald Grant XVII
 483
Sir Garnet Wolseley VIII 423
Superb II 68
Casuarina sumatrana X 475
Catakidozania Illopei XV 346
 Miqueliania XV 425
Cattleya Bluntii IX 535
Chamberlainiana XX 172

Plants, certificated—*continued.*
Cattleya dolosa XX 46
Fausta VI 356
gigas V 342 364
MacMorelandi XV 484; XX
 46
Mastersoni XVIII 393
Mendelii III 388 448
M. superba XIX 560
Minas VIII 423
Mitchellii XIV 188
Mossiae majestica V 558
Skinneri alba XI 492; XV
 425
speciosa var. *Bassetti* IV 289
tricolor VII 456
Veitchiana V 256 276; XIV
 188
Centaurea ragusina Russelli XX
 228
Cerasus Mahaleb pendula VI
 188
Ceratozamia fuscovenosa XVII
 552
Cerens, C. M. Hovey XV 509;
 XVII 483
 giganteus XX 173
Cespedesia Bonplandi XV 509
Ceterach aureum V 342 364
Chamaecyparis humilis variegata
 III 448
Cheilanthes Bergiana VI 188
Chionodoxa Luciliae XV 307
Chionographis japonica XVII
 336
Choisya ternata XVII 354 378
Chorozema aureum floribundum
 XVII 295
Chrysanthemum Cossack VI 462
Duchess of Edinburgh VI 462
Etoile d'Or XVII 378
frutescens Etoile d'Or XVII
 354
Fulton XII 555
Golden Empress of India XII
 555
Golden Mrs. Rundle IV 410
Gold Thread VI 462
Lady Selborne XX 492
M. Cronese XIV 575
M. Lemoine XVI 569
Rex Rubronium XX 492
Chysis Cheloni V 256 276
Cibotium glaucum VII 456
Menziesii VII 518; VIII 121
pruinosum XII 555
Cienkowskia Kirkii XX 73
Cineraria hybrida fl. - pl. V 473
 King Alphonso IX 488 512
Marchal Past XIX 458
Mary XI 204
Master Colvin XIX 193
Master Harold XVII 253
Mr. H. Little XIX 294
Mrs. Beck XI 366
Mrs. Thomas Lloyd XVII 253
Mr. Thos. Lloyd XVII 294
Prince Imperial IX 512
Thomas Winter XI 204
William Jennings XIX 193
Clarkia integrifolia limbata IV
 60
Clematis alba magna VII 456
 Aurora XI 283
 Charles Noble III 408
 Countess of Lovelace V 276
 342; IX 487
Duchess of Edinburgh V 364
Duke of Connaught IX 559;
 XII 531
Elaine III 408
Enchantress IX 559
Florence XI 416
George Eliot XIX 559
Grand Duchess VII 518
Guiding Star IV 60
J. P. Gassiot VII 456
Lady Constance Kennedy XIX
 559

Plants, certificated—*continued.*
Clematis, Lady Egmont XI 416
laevigata violacea IX 488
Lord Gifford V 342
Louis Van Houtte IV 60
Lucy Lemoine V 216
Mademoiselle Torreani XI 416
Margaret Dunbar XI 416
Marikata Oké V 364
Marquis of Salisbury V 342
May Queen III 408
Miss Crawshay III 468
Mr. Geo. Jackman III 468
Mrs. Cholmoudeley III 408
Mrs. Hope VII 456
President IX 348
Princess of Wales IX 487
Proteus IX 440
purple elegans V 494
Robert Hanbury V 430
Sir Garret Wolseley V 364
Undine III 408
Venus Victrix IX 559
Vesta V 276
Viticella, the Earl of Beacons-
field XIII 611
W. E. Gladstone XIX 559
Xerxes XI 416
Cocos elegantissima XVI 358
Coccygloea barbata XX 598
 cristata alba XIX 363 411
Massangeana XX 389
ocellata maxima XV 307;
 XVII 295
Colax jugosus III 368 388
Coleus Acme XVII 552
 Ada Sentance XX 389
Butterfly XV 426
C. M. Hovey XVII 552
Columbine XX 492
Distinctive XV 346
Dr. Brushfield XVI 94
Duchess of Edinburgh V 538
Edith Sentance XX 328
Empress of Germany XV 426
Eva XV 522
George Simpson XVII 399
Harlequin XV 426
James Barnshaw XVI 94
 "Majestica" XVI 358
Maudie XVI 46
Miss Simpson XIX 638
Mr. Stedall XIX 638
Mrs. G. Simpson XVII 354
 552
Mrs. W. M. Shirreff XVIII
 291
multicolor XI 366
Pharo XVII 552
Pompadour XVIII 166
Souteri XVIII 70
Stanstead Rival XIX 588
Starlight XV 426
Surprise XV 346
tricolor XVI 159
variety of IV 60
Verschaffeltii III 448
V. splendens III 468
Couandroui ramondioides XVI
 159
Cornus alba marginata VI 188
Corydalis bracteata XVII 398
Corythogyne spathulata IV 40
Crinodendron Hookeri XVII 459
Crinum brachynemum VII 314
 376
 petiolatum XVII 552
Croton Andricum XI 416
 appendiculatum VII 376
Austinianum XIX 560
Bergmanni XX 46
B. Franck Sellière XVIII 291
Burtoni XV 425
Chelsonii XVII 460
Cooperii V 558
coroigeram III 448
Cronstadtii XVIII 636
Disraeli VII 314 376; IX 510
Dormanianum XV 425

Plants, certificated—*continued.*
Croton, Earl of Derby XI 243
 244
Evansianum XV 425 444
formosum XIII 531
grande III 468
Hawkeri XVIII 636
Henryanum XV 443
iusigne XVII 552
Lady Zetland XIX 459
Laingi XX 46 493
Macafeeanum IX 396 511
majesticum III 448
McArthurianum XI 244
Mooreanum IX 511 559
Mortei IX 606; XI 139
Nevilliae XVII 552
ovalifolium V 364
picturatum VII 518; XII 555
Prince of Wales XI 535
Princess of Wales XV 406 509
Queen Victoria XII 75
Rodeckianum XVII 552
roseo-pictum XV 509
rubro-luteum XX 46 73
Smithianum XIX 457
spirale III 448
tortile VII 376
volutum V 516
Warreni XVII 460 505
Williamsi XIII 531; XIV 188;
 XV 443
Youngii II 46
Cupania elegantissima XV 406
 425 443
Carmheria picturata V 276
Cyathaea Burkei III 448 468
Cycas imperialis III 468
 media XIII 507; m. latissima
 XI 139
plumosa XV 425
siameus XV 425
Cyclamen, Baroness Burdett-
Coutts XVI 569
Brilliant XI 283
Charming Bride XIX 294
compactum magnificum XI 139
Crimson King XV 229
Mont Blanc XIV 475
Miss Lilian Cox XV 294
persicum XI 243 244
picturatum XV 229
Purple Gem IX 277
Queen of the Belgians XV 266
Queen Victoria XIX 363
Rose Queen V 299
roseum grandiflorum XI 243;
 XIII 195
Rosy Morn XIII 175; XVII
 295
Royal Purple V 298
Ruby Gem XV 70; XIX 341
 363
White Beauty XIII 175
Cyclobothra pulchella III 468
Cycnoches Warscewiczii XVI
 358
Cydonia japonica albiflora XI
 140
Cymbidium Lowianum XV 229
Cyperus laxus variegatus XVIII
 393; XIX 459
Cyphocheilus marcocarpa XV
 152 425
robusta XVII 552
Cypripedium albo-purpureum
 XII 28
Argus V 256 276
Boxallii XV 425
calanthum XVI 272
Fairrieum XVIII 525
Harrisianum V 276
marmorophyllum XVII 378
Morganiae XVIII 70
occidentale XI 415
cenanthum XVI 272
Parishii V 516
pubescens major XV 444
Roezlii V 276

Plants, certificated—continued.
Cypripedium Sedieri IV 122
selligerum VII 456; IX 488
 512; s. major NIX 638
 species of, from Java XV 425
Spicerianum XVI 358
Cytisus Laburnum aureum VIII
 121
Dactylis elegantissima aurea
 XIII 611
 glomerata latifolia aurea IX
 606
Daemoropis fissus III 388
 palembanicus III 388
Dahlia, Ashby XIV 276
 Aurora XIV 276
 Barnmaid VIII 231
 Beauty XX 389
 Bessie Ford XII 243
 Burgundy X 372
 Canary X 204
 Charles Leicester VIII 208
 Charles Wyatt XII 243
 Chris. Ridley X 372
 Clara XIV 276
 Countess XII 243
 Countess of Pembroke VI 236
 Dove VIII 317
 Dr. Ranch XVIII 214
 Drake Lewis X 204
 Earl of Beaconsfield X 276
 Emma IV 247
 Ethel Britton XVI 272
 Figaro X 276
 Frank Rawlings XVIII 291
 Frau Professor Klug XVIII
 214
 George Rawlings XX 311
 George Thompson XVI 358
 Goldfinch XVIII 214
 Helen Macgregor XIV 188
 Henry Bond XII 243
 Henry Glascott VIII 188
 James Service II 178
 James Vick XVIII 214
 James Willing XII 338
 J. C. Quennell VIII 208
 John Beunett VIII 188 208
 231
 John Downie VIII 208; X
 278
 John McPherson VI 236
 Julia Davis IV 204
 J. W. Lord X 276
 Lady Wimborne XVIII 214
 Letty Coles IV 247
 Lord of the Isles VIII 208
 Louisa Neale XII 243
 Lutea XIV 276
 Maggie Fairburn VIII 208
 Minnie Boud X 276
 Mr. Compton XVIII 214
 Mr. Harris XVIII 216
 Mr. Quennell VIII 188
 Mrs. Ellis IV 204
 Mrs. Lewington IV 247
 Mrs. M. Bachelor XX 311
 Mrs. Shirley Hibberd XII
 338
 Mrs. Stancombe IV 247
 Mrs. Standish VIII 231
 Ne plus Ultra II 178
 Ovid IV 204
 Paragon XIV 276
 Parrot IV 247
 Pioneer XX 311
 Polly VI 260
 Prince Bismarck XIV 188
 Queen of Spain XVIII 214
 Revival XVIII 214
 Rev. J. M. Camm II 178
 Rob Roy VI 260
 Samuel Plimsoll VIII 231
 Sarah Gamp VIII 231
 Sarah McMillan VI 356
 Seedling XIV 188
 Triumph VIII 208
 Warrior VI 260
 White Queen IV 247

Plants, certificated—continued.
Dahlia, William Rawlings XVIII
 393
 W. N. Williams XVIII 291
 Yuarezi XVI 272
Daisy, White Globe VII 356
Daphne Blagayana XVII 165
Dasyliion longifolium glaucum
 VII 456
Davallia elegans polydactylon
 XIX 458
fijieus XIII 377 531; f.
 major XV 522; f. plumosa
 XX 492
gibberosa XX 389
Lorrainei XX 46
Mariesii XV 229 267; M.
 cristata XX 46
Youngii VII 518
Decabclone elegans VI 188
Delphinium Leon Dubois XX 73
Dendrobium Ainsworthii V 176
amoenum V 494 516
barbatulum grandiflorum XI
 284
biligbum superbum X 204
Erymerianum XV 307
crassinode album XV 307; c.
 Barberianum XI 204
lituiflorum candidum XIX 341
nobile atro-purpureum XV 346
sculptum XI 283
 species of VI 140
splendicissimum XVII 165
suavisimum XI 416; XII
 146
superbiens XIII 68
teretifolium IX 96
Wardianum var. VII 456
Dennstaedtia davallioides XI
 204
Dicksonia Berteriana XII 459
Dictyogramma japonica variegata
 VII 456
Dieffenbachia braziliensis II 46;
 III 448
 insignis XIX 560
Leopoldii XIII 531; XV 509
Regina XIII 531
Rex XVII 552
Shuttleworthii IX 606
Dietes Huttonii XIII 377
Dioscorea elatior lanatum XX 389
Dioscorea retusa VII 456; XIII
 402; XIX 411
Dipladenia amena II 46
Brearleyana IV 60; V 558
Dipteris Horsfieldii XIII 531
Doodia aspera var. *multifida* XV
 425
Dracaena Alexandra XIX 459
 amea III 468
 Baptistii III 448; V 276
 Bausei XII 146; XIII 402
 Bijou XIII 531
 candida VII 314 376
 Caustouii XVII 378
 elegantissima VII 376; VIII
 121
 Fraseri III 468
 Gladstonei X 372
 glanduligera VI 236
 Goldieana III 448; V 516;
 IX 487
 Hendersonii V 364
 hybrida V 516; VII 356 376
 iugularis VII 314 376; IX
 606
 Laingii XV 425
 Leopoldii XIX 560
 Lindenii XIX 459; XX 493
 majestica XIX 560
 Mastersii XIII 531
 Menziesii VI 236
 Mrs. Bausei XI 366; XIII
 402
 Princess of Wales VII 518
 recurva XIX 459
 Renardiae XIII 402

Plants, certificated—continued.
Dracaena, Rex VII 518; VIII
 121; IX 487
Robinsoniana XI 415
rosea III 448
Rossii XIX 459
rubella VII 518
salmonea XIX 560
Shepherdii III 388
speciosa XIII 531
splendens III 388
superba XV 406
Taylorii VII 518; VIII 121
terminalis alba XI 204 416
triumphans VII 518; VIII
 77; IX 487
vivicans XIII 611
Drosera capensis V 364
dichotoma rubra XVI 372
filiformis XVI 378
spathulata VII 314
Echeveria pachyphytoides VIII
 423
rotundifolia VIII 423
scaphylla II 24 46
Echinocactus cylindricus IX
 559
 grandicornis XII 75
 Mirbelii nigrispinosus III 468
 Wislizenii XX 173
Echinocereus Fendleri XIX 638
Eleagnus, species of IV 40
*Encephalartos Frederici Guille-
 mi* XV 509; XVI 207
Hildebrandti X 425
regalis III 388
villosus ampliatus III 388
Williamsii XV 509
Epacris onosmaeflora, fl.-pl. IX
 236
Epidendrum, Imperator V 216
 Wallisi XV 267
Epiphyllum cruentum Acker-
 mannii XVII 460
Eranthemum aureo-retioulatum
 V 276
Erica obbata expolita XIII 611
Ericas opulenta and *splendens*
coronata II 46
Erigeron pulchellum XVII 483
Erythrina marmorata XV 425;
 XVII 568
 Parcelli V 516
Erythronium giganteum XIX
 457
Eschscholtzia crocea fl.-pl. XII
 28; c. *Mandarin* XII 28
Eucryphia pinnatifolia XVIII
 166
Eulalia japonica IX 511; j.
 zebrina XIV 276
Eulophia guineensis XII 146
Euonymus latifolius XX 311
Euryales australasicus XI 204
Ficus Parcellii V 342 364
Fourcroya variegata VIII 208
Freesia Leichtliniana VII 376
 odorata XVII 552
 refracta alba XIV 23
Fritillaria Moggridgei XVII 354
 recurvra XV 444
Fuchsia, Delight II 178
 Eclipse XVI 159
 hybrida rubra XIX 341
 Laing's hybrid IX 607
 Madame Galli Marie XVII
 568
 penduliflora XVII 253
 procumbens VI 140
Galanthus nivalis Melvillei XV
 266
Geonoma concinna XV 346
 gracilis VII 314 456
 robusta XV 443
Gladiolus, Agrius VIII 188
 Anthony Waterer XVIII 214
 Aquinus XVIII 214
 Archduchesse Marie Christina
 XVIII 216

Plants, certificated—continued.
Gladiolus, Brennus VIII 188
 Baroness Burdett-Coutts XII
 194
Calliphon XVIII 214
Captain Stuckey IV 162
Charles Noble XIII 194
Cymbeline XII 194
Dr Hogg X 204
Duchess of Connaught XVI
 207
Duchess of Edinburgh VI 236
 260
Duke of Connaught XIV 207
Electra XVI 207
Gorgonius XIV 144
Heloris II 178
Herois XIV 144
Hesperia IV 162
hybridus Lemoineanus XVI
 159
James Douglas XVI 208
James Kelway VI 236
Jessica XVI 208
Lady Aberdare X 204
Lanirus II 178
La Vésuve VI 260
Lord W. Beresford XVI 208
Lycoris II 178
Manfred VI 200
Mary Kinnear IV 162
Mrs. McKenzie VIII 188
Mr. Wilson VI 203
Neogenes IV 162
Odalisque XII 194
Opiter, XVIII 214
Orchus II 178
Osci II 178
Pactole VIII 188
Pelargo XX 172
Phormis XVIII 214
Pilumnus XVIII 214
Prince George XII 194
purpureus auratus IV 162
Rev. M. J. Berkeley X
 204
Rhamnes XII 338
Samuel Jennings XVI 207
Scopus IV 162
Telamon XIV 144
Titus VIII 188
T. S. Ware XVI 207
Warrior VI 260
Globba coccinea XX 46 389
Gloneria jasminiflora VII 376;
 XIII 402
Gloxinia, Berkshire XIII 531
 Boule de Fen XIII 507
Brantome XIX 559
Brilliant III 468 488
Chiswick White XVII 436
Christophe Colomb XIX 560
Coronet XVII 460
Duke of Connaught XV 425
 444
Excelsior IX 559
Frederick XX 228
Grand Monarch IV 60
Lisère d'Argent VII 518
Madame Patti VII 518
Marquis of Lorne VII 518
Mous. Duval XIII 507
Mr. Haines III 408
Mrs. Abbey XIX 561
Mrs. Bause XIX 460
Mrs. Fanny Wilder III 488
Prince Leopold III 408
Prince of Wales XVII 436
Queen of England V 494
Radiance XIX 510
Rev. A. H. Bridges III
 488
Yakoob Khan XV 484
Goniophlebium lachuopus XIX
 457
Grevillea filicifolia XIII 402
Preissii IX 236 324
 robusta filicifolia XIII 377
Gunnera manicata XIII 560

- Plants, certificated—continued.**
Gymnogramma Alstoni X 91
decomposita V 276
grandiceps II 46
schizophylla XIX 363 411
triangularis V 364 430
Cyperus argenteum var. VIII 317
Elatostethus Newelli IX 559
Hemianthus Cooperi V 430
Kallbreyeri XIII 402 507
rupestris XIII 175
Hamamelis virginica arborea XIX 193
Haworthia Bollerii XIX 363
Hedera maderensis variegata XVIII 70
Heliconia aureo-striata XIX 560; XX 493
Heliotrope, White Lady XX 46 598
Hibiscus Collieri IX 606
Hippeastrum, Agatha IX 192
Circe IX 192
Clio IX 277
Juno IX 192
Phoebe IX 192
picturatum (vittatum) V 176
Rev. J. Stainforth IX 192
Sultan IX 192
Thalia IX 277
Hollyhock, Catherine IV 122
Eleanor II 134
Fire King IV 162
Le Grand VIII 121
Lilac Queen IV 162
Lord Hawke IV 122
Mr. W. Chater IV 162
Mulberry Gem VI 188
Octavia IV 122
Red Cross Knight IV 122
Rose Supreme VI 188
Vanguard IV 162
Virgin Queen X 148
Hoteia japonica aurea variegata XVII 295
Huntleya Meleagris XVII 354
Hyacinth, Anna V 256
Cavaignac V 256
Duchess of Connaught XV 266
Duke of Norfolk XV 267
Etna VII 314
globosus XI 243
Golden Lion IX 277
Grand Master XIII 272
King of the Blacks XIII 272
King of the Reds XV 266
Lady Headley XVII 295
Leviathan XV 266
Lord Derby XV 267
MaeMahon XV 267
Magnificence XIX 363
Orange Queen XI 243
Primrose Perfection XIX 363
Princess Louise IX 324
Queen of Lilies XI 243
Queen of the Yellows XVII 294
Quisine Christine V 256
Salmon King XV 266
Shah IX 277
Sir S. Plimsoll V 256
Sultan IX 277; XV 266
Hydrangea Mariesii XIX 638
Thomas Hogg XI 366; XII 75
Hypolepis Bergiana V 364 430; IX 419
Millefolium XVIII 166
Ilex scotica aurea XIV 475
Inaontophyllum concinnum XV 484
miniatum var. *Martha Reimers* XIX 294
Ipsea speciosa XV 229
Iris Kampferi alba *grandissima* XII 28; K. *Carnation* XVIII 70; K. *Charles Maries* XVI

- Plants, certificated—continued.**
Iris—continued.
longifolia XVII 159; K. *Crimson King* XVIII 119; K. *Imperial Wonder* XVIII 70; K. *Jersey Belle* XVI 159; K. *Kosoburo San* XVIII 70; K. *Magnificence* XVIII 119; K. *Mrs. Barr* XII 28; K. *Robert Parker* XII 28; K. *Seraph* XX 73; K. *Sir Stafford Northcote* XVI 159; K. var. *Imperatrix* XVI 93
Ismene, Sulphur Queen XVII 529
Ixora Burbridgei XX 125
formosa XII 194
Fraseri VI 63
hybrida XIII 402
Pilgrim XVII 460
Reginae IX 606; XX 311
Jasminum gracillimum XVIII 636
Juncus zeyrensis XVII 378
Juniperus virginianus elegans VIII 77
Kamptferia Gilberti XX 46
Katakidozamia Hojoi IX 487
Kentia costata XIX 560
MacArthurii XV 346
Mooreana VII 518; VIII 77; IX 487
rupicola XIII 531
Wendlandiana XV 346; XVI 207
Kerria japonica fl.-pl. major XIX 457
Kniphofia (Tritoma) Macowanii VI 356
Lachenalia Nelsoni XIX 192
Lelia aneps alba XIV 574
autumnalis atrorubens XX 389
Dayana XI 60
Dominiana rosea XX 46
elegans Marshalliae II 178; e. *prasiata* XVIII 214
harpophylla XIX 363
Philbrickiana XVII 552; XX 73
species of III 195
Veitchii V 276
Wolstenholmei III 448
Lasiantha macrautha floribunda II 46
Lastrea aristata variegata XIII 402; XIV 364
Filix-mas var. *Festungii* II 134
Maximowiczii XVII 459
membranifolia XIX 560
Richardii multifida XVII 398
Lathyrus Drummondii XIII 560
latifolius magnificus XI 75
Leptopteris Wilkesiana II 46
Lilium auratum eructum XX 228; a. var. *platyphyllum* XVIII 166; a. var. *virginale* XVIII 166
canadense splendens XVIII 70
croceum Chaixi XII 28
elegans, Alice Wilson XI 535; e. Mawi XII 28
Humboldtii II 24
Hansoni XIII 611
japonicum Takesima II 46 68
Kramerii IV 40 60
Leichtlini majus II 46 68
longiflorum verum XVIII 393
Martagon dalmaticum II 24
neilgherrense X 276
nitidum XVII 552 568
Parkmanni XVIII 214
Parryi XX 46
philippense IV 122; V 516
polyphyllum XVII 568
purpureum XV 509
Scott Wilson XIX 638

- Plants, certificated—continued.**
Lilium speciosum atro-sanguineum rubrum VI 140; s. var. *gloriosoides* XVIII 166
tenuifolium XIII 507
tigrinum splendens II 46 68; t. var. *Lishmanni* II 178
Lindenia rivalis XX 125
Lobelia, Charity IV 60
cerulea, albo-marmorata, fl.-pl. IX 607
Duchess of Edinburgh V 538
magnifica XVII 553
pumila fl.-pl. IV 40; p. *graadiiflora* fl.-pl. III 448
St. Martin's Blue X 204
Lomaria capensis VII 518
discolor bipinnatifida XI 366 416
dobroydensis VIII 77
Lycopodium ulicifolium XVII 460
Lygodium palmatum XVIII 119
Lythrum flexuosum II 46
Macrozamia corallipes II 24
plumosa V 494 516
Magnolia Halleana XIII 272
Malva moschata alba XX 173
Mammillaria Caput Medusae XI 363
Roezlii longispina V 430
sphacelata XIV 364
Maranta crocata XIX 192
Gouletii XVII 460
Kerchoveana XVII 378
leopardina V 514
Massangeana IX 606; X 372
Martinezia erosa V 314
granatensis V 558
nobilis VIII 77
Mascarenhaisia Curnowiana XX 228
Masdevallia bella XV 307; XVII 460
Chimara XX 492; C. var. *Wallisi* XI 139
Davisi VIII 166; IX 606
Harryana II 46; H. *atrosanguinea* XX 46
ignea Massangeana XX 598
Lindeni III 388
species of III 368
tovarensis XVII 72
velifera XX 389
Wallisi XVII 378
Megasea purpurascens XIII 377
Mesembryanthemum truncatellum IX 96
Metroxylon filare VI 140; VII 376
Microlepia anthriscifolia IX 559; XI 416
Hirta cristata XIII 68
Microstys calophylla XVII 450
metallica XVIII 119; XIX 560
Mignonette, Miles's Spiral XIX 458
Mimulus, hybrid V 430; IX 512
moschatus, Harrisoni IX 559
pardinus, fl.-pl. XI 416
Montbretia crocosmaeflora XX 125
Mormodes armeniacum XX 228
luxatum ciburnenii IX 608
Wendlandii XVIII 636
Narcissus albus aureus XIX 363
incomparabilis aureo-tinctus XIII 272
Nelumbium luteum XIV 276
Nepenthes albo-marginata VII 456
atro-sanguinea XVII 483
bicalcarata XVII 165
Chelsonii IV 247
compacta XVII 552
Countii XII 338
hybrida maculata XII 338

- Plants, certificated—continued.**
Nepenthes madagascarensis XX 389
Outramiana XVI 358
Rajah XX 389
robusta XVI 272
rubra VII 518; r. *maculata* XII 338
superba XIX 560
Villardii XV 509; XVI 159
Williamsii XVII 505
Wrigleyana XVI 272
Nephrodium truncatum VII 456
Nephrolepis davallioides furcata IV 247; V 516
Duffii XI 243 244 284
pluma XV 425
Nerium, new red VI 236
Niphobolus heteractis IX 419
Ochna multiflora XV 484
Odontoglossum Alexandrae grandiflorum XIX 560; A. *Reginae* XIX 458; A. *roseum* XI 492; A. var. *Perrini* XIV 475; A. var. *Rothschildii* V 473
anceps XVIII 636
blandum XVIII 636
Cervantesi decorum XI 139
Chestertonii IX 277 324
cirrhosum IX 348
crispum grandiflorum XIX 460
hystrix serratum XVII 398
Inselayi leopardinum III 448
madrense XIV 475
maxillare VI 236
miniatum XII 75
nebulosum var. *pardinum* III 195
odoratum XV 346
pardinum XIII 272
Pescatorei grandiflorum XIX 363
polyxanthum XVII 355; XIX 560
Roezlii IV 247; V 516; R. *albun* VII 376; R. *superbum* XVII 378
Ruckerianum XV 346; XIX 458
species of III 195
vexillarium III 368; v. *album* VII 456; v. *atroseum* XX 46; v. *rubellum* XX 389; v. *rubrum* XX 46; v. *splendens* XVII 459; v. *superbum* XVII 552
Olearia Haastii IV 122
Oleobachia palustris XVIII 119
Omphalodes Kramerii XIX 411
Oncidium concolor III 408; c. *majus* XVII 459
grandiflorum XVII 552; c. *marginatum* XI 415
dasystyle XVI 358
Edwardii XVI 569
Forbesii XX 598
fuscatum III 388; V 342
Gardnerianum XX 73
Kienastianum XIX 346
pretextum XII 194
tetracopis XV 425
Ophiopogon Jahran variegatum XVI 272
Osmunda obtusiloba VII 456
palustris IX 512; XI 204
Pachystoma Thompsonii XVI 358
Panax laciniatum XI 243
Pausy, Alpha VII 518
Bedfont Yellow VII 518
Blue Perfection VII 518
Champion XV 426
Dr. Stuart VII 518
Fred. Perkins XIII 402
J. B. Downie III 488
Jupiter Black IX 512
Lothair VII 518
Magpie VII 518
Mrs. Michie III 488

Plants, certificated—continued.
 Pansy, Mrs. Nelson III 488
 Novelty VII 518
 Picotee III 488
 Pluto III 388
 Queen of Lilacs VII 518
 Richard Dean III 488
 Snowflake VII 518
 Thos. Granger III 488
 White Swan VII 518
 Pelargonium, Abbot XX 20
 Admiral III 408
 A. F. Barron IV 60; XIV 23
 Alice XVII 552
 Amethyst XIII 611
 Annie Hemsley XX 46
 Argus II 24
 Ariel XIV 96
 Atlantic V 516
 Attraction XVII 483
 Beauty XIV 96
 Beauty of Oxton VII 456
 Bridesmaid IX 606
 Blue Boy III 448
 Britomart XX 20
 Captain Beattie XVII 505
 Charles Darwin XIX 639
 Charming IX 606
 Christabel XX 20 46
 Clipper XVII 436
 Constance III 448
 Countess of Dudley V 516; VII 456
 Criterion XIII 611; XVII 460
 Crown Prince V 516
 Czarina IV 60
 Dauntless XIII 611
 Decorator XVII 436
 Defiance XVII 483
 Double-flowered Ivy-leaved XIX 639
 Dr. Masters XI 535
 Duchess III 448
 Duchess of Bedford XI 323
 Duchess of Connaught XVII 505 552
 Duchess of Edinburgh V 430
 Duke of Albany XX 20
 echinatum, Spotted Gem XII 146
 Eclipse VII 456; XVII 529
 Edith VII 456
 Edward Bennett IV 60
 Elfrida XIV 23
 Eloquence XI 492
 Emilia Laxton V 494
 Emperor William XVII 552
 Empress II 24
 Empress of India IX 536; XI 366
 Eureka XIX 82
 Exquisite IX 510 512
 Fanny Cathia XIII 611
 Flirt VII 456
 Foley X 48
 Formosa XX 46
 Fortitude XIII 531
 Gem of Tricolors II 24
 Gloire d'Orleans XVII 568
 grandiflorum, Diplomatist IX 464; g. Gipsy IX 464; g. var. Queen of Stripes IX 440
 Gipsy V 516
 Henri Cou nell XX 73
 H. S. Ryder IX 606
 Hybrid Ivy-leaf IX 559
 Insulaire XIII 611
 Invincible XIII 611
 Jeanne Alegatric VI 63
 Jeannette XIII 611
 J. Jenner Weir IX 510 512
 Lafayette XII 194
 lateripes, Anna Pfitzer XIX 411
 Leamington Lassie X 91
 Littré XII 194
 Lord Nelson V 516
 Lord of the Isles X 48

Plants, certificated—continued.
 Pelargonium, Lucie Lemoine XIV 23; XX 46
 Lustrous IV 60
 Madame A. Baltet X 148
 Madame Harmant XX 74
 Madame Thibaut XVII 568; XX 46
 Madonna XIII 611
 Magnet XX 20
 Maid of Kent XV 484
 Manfred XIII 611
 Marmion IX 512; XIII 611
 Martial XVII 552; XIX 588
 Minotaur XVII 552
 Miss Farren III 448
 Miss Porter VII 476
 Mons. Dubus XVII 529 568
 Mons. V. Lemoine XIII 507
 Mont Blanc XX 74
 Mr. G. Garraway XVII 529
 Mr. Gladstone XVII 436
 Mr. Henry Cox XIX 588
 Mr. King XI 492
 Mrs. Andrew Matthews V 516
 Mrs. Carr IV 60
 Mrs. George IV 60
 Mrs. Henry Cox XVI 46; XVII 460
 Mrs. J. C. Quennell IX 606
 Mrs. Laing II 24
 Mrs. Miller XX 311
 Mrs. Quilter II 68
 Mrs. Trevor Clarke X 48
 Nellie Hayes XV 484
 New Life XII 243
 Northern Star III 408
 Pink Pearl II 68
 Pixie XIV 96
 Placidum XIII 611
 Princess IX 60
 Protector III 448
 Purité IX 510 606
 Remus IV 60
 Revenge VII 456
 Rosy Morn XVII 505
 Russel X 48; XVII 552
 Sappho VII 456; IX 607
 Sarah Bernhardt XVII 552
 Sir Garnet Wolseley VI 63
 Sunbeam XIII 611; XX 46
 Sunray III 448
 Sunrise XVII 436
 Superb XX 20
 Sybil V 516
 Symmetry XIII 611
 Titania XIII 611
 Tom Bowring XI 492
 Triomphe de St. Maude III 448
 Vanessa IX 396
 Venus XI 492
 Virgin Queen XI 492
 Vivandiere XIX 560
 Volonté Nationale XVI 46
 Wallace IX 606
 West Brighton Gem XVII 483 505
 White Clipper III 368
 White Vesuvius XII 555
 Wilfred VII 518
 Wonderful VIII 77; IX 510 535
 Zulu Belle XVII 568
 Pellea mucronata V 494
 ornithopus VII 518; IX 535
 species of V 494
 Pellonia Daveauana XX 311
 Pernettya mucronata lilacina XIV 364
 Pescatorea Klubochorum XVI 93
 species of V 558
 Petunia, Shah III 448
 Phædranassa chloracea vera XV 425
 Phajus Blumei XV 346
 Dodgsoni XII 194
 Marshalliae IV 40
 tuberculosus XIX 294

Plants, certificated—continued.
 Phaenopsis Parishi XV 346
 Veitchii IX 277
 violacea XX 18 46
 Phalangium elegantissimum XX 598
 Phegopteris Diana VII 456
 Philodendron Carderi XIII 531
 elegans XIX 459
 Wallisi XIX 459
 Phlox Heynholdii II 178
 Miss Robertson IV 60
 Phoenix rupicola III 368 388
 Phycella pulchra III 448
 Phyllanthus nivosus III 468; IV 247
 roseus pictus IX 396 511
 Phyllostachys Lindeni V 514
 Picotee, Alice XIV 96
 Baroness Burdett-Coutts XVI 160
 B. C. Eryant II 68
 Charles Willianis II 46
 Clara Penson XVI 160; XVIII 70
 Dr. Abercrombie XVI 160
 Edith Pombrain II 68
 Eleanor XIV 96
 Ethel II 68
 Henry Tait XIV 96
 Juliania II 68
 Lady Rosebery XVI 207
 Lord Beaconsfield XIV 96
 Lothair XIV 96
 Miss Norman II 46
 Mrs. Lord IV 162
 Ne Plus Ultra XVIII 166
 Norfolk Beauty II 68
 Ophir XIV 96
 Prince of Wales II 46
 Princess Beatrice XVI 207
 Princess of Wales II 68; X 91
 Royal Visit XIV 96
 Sultana XVI 207
 Pilocereus fossulatus III 468
 Pinanga Veitchii XVII 552
 Pinguicula Bakeriana XIX 411
 Pink, Derby Day VII 456
 Harry Hooper VIII 17
 Lord Lyons VIII 17
 Mrs. Simkins XVII 568
 Shirley Hibberd VIII 17
 Tom Thumb, scarlet XI 535
 Pitcairnia Jacksonii XX 311
 Platycerium alcicorne majus II 46; a. Wallichii VII 456
 Hilli XIII 560
 Wallichii VII 456; VIII 77
 Willmckii VII 518; VIII 121
 Platyloma bellum III 368 388
 brachypteron III 368 388
 Pleiocenia Leuziana V 176 516
 Pleopeltis albida squamata XIX 560
 Poinssetia pulcherrima plenisima XI 244
 Polyanthus, Bride V 256
 Cresus III 388
 Duke of Wellington XI 323
 Narcissus V 256
 Parisina III 388
 purpureus V 298
 Queen of the Hose-in-Hose XIX 458
 superbus XV 485
 Polyodium Kremeri XV 425
 Polystichum angulare grandis
 pinnulum VIII 77
 lepidocaulon VII 456; IX 487 510
 lenthum XVI 358
 tripterum XVII 253 378
 viviparum XVII 295
 Potentilla, Prince Arthur XIII 611
 Pothos celatacaulis XVII 459
 Pourretia Achupulla IV 289

Plants, certificated—continued.
 Primrose, Amaranth XIX 411
 Brilliant XI 283
 Cloth of Gold XIX 510
 Ealing Crimson XIII 220
 Herman Wilson XVII 354
 Octofoon XIII 220
 Prince Charming XIII 326
 Scott Wilson XIII 220
 Splendour V 256
 violacea V 376
 Primula acalis, Golden Gem XV 406; a. var. The Giant III 388
 Annie Hillier XVIII 636
 capitata XII 459
 cortusoides amena Iaciniata IX 440; c. cornuta XI 323; c. maxima IX 487; XI 323; c. purpurea XI 323
 Dr. Deeny XIX 193
 delicata XIX 82
 Earl of Beaconsfield XIV 574
 Golden Queen IX 440
 Meteor XVII 295
 Mrs. Barron XII 338
 platypetala XV 346
 Prince Arthur V 176
 Princess XII 338
 Purple Gem XVIII 636
 purpurea III 251; XI 244
 Queen XIX 294
 rosea XV 266
 Ruby King XV 70
 sikkimensis XV 485
 sinensis fimbriata coccinea XIII 175; s. f. cerulea IV 476; s. fl. pl. magnifica IV 410; s. fl. pl. Marchioness of Exeter XI 244; s. foliis variegatis XX 492; s. Meteor XVII 253
 Swanley Red XVIII 636
 Violet Gem III 196
 vulgaris var. auriculaeflora III 196
 White Lady XII 338
 Pritchardia grandis III 448; IX 487
 Prunus variegata IV 122
 Pteris cretica hybrida gigantea XV 425
 intermedia XVII 483
 internata XVII 505
 moluccana XVII 552
 serulata cristata bella XVII 568; s. magnifica XV 509; s. Shorei XVII 378
 tremula crispa XIX 560
 Ptychosperma rupicola XIII 507; Keilii III 388
 Pultenaea rosea XI 243 284
 Puya chilensis V 473
 Pyrethrum aureum laeviatum IX 487
 Quercus cuspidata variegata XVII 552
 Ranunculus Lyallii XV 406 425
 Rapatea pandanoides V 176 276
 Reseda odorata prolifera alba XIX 559
 Retinospora obtusa aurea gracilis IV 476
 tetragona aurea X 204
 Rhizopoteris peltata gracillima XIII 402
 Rhodea japonica aureo-variegata XIX 459
 Rhodolelondron assamicum XVII 378
 Countess of Derby XII 28
 Daviesi XIX 560
 Duchess of Edinburgh V 216
 Duchess of Teck XV 425; XVI 46
 exoniense XIX 458
 Flag of Truce XVII 399
 Lady Alice Fitzwilliam XIX 458

Plants, certificated—continued.
 Rhododendron, Maiden's Blush X 148
 Prince George IX 606
 Prince Leopold VIII 121; IX 606
 Princess Frederica IX 606
 Princess of Wales IX 324
 Queen Victoria IX 511
 Snowflake XVII 398
 Taylors XI 204
Rhopalaea pulcherrima IX 606
Rhynchosperma robusta VII 376
Ribes punctatum aureum XIX 510
Rose, Annie Laxton II 24
 Beauty of Thame IV 60
Boieldieu XIII 402
 Captain Christy VII 356
Cheshunt Hybrid II 46; X 46
Contessa de Serenyi IX 324
Countess of Salisbury XIII 611
 Dr. Sewell XIV 23
 Duchess of Bedford XIV 23
 Duchess of Edinburgh V 298 430
Duchesse de Vallombrosa IX 324; XI 244
 Duke of Connaught VIII 16; IX 419 440; X 46; XVIII 119
 Duke of Edinburgh IX 512
 Emily Laxton X 46; XI 366
 Empress of India IV 60
 Ferdinand Chafford XIX 460
 Harrison Weir XIV 96
 Isabella Ward XVI 94
 Jean Ducher IX 487
 John Bright VIII 16
 John Stuart Mill IX 487
 Lady Isabel Cecil VIII 16
 Little White Pet XVII 460
Lyonnaise III 271
 Madame Alexander Bernaix XV 266
 Madame François Janin V 256; IX 324
 Madame George Schwartz III 408
 Madame Jules Margottin III 271; V 364
 Madame Lacharme III 388; V 256
 Madame Marie Arnaud V 364
Magna Charta VIII 17; IX 512
 Marchioness of Exeter X 46; XI 28
 Marquis of Salisbury XII 146
 May Queenell XII 28
 Miss Hassard X 46
 Mrs. Baker X 46
 Mrs. Jowitt XVIII 119
 Mrs. Harry Turner XVIII 70
 Mrs. Laxton VIII 16; X 91; XI 402
Oxonian VIII 16; X 46
Penelope Mayo XIV 23
Perle des Blanches V 364
 President Thiers III 271
 Pride of Waltham XVIII 70
 Queen of Bedders X 148
 Rev. J. B. Canna V 516; VIII 208; IX 487
 Richard Wallace III 271
 Robert Marnock X 46
 Royal Standard VI 63
 S. Reynolds Hole II 46; IV 60
 Star of Waltham VII 416; VIII 17; IX 510
 St. George V 364; VIII 17
Robinia Pseud-Acacia aurea IV 122
Rubus deliciosus XIX 559
roseaefolius XV 152
Saccolabium Hendersonii XX 46

Plants, certificated—continued.
Sadleria cyatheoides VII 456; XIII 507
Salvia Bethelli XVIII 525
Pitcheri XVIII 525
splendens Bruanti XVIII 525
Sarcoclinus Fitzgeralldii XV 346
Sarracenia atro-sanguinea XVI 93
Chelone XII 459
Courticea XX 311
flava ornata XVII 459; f. *picta* XV 509; XVII 378
formosa XVI 159
limbata XX 46
melanorrhoda XIX 638
Stevensi V 494 516
Williamsii V 516; IX 535
Saxifraga cordifolia purpurea XIX 458
nepalensis III 468
notata VII 518
Wallacei XV 485
Schismatoglottis crispata XIX 560
Scopolendrium vulgare cristatum viviparum V 516; v. var. *Williamsii* IV 60
Sedum californicum VII 518
Selaginella involvens variegata XVII 552
japonica II 46
Kraussiana aurea XV 406; XVII 295
lepidophylla VI 236
Sempervivum triste III 368
Sibthorbia europea variegata VII 518
Silene pendula compacta III 448
Smilax Shuttleworthi IX 606
Sobralia xantholeuca XX 18
Solanum quitoense VI 236
Sonchus elegantissimus VII 376
Sonerila Hendersonii VI 63; VII 456; H. *americana* XV 509; H. *argentea* VI 63
Spathoglottis Lobeli XI 139
Spiraea astilloides XVII 529
nivosa XV 425
Stadmannia sorbifolia III 468
Staphylea colchica XV 70
Stock, Mauve Beauty II 24
 New Giant White Brompton IX 536
Streptocarpus Greenii VIII 121; G. *delicatus* XII 194
Tachiadiem carinatus XX 125
Tacsonia insignis V 494
Thrinax gracillima XI 535
nobilis VII 376
Thyme, Golden Fleece IV 289
Tillandsia Lindeni vera XVI 272
musica V 516; VII 376; XVII 378
Zalmii II 46; III 448; V 558
zebrina major XV 425
Todea plumosa XV 425
Torenia Bailloni XV 509
Fournieri XII 194
Toxicophila spectabilis V 176
Tradescantia, Madaine Lagueuse XVII 295
milticolor XVI 93
Trichomanes Baneroffii IX 487
parvulum XVII 459
Trichopilia suavis alba XIX 559
Tropaeolum Perfection XII 555
Tulipa Gesneriana var. XVII 483
Greigii XI 323; XV 346
Typhonium Brownii VII 376
Utricularia Endresii X 91
Vanda cernuiflora V 276
Iamellata Boxallii XIX 82
limbata V 494 516
Parishii VII 456

Plants, certificated—continued.
Verbenae, Edward Perkins III 448
George Brunning VIII 166
Her Majesty IV 162
King VIII 166
Lady Ann Spiers VIII 208
Mrs. Lewington II 134
Mr. Thompson XVI 272
Paradise IV 162
Veronica diosmoefolia III 448
Viola cornuta, Admiratio V 558
Jupiter Black IX 510
Lothair III 448
White Swan V 430
Vitis heterophylla, var. *humifolia* VI 563
Vriesia Falkenbergi XIX 193
reticulata III 388
Wallichia zebrina XIII 377 402 531
Woodwardia radicans, var. *crisata* VIII 122; IX 487 510
Xanthoceras sorbifolia IX 277
Xeronema Moorei XIII 500
Xerophyllum asphodeloides XV 522
Yucca filamentosa aurea elegans-tissima XVII 459
gloriosa elegans marginata XV 509
Peacockii XIX 460
Zamia calocoma VII 518
corrugata XIII 68
intermedia IX 487
Lindeni VII 518
Iucida XIII 68
obliqua XV 425
princeps XIII 531
Wallisii VII 518
Zamias, new XI 366
Zygopterum VI 140
Clayi XI 366
 Plants, chance association of XVII 177
 changing the natural forms of VII 150
 chiefly fitted for the wild garden XVI 451
 Chinese, drawings of XII 103; new genera of V 134
 choice alpine and herbaceous, in bloom in July VI 20
 classification of, in a garden XVII 124
 clearing greenhouse, of insects on XI 270
 climbing British berry-bearing IX 137; for a verandah VII 236; in hot-houses XVI 303; stove VI 100
 close-growing, for a wall XIV 394
 coal IV 267
 collected by Dr. Welwitsch III 410
 collecting in Corsica IX 193; in the Tyrol IX 406 488
 coloured-leaved XIV 105; selection of XI 176
 colours of VIII 92; and odours of X 55; Mr. Wallace on XII 320
 cool greenhouse exhibition III 240
 creeping, in the South Sea Islands IV 392
 cultivated in Egypt V 198
 culture of American peat-loving VI 24; and fruit culture combined XV 127; aronod Sheffield XVIII 444; electric light in XVII 352; for exhibition III 449; for market III 372 460; X 584; XV 99 118 140 154; for seed production XIII 284; in a room at St. Petersburg I 314; in fruit-houses XV 234; in London houses XVII 549; in market-gardens XV 50 75; in pots VI 538; in the shade XVIII 641; XIX 241; quality versus quantity in XIII 322; without bottom-heat XV 176

Plants, cure for sickly pot VIII 513
 curious instances of the accidental naturalisation of IV 22
 curious instinct of VIII 275
 Darwin on the cross-fertilisation of X 595
 deciduous, for walls XIII 96; forcing in sheds VIII 551
 decorative, at Clapton XII 510; in Covent Garden X 438; in small pots XVII 17
 destroyed in the fire at the Alexandra Palace III 111 449
 destructive effects of gas tar on IX 283
 diseases in room VII 21
 distribution of XII 320
 diversity of form and colour in XIV 299
 do they exhale carbonic acid gas? IV 534
 dried, from Lake Tanganyika VII 148
 drooping, for rock-work III 316
 drying off II 218; IX 515; XVII 519; evil effects of VIII 429
 duration of life in III 5
dwarfed Japanese XIV 174 175; for Rhododendron beds VI 298; pyramidal, culture of X 597
 dye XIV 29 75
 early-flowering, dates of XI 82; spring, Gesneraceous XVII 150
 effect of blue light on XII 124; of climate on XI 295; of coal gas on V 502; of drought on XVI 68; of drought on the distribution of X 269; of electricity on VIII 66; of frost on XIX 175 271; of heat on V 281; of music on X 523; of sulphate of iron on XIII 295; of the summer of 1879 on hardy XVI 509
 English names of II 291; XVIII 49 98 139 176 208 230 317 416; XIX 129 354 528 598; XX 622; and botanical names of VIII 275
 evergreen, for walls XIII 96
 exchanging duplicate XX 365
 exhibited at South Kensington in 1873 III 390
 Exhibition XVIII 32 72
 exotic bulbous, at Tooting XIV 101
 fed or injured XII 439
 fertilisation of I 432; XI 59; XVII 262; recent observations on IV 444
 few good conservatory XV 95; new or little-known XV 295; stately XIV 147; sweet-scented stove and greenhouse XII 441
 figured in 1879-80 XVII 67; in 1880 XVII 136 146 267 322 487; XVIII 68 186 229 417; in *L'Illustration Horticole*, in 1874 V 218 300 432; VII 84; to the *Botanical Magazine*, in 1874 V 112 198 300 474; VI 20 118 215 310 512; in the *Botanical Magazine* in 1875 VII 26 192 274 478; in the *Florist*, in 1874 VI 20 168; VII 26 128 274
 fine-foliated XX 251; British XIII 84; for the conservatory XV 5; in winter XIV 587; outdoor VIII 266; two hardy X 577
 flowering, for pleasure-grounds XI 219; influence of parentage in II 15 31; in market-gardens XIV 568; should not be grown in shade XIV 514; winter propagation of VIII 389
 flowering of III 456
 foliage XX 614; bed in garden of XX 614; v. flowering II 144

Plants, food of I 134 138; of the larvae of the British Lepidoptera IV 412
for all weathers VI 97
for arbours XVI 450
for back wall of a cool vinery VII 508
for balconies and window-sills VI 402
for baskets I 460; III 182; IV 52; V 327; XIII 24
forbidden to be imported into Italy, in 1875 VII 378
for binding sand XV 249
for carpeting bulb beds XV 48
for churchyards XIV 146
forcing into bloom XIX 210
for conservatory walls XV 69
for cool greenhouse XIII 481; fine-leaved VI 197
for coverts XIII 559
for dinner-tables I 127
for edgings XVII 461
foreign, English names wanted for XIX 535
for éperges II 319
for exhibition XIV 21
for exposed beds XVIII 120; XX 342
for forcing V 10
for furnishing XIX 184
for garden aquaria V 219
for greenhouse with north aspect I 233 283
for halls and corridors XIX 541
for hanging baskets IV 262; XVII 524; XIX 395 452
for intermixing with Roses XIII 357
for islands IV 23
for market XV 199
for north house I 323; IV 463; XVII 71 351
for north wall XIX 272
for parks, &c. in Paris, annual cost of the V 366
for railway hedges I 648
for ribbon borders VIII 305
for rockeries XIV 536
for room decoration XX 180
for rooms and corridors XIX 449
for root-infested borders XIX 83 112
for screens VI 197
for shade I 466; VI 583
for small greenhouse XV 128
for small rock-garden V 502
for spring gardens, selecting IX 459
for steep bank III 212
for steep rock-work facing north VI 270
for sub-tropical garden XV 270; XVIII 471
for suburban public-house I 305
for sunless greenhouse XIX 496
for table decoration XIX 54; new VI 341
for tropical aquaria XIX 328
for unfavourable situations XVIII 480
for vases, delicate drooping VI 410
for verandah, wall XIX 165
for walls III 344; IV 440; XIV 415 510; XVI 24 208
for Wardian cases XII 244 268; XIV 143
for wild garden XV 501; XVIII 423 464
for windows VI 267; VII 507; X 71; XVI 281
for winter bedding XVI 252
found at the Antipodes, new VI 99
fountainia and aquatic XVIII 487
from Algeria XIX 202
from Erfurt, new XVII 166
from Florida, new IV 478

Plants from Newry XIX 533
from Ormskirk XIX 618
fruit-bearing XX 321
fungous growth on living X 378
garden, from Japan XV 1
garden hybrid VIII 318
geographical distribution of XII 476 501 526 537 562 593 612; XIII 16 32 50 75; Asa Gray on XI 530
graceful basket XIII 537
grass edging VIII 434
green base for dinner-table XV 288
green carpet bedding X 260; XVII 400
greenhouse, exposing in summer III 474; for winter blooming VI 317; from seed XVII 331; neglected IV 176; water for XVII 461; winter flowering XIII 231; winter temperature for XVII 204
grouping in shrubberies VIII 375; v. dotting XIX 420
growing, case for sending I 64
grown at Bitton Vicarage in 1831, list of XVIII 114
growth of, affected by latitude IX 196; methods of observing IV 427
habitats of, robbing our native XVII 24
hairs of, their forms and uses XV 61 (43 cuts)
half-hardy, and frost XVI 557; protecting XII 504; situations for VIII 124; winter treatment of VI 443; XVI 397; wintering in frames XIV 243
hardening off X 334
hard-wooded XVIII 35; XX 489; culture of XIX 508; greenhouse XVIII 540; XX 331; housing XII 294; renovating XI 340; re-potting and top-dressing VII 257
hardy I 160; XVII 365 423; XVIII 35; XIX 267 276; XX 559; about Edinburgh XVIII 25 76; American XV 232; and sub-tropical, combined use of VIII 477; and the bedding-out system XVIII 659; aquatic XI 188; at Byfleet XVI 215; at Drumlanrig XIX 323; at Edinburgh XII 346 417; at Glasnevin XVIII 52; at Sydenham Hill XVI 58; at the Wellington Nursery VIII 7; at Tooting XII 440; XIV 100; XVIII 78; at Tottenham XVII 534; blooming in August and September VI 222 248; blue-flowered under glass VII 238; bulbous IV 457; XX 415; bulbous, in bloom in January XVII 34; carpeting system for XVIII 199; choice XI 374; climbing, in bloom in August IV 82; costly XIV 91; culture of at Wisley XIX 598; early-flowering in the north IX 338; early-flowering under glass XIII 106; eight in bloom in May IX 427; eight in bloom in October X 377; eleven in bloom in September X 233; employment of in carpeting XVII 123; evergreen and sub-evergreen flowering XVII 280; exotic for the wild garden XIII 488; XIV 127; fifteen in bloom in April IX 381; fifteen in bloom in July XII 22 44 45 (cuts); 72 73 (cuts) 92 93 cuts; fifteen in bloom in June XI 532 533; fine-leaved XII 626; flower-garden XIV 462 539; for cascades, &c. XIII 615; forcing for winter flowering VI 463; for dry soil VI 174; for narrow

Plants. hardy—continued.
beds XII 10; for pot-culture under glass XIII 132 162; for vases XVII 76; for winter flower-beds XVI 444; fourteen in bloom in August XII 140 141; fourteen in bloom in June XI 486 487 510 511 (cuts) 544 545 (cuts); from seed XVI 320; from the Cape XIII 178; garden of XIII 431; golden-leaved XIX 392; growing rare XI 121 141 182; grouping XVI 564; herbaceous XVII 387; herbaceous, at Kew XIV 56; herbaceous, for beds, list of XVI 569; herbaceous, perpetuating XVIII 263; herbaceous, reasons for cultivating XVII 30; herbaceous, selections of XVII 191 227; in bloom at Byfleet XVI 59; in bloom at Kew, in June V 496 540; in bloom at Newry, in August XVIII 180; in bloom at York, in December XII 533; in bloom in April VII 296; XIII 329 407; XIV 287 289; XIX 374; in bloom in August VIII 100 124 218; XIV 123 147; XVIII 154 190 217; in bloom in February V 116; XV 171; in bloom in February, at Tooting XIII 178; in bloom in January V 88 95; XIX 88; in bloom in July VIII 128; XVIII 10 42 55 80; in bloom in July, at Glasnevin VIII 111; in bloom in July, notes on XVI 7; in bloom in June VIII 40; XIII 512 537 589 613; XIV 59; XVII 492 516 540 566; in bloom in June, notes on XY 475 497; in bloom in London gardens XI 21; in bloom in March XIII 186 335; XV 210 228; in bloom in March, at Edinburgh XIII 251; in bloom in March, at Pinner XIII 199; in bloom in May VII 378 502; XIII 459; XVII 408 438, 449 456 480; in bloom in May, at York VII 437; in bloom in Notts, in January XV 23; in bloom in November X 456; in bloom in October VI 464; XIV 367; XVIII 337 350; in bloom in September XIV 213; XVIII 292; in bloom in Sussex, in January XIII 7; in bloom on Christmas Day V 12; in bloom round Loudon II 25 65 70 112 114 138 160 182 204 246 308 378; in Britain II 194; in Gloucestershire VII 395; in formal flower-gardens XVIII 58; in Royal Botanic Gardens, Edinburgh VII 346; in York Nurseries XVIII 34; list of XVIII 642; making XIII 117; new and rare XVIII 106; night-blooming V 241; nine in bloom in April IX 357 405 (cuts); nine in bloom in March XI 191; nine in bloom in May XI 355 388 (cuts); nine in bloom in October X 403 421 (cuts); notes on I 120; XIII 615; XIX 86; notes on some rare VI 496; of the Himalayas VI 191; outdoor XV 389; prices of XIX 70; protecting from slugs IX 461; raising seeds of I 255; rare XVI 580; second flowering of XVIII 4; selections of XVII 250; six in bloom in April XI 335; sixteen in bloom in August XII 115-117 192-193 (cuts); some good XVII 43; thirteen in bloom in August XII 168, 169; thirteen in bloom

Plants, hardy—continued.
in May XI 436, 437; transplanting XIX 11; twelve in bloom in August X 127 159 (cuts) 183 (cuts) 209 (cuts); twelve in bloom in July X 5 31 (cuts) 51 (cuts) 72 (cuts) 99 (cuts); twelve in bloom in June IX 521 545 (cuts) 565 (cuts) 589 (cuts) 449 (cuts); twelve in bloom in May IX 449 451 (cuts) 473 (cuts) 497 (cuts); twelve in bloom in October X 353; twelve in bloom in September X 257 281 (cuts) 305 329; two noble XX 72; under glass VII 115 175 198; under glass at Kew IX 123; unseasonably in bloom XII 570; variegated XIV 569; XVIII 279 v. bedding in autumn XVIII 327 367 v. tender XVI 504 556 580; XVII 6 32; water XIV 149 (12 cuts) XX 299; winter conservatory V 181 heading down weakly XIII 629
herbaceous II 162; and alpine I 25; and alpine, in Scotland XI 540; aspects for XX 108; at Asbridge Park III 418; at Huntingdon XIV 90; cost of XIX 202; for exhibition I 117 187; for smoky districts III 159; for the wild garden X 176; in bloom in August IV 84; in bloom in May V 432 454; in 1878 XIV 215; in France XIX 27; in front of shrubs XVII 479; large XX 135; N. American XVI 461; on the chalk in 1878 XIV 177; propagation of XVIII 58; selection of good XIV 210; suitable for beds XI 152 206; transplanting XVIII 370; v. bedding XVI 366; v. bedding in 1874 VI 146
high prices of some V 388
Himalaya XVIII 518
hints on potting X 71
home-grown v. imported XIV 274
boney-dew in XI 102
bonze V 306; XX 293
hybrid XX 81 403
hybridisation of XII 521
imported from America XVIII 230; into America, duty on XVII 108
in bloom at Christmas XIV 587; at Euville, on Jan. 1st XI 40; at Farnborough Graege XX 17; at Glasnevin, in April XIX 438; at Hyères, in February IX 198; at Kew, in June V 474; at Kew, in May V 411; at Reading, in September XVI 233; at San Remo, in January XIX 230; early in May at Montpellier VI 24; in August XX 150; in December XIX 111; in December, in Anglesea XII 584; in December in the Isle of Wight X 518; in February III 96; in January III 22 50; in January, at Newry XIII 84; in January at Torquay XIII 36; in January in Dorset XI 2; in July XIV 28 78; in May XI 369; in May, at the Hale Farm Nurseries V 388; in November XX 551; in October XII 392; on Christmas-day III 2; on New Year's Day III 50; XI 22; on rockwork at Kew, in August VI 190; VIII 146; on rock-work at Kew, in October VI 360; on root-work in May V 372; out of doors in Dorset XI 60; out of doors in Ireland, in January XI 40; round Loudon II 2; under glass at Kew, in August VIII 146
inclined to ramble, how to treat XV 2

Plants in coloured light II 279
Indian XX 264
India-rubber VII 128; XVII 210; XVIII 564; propagating X 254
indoor XVII 248; XVIII 554; XX 472 555; at Gunnersbury House XVI 78; at the Anerley Nursery X 382; *climbing* VII 33; for winter XVI 230; greenhouse XX 334; stove XX 333; summer treatment of XVI 65; watering with ice-water IX 236; winter flowering XI 336
in dwelling-houses VIII 9
influence of electric light on XVIII 361
in high latitudes, influence of light on the growth of IX 584
in Hyde Park, labelling of VI 28
in Japan XIII 179
injured by gas III 350; by gas-tar IX 388; by the spring frosts of 1879 XV 134
in Paris XIII 3; more new, 1875 VIII 352
in pots, watering II 482; X 64
in room at Bridgewater House IV 377
in rooms IV 377; XX 507; culture of I 4 83 127 198 314 359 445 523 616 630 679 709; II 3 54 83 123 149 174 195 207 229 257 276 319 341 388 429 468 516 556; III 52
in schools VII 228
insectivorous I 58; V 444 556; VIII 63 320; XI 381; XVI 144 432 525; XVIII 25; XIX 626; and climbing, Mr. Darwin's book on VII 62; Darwin's IX 216
in sleeping-rooms IV 30 345
International Dictionary of II 520
interpretation of varying forms of XI 559
in the house XX 449 471 489 510 533 554 573 594 617 637
in their right places XX 500
in the island of Capri XI 254
in the Isles of Arran VII 274
in the Paddington Canal XII 268
in the Riviera XV 122
in the York Nurseries XVIII 32
in windows, culture of XV 21
iron in IV 444
is boiler-water injurious to? VIII 486 510 523; IX 283
isolated, in pleasure grounds XIV 508
Jalap VI 558
Japanese, at the Paris Exhibition of 1878 XII 607; XIV 76
known to be carnivorous half a century ago IX 72
labels for XX 506; *terra cotta* II 259
Latin names for XX 91 142
latitude in relation to the hardiness of IV 482
law relating to removing XVII 316
list of old XI 184
lost XVIII 610
made-up specimen XX 104 143
market XIX 547; and the heating they require X 540
marsh and waterside I 24
massed in beds XVII 190
Max Leichtlin's list of V 88
mechanical forces in VI 532; XIV 469
medicinal VI 360; VIII 320; cultivation of, at Banbury XII 4; cultivation of, at Hitchin XII 409
Melastomaceous XVIII 594
Middlesex VI 188
migration of XII 582; of useful VI 526

Plants, miniature flowering XVI 57
mixtures of XVIII 474
moisture absorbed by XIV 525
moral characters of XVI 507
multiplying VIII 418 (*4 cuts*)
mystical XII 218
names of IX 491; XVI 552; "Dictionary of English" VIII 168; ill-spelt IX 191; XX 281
native, on Orme's Head XVI 346
naturalised in the island of Rousay, Orkney XVIII 513
neglected II 231; XIII 359; XIV 93
new, in 1871 I 209; in 1873 III 399; in 1875 VII 81; VIII 127; in 1876 IX 71 191 464 539 583; X 106 366 378 490 563; in 1877 XI 189 233 278; in 1881 XIX 414; and rare XIX 463; XX 97; and rare, at Baden-Baden XVIII 74; and rare, recently figured (1873) IV 32 94 116 140 160; classification of V 518; herbaceous in 1873 IV 23; Mr. Meehan on the origin of VI 370; of the New York Horticultural Association IX 410; shown at Bath in 1873 IV 20
New Guinea IX 311
New Holland, at Clapton XIX 322
New Jersey Tea IV 296
New Zealand, hardiness of XIV 93
night-blooming XVI 380
nitrate of soda for XVII 484
North American XI 215; XVIII 337
notes on collecting XIV 85
not named at Kew XVI 166
novel cure (?) for sickly VII 507
November flowering X 498
obsolete names of I 2
of Gay's Herbarium VI 489
of importance in dairy-farming XVI 442
old-fashioned XVIII 139; and lost XVII 4
old, for new houses XX 53
on uncult. vines XVII 236
on Arthur's Seat, destruction of VI 50
on dinner-tables VI 55
on Mount Hymettus XIII 436
on staircases I 232
on the legends of certain IV 95
on the rockwork at Kew III 450
on walls XVII 55; XVIII 173 253
on which the larvae of the British Lepidoptera live VII 418
ornamental VII 205; and berry-bearing, for market XV 180; cool house for XX 35
out-door at Chiswick XVIII 351; in bloom in December XII 588; in bloom in January XIX 11; notes on, from Edinburgh XII 200; two desirable III 110
outline of the parts of XVI 69
over-crowding in beds XIV 191
over-potting XIX 104; XX 238
packing V 535; XVI 502; XVIII 287; XIX 157; American and other XVII 309; for long journeys V 82; in damp material XII 492; in hot countries IV 46; Japanese modes of VII 504; XV 194; *mode of* X 485
pedunculous-leaved XIX 450
per post from abroad XX 75
photographs of XX 148
pig XIX 3

Plants, pitcher XVII 500
plan of room with I 198
poisonous VIII 494; unbelliferous IV 74
postage of, in the United States IV 438; to foreign countries XVII 24; to India III 120
pot, drainage and watering of VI 361; XIX 288; in rooms VI 409; moss mulching of XVIII 432 475 545; XIX 241; mutilating the roots of XIX 242; soil for III 342
preparing, for the flower-garden IX 217
pretty group of XI 186
prize, at Slough XI 393
producing India-rubber VIII 326
propagating, art of XIII 385; by root cuttings XII 389; new method of XII 224
protection of XVI 576; outdoor XX 620
protectors for IX 164
rabbit proof I 9 88 98 136 165; XV 455; XVI 64 87; XVII 290 333
rain-proof XVI 236
raised in pots, planting out X 54
raising new kinds of VI 465
rare XX 602 636; and lost XVII 59 104 139 175 562; border IV 190; Greek XX 72; on Orme's head XVI 445
requiring soil free from lime XX 555
respiration of VI 302 464
Rhubarb, as ornamental I 280
ripening wood of III 489
rock XVIII 588; and alpine in Yorkshire XV 491; and rockeries XIV 505; at Chiswick XVI 80; at Edinburgh XII 111 485; at Heatherbank VII 449; at Oakfield XV 374; hardy XII 270; in flower at Kew in July IV 22; in flower in March XIII 250; in flower in May XIX 490; in shade IV 44; in June XIX 615; "Salmonleeps" on X 480; second flowering of XVIII 523
room, and insects V 412; VII 261; X 413; and pot-covers VI 569
round San Francisco Bay XIV 310
sale of Exhibition, in 1876 IX 419; of exhibition in 1879 XI 306; of Mr. Bassett's VIII 124; of Mr. Bewley's VIII 80
sales of III 47
salt-water-resisting XIV 573
scale on V 90
scent-yielding XII 210 250 308 447 494; XIII 229; XV 239 521
seaside III 26; XX 182; in Fife-shire X 100
select bedding XII 604; border, in Scotland V 521
selection of ornamental hardy herbaceous XVII 418
self-fertilisation of X 615
sending, to be named XII 590
sensation in IX 192
sent by post XVII 150
shade-loving XIX 124; and sun-loving XVIII 481; silicium of II 270; X 59
sleep of VI 303; XI 518
sociable V 506
soft-wooded, conservation of, for winter VIII 484; in land and water I 594
some that have withstood the winter of 1876-77 XI 546
soot-water for X 610; XVII 96
South African XIX 21
"sports" in III 350; VII 530

Plants, spring bedding XI 518; XVII 448; treatment of I 389
spring-flowering III 257; V 347; VII 449; XIX 463; culture of I 543; in Yorkshire XVII 241; number of V 278; preserving in summer VIII 346; to be sown in September XVI 296
spring water for XI 344
stalking XX 44
standard XVI 548
stands of growing XII 484
star-like hairs on XI 424 523
stove XX 512; climbing XVII 468; cultivation of flowering IX 34; for winter blooming VI 363; in winter IX 310; useful winter flowering XI 19
struggle for life amongst III 70
sub-tropical II 310; VIII 407; XV 98; XVIII 77; addition to hardy X 9; and geometrical gardening IX 474; for indoor decoration VII 149; from seed XVII 228; procuring XIX 66; in Cornwall XIII 611; in Hyde Park IV 42; in winter VII 116; without glass XI 3; succulent, fine collection of VIII 212; in Mexico XII 615; in the flower-garden XIV 234; showy XIX 166; wintering VI 269
suitable for draping trees VI 79; for forcing X 210; for growing under trees XVIII 480; for table decoration V 377
summer bedding, hardening of XV 428; border III 221
surface-rooting, for bulb borders VIII 328
surfacing XVIII 269
sweet-scented XIV 18; stove XIV 299
table XIV I 25
taking impressions of, in colour IX 583
tender, in the open air XVIII 3; raising seeds of I 255; v. hardy XVIII 150; wintering IV 277; XIII 105; winter protection for XVIII 590
that will not bear severe winters XVII 363
thawing IX 505
tied into bundles XII 56
to be naturalised I 441
to grow in the shade XIX 48 83
trailing, on orchard-house walls VI 294
training and tying XVI 304 355 364; and tying out specimen XIV 544; in pots XVI 336
transmission of XVI 58 546; by post XI 558
transmitting XVII 168
transplanting, preparing for XV 241
treatment of unhealthy, in pots XVI 356
tropical at Naples XIII 250; in London flower-gardens X 232
two old neglected XX 294
tying up XVIII 274 297
uninjured by rabbits XV 416
unseasonably in bloom XII 488
used in perfuming tea IX 210
useful for carpet-gardening XIV 234 265
value of the Composite, as late blooming subjects IV 228
variegated II 477; XX 77; at Birmingham II 50; from seed X 228 234
various XX 594
vegetable, of Greece XIII 174
vermin-eating XVII 96
wall I 3 633; evergreen VIII 386 388; for cold districts V 524; two new III 293

Plants, want of chlorophyll in seedlings from variegated IX 116
water, culture of XVII 247; hardy XVII 12; two pretty cosmopolitan IX 137
watering III 313; stove and greenhouse IX 170
wax of II 108; VII 95
wearied XII 51
weedy XIX 616
wild garden XVIII 123 474; for the flower-garden XV 35; guide to soils III 3; in rock-gardens XVI 166; of New England XII 587
window II 69; XI 24; XX 180; and frost XV 137; in Norway IX 375; refusing to flower VI 578; two good XVIII 331; wintering 370
winter-flowering XII 310; XIII 139 204; XVIII 483 558; XIX 48; XX 93 354 604 608; Australian XX 544; bedding XIV 497; conservatory XV 139; for cool house XX 355; planting out during summer XV 174; salad XI 99; selecting decorative XIX 48; two good XIX 33; useful XII 139; vase XI 230; wall XV 84
wintering flower-garden X 457; in glass-fronted buildings XV 77
wire-layering XIV 443
with ornamental fruits V 279
without soil XIX 607
woodland, in Vermont VII 72
yellow-flowered XII 272
young grubs destructive to IV 76; in poor soil XII 615; sand a preservative of XIX 316
Plant-baskets in the house II 124
Plant-borders, adjustable XII 182
Plant-bracket I 581
Plant-case I 255
and aquarium combined V 329
Boyle's heated VI 599
for *Filmy Ferns*, a XI 423
large I 360
office V 96
simple heated I 255
Plant-cases I 359
heated VIII 531; IX 23 54; XII 59-61 (*5 cuts*)
heating VIII 478
Plant-collectors' boxes, Mr. Atkins's V 78
Plant-covered walls XIV 501 557
Planters, encouragement to III 278 hints to IX 316 414; XII 387 of exposed sites, hints for XVI 422
notes for IX 227
Plant-frame, handy XV 194
Plant-frames, low IV 195
Plant-gardens, hardy XI V 56
Plant-house, span-roofed IV 257 stages, height of VIII 472 walls of, ornamenting XIV 396
Plant-houses VIII 69; XX 15 53 383
and frames, shading XVI 98
birds' nests in XVI 92
cold XVII 300 368 405
Derbyshire spar in XI 30
heating small XV 7 31
in March XIX 263
simple shading for XIII 182
tropical XX 14
walks in II 261
Planting IX 317 (*3 cuts*); XII 427 428 (*6 cuts*)
and nurseries in Ireland X 564 and what to plant X 597
and sowing, evils of early XVII 181
at Bournemouth XX 335
by railways XII 311
choice shrubberies XX 217

Planting, directions as to VI 296
early Potatoes I 405
effective XVI 241 362
evils of thick IX 364
for autumnal effects VI 449
forest trees XX 510
for ornamental covers III 240
for our heirs X 188
fruit-trees III 149
heading back after XVIII 207
hill-side approaches V 441
himself to grow I 462
in connection with buildings XIX 289
injudicious XVI 259
in spring III 180
in streets VIII 400
in the parks, neglect of VI 531
in Yorkshire moorlands I 436
Irish M.P. on XVI 401
law for the encouragement of IX 553
mixed, *r.* grouped trees V 365
need of variety in X 523
new idea in I 430
on chalk soils VIII 445
on peat bog VI 349
ornamental I 393; V 379; XVI 49; and game covers I 392
prairie I 504
quincunx XIII 245
railway embankments VI 265
seaside I 373 420 604; IV 230; V 307 356; VI 154
shallow *v.* deep VIII 552
simple materials for artistic XI 282
sub-tropical XIX 554
Paris boulevards, cost of V 205
the Temple Garden I 341
time for VIII 383
to produce landscape effects VI 261; trees I 10; and shrubs in groups, advantages of VII 472 waterside XV 431
Planting-out *c.* pot-culture VII 519; VIII 19
Plaut-killer, sand an unsuspected I 311 369
Plant-label competition XX 126
Plant-lore of Shakespeare XI 237 248 276 296 308 336 357 370 395 433 458 484 496 525 549; XII 15 42 53 85 109 137 166 179 211 233; XIII 329; XIV 207; and garden craft of Shakespeare XIV 28; notes on Mr. Ellacombe's XII 257 289
Plant-market at Nottingham, the old XVII 28
Plant-nursery of Paris II 126
Plant-screens in rooms II 208
Plant-shade, paper IV 49
Plant-shops, Japanese IV 359
Plant-stage, water-panelled II 328
Plant-stand, easily arranged VII 379 effective IX 145 useful V 305
Plant-stands for halls VI 396
Plant-stove, drawing-room VI 599
Plant-stoves, covering bare surfaces in VIII 299
Plant-tubs III 357
Plant-vases IV 480
Platanus acerifolia I 588; *a. hispanica* I 588; *a. umbellata*, I 588 *cuneata* I 618
digitata I 572
heterophylla I 634
mexicana I 634
occidentalis XX 372
orientalis I 550; XII 541 (*cut*); XVI 430; XX 369
racemosa V 523
striata XIX 409
Plate, Willow-pattern XIII 144
Plates, preservation of coloured IX 112 size of our XX 549

Platycerium XX 63
alcicorne, in Wales XIV 102
biforme IV 295
frond of, gnawed by Hylobius abietis XIV 121
grand II 231; III 275 (*cut*); XIII 72; XV 246; XVII 42
Willmicki X 383
Platycerium II 231
platyodon autumnale V 199; XX 126
grandiflorum II 144; X 207; XVIII 188 202
Platycodon XX 177
Playgrounds, the necessity for public VI 224
Pleasure-ground, a nook in a XIII 174
Pleasure-grounds in North Wales, new III 132 last of the London XVIII 506 their extent and maintenance VII 437
Pleione Hookeriana XV 455; XIX 534
humilis XIII 26
lagenaria XX 453
praecox VIII 404
tricolor XV 303
Wallichii VI 360; XX 457
Pleiones II 335; V 280; VIII 258; XII 468
culture of VI 406
Plough, for Garden, and General Cultivator I 661
in the garden XV 502; XVI 5 27
in the market-garden I 274
Ploughs, uncult Greek and Roman XII 531
Plover, grey XVIII 649; XIX 81 157; eggs of XIX 124
Plumbago capensis II 184; IV 234; VI 262; XIV 408; XX 111; an autumn climber I 366; and cat bloom IX 190; as an exhibition plant XIV 78; as a pyramid XIV 345; as a standard XIV 194; for autumn and winter flowering IX 148; in Paris XIV 372; in 6-inch pots XIV 283; out-of-doors XIV 367; XX 423; out-of-doors at Vienna XIV 416; *propagating* XVIII 472
coccinea XIX 33
Larpente XIV 367
rosea XIV 557; XX 111; culture of X 535; for conservatories in winter VII 153; in winter VIII 486; *r. superba* XVIII 585; XX 625
Plum, Beach or Sand, II 449 500 best varieties of the IV 170
Cherry I 107; IV 514; V 99; XIII 259; XVI 237; XVII 27; XVIII 208
Chickasaw V 149; VII 520
Chinese Date III 194
Coe's Golden Drop XIV 405 419 (*cut*)
Coe's Late Red VIII 448; XI 17; XIV 260
crop in the Eastern Counties in 1876 X 215
Czar XII 568
Deuyer's Victoria VIII 224 318; XVI 239
Diamond VIII 159
Early Normandy VI 364
Early Orleans VIII 94
good late VI 293
Ickworth Impératrice XIV 471
Italian Prune XIV 419
Japanese VI 325
Mirabelle Hâtive IV 190 195 (*cut*)
Mitchelson's VIII 237
new early V 73
origin of the Green Gage V 374
Perdigrin Violet Hâtive VIII 189
Prince Eaglebert VI 512

Plum, Prince of Wales X 125 XVIII 321
Rivers's Early Orleans VIII 6
Rivers's Early Prolific VI 179
Rivers's Sultan XIV 188
Sandall's XVIII 321
stoneless VI 306
“Sugar” IV 144
Transparent Gage VIII 237; XIII 352; XVI 255
TRANSPARENT GAGE IX 226
Victoria XII 599; XIV 242
Virginian Date VI 74
Wild Goose VII 486
Winesour XVIII 656
Yosemite XVI 92
Plums XX 358 428 511
choice XVI 56
culture of IV 170; in Oregon V 272; in Scotland V 285
Date VI 556
earliest X 208
early varieties of X 279
French in 1875, varieties of VIII 197 late VIII 360; X 372; XIV 499; good XVIII 406
Magnum Bonum II 478
notes on seedling VIII 352
not ripening XVIII 554
of Kansas, the wild VI 110
of Texas, the wild VI 147
on espaliers, flavour of VIII 237
orchard-house VI 388
“Sapodilla” V 344
to dry VI 164
under glass XIV 303
v. Peaches in orchard-houses XVII 272
Plum-tree, double-flowered Chinese IX 192
Mistletoe growing on XVI 516
Moth XVI 339
Myrobalan, as a fence plant XIII 92 100
purple-leaved XX 203
Plum-trees and Cherry-trees, the “Black Knot” of X 36
double-flowered Chinese VIII 404
for a north wall III 30
for walls VI 204
grafting XVII 484
gumming in VI 244; XIV 121
heading down old XVI 458
in pots XVI 371; XX 88; at Chiswick V 322
naturally grown *v.* wall-trained XX 204
on north walls XVIII 555
outhouse covered with XII 304
pruning XX 144
transplanting large VI 244
under glass XX 214
Plumeria rubra XX 178
Plunging material XVIII 191; best VII 242
Plusia Gamma XVI 519
Poa fertilis II 97
Podocarpus alpina XIX 360; and *P. andina* XVIII 523
macrophylla XII 555
Totara XIII 14
Podocarpus curamanicus IX 481
Podophyllum, abnormal specimens of XV 217
Emodi II 9; XIX 489
peltatum XX 261
Polygonia ophioglossoides XVI 92; XX 62
Pogostemon Patchouli XII 495
Poinciana pulcherrima XIV 367
Poinsettia and its culture XI 520 as a table plant IX 74
finely-flowered XX 625
from Worley XX 560
large plants of XIII 230
NEW DOUBLE IX 288
new double IV 143; IX 354; XI 131 164 168 190; XII 617; XIX 529

Poinsettia, new seedling X 538
pulcherrima I 74; III 357; V 328; VI 293; XII 560 582; XX 522; fertilisation of XVII 18; fine XIX 34; in a Pine stove VIII 514; long flowering of XVII 332; p. major II 418; XI 121; new double VIII 513; new way of growing VII 43; planted out VII 465; p. plenissima XI 266; producing lateral bracts X 493; p. rosea carinata VI 254; when to strike VIII 453

PULCHRIMIA PLENISSIMA
IX 288

Poinsettias III 104; XX 353 472 507 624 627
at Acton X 578
at Ware X 57
bottom heat for XII 466
culture of XX 626
double and single XIX 469
dwarf XII 586; XIII 27; XV 23
dying XX 602
for market XVIII 586; XX 604
from Shirburn Castle XX 582
in cool climates XVII 152
in the Chel Valley Nurseries XX 581
large XV 164; XX 605
late-struck XI 84
losing their leaves XX 548 587
propagating XI 342; XIX 386
single and double XI 351
without stove-heat XV 132
Poison, a new vegetable IV 246
“Poke” XVI 52

Pokeberry, uses and distribution of the V 508
Virginian III 405

Poke-root, for destroying insects V 486

Tolmiea ceruleum X 476; c. grandiflorum IX 516; c. variegatum VIII 144 201 220; X 456; c. variegatum as an edging plant IV 210; c. variegatum with white flowers XIV 559
CONFERTUM X 506
confertum XV 375

Polemonium, the species of X 506
Poles, climbing Rose and Clematis XVIII 538

Polianthes tuberosa XX 210

Political horticulture XVII 545

Pollen and **flies** II 540
grains of, magnified VII 197
old XII 219
preserving its fertilising properties for five years IV 62
protection of III 475
tubes for the microscope X 203

Polyanthus, the III 256; XVI 255 blue XIII 277; XV 365 from seed III 297
garden varieties of XI 230
Golden Prince IX 352
gold-lace, Sunrise XX 544
history and culture of IX 6 in the greenhouse IX 272
Jackanapes XVII 444
moustros XVII 424
new Hose-in-hose XI 354
Prince of Orange XV 406

Polyanthuses XIII 251; XIX 286; XX 156 426 520
and Primroses XIII 210 249 306; XIX 555
as spring bedding plants XIX 507
at Bedfoot III 363
border XV 193; XVI 368; XVIII 421
culture of II 27
duplex XIII 305
faucy, for outdoor spring decoration VI 298
from seed XVII 97; XVIII 591

Polyanthuses, gold-laced XI 143 184 303 315; XII 406 468 535; XVI 285 302; XX 474 480 519 615 636; and other VII 317; early XVIII 620
Hose-in-hose XI 527 538; XII 445
in pots in February XIII 156 “laced” IX 352; XVII 149 171; XVIII 352; XIX 312; XX 339 302; and the frost XIX 347 note on XI 592
origin of VII 484
raising from seed IX 476 shaded Self XX 347
summer and autumn treatment of XX 460

Polycentron lepidia IV 250

Polygala Chamaebuxus V 12; XX 457; c. purpurea XIII 49
CHAMEBUXUS PURPUREA XIII 36 crimson and yellow alpine XV 364
Dalmatiana, as small plants XIII 433

Polygalas, British XI 466

Polygonatum cuspidatum compactum on grass XVI 215 giganteum XVIII 448 multiflorum V 178; VIII 261 roseum XV 455

Polygonum affine XVI 68 amplexicaule XVI 346; XVIII 229 Brunonis II 250 compactum XVI 1146 cuspidatum II 203; VIII 261; IX 400; XII 563 (cut); XVI 453 (cut) 555; XVII 71; XVIII 229 248; c. compactum IX 9; in the wild garden XVII 6 cymosum XX 320 gigantic IX 563 orientale II 241 sachalineense II 241; IV 413 (cut); V 496; XII 592 (cut); XIV 169; XVIII 149; and P. Sieboldi XVIII 337

tinctorium XIV 29 vaccinifolium X 308; XVIII 582 virginianum XV 237

Polygonums, select species of XVI 452

Polygonia grandis VI 336; VIII 191 (cut)

Polypondium (Aglaoomorpha) Meyenianum XVII 396 Krenneri XVII 397 (*Phlebodium*) auriculatum XVIII 539 Scouleri XII 204

Polyponia, *obtusa* XVIII 539 *Welsh* V 53

Polygonum *igiarinum* XVIII 319

Polystichum *aculeatum* variegatum XVI 79 munitum XII 204 viviparum XVIII 17

Pomegranate, double II 301; XIX 616; red XVI 109 in America XII 255 new XVIII 31

Pomegranates XII 440; XX 53 English-grown XVIII 422 448 in Battersea Park X 280 on walls XV 86 without pips VII 396

Pomegranate trees at Bath X 438 fruiting in Oxfordshire X 481 in flower, small XIV 190 orchards of X 62

Pomello, the VII 148

Pomological Institute at Reutlingen VI 110 literature IX 64

Pomologists in council XVI 403 “Pomone” Van Houtte’s III 470

Pompone, Brilliant XX 103 320

POMPONE LILY XX 420

Pompomies, two new XX 522

Pond, a lawn II 121
Ponds and foul water in gardens XIX 581
and wells, on the management of IV 238

Pond-weed, Cape X 518; XV 23; XVII 273

Hawthorn-scented VIII 431 sweet-scented III 157 208 212

Pond-weeds IX 234; XII 196

PONTEADERIA AZUREA XVII 220 azurea XVII 428; XVIII 189; XIX 438

Poplar I 130 Abele or white XI 513 538 Balsam XVII 446 black Italian XI 425 Canadian XV 60 Carolina X 389 golden X 199 good weeping VI 7 hawk moth XVIII 345 insects V 555 leaf-stalk distortions VI 328 leaves of, diseased XX 126 Lombardy I 130; XIX 91 236 288; XX 11; in the landscape XIX 91 long roots of the common VII 2 new Canadian XV 24 new fastigate Silver XV 290 new golden-leaved IX 59 notable III 410 stumps XIV 209 variegated Ontario XIV 212 wood of, not inflammable IV 18; VIII 512

Poplars and their foes VII 288 as town trees I 195 at Ermannoville, grove of XI 282 Isle of, at Ermenonville IV 523

Lombardy XX 204 *near Thiebaut* XX 11 planting III 322 quickest growing IV 33 species of XIII 331

Poppy Anemone XX 258 Poppy Anemones XX 284

Poppy, double opium IX 197 Himalayan blue XX 129 horned XVI 555 large Iceland XI 618 Mr. Thompson’s new X 71 Nepaulense XIX 336 new IX 543; semi-double VI 24 orange rock XX 172 oriental III 478; XIX 592 prickly XX 314 spiked XX 42 Welsh, in the wild garden IX 566 white XV 172 yellow Horn XVII 33

Poppies XX 17 261 annual XIX 277 336 culture of, in France II 24 double-flowered IX 197; XIX 278 (cut)

dwarf French XVIII 5 fringed XX 123; and French XX 123

giant scarlet VII 484 gigantic XV 497 512 in India XIII 11 Indian XX 128 perennial XIX 634 seedling XIV 114; alpine XIV 124

Poppywort, blue XII 105

Cathcart’s X 440

Poppyworts, satin, as autumn flowers X 398

Populus canadensis, a new form of IV 498; c. aurea IX 59; c. nova XV 24

candida XIV 213

fastigiata I 130; XX 11

monilifera XI 425

snaveoleus XIV 309

tremula VI 184 328; XIX 504; becoming scarce VI 489

Portesia auriflora XV 245

Portugal Laurel hedges XVI 363 new flora of II 311

Portulacas V 241 and their culture XIV 353 double II 206 self-sown IX 379

Possies for the poor VII 530 (poetry)

Posoqueria longiflora XV 424 maerantha XIV 531

Possingworth, terrace garden at I 592 plan of terrace at I 593

Potato, abnormal I 404

Acme XVIII 411

Alpha VIII 379 404

Alpha Early XIII 371

American Rose XIV 148 as a cleanser V 102

“Asparagus” II 298

Beauty of Hebron XVI 328 360

Beebe, the Colorado V 44 218 385 465; VI 238 482 (cut); VII 128 272; VIII 71 (cut); X 50 198 351 478; defeated XII 1; exporting VII 101; how to destroy X 347; in Iowa XII 387; Professor Riley on VII 520; progress of VI 817; ravages of VII 470

Bennett’s Schoolmaster XI 68 best fratre XVII 462; late American X 43

Eiscuit VIII 6

Blanchard X 194 blossoms, effect of removing XVIII 344; picking off VII 507; VIII 43

“Bosh” II 296

Boultiful VIII 181

Bug IV 447

Carter’s American Bread-fruit VII 396; VIII 187 207

Carter’s Improved Magnum Bonum XIV 300

Cattell’s Eclipse IX 96

Centennial XVI 267 294

Champion XVI 349 448 505 547; XX 412

Climax III 385; VI 168; XV 158 160

Compton’s Surprise VII 190; XV 382; best VIII 464

correspondence VI 533

crop and the drought of 1876 X 220; in 1873 IV 133; V 552; in the South and S.W. of England in 1873 IV 118; in 1874 VI 117; in Devonshire in 1874 437; in Worcestershire in 1874 VI 371; in 1874, notes on the VII 268; in 1875 VIII 124; X 193; in 1876 X 151; in Ireland in 1876 X 204; in Yorkshire in 1876 X 324; in 1876, notes on the XII 238; in 1877 XII 224; in 1877, wreck of XII 199; in 1878 XIII 550; in Ireland in 1878 XIV 76; in America in 1879 XVI 206; in Germany in 1879 XV 510; in Meath in 1879 XVI 153; in the Midlands in 1879 XVI 70; in 1880 XVIII 107; in 1881 XX 251; lifting XVI 206 225; prize essay on II 25 59; what to do with VI 207; when to plant XII 46 153

crops, prize IX 144

cropping extraordinary VII 78

“earl” in VIII 65

Potato, Dalmahoy XV 247
dibber used in market-gardens XVI 91
 diggers IV 513
 disease II 198 238 260 279 296 324 348 *et seq.* (7 cuts) 412 458; III 156 425 500 (5 cuts); IV 37 76 179 522; V 50; VI 58 464 532; VIII 20 98 137 144 190; IX 148; X 24 182 304 419; XII 74; XIV 3 273; XVI 91 127 173 293 382; XVIII 679; XIX 527; XX 262; and early lifting VIII 157; and Government Commissioners IV 60; and its prevention V 144; and “Salus” XII 80 244; another remedy for VII 470; Blackley’s cure for IV 350 510; essays on V 177; in 1878 XIII 610; in North Hants XVI 251; in Nottinghamshire in 1875 VIII 247; in the Midland Counties X 376; lime, a cure for I 591; lime and magnesia, preventives of IV 242; lime and salines for XII 368; Major Hallett’s plan of stamping out XVI 267; Mr. Carruther’s Report on IX 69 116; new form of, in 1873 VII 37 500 532; VIII 6; outbreak of, in 1877 XII 2; rolling, a cure for IV 350; tan, a remedy for III 198; under glass XVI 206
Early Alpha XX 16
Early Rose VIII 232 379; as a late variety VIII 207; cooking VIII 280; in France VII 211; on the Bagshot Sands X 255
Extra Early Vermont VIII 43 247
 failure XVI 24
 Feen’s Woodstock Kidney X 276
 flowers, removing XIII 311
 freak of I 404
 French equivalent for “Lapstone Kidney” IV 144
funqus rest-spores of IX 68
 good early XII 75
 good early market, wanted XVIII 159
 good market II 413
grafted on the Tomato X 431
Hampshire Hero XII 265
 hardiness of the III 503
 harvest in 1881 XX 323 339 385 458 513
 hybridisation of X 417 442
 imports III 502
 International Kidney X 299
 introduction of into Europe VI 489
Magnum Bonum X 536; XV 206 226 248; XVI 315 465; XVII 232; diseased XVI 349
Model IX 418
Mona’s Pride XX 249
 native country of XIII 389
 new XVI 544; *American Ruby* IX 213; early II 213; French Délices de Meaux VIII 555; *Grampian* XIII 23; *Kidney* VIII 318
 one who boasts like a I 358
 Oxfordshire Kidney V 137
pit and screen VII 108 109
 planter, Aspinwall’s VIII 281; *Whitford’s* VII 58
 Porter’s Excelsior X 318
 Pride of America XX 194 215
 Prize Essay on the II 106
 produce, weights of XVIII 310 343
 prolific II 260
 prospects XX 95; in Devon, in 1875 VIII 58; in East Suffolk, in 1875 VIII 55
 Red-skinned Flour-ball VII 102 335

Potato, Regent XV 310
 salads II 434
 Schoolmaster X 204; XIII 494
 Scotch Champion XVI 572; XIX 211
 Sextus VII 291
 Snowflake III 300; V 178; VII 470 532; VIII 43 157 166 182 190; as a long-keeping variety VIII 107; productiveness of VIII 318
 starch II 198 372
 statistics IV 368 408
 substitutes for the II 306; XIV 275 297
 Sutton’s Magnum Bonum XVI 328; XIX 102; in America XIX 382
 Sutton’s Red-skinned Flour-ball III 77
 Sweet VIII 427; XIII 52 (*cut*)
 Vermont Beauty IX 429
 Vicar of Laleham XIV 204
Titlette XIII 47
 Walker’s Early Regent VI 437
 which is the earliest? XIII 550
 White Emperor IX 212
 York Regent XV 296
 Potatoes I 42 404; XX 26 149 196 487
 absence of disease among XX 412
 advantages of planting early XV 205; of planting early for main crops VIII 554
 à la Duchesse VI 509
 American VII 533; X 324; “curl” in the new VIII 15; degenerating IX 124 163; in England III 238 269; large returns from VIII 402; new V 111; VII 491 507; X 486; XIV 273; new disease in VIII 15; and coconut fibre XI 56
 and frost XV 206 226 244
 and Government Committees XVIII 237
 and mole-crickets VIII 34
 and Peas together XX 215
 and rooks XIV 33
 and rotation of crops VI 538
 and their productive qualities XI 223
 and wire-worms VIII 55 402 422
 Anglo-American XX 194
 Archdeacon Denison on XII 223
 arresting decay in III 503
 artificial manure for XIII 348
 at exhibitions, classifying VIII 494
 at the Crystal Palace XX 363
 at the Paris Exhibition in 1878 XIV 530
 Australian XVIII 30
 autumn-planted XVI 225 447; XVIII 369 392; early XVIII 12
 best III 300; VIII 98; XVI 466; early Kidney IX 584; two XII 483
 boiled or steamed I 596
 boiling, Mr. Buckmaster on VII 211
 by express IX 355
 certificated XIX 196 244
 Champion and Magnum Bonum XVI 379; in Ireland XVIII 652
 competition of, great American, in 1875 IX 187; Lord Cathcart’s IX 42
 creosoted v. the disease IV 408
 cross-bred XVI 153
 culture of IV 450; XIX 361; XX 273; at Belvoir II 259 296; at Killerton VII 507; at Woodstock VIII 245; for exhibition VI 584; VII 50; implements for IX 519; in Jersey III 441;

Potatoes—continued.
 in market-gardens VI 255; in small gardens IX 189; in the Channel Islands VI 118; VII 533; in the North of England VI 389; new system of V 178; on slopes XVI 466; profits of X 486; with special reference to the disease VII 127
 cutting the haulm off II 296
 Dalmahoy and York Regent XV 225 254 276
 disease amongst American VIII 20
 disease-proof XII 368 391 414 458; XVI 315 327 448; XVIII 613
 dormant XV 100
 drying XIX 382
 during frost XV 151
 early III 148; IV 407; XV 520; good ground for V 230; frame XI 357; how grown in Lancashire VII 108; in pots XI 403; lifting X 176; XI 284; XX 148; market-garden IX 163; v. late X 455; when to plant XI 400; without glass II 433
 early-planted XV 382
 earthing-up XV 310
 effect of peat charcoal on XIX 54; of temperature on the growth of X 432
 English v. American II 198
 exempt from disease XVI 268
 exhibiting seedling VIII 354
 Exhibition XVIII 551 587
 Exhibition of, International in 1877 XII 338; in 1878 XIV 548; in 1880 XVII 136
 Exhibitions of XVIII 524
 experiment with Snowflake VIII 137
 extra early Vermont X 228
 facts about XIX 411
 failing XVI 72
 fashionable XX 374 428
 Flinck III 230
 for amateurs XV 160
 forcing XII 601; XIII 110
 for exhibition IX 163; XI 108; XVIII 216; selection of XIII 390
 for forcing XIII 477
 for pot culture XIX 196, 358
 for pots and frames XIII 154 195
 for the Paris markets XVII 182
 frame XVII 372
 free from disease XII 413; XVII 120
 from seed I 64
 frozen VIII 281
 from one pound of seed VIII 533; IX 117
 fungi on XIV 231
 garden XVII 144
 General Grant’s XVI 501
 germinating in winter, how to prevent IV 392
 good VI 324; disease-resisting XX 487
 grass growing through VI 236
 growing for exhibition VII 37
 grown at Chiswick in 1873, Report of the V 103; at Chiswick in 1874 VII 76
 “hilling” XVIII 142
 history of the “Rose” III 230
 home-raised III 269; late sorts III 300
 how to cook III 288
 how to grow and show XV 244
 imported III 42; from North Germany in 1877-78 XIII 607; into the United Kingdom in 1875, value of IX 99
 imports of in 1880 XVIII 423
improved culture of XX 96
 in America, dried V 322

Potatoes, in early spring VI 555
 in 1877 XII 127
 in frames XI 444
 in Germany, in 1877 XII 320
 in Holland II 324; III 42
 in January VIII 464
 in pots XVI 70
 in Worcestershire, in 1877 XII 506; in 1879 XVI 153
 in Yorkshire, in 1875 VIII 20
 keeping for late use IX 332; for two years XI 28 59; undug in the ground XI 161
 large crop of II 350; X 276 442
 large sets of v. small VIII 182
 late XX 196; and early Rose III 148
 late-keeping X 486
 least affected by disease II 500
 lifting XX 429; and greening for seed XII 196; before they are ripe XVIII 551 587 616; XIX 24
 machine for peeling III 198
Magnum Bonum and *Champion* XVI 447; in Durham XVI 466
 manure for XVII 254
 medium-sized, best for the table XIV 453
 new varieties of VII 102; XII 582; XV 412; XIX 381; XX 250; and their culture VI 347; VII 243; at Christmas VI 151; VII 338; *from old tubers* XV 150; in autumn XIV 313; in succession IX 429; XI 164 174; in the open ground in January VII 335; in winter IX 463; X 66
 new machine for digging XII 316
 new plan of storing XIX 101
 note on XIX 453
 of the future VIII 247
 old, best XI 343; keeping VI 297; v. new XVIII 141
 one or two plain facts respecting XVII 314
 one week’s importation of, into London VII 84
 on newly-broken-up land XII 351
 on waste heaps XIV 252
 over-ripe seed of XII 238
 patent manure for XX 16
 Paterson’s IV 282
 planted deep VIII 556
 planting XI 360; XX 276 324; best time for VII 338 376; early I 405; XI 34; evils of early XI 386; implement for VII 245; notes on XI 399
 prices of VI 584; in 1880 XVIII 381 435 476
 Prize XVIII 410
 produced from a pound of seed XII 223
 quality of VIII 333
 quickly raised from seed IX 278
ruck for seed IX 155
 raising from seed VIII 15
 remarkable crop of VIII 373
 removal of the haulms of XVIII 652
 salt, as a manure for XIII 389; in dry seasons X 396
 scabby XVIII 462
 Scotch Champion XVIII 142
 seedling VIII 382; XIII 121; XIX 195; choice of IV 534; experiments with VII 391; for early crops VIII 554; for Ireland XVII 275; sprouting XIX 311; v. disease VIII 247; IX 417
 selected Lapstone Kidney VI 437
 select field and garden VIII 333
sets of economical mode of cutting VII 244; experiments with XIII 133; sprouting XV 225
 Show XVI 545; weights of XVII 21

Potatoes, showing and storing XIV 273
show of, at Bingley Hall, Birmingham, in 1877 XII 556; at Birmingham in 1876 IX 418; at Harborne in 1881 XX 378; at Kelvedon in 1881 XX 386; International in 1875 VII 356; VIII 212; International in 1876 X 304; International in 1878 XIV 298; International in 1879 XVI 314; International in 1880 XVII 293 343 369 392 409 435; International in 1881 XX 338
Spanish substitute for VIII 422
spent tan, a good manure for X 593
sprouts of, for seed XII 6
substitutes for II 212; XII 458
Sweet XVI 525
thinning the shoots of I 591
to keep from sprouting IX 70
to prevent hollowness in VIII 107
trials of, at Chiswick XX 492; at Reading VII 211; conditions of success in the great V 64; in Nottinghamshire in 1876 X 146
varieties of X 503
Vitelotte VIII 516
when to peel I 116
when to plant XIII 206
white-fleshed X 593
why steamed, in preference to boiling? I 383
wintering XIX 54; XX 557
word about XX 525
worth growing XV 192 248
Pot-an-fen, French VII 146
Pot-coverer, a novel V 344
 ornamental III 149
Pot-culture *v.* root pruning XX 31
121
Pot-drainer, *Burham's worm-proof* IX 74
Potentite, blasting with XX 28
Potentilla *Closiana* XVI 48
 norvegica VIII 305
 speciosa XIV 302
 Vase d'Or IV 112
Potentillas XX 9
 double flowered VIII 201; XVI 6; XX 71
 GROUP OF XVI 462
 in October XX 408
 select X 259
 shrubby II 197; X 199
Pot-filter, the garden IV 513
Pot-herb Moth, the XIV 535
Pothos argyreia XX 222
 varia XII 629; XX 14
 fasciata X 601
Pot-maggots, how to destroy X 347
Pot-Marigold, Meteor XVII 547
Pot-plunger, *Golfer's* IV 325
Pot-Pourri XVII 241
Pot-souffr, Denning's IX 403
Pots, annuals in XX 280
 clean *v.* dirty VII 413
 covering, in decoration of tables I 470
 destroying earth-worms in IX 272
 drainage of II 204; XVI 264
 earth-worms in VI 228
 English and Scotch VI 578
 for Pines, the proper size of, VI 244; small *v.* large VI 219
 for Vines, small *v.* large VI 263
 glazed, the best VII 480
paper, for sowing seeds in VI 24
Scotch and English VI 596
sizes of propagating XV 140
that exclude worms VII 198
worms in VII 151
Pottery-tree, the VI 183
Potting and planting IX 171
 burnt earth for XIV 544
 civis of rapid IV 294
 few remarks on X 78
 rapid IV 396
 snapdited XIV 109

Potting, soil for XII 262
 soils for, Epps's XV 29
 using stones in IV 300
Potting-house, *section of a* IX 245
Potting-houses *v.* potting sheds IX 245
Pot Vine-culture, a curious fact in V 169
Pour les Dames I 272
Powderham Castle XX 246
Practical men, erroneous view of XIX 265
Practice *c.* Science I 630
Pratia angulata XVI 261; XIX 619; XX 222 563
 litoralis VIII 327
 repens X 64
Predatory chickens VI 140
Prenanthes (*Sonchus*) elegantissima X 64
Presentation to Mr. Dodwell XX 494
 to Mr. Peter Grieve XIX 3
Preserve jars V 102
Press correspondents, hints to XI 224; XX 139
Preston Flower Show in 1876 X 204
Preston Hall III 358
Price's Patent Candle Company, the old days of IX 528
Primrose, Bird's-eye XVII 138
 blue XX 581; Scott Wilson XVIII 336
 Chinese I 261; albo-magnifica XVII 330; cultivation of VI 120; double XI 205; Princess Louise IX 58; Stewart's double VII 198
 Cloth of Gold XVII 428
 common II 249
 double sulphur-coloured XV 376; Velvet Crimson XVII 424; wild IX 488
 earliness of the pink VII 336
 family, some of the XV 328
 fertilising the flowers of the Chinese XV 405
 flowers of, destruction of IX 407 440; *showing long-styled and short-styled forms* XII 241
 grubs XV 345
 Himalayan XI 123; XX 368
 hybrid X 36
 Japanese, as a pot-plant V 502; hardness of VII 373; in N. Wales VII 484
 misnamed IX 165 175
 new Himalayan XV 246
 new Japan I 567
 new varieties of the IX 27
 Purity IX 358
 reminiscences of the XVI 234
 scotica XX 21
 seeds of, germination of XV 193; sowing VII 124 364
 Siebold's XVI 540; hybrids of XV 407
 Single Mauve I 458
 variegated VII 319
VARIETIES OF THE COMMON XII 496
 violet, in October XX 368
what is it? III 360 391
what is a hybrid? XI 208
Primroses II 249; III 27 68 96
 333; IX 101 (*cats*) 122; XVI 384; XVIII 66; XX 156 496
 alpine XV 365; for borders VIII 234
 and Cowslips XII 282; XIX 555; and Oxlips, Mr. Darwin on III 416
 and Polyanthuses V 262; XII 272; XIX 420 555; hybridising XI 341; planting out from pots XVI 284
 and Red-spider XIX 628
 as window plants XV 251
 at Marfield, Cloumel XIV 447
 at Tottenham XVII 342
 CAPITATA XVI 534

Primroses, autumn X 420
 Chinese I 325; III 161; XIX 263 286; XX 514 605; "Blue" XVII 241; double V 28; VI 169; double, culture of VII 152; single and double XIX 326
choice double VIII 537
classification of Bavarian IX 590
colonies of coloured XIX 447
coloured III 382; XI 80; XIII 224; XIX 514; earliest XI 60; hardy XIX 447; in woods XIII 530 543; wild XI 322
destroyed by birds V 388
dividing VIII 457; XIX 416 467 494
double XV 374; XVII 376 410; culture of V 54; VI 320; propagating VII 198; summer treatment of XV 343; yellow XIII 454; yellow, from seed VII 200
early XI 69 89 119 162; XIII 55; XIV 372; in bloom in 1878 XIII 177
Evening VI 196; XII 588; XIV 3; XVIII 244 298 329; XIX 26; XX 203 290; *night effect on* XV 513
fancy IX 326; crossing and raising IX 421
field of XI 518
for table decoration VII 277
for the green-house VII 272
for waste places XIII 379 407 441
green XIX 344
grubs injurious to XV 385
hardy XI 225; XII 496; XV 289; XVII 358; XIX 299 415 472; double I 703; double white XVII 641; effects of wet on XI 223; under glass XV 127
Himalayan XVI 12 59; XVII 557; XIX 345
Hose-in hose XVI 453
hybrid X 124; XI 392 442; high coloured V 304
in Covent Garden XV 57
in Easter decorations XI 265
in flower in April at York V 326
in January XI 23
in Kent XIII 269 306
in woods XIII 487
JAPANESE XIV 466
Japanese VI 196; XV 371; out-of-doors XIV 563; XV 2; out-of-doors in the Eastern Counties XIX 529; unusually fine VI 46
leafy-calyxied XVII 356
mountain VII 337
naturalising in woods XIII 468
notes on XV 369; XVI 256
on grass XIX 345
our woodland XIII 380
out-door XV 343; protecting XIX 11
shelter for delicate IX 335
species of IX 101
spring-sown IX 136
transmutation of V 544
under Fir-trees XIX 469
wild XIX 509
Primulaceae of the Alps, the hybrid VIII 537
Primula altaica I 304; III 178; V 462 478; VII 90 111; IX 165 175 194 282; what is it? XI 111 359
 americana XIII 415; XV 11; *a. alba* XI 352; XIII 446; in pots XIII 330
bedding XVII 320
Blushing Beauty XY 131
capitata XII 416; XIV 28; XVI 6 319; XVIII 151 468; XIX 313; XX 9 128 182 368; hardness of XVII 32
 CAPITATA XVI 534

Primula *cashmeriana* XV 171; XVII 75 138 194; XVIII 518
Chinese, blooms dropping off VII 216; culture of the III 199; improved varieties of XVI 189; *magnifica* XIX 252; Meteor XX 407; new XVIII 642; new double XI 102; Ruby King XIV 500
ciliata XIX 415; *c. purpurea* IX 420
cortusoides IX 176; *c. amœna* III 464; VIII 408; X 535; XVII 468; XIX 558; *c. amœna*, culture of V 417; *c. amœna* for forcing XI 230; *c. amœna* for night decorations IX 375; *c. amœna* in water XV 476; *c. alata* XI 239 374; XV 430; *c. lilacina* VII 385; as an edging plant VII 256
culture of the double Chinese IX 402
 daonensis (*tenensis*) VIII 100
denticulata II 117; XI 127 (*cut*); XIII 186 250; XV 272; and other early kinds IX 236; in pots XIV 359; *d. pulcherrima* V 322; *d. purpurea* XVII 303
elatior cerulea XV 365
erosa, hardness of XVII 112
Eva Fish XV 228
farinosa XVII 138; deep planting best for VI 6
floribunda XX 72
for window-gardening IX 588
grandis XI 493; XV 349 (*cut*); XVI 213
Heuri XVII 312
hybrid X 36
INTERMEDIA X 36
involuta Munroi XI 123
japonica I 651 662; V 284; VI 196; XX 99; for the wild garden XIII 535; hardness of VII 373 464; new opinion of V 544; out-of-doors V 520; self-sown VIII 57; seed of II 142
longiflora XVI 163; XVII 427
luteola I 667; XVII 469 507
LUTEOLA XVIII 486
mollis XV 424
new hybrid XVII 352; *Japanese* XIX 655; seedling XIX 191
nivalis III 278 334; XVIII 5 (*cut*) 140
 officinalis VI 98
Orobanche on VII 82
Parryi VIII 426; XVIII 59
pubescens XIX 535
pulcherrima VII 503
purpurea XIII 178; as a table-plant at night XIII 316
Queen XX 586
Reading Pink XX 625
Reading Pink XX 625
rosea XV 246 266; XVII 55 241 302 312; XVIII 79
ROSEA XVI 12
Ruby King XVII 96
scotica VII 396
seed of, sowing hardy VII 414
sibirica var. *cashmeriana* XVIII 68
Sieboldii XVII 376, 518; new hybrid varieties of XVII 332
sikkimensis XX 421; at Kew XIII 561
sineus XVI 337; *s. coccinea* XIV 557; XV 7; culture of, for seed IX 472; *s. fimbriata* XV 31; *s. foliis variegatis* XX 492; old plants of VIII 409 453 486; *s. purpurea punctata* XVII 323; *s. Stewartii* VII 198
spectabilis XVII 443
Steini XVII 68
verticillata IX 588
yulgaris XI 127; *v. grandiflora* IX 165; *var. Vesuvius* VII 319 345
VULGARIS, VARIETIES OF XII 496

Primula, white Chinese XVII 82
 White Lady XX 520
Primulas IX 101 (31 cuts) 216; XX
 79 490
 advances among XIII 315
 at Chiswick XV 86
 at Forest Hill XVI 131; in Decem-
 ber XIV 525
 at rest XX 324
 at St. John's Wood XIII 26
 Chinese VIII 435; XIII 114; XV
 152; XVI 572; XVII 56 150;
 XX 354 543 628; and their cul-
 ture XI 350; at Birmingham
 XII 585; XIV 513; cut flowers
 of IX 469; damping off XV 164;
 double XI 289; XV 86; XVIII
 585; fine XIX 34; Gilbert's
 double XVIII 621; XIX 21; in
 a cold frame XVI 364; new IV
 511; VII 217; old XVII 455;
 two good XIII 251
 classification of Bavarian IX 590
 culture of XX 126
 destroyed by grubs XIV 550
 double XIV 209; XX 427;
 Gilbert's new XII 463; XV 109;
 new XII 441; XVI 472 480;
 propagation of XI 100; XIV
 135 (cut) 186; XX 546
DOUBLE CHINESE XVII 176
 Gilbert's new XVII 204
 hardiness of XV 56; XVII 227
 hardy XI 356; XIII 227; XV
 273; XVI 236; XVII 256; in
 autumn XVIII 419; in frames
 and out-of-doors XVII 312;
 Japan XV 390
 Himalayan XVI 12 534
 hybrid XIII 228
 in France IV 258
 in the mixed border VIII 220
 old XVII 400
 propagating XIV 65; XVII 149;
 XIX 582; from root-cuttings XVI
 30
 species of IX 101
 two good XII 534
Prince's Feather VII 504; XX 255
 as a hedge plant X 256
Prince's Street Gardens, Edinburgh
 XVIII 273
Prinos glaber II 17
 verticillatus XIX 18; and P. glaber
 XVII 282; berries of XVII 305
Pritchardia filifera IX 469; XIV 223
 grandis XII 489; XVIII 79; in
 flower XIX 87
Privet, berries of, poisoning by III
 131
 Chinese XVI 149; dwarf III 281;
 XX 52
Fortune's XX 72
 hedge of, grafted with Lilac VII
 437
 hedges of XIII 597; cutting XI
 203
 Japan I 466; IX 140; XVI 325;
 as a flowering shrub XVI 298
 oval-leaved XVII 198
 raising XIII 300
 weeping XVI 380
Privets XX 273
 species of XI 212; XIII 410
Prize cards, ornamental XVIII 422
 cups XIX 90 115 166 199
Prizes, special, at South Kensington
 XIX 58
 "Prodromus" De Candolle's IV 434
 498; completion of V 130
Profession, new II 111
Promenade at Rio de Janeiro, the public
 VI 411
Promenea citrina XX 61
 Rollissoni XVI 491
Pronuba Yuccasella III 500
Propagating XX 384 404 472 555
 Abutilons XX 451
 Acacia XX 451

Propagating *Anthurium* XX 451
Asparagus plumosus XX 567
Begonias XX 451
Bouvardias XX 451
Chrysanthemums XX 535 587
Cinerarias XX 491
 cuttings XX 334; of trees and shrubs XX 619
Cyclamens XX 491
 bandage IX 583
Epiphyllums XX 491
 evils of excessive XI 520
 from seed in spring XV 123
Gaillardia grandiflora XX 453
Gardenias XX 574
Habrothamnuses XX 574
Heaths XX 511
Hydrangeas XX 574
 in sand and water XIX 315
 in winter XIV 201
Lasiandras XX 574
Leucophyton Brownii XX 453
Liliums XX 453
Luculia gratissima XX 574
Pentas caerulea XX 574
 season for XIV 157
 secret X 505
 soft-wooded bedding-plants I 481
 spring XIV 552
 Tree Carnations XX 491
Trichinium Manglesii XX 567
Yuccas I 285
Propagating-house I 275
 and implements XIX 139
 economical XIV 547
 section of VII 237
 Propagator, heating XVIII 665
 Prophet-flower, the XVIII 246 449; XX 209 262 314
 Protecting materials IV 329
 Protection, does it protect? XII 386
 for border-plants and frames, the best XVII 112 148
 in winter XII 584; materials for VIII 447
 "Protector," a disagreeable IX 496
 simple IX 348
 Protectors, paper VII 225
 reed-mat XI 341
 straw-mat VII 490
Proteiophallus Rivieri IX 71
 Prunes, how prepared IV 52
 à la Russe IV 95
 Pruning VI 436; XII 382 (4 cuts)
 456 (cut) 473 474 (3 cuts)
 and training, improved XVII 426
 470 510 555; XVIII 8 39 63
 104 160 236 274 314; XIX 412
 476; Mr. Hibberd and XIX 388;
 in *Apple Orchards* I 347 (11 cuts)
 Apple-trees XX 632
 common sense XVIII 424
 dwarf trees II 466 XX 552
 early v. late IX 192; and late, and its results XI 312
 exhaustive effects of close VII 267
 for a crop IX 97
 forest-trees VI 107
 fruit-trees XX 590
 Gooseberries XX 633
 hardy fruit XX 491
 influence of time of on season of blooming XI 329
 knife, English I 200; French I 200; straight-bladed English I 200
 ladder for XII 474
 necessity of frequent VI 388
 newly-planted trees I 437
 old Apple-trees I 292
 ornamental trees VI 450
 root II 216; XVIII 430; XX 304
 365 553 632; new view of I 587
 Roses III 210; V 346; VII 235
 saw for I 200
 shrubberies II 512
 shrubs in pleasure-grounds XX 109

Pruning, summer XVI 135; torch IV 126
 time for III 496
 trained garden trees XX 552
 ways of VIII 538
 winter XV 449
 woods XX 110
Prunings, poisonous XX 29
Prunus Avium, large XIII 205
 caroliniana V 524; XII 226
japonica or *sinensis* VI 325
 maritima II 500
 Mume XIII 282
Myrobalana I 107; IV 514; XVI
 237; XVII 27; XVIII 208
obovalifolia III 340
Padus XV 433; old XII 47
pennsylvanica XIX 488
Pissardi XX 203
prostrata XIX 463
serotina XIII 360; XX 29
Simoni XX 385
sineus fl.-pl. XV 130
tenerima VI 306
tomentosa II 108
triloba III 322; XVII 330; XIX
 437
Pseudo-Larix Kuempferi XII 497
Psiidium VII 168
 Cattleyanum VII 252; IX 183
pyrifera V 28
Tilia rose VIII 34; XVII 271
Tsilotum triquetrum III 66
Psophocarpus (*Dolichos*) *tetragonolobus* II 208
Psychotria cyanococea XVII 274;
 XVIII 477
Ieucantha XIII 225
Ptarmina mongolica XVII 491
 vulgaris fl.-pl. VIII 144 188
Ptelea trifoliata aurea XVI 262
Pteris cretica, for rooms VIII 166;
albo-lineata II 401; *Ouvrardii*
 XVII 514
Dixonii XIII 574
Leyi XII 488
scaberula XX 563
serrulata IV 498; crested forms of
 XVII 125; s. *cristata* X 92;
 XVI 437; s. c. major XIII 182;
 s. *grandiceps* XVII 128; s. *Leyi*
 X 27; s. *magnifica* XVI 493; s.
meltoniensis XVII 120; new
 variety of XVI 520; s. *pellucida*
 XVII 125; varieties of XVII
 187
 species of XVI 45
 tricolor XVII 403
Pterocarya caucasica XIV 322; XIX
 409
 in Vienna XIV 345
Pterostichus mudidus XVII 530
Pterostyrax hispidum VIII 243; X
 492; flowers and leaves of XIII
 361; fruit of XIII 360
 Public gardens I 1; and war I 280
 essentials of I 185
 influence of our I 133
Public Park at Brussels, view in the
 VII 431
Puccinia Malvacearum V 344; VI
 215; specific for VI 42
 Puff-ball, common, in its mature state
 VI 200
 Giant I 273; composition of IV 138
gigantea XII 240
 Puff-balls and their allies XVII 380
Pulmonaria azurea XI 205
dahurica XIV 191; XV 375; XVII
 274
saccharata grandiflora XVI 4; XX
 299
virginica IX 488
Pulmonarias XVII 362
 note on XVIII 538
Pultenaea rosea XIII 224
 Pumpkin, new kinds of V 134
 seeds of, and their active principle
 XII 242

Pumpkins, Greely's II 216
King of the VIII 261
 not bearing XX 194
Punch on Flowers at the Crystal Palace I 580
Punica Granatum II 301; new varieties of XVIII 68
 "Pupunha" the VII 422
Purple Nut XX 219
Purslane, in Paris market-gardens VI 437
Puschkinia XX 199
scilloides III 312; V 278; XI 305; XVII 106
SCILLOIDES XIV 288; XIX 126 (PLATE)
sicula and *P. scilloides* XIX 252
Puschkinias XIII 277; XIV 288
 "Pussley," or Purslane, on the table XVI 52
Putty, how to make X 347
 how to soften hard VI 75 163
 substitute for XIX 272
 to make good XVIII 142
Pyracanth, the V 4
 and Snowberries, for winter decoration XI 60
japonica VIII 406
 white-berried, hardiest IX 256
Pyrenees, flowers of the XVIII 219
 alpine IX 591; of the western XI 305
 notes on the flora of XI 148
Pyrethrum aureum VII 320; *a. laciniatum* IX 592; XI 398; XII 446
 Golden Feather XV 294; XVI 367;
 XVII 430
 Golden Gem VIII 84
 good X 213
iudorum fl.-pl. XVII 32
 insect powder VI 324
roseum XII 227
serotinum II 288 344; VIII 360;
 XVIII 376
uliginosum IV 306; VI 360; XVIII
 251 (*cut*) 387 593 (*cut*)
Pyrethrums I 26; XVIII 26; XIX
 627
 autumn-flowering XX 320
 double XII 547; XV 2; XVII
 521; XX 366; and their culture
 XVIII 122; continuous-blooming
 XVII 547
GROUP OF XVI 370
 how they should be sown XVIII
 30
 in autumn XX 343
 new varieties of XVII 546
 notes on the best XII 227
 select X 259
 single XX 6
Pyrola media, in Sussex VIII 34
rotundifolia XVIII 171
secunda IX 32
Pyrostegia ignea VIII 103; well-
 bloomed IX 352
Pyrus XX 376
arbutifolia VI 328 377; XII 367
baccata VIII 320
betulifolia XVII 304
coronaria VII 278; VIII 320;
 XVII 558; XVIII 6; XIX 585
 586
CORONARIA XIX 400
domestica XVIII 288
Hosti XX 153
HOSTI XX 376
bybrida VIII 271
japonica III 340; XIV 253; XVII
 467; XVIII 96; XX 509; fruit-
 ing of XI 542; XIX 121; fruit
 of XIII 390; on walls 318
Malus floribunda I 663; VII 406;
 XVI 514; XVII 386; XVIII
 650; XIX 409; forced XIX
 287
MALUS FLORIBUNDA X 384
Malus spectabilis III 400

Pyrus Maulei V 238; XII 344; XVI 384; XVII 375; fruit of XX 343
MAULEI XIII 390
pubescens XIX 386
riularis XIII 492
salicifolia XVI 111 207
sinensis XV 9; XVI 111 307
Sorbus domestica XX 444
spectabilis I 465; XVII 394
torminalis XVIII 272
Toringo VI 351
vestita I 354
Pyruses XIX 400; XX 321
ornamental, species of X 384

Q.

QUAMASH, the XVIII 468 518; XX 319
QUAMASH, THE XX 302
Quamash root XVII 23
Quamochit, the V 416; XX 362
hederifolia XV 295
vulgaris II 401
Quassia amara VIII 2; XIX 123
Surinam XIX 123
Quassia tree, the VIII 55
Queen-of-the-meadows, variegated II 385
“Queen’s crowns” XIX 618
Queensland, botanical productions of VII 234
fruit culture in VII 342
vegetation in II 515
Queen-of-the-meadows, variegated II 385
“Queen’s crowns” XIX 618
Queensland, botanical productions of VII 234
fruit culture in VII 342
vegetation in II 515
Quercus agnoscifolia XVIII 390
alnifolia, foliage and fruit of XVIII 486
Andersonii IX 200
Buergeri XVIII 462; XIX 285
(*var.*)
Cerris fulhamensis IV 231
chrysopileps XVIII 73
coccifera XX 274
concordia XIV 580; XVIII 317
conferta IX 83
Daimio XIV 578
glabra II 146; XIX 370 409;
fruiting of VII 314; fruiting in
England VII 292
heterophylla XIII 196
Libani I 618
lobata III 279
macrocarpa VI 156
Mirbecki XI 117
occidentalis XIX 216
palustris IV 313; VI 252
Phellodendron XIX 246
pedunculata VIII 4
striata XVIII 390
suber VIII 4
virens IX 56; XIX 478
Quesnelia roseo-marginata XVII 267
Quince, Chinese II 203; flowers of
IX 390
Japonica XVII 367; XIX 478; as
a hedge plant VI 156; blooming
in autumn II 339; in flower XX
561; in groups on the grass XI
102; large white XIII 144;
white-flowered XI 122
Maule’s XX 319
Rea’s Mammoth IX 16; XVIII
334

Quinces, as an addition to Apple-
tarts V 175
two new Japan XIII 571
Quince stock, starved trees on I 469
Quince stocks X 279; XVI 552; and
hard pruning XVII 135
Quincunx planting XIII 245
Quinine II 308
Quintinie, portrait of Jean De la III
247
Quisqualis indica XIV 299; XV 79
(*cut*)
sineu-is IX 583

R.

RABBIT-fences and fruit-tree pro-
tection XV 198
Rabbit nuisance, the XVII 231
Rabbit-proof plants I 9 88 98 136 165
Rabbits XVIII 117
and fruit-trees III 150
and woods XVII 52
and young trees X 302; XVII 42
plague of XIX 502
protecting trees from XX 247 352
trees IV 428
Radiation, terrestrial VII 181
Radish, black XVI 506
early white Stuttgart Giant XI 107
French breakfast X 10
Giant X 378
Japan VIII 107
large white Californian I 68
new XIX 527; Japanese VII 426
pods of XIII 618; cooked XII
182
Rat-tailed XVI 570
Tycoon XIII 121
varieties of the II 267
Radishes XII 74
bait for grubs II 32
culture and varieties of X 503;
in market-gardens VI 323
early XV 76
for autumn and winter use XII 240
French breakfast XVI 251
how grown in France IV 56
how to grow II 212
in cucumber frames XVII 120
preparation of ground for XII 458
winter I 197; in Germany XIV
530
Ragworts Arnolds XI 239
Patma XI 261
Raft for water plants XII 58; *Will-*
sow XII 15 84
Ragged Jack XIX 358
Ragged Robin, double rose and white
X 30
double white XVI 59
Ragley Hall VII 82
Rags (woollen) as a manure for fruit-
trees III 422
Raidisseur, new II 329; IV 120 (*cut*)
Raidisseurs superseded III 366
Railings II 96
Railway banks and slopes, the utilisa-
tion of VI 392
embankment, for fruit-trees I 206
270
lines, beautifying VI 252
stations and embankments XVIII
514; embellishment of II 181
224

Railways and market-gardens XIX
158
and parks I 364
Rain, artificial IV 182
in 1874, deficiency of VI 42
substitute for VIII 122
way of doing without VI 260
what is an inch of? II 200; VIII
330
Rainfall and climate VI 489
and sun-spots VII 60
at Bury St. Edmund’s in May,
1878 XIII 458
at Cheltenham in 1872 III 73
in the British Isles in 1881 XX 140
221
in Paris in April, 1876 IX 400
in N. Leicestershire in 1874 VI
105
Rain-tree, the XII 240; XIII 239
leaves of XVII 276
Rain-water and its constituents X
542
impurities of V 546
storage of VI 296
Raisins from Australia III 288
in California VII 296; IX 51
Malaga X 596
Rake-hoe, a XVII 462
Rake, a useful drill X 66
Ramonda pyrenaica III 277 331 382
471 (*cut*); XVI 540; XX 87;
at home XVI 507
Rampion, in Paris market-gardens VI
437
Rangemore Hall, notes from XIV
316
Ranunculus, the IX 41
aconitifolius fl.-pl. XVII 479;
fl.-pl. XVIII 4
acris fl.-pl. XII 130
amplexicaulis IX 71
anemonoides XIV 363
aquaticus XVI 89
asiaticus V 12
Bertoloni XI 369
bulbosus fl.-pl. XII 130
bullatus XIV 411
cortusaefolius III 245
Ficaria XIX 570
floribundus XII 130
Lingua XVIII 28; *flowers of* XIX
256
Lyalli X 419; XV 391 (*cut*)
millefoliatus XI 329
Persian XVIII 122
platanifolius VIII 78
repens fl.-pl. XII 130
roots of, lifting XVI 56
speciosus XIX 534; XX 217; s.
fl.-pl. IX 443
with green centre XVII 420
Ranunculi XVII 388
double French and Persian XVII
479
English names for XII 198
garden VIII 83; IX 566
planting IX 218
Roman XIX 585
select IX 465
Raphiolepis ovata XIX 664
salicifolia XX 499
Rare plants XX 602 636
Raspberry, the V 244
arches XVIII 67
beds, duration of IX 181
flowering XX 53
new XVI 330; XVIII 138
plantations, forming new XIV
519
snickers XIII 481
sweet-scented Virginian I 465
tart, French X 119
vinegar X 119
Raspberries XVI 96; XX 170 383
American red VI 541
and Blackberries, from cuttings IX
15
autumn-fruiting IX 113 128

Raspberries, autumn treatment
of XVI 317
culture of II 187; V 72 123 149
168 213; VI 436; IX 219 523;
XIV 98; XVI 348
cutting down XX 531
destroyed by weevils XVII 271
drying XV 439
in November XVIII 464
in the west XVI 92
manuring XI 264
newly planted XX 591
new way with XII 217
on light soils XIV 261
planting X 445
pruning XX 253
ripe in November VIII 448
stakes not needed for II 451
sudden failure in XIV 21 48
Rat guard XIII 219
Rats and *Cantharikopho* VI 577;
VII 40
and climbers XII 350
and mice III 9; as garden pests
VII 132; how to destroy X
392
and water plants VIII 150
cheap and simple mode of destroy-
ing XIV 16
Rattle-weed VI 168
effect of, on cattle VI 284
Rat-trap, efficient III 9
new IV 357
Rarenda madagascarensis VI 205
Ravine near Sorrento VII 325
vegetation VII 324
Reading nursery, notes from XX 137
Reana luxurians VIII 128
Receipts, garden X 195 248 269 294
320 345 369 392 412 433 452 472
494 512
household VI 509
Redleaf, near Penshurst XX 373
Redoute (P.J.) portrait of XVII 69
Red peppers I 485
“Red rose” rental, a X 61
Red spider V 109; VII 471 (*cut*);
XVIII 241
how to destroy X 412
induced by over-cropping VIII
370
poison for XIII 504
Redwood, the V 83; XII 295 484
as a coppice plant IX 364
as a game covert VII 370
Californian X 492
cones and fruit of XII 295
increasing VII 370
in England XII 437
pruning VII 23
supply of VII 352
Redwood tree, a large XII 340
Redwood trees, colossal IX 390
 Reed, *Bur* I 213
common XX 315
great I 391; III 493 (*cut*); XX
315; in flower XI 428
mat protectors XI 341; XIII 273
311 (*cut*)
New Zealand XVIII 479; XX
315
singular S. American V 258
Reed-Mace I 213; X 195 (*cut*)
Reeds and climbers in S. America II
255
Rebel, Dr. E., portrait of XVI Frontis-
piece
Regelia ciliata V 400
Regent’s Park XII 320; XV 521
Botanic gardens in I 234 268
disfigurement of the water in XII
175
floral arrangements at XI 539;
XII 32
gardens in the III 15
kiosque in the XVI 319 341
new bridge near XIV 187
Re-grafting established trees XX
552

Re-grafting trained trees XX 552
worthless fruit trees I 227
Rehmania sinensis XIX 490
Reidia glaucescens X 131; XVIII 34
Reigate, public park for VI 334
Reineckia carnea variegata V 213
Relations I 166
Renanthera XX 97
 coccinea at Dalvey V 220; early blooming of VIII 97
 Lowii, in blossom X 97
Rendle, Mr. W. E. XX 281
Rendlesham Hall IV 49
Reports, weather and crop I 44
Re-potting, timely and judicious XII 153
Reseda odorata pyramidalis VIII 146
Reservoirs Bill, the XII 167
Rest-harrow, the shrubby II 127
Restio subverticillata II 482
Rest plant XX 414
Restrepia antennifera XI 278
Retinospora Ellwangeriana XVII 446
 ericoides, a misnomer XII 558
 588; XIII 155 176
 false XVII 141
 golden, as a hardy evergreen XIV 31
 juniperoides XII 404
 obtusa VI 427; at Twickenham IV 67
 on rock-work XIV 172
 pisifera aurea VI 320
 plumosa, indoors VII 336
 tetragona aurea XX 524
Retinopora, the II 310; VIII 271
 golden VIII 423; XVIII 548
 imports at Kew VI 373
 species of XVIII 253
Roulingen School of Gardening VII 259
Rhamnus chlorophorus XIV 29
 croceus, singular effect of eating the berries of VI 32
Frangula XX 223
 utilis XIV 29
Raphiolepis SALICIFOLIA IX 596
 genus of IX 596
Rhipis flabelliformis III 199; VIII 355 (*cut*)
 humilis I 582
Rhea fibre III 194
 plant XIX 185
Rheum Emodi I 280; VIII 121
 hybridum XIII 462
 nobile IX 47; XVII 389 (*cut*);
 468 535 (*cut*) 564; XVIII 534;
 at home XVIII 58
NOBILE XVIII 406
 officinale V 439; IX 376 490; XI 467 (*cut*); XIII 434 617; at Pendell Court XIX 151
 palmatum, as a fine-foliage plant IX 260; p. *tanguticum* XIII 444; XIV 310
Ribes XIX 419
Rheums, notes on XV 69 112
Rhexia virginica II 92; X 125;
 XII 175; XVI 216; XX 203 264
 VIRGINICA XI 294
Rhianva, Anglesea XVII 365
Rhinopetalum Karelinii XIII 3; XVII 5
Rhipsalis funalis XIII 315
 rhombaea XVII 167
 salicorioides XIX 226
Rhizophora Mangle I 342
Rhodanthie, in the greenhouse IX 190
 Manglesii II 65; as a greenhouse ornament I 73; m. fl.-pl. VII 405; in pots XI 186
Rhodanthes I 113
Rhodochiton volubile XIV 442; hardy VIII 305

Rhododendron arboreum VII 254; at South Kensington XV 228
 argenteum VII 62; IX 150 195
 Aucklandi XV 287; XIX 418; XX 328 361
 AUCKLANDI XX 328
 AUCKLANDI HYBRIDUM XI 452
 barbatum XVII 241 274
 blandfordiæflorum XVII 490
 blooms of, on old buds XV 345
 californicum IX 540; XII 206
 Campbelli XIX 438
 campylocarpum XVIII 277
 caucasicum IX 371
 ciliatum XVII 290
 cinnabarinum XI 420; XX 52
 CINNABARINUM XV 182
 Comte Michel Corinaldi XVIII 229
 Couinetus of Haddington VII 356; XVII 150 204
 Dalhousie XVIII 437; in Cornwall IX 570
 Daviesi XIX 464
 double-flowered XIII 407 517 (*cut*)
 Duchess of Edinburgh X 444; XVIII 423; XX 97
 Early Gem III 198; XIII 31
 Falconeri III 499; VII 318 352
 ferrugineum XVII 558
 finely-flowered XIX 438
 giganteum XIV 301
 gracile Brooki XVIII 642
 Hardyanum XV 508
 history of the X 27
 Hodgsoni XV 210
 jasminiflorum XI 466
 KATE WATERER XVI 208
 Keysi XVII 404; XVIII 75 (*cut*)
 Lady Alice Fitzwilliam XX 280
 late XX 52
 LEPIDOTUM XV 36
 malformed XIII 506
 mauria II 377 405
 myrtifolium XV 210
 New Bornean XX 605
 new hardy XV 442
 Nobleanum XVII 198
 NOVELTY XII 492
 Princess Alice XVII 342
 Princess Royal III 46; VIII 91; XII 296; XVIII 285 (*cut*) 586
 retusum XX 98
 Russelianum XX 613
 scarlet VII 254; XX 53
 seed XIX 190
 Sheppardi XIX 414
 singular freak of XVIII 485
 stenophyllum, flowers of XVIII 546
 Taylori XI 166
 Thomsoni XVII 338
 Vauvau VI 512
 Veitchii XIII 113; XVII 197; V. var. *keightleyanum* XVII 284
 VEITCHI XVIII 280
 virgatum XVI 307
 winter-blooming VIII 318
 yellow XVIII 642
Rhododendrons XVI 382; XVII 386 507
 and leaf-mould XVII 69
 and Roses XIV 316 350
 at Crimsmore XV 469
 at Cobham Park, Kent XIII 619
 at Envile V 388
 at Keele Hall VII 398
 at Knap Hill XI 534; XVI 49; XVII 538
 at the Bagshot Nurseries XVII 540

Rhododendrons, best time for moving IX 83
 choice III 312; hardy, at Edinburgh XIII 458
 conservatory IV 251 294
 cutting back VII 437; XX 60; pot XVI 72
 double-flowered XIII 559
 dwarf XIX 619
 early XIX 294
 effect of a moist autumn on early X 50
 Flame Nasturtium among VII 437
 for cutting I 650
 for the conservatory IV 176 206
 garden of XIX 659
 grafting VII 526
 greenhouse V 4; XV 375; XX 547
 hardy XVII 251
 Himalayan VII 276; at Kew XIX 533; hardiness of XX 387 517; in Ireland XVIII 129
 hybrid XX 419; greenhouse XIX 117; new XI 118
 in August XVI 116
 in Austria XX 478
 in baskets III 489
 in bloom in November and December XIX 69
 in Cornwall XVII 284
 increasing XIV 75
 in Hyde Park XVII 491
 in June XV 507
 injured by peat IV 400
 in ordinary garden soil XI 514
 in Scotland XIX 538
 late flowering I 305
 Liliputian XII 77 226
 lime, poison to VII 252
 NEW JAPANESE XVI 394
 new sweet-scented XV 430
 new race of IX 540
 not American plants XI 8
 on chalk XIII 375 409
 raising from seed IX 535
 remarkable XV 433
 saddle-grafting XVII 230
 select IX 191
 Sikkim XI 114 457; XVII 403; at Kew XIX 322 437
 soil for XVII 141 175
 tender, in bloom in April XIII 355
 treatment of, after blooming IV 94
 two large Tree, at Kew XIX 572
 under glass XIX 298
Rhodoleia Championi VIII 258
Rhodora canadensis XIX 464 600
Rhodotypos kerrioides VI 229; XVI 228; XVIII 107; XX 523
Rhonee ke Teel XVI 197
Rhopala elegantissima XIII 23
Rhubarb I 42; XX 525
 and Apple tarts IX 463
 best III 300
 common, in France XIV 538
 cooking VII 146
 culture of IV 467; XVII 95
 fool III 442
 forcing VII 232; XII 627; XIV 458; XV 17; XVI 581; XVIII 549; XIX 196
 forced, in the market VII 268
 for forcing XVIII 651
 for succession XIX 358
 great yield of VI 529
 grown in the dark VII 245
 Hawke's Champagne XX 512
 in London market-gardens VII 101
 Johnstone's St. Martin's XIV 342
 large V 486
 late gathering of XII 135
 leaves of, for destroying crickets V 486
 marketing XVIII 290

Rhubarb, medicinal, grown in England VII 182; true V 439; VII 148
Nepal I 280
new species of V 206; XI 467 (*cut*); notes on XIII 462
official IX 461; XIII 617; as a decorative plant IX 406
planting XVIII 266
poisoned by I 197
preserved XV 490
Silkin Mountain XVII 535; XVIII 534
SIKKIM XVIII 406
Stott's Monarch XII 458
true, in England IX 552
Rhubarbs, as ornamental plants I 280
 sources of medicinal IX 168
Rhus Cotinus I 632; VI 377; VII 272; XVI 290; XX 204; in masses XIV 154
diversiloba, poisonous XVIII 111
glabra laciniatu I 375; II 380; IV 206; XX 220; propagating XIX 315
juglafolia or vernicifera X 419
Osbecki XVII 98; XX 420
succedanea VI 532; XX 499
toxicodendron II 76
typhina IV 192
vernix XI 307
viridiflora XVIII 288
Rhynchospermum jasminoides VIII 91; XVIII 33 113 412; XIX 654; for winter flowering VIII 485; hardy, in Devon XV 334
Rhynchosperma montanum IV 65
Rhytisma acerinum XVI 450
Ribes aureum XII 271; XVII 394; XIX 439
 bracteatum X 475
 flavum II 322
Fuchsia-flowered IX 586
Grossularia, culture of VII 322
lacustre XVIII 68
sanguineum XV 364; double V 489; s. grandiflorum V 524
speciosum IX 586; XVII 463
sub-vestitum and R. lacustre XIX 558
Ribbon-bed, plan of VIII 149
Ribbon-border, early in June IX 592
Ribbon-posts V 234
Rice II 215
modes of cooking, in India VII 393
to cook properly VI 366
Rice-paper plant I 560 627 (*cut*); II 357; XIII 109
Chinese I 627
Rice-paper plants XIII 358
Richardia ethiopica V 412; XII 283; XX 427; at Valentia XIII 594
albo-maculata IV 70 112; XIV 213
double-spotted X 55
hastata XVIII 646; XX 153
HASTATA XVIII 596
maculata II 144; XII 540
Richmond Horticultural Society XVI 24
Park X 363; XII 28; and the public X 518; Mr. Gerard Noel on XI 538
Ricinus communis I 541; propagating XVIII 610
Gibsonii VII 226; XII 399; and its culture IX 75; under glass VIII 453
propagating VI 254
 sanguineus V 75 349 (*cut*)
Ridgeway, gardens at XVIII 377
Ridging ground in winter XIV 424
Ringing-tongs, French VI 204
Rio de Janeiro, the Public Promenade at VI 411

River sand for cultural purposes XVIII 534
Island scenery II 313
scene at sunrise XIII 5; *in a park* XI 502; *in N. W. America* XIII 320
 sides of, protecting XII 279
 Riviera, the XVI 582
 climate of XVI 499 546
 frost in 1879 XVII 140; effect of XV 59
 notes from XVII 174 239
 plants affected by frost and east wind in the XV 122
 shore of XX 508
 Rivina flava XX 366
 humilis III 357; XII 520; XVII 103; XVIII 478; as an indoor wall plant XIV 284; as a table-plant X 479 501
 leaves XVI 547
 yellow-fruited IV 480
 Rivinas in fruit XX 499
 Road dust, value of VIII 281
 Roal-making XIII 280
 Road-scrapers, an improved XV 308
 Road-scrapings as manure V 428
 Roads XX 596
 asphalt I 26
 in parks XI 213
 watering I 109
Robinia dissecta, dimorphism in VIII 399
dubia XII 562
hispidia II 531; XVII 557; XX 12 295 (*rut*)
macrophylla I 373
 Pseud-Acacia *angustifolia elegans* XIV 580; P.-A. *aurea* XIV 171; P.-A. *Bessoniana* XVIII 368; P.-A. *Decaisneana* IX 36; Pseud-Acacia, first introduced into Europe III 322; P.-A. *inermis* II 88; P.-A. *pendula* VI 53; P.-A. *semperflorens* XIV 212; P.-A. *umbraculifera* XII 405
PSEUD-ACACIA DECAISNEANA IX 36
viscosa XX 420
Robinias, best species of VI 265
 evergreen III 33
Robins, the VII 47
Rocha falcata VI 148; XX 388; 442
 Rochester Castle, gardens at I 140 141 (*cut*); II 24
 Rochester (U.S.), gardens at XIV 107
Rock-hed, ornamental IV 453
 Rock-Cress XX 312
 alpine XI 293
 garlic-scented VIII 84
 Rockery at Kew, the new VI 174
 field mice in a XIV 550 573
 natural, produced by excavation V 101
 Rockeries XX 13
 and alpine flowers XX 43
 and rock plants XIV 505 536
 in winter XVI 481
 natural XIII 201
 Rocket, double French XIX 618; purple XVIII 6; XX 23; white XIII 535; XVI 295 325 401 445 508; XVIII 51; yellow IX 591; XVI 324
 Scotch XVII 558
 Rocketts, double XII 256; XVI 367; XIX 668; white and purple XVI 462
 white XIX 617
Rock Fernery at Danesbury XX 417
 Rock-garden, the XIX 276 468 507 516; XX 150 309 334 404 534 555
 artificial XV 448
 at Chiswick XIX 438

Rock-garden at Easter Duddington Lodge VII 457
 at Southwood XVIII 25; XIX 344
 at York XVI 344
 autumn notes on X 397
 beautiful VII I 477
 forming XIX 596
 in Battersea Park XVIII 621
 in May VIII 397
 mice in I 687
 natural X 355
on margin of Shrubbery I 3
on May-day VII 377
passage in I 247
 soil for X 590
steps in II 7; XVII 180 (*cut*)
 surface of XIV 332
valley in II 8
 well-made XVIII 58
 Rock-gardens I 458
 essentials in construction of I 542
 in Austro-Hungary XX 500
 plea for I 70
 Rock-gardening at Kew XII 105
 Rock Jasmine XX 257
 Rock-plants, variegated XX 222
 Rock-rose, variegated XIII 70
 Rock-roses II 24; XVI 419
Rock in a Sussex garden I 225
 in shrub culture XIV 322
 mossy, in pleasure-grounds III 410
out-cropping I 246
with ivy and briars XIII 12
Rockwork I 497 (2 *cuts*); XV 501
 at Chatsworth I 50
 at Kew I 379
 at Lamport XX 217
at Oatlands Park, artificial VI 431 446
 at the Westminster Aquarium IX 123
 badly designed XIV 106
 drooping plants for III 316
 good and bad I 246
Hibberd's XX 96
in Battersea Park III 207
in Hyde Park I 344
in London public garden I 3
in villa at Hammersmith I 3
judiciously covered I 247
 making and planting XVI 123
 management of X 516
natural, in a garden VI 225
 near the Serpentine XI 166
 of tufa, at Covent Garden Theatre VI 238
 on the geological aspect of VII 125
 snapdragons for XX 157
ROCK YARROW, THE XVIII 306
Rocky knoll in Osmaston gardens III 331
 knolls III 382
margins (broken) to artificial water XIII 338
 Mountains, singular vegetable forms of the XIX 401; trees of III 128; *vegetation of* III 129
stair-way XV 451
staircase in garden XII 544
Rocquencourt, the gardens at VI 321
Bodgeria podophylla XIII 457 484; XVII 515 (*cut*)
Rodriguezia crispa VII 60
revoluta XIV 577
Roffea grass VII 67; IX 312; XIV 585; for tying purposes V 295
Rogiera cordata XIII 80
gratissima XI 102; XV 70; XVI 208; XIX 48; XX 172 604
 Roman horticulture III 202
 marsh lands III 119
Rome, view from the Janiculum Hill I 589
in the Borghesi gardens I 635
 wild flowers about XI 141 165
 winter-garden in I 109

Romneya Coulteri V 139; X 278 478; XI 374; XII 228 247 392; XIII 406; XX 393; from seed XIII 400; *fruit of* XIII 494; in Essex XIII 561
COULTERI XIII 494
Romulea Clusii XIII 407
 Macowanii XV 32; XVII 34; 113 (*cut*) 139
Rondeletia anomala XVI 359; XX 72 437
 Backhousei XI 278
cordata XIX 199
Rondletias in bloom in September, how to have VII 383
Roof, conservatory I 43
 gardens I 42 110; V 540
support, iron I 475
 tree at Knebworth, the IX 114 (*poetry*)
Roots for hothouses, forms of (2 *cuts*) XX 583
 Rookery, effects of, on vegetation I 254
 Rookeries in wrong places IX 491
 Rooks and Potatoes XIV 33
 and rookeries IX 396; of London XIV 49
 planting Fir-cones XVIII 649
 Room decoration XIX 424
 Rooms, flowers in sleeping XX 583
fruit XX 590
 Root and other parasites III 135
 and top growth V 333
 dryness at, in winter IX 117
 fibres II 120
 fungi VI 548; drowning XIII 212
 show, Messrs. Carter's, in 1874 VI 510; Messrs. Carter's, in 1879 XVI 498; Messrs. Sutton's, in 1877 XII 530; Royal Berks, in 1874 VI 510
 Roots and stumps removed by dynamite VIII 70
 and “yarbs” in N. Carolina XVI 350
 blasting with potentite XX 28
 bulbous, depth of, in the soil V 350
 crops of, thinning out XIII 453
 fibrous XX 268
grafting on IX 385
 growth of IX 131
 hairs of X 203
 in drains VII 466
 inexpensive XX 73
 in water-pipes XV 502
 new and old Vine IX 73
 splitting by dynamite, tree XX 505
 storing I 63; XIII 154 175; for winter XVI 378
 too deeply covered XX 448
ROOT-BLOSSOM, THE SCARLET XI 524
 Root-cap, the IX 386
 Root-coiling, ill effects of VI 306
 Root-grub, the VII 469
 Root-pruning II 216; IV 485; XVI 316 329 347 372 429 495; XVIII 430; XIX 118; XX 365 553 632
 season for XVI 210
 to induce fruit-bearing, superseded VII 433
 to ripen young wood XIV 418
 v. lifting VIII 385
 v. pot culture XX 31 121
 Root-work IX 77
Clematis on II 463
embellished with spring flowers V 323
 v. rock-work VIII 531 543; IX 23 32
Rosa alpina X 100
blanda XX 17
Brunonianum XIII 138; XIV 3; XVI 105

Rosa Camellia XVI 24
centifolia XII 173
damascena XII 173; XIX 616
diversifolia V 224
fulgens, as a standard XIV 316
gallica, var. *damascena* VI 512
intermedia V 487
involuta Webbii VI 422
Ineida XVI 205; XVII 161 (*cut*)
polyanthia XII 553; XIII 136; XV 461; XVII 557; XVIII 542; XIX 391 619; XX 407
Regeliana XVI 326
rugosa VII 520; XIII 617; XVIII 106 246 311 336; XIX 623; XX 162 222 437; r. alba VI 262; IX 540; double IX 26; from seed XVIII 240 370; XX 21; in August XVIII 201
RUGOSA ALBA IX 452
semperflorens X 34
sericea XIX 586
simplicifolia (berberifolia) XIX 473
sulphurea XIV 218
versicolor III 110
yvara IV 504
 Rosarian's Year Book for 1879 XV 114; for 1880 XVII 159
Rose-Acacia I 373; as a standard XIV 154; noble XIX 616
Rose, Aimee Vibert VIII 97
 A. K. Williams XIX 520 573
alpina X 100
 American Banner XV 82; XVII 32 264
 Baroness Rothschild XII 578; XVI 410
 Beauty of Glazebrook VIII 256; XII 30; XIV 316
Belle Lyonnaise VIII 386
Bessie Johnson II 98; XII 30
Bon Silene XV 222
 Burnet, new variety of the VI 422
 Captain Christy IX 77
Cashmere XVIII 518
CATHERINE BELL IX 266
 Catherine Mermet XIX 527
Celeste XV 405; XVI 128
 Charles Darwin XV 81
 Cherokee X 451
Cheshunt hybrid XII 542; XIII 461
China crimson XII 462
China pink XIV 496 527
 Cloth of Gold VII 514; fine specimen of the IX 4; X 480
COMTESSE DE SERENYE XI 50
Comtesse d'Oxford VIII 234
Comtesse Riza de Pare XVI 359
Corucia Cook XIII 109 136
Coupe d'Hebe, rival to VII 319
de Meaux XI 493
Devoniensis I 376 433
Duchesse de Vallombrosa VIII 543
DUCHESSE DE VALLOMBROSA XII 286
DUCHESS OF EDINBURGH IX 60
 Duke of Connaught IX 543
 Duke of Edinburgh VI 462
 Duke of Teck XVI 385
 Fortune's China indoors XIX 606; yellow XVII 507
François Michelon XI 356
Gloire de Bourg la Reine XVII 320
Gloire de Dijon I 541; XII 388 542; XVI 378; XIX 96 310 371; origin of VII 378; pink II 464
Green XII 34
Hippolyte Jamain VIII 234
Hortense Mignard VIII 477
Isabella Sprout VII 236
Jaune Desprez XVI 510
JEAN DUCHER XVI 220
JEAN LIABAUD XV 298
La Boule d'Or XIX 573 655

Rose, La France, in winter XX 603
 LA FRANCE X 586
 Lamarque, in cool houses XI 393
 LA ROSIÈRE XIII 286
 Little White Pet XVIII 417
 Louise Peyronny XX 560
 Mabel Morrison XII 225
 Madame François Jamin XVIII 178
 MADAME LACHARME X 586
 Madame Oswald de Kerchove XVII 320
 Madame Trifé VII 274
 Madame Welch XIII 225
 Mammoth XX 176
 Marguerite Brassac XX 176
 Marie Guillot XVI 359
 MARIE VAN HOUTTE XVI 330
 MAY QUENNELL XIII 286
 MONS. E. Y. TEAS XV 298
 Mrs. Opie XI 370
 Niphatos XV 222; under glass and in the open air XIX 573
 Peach Blossom V 388
 President Thiers VI 382 402
 Princess Louise IX 192
 Provence yellow XIV 218 236
 RAMANAS IX 452
 Ramanas IX 540; XVIII 106 311 336; XX 222 437; continuous bloomer IX 463; in August XVIII 201
 Rêve d'Or XII 256
 Reynolds Hole XI 373
 REYNOLDS HOLE XI 356
 Safrano XI 265; in bud XIX 520
 Silky XIX 586
 Souvenir de Malmaison XIV 284; XV 10 222
 SOUVENIR D'ELISE VARDEN XVI 330
 SULTAN OF ZANZIBAR IX 156
 Thomas Gerrard XX 207
 Triomphe de France X 562
 York and Lancaster III 110; VIII 34; XII 56; XIX 548 606 616; XX 102
 "Rose Annual," the XV 41; XVI 509
Rose Aphid, the XVI 137
trap for XV 381
 Rose-arches and baskets XVIII 487
 Rose-beds, top-dressing VII 292
 Rose-beetles XI 536
Rose-border, a XV 421
 Rose-borders XV 421
 Rose-buds XX 248
 and black ants XI 352
 best winter, for market VIII 450
 in America I 222
 Rose-canker XV 487
Rose Chaffer, the XIV 428
 Rose-elections in France XVIII 431
 Rose-farms of Roumelia, the XII 175
 Rose-gall on Willows V 315
 Rose-garden I 26 533; XX 6 450 554
 for April I 449
 for June I 626
 for March I 319
 forming a XI 143; an amateur's XIII 24
 in December IV 512
 in summer VIII 34
 of Oakwood XVIII 96
 our XX 579
 seasonable work in XX 637
 wall II 98
 Rose-gardens of the future XIII 138
 situations for XV 108
 small white XIX 246
 Rose-harvest of 1873 IV 124 166 257
 of 1874 VI 24; in Turkey V 403
 of 1875 VIII 80
 of 1880 XVIII 95

Rose-hedge, fine V 264
 Rose-bedges VIII 386; X 227; XII 282; XV 439; XVI 404; XX 418
 in the south of France VI 49
 Rose-house at Chiswick XIX 438
at Edmonton XI 375
at Guversbury XV 228
 troubles of XVII 461
 useful XV 82
 Rose-houses XIII 454; XV 288; XVI 64; XX 176 498
 Rose insect, mining III 204
 Rose insects VII 416
 Rose jelly VIII 510
Rose-leaf wired III 343
 Rose-leaves, diseased IV 44; XVI 138
 preserving XIV 165
 spiced XIV 319
 Roseless June, a XVI 32
 Rose-lore IX 461
 Rose maggot, the V 337
 Rose Mallow, herbaceous VII 125
 Rose Mallows VI 563
 Rosemary, in masses XIV 350
 in spring XIII 381
 large II 423
 twigs of XX 557
 Rose pests, how to destroy X 414
 "Rose" potatoes, history of III 230
 Rosery, a XX 148
 at Thoresby XVI 524
 situation for XX 498
Rose Saw-fly, the XIV 245
 Rose Season of 1881 XX 31 299 497
 Rose Secret, the I 319 363 390 457 498 515
 lines on I 563
 Rose Show at Birmingham II 21
 at Lyons, in 1874 VI 402
 at South Kensington in 1873 III 368
 at the Alexandra Palace, in 1875 VII 534; in 1877 XII 27; in 1879 XVI 45
 Bath and West of England, in 1877 XI 420
 Cardiff, in 1881 XX 48
 in August, 1879 XVI 81 135
 late summer XVIII 284
 National, in 1877 XII 26
 of the Royal Horticultural Society in 1879 XVI 46
 revival of the National X 538
 Sheffield, awards at XX 100
 St. Ann's, at Nottingham IV 80
 West of England, in 1877 XII 52
 Rose Shows, all the year round XVIII 335
 dates of XV 430 456
 in autumn XVIII 301
 Rose Society, East Anglian XIX 124
 National XI 226 264; XIV 367; XV 109; XVI 377; XVII 379; XX 45 232 600; Exhibition of in 1879 XVI 22
 Rose, sweet is the IX 306 (poetry)
Rose-tree, a XI 179
 ancient XII 398
 Rose, Banksian, as a stock XIX 208 310
 de la Grifferaie, as a stock XIV 336
 giant II 315
Gloire de Dijon, pruning XVII 48; XVIII 414
 leaves of the Gueldre XX 368
 Rose-weevil, the IV 76
 Rose wine X 201
 Rose-wood X 456
 Roses V 321; XX 162 321 334 533 628
 and *Clematis*, on trellis IV 281
 climbing, isolated on grass XII 487; on an old tree XVI 385
 Roses against standard IX 335
 against walls XVII 537

Roses, age of standard on the Briar IX 334
 and climbers, for porches and walls XIII 454
 all the year round V 299; XIII 3 American XVII 397 502; prairie XVII 282
 among the III 329; XII 220 (poetry)
 and callus XIX 407
 and Clematis mixed XII 399 and frost XIX 276
 and Gishurst Compound XV 249 and Grapes XIII 166 190 198 and human hair VI 425 and irrigation XIX 33 and ladies IV 6 and lead wire XV 268 and Mignonette, in combination XIV 199
 and Rose culture I 159 203 238 251 302
 and Rose soils XIII 115 and Rose stocks XIII 617 and the frost of 1880-81 XIX 473
 and the winter of 1879-80 XVII 518
 and Tritomas XII 247
 aphides on XVII 458
 as Rose stocks XIV 528; in February XIX 310 423; in winter XIX 124; protecting XIII 308; striking XIV 275 297; struck in heat XIV 403; in water VI 403; transplanting IX 165; when to transplant XIV 363 at Boxhill XIV 26
 at Cannes XV 446 461 488
 at Caunton XX 124
 at Cheshunt XIV 123
 at Colchester, a day among the X 49
 at Eaton Hall XVI 297
 at Goodwood XVI 529; XX 31 at Manchester XX 178 290
 at Nice XIX 519
 at Sheffield XX 161
 at Slough XIV 99
 at Stapleford XVI 64
 at the Ascot Nurseries XVI 64
 at the Crystal Palace Show in 1873 JV 1
 at Waltham XIV 57
 at Welling XVII 103
 attar of IV 175; VI 413; VIII 478; XI 503
 autumn X 306 425; XIV 448; XVII 335; XX 346 390
 autumn planting of XVIII 439
avenue of XVI 377
 bank of IX 406; XVII 51
 Banksian I 608 653; II 239; VII 482; XI 303; XIII 210 243; XIX 527 573
Bedeugue of the II 311
 beds of dwarf, at the Crystal Palace VIII 2
 Bennett's New XVII 51; Pedigree XVI 99
 best autumnal Hybrid Perpetual XVIII 513; for indoor culture XVII 442; for small garden XX 67; forty-eight XII 471; light and dark standard IV 158; VIII 477; twenty II 551; twenty-four monthly for bedding XIX 423; twenty hardy XIX 487
 best in 1880-81 XIX 481 487 520 573
 best varieties for pot culture XX 484
 blight and insects on XIII 274
 blighted XIII 530
 blooming in January III 22; in December II 539
 Book about V 454; XX 8; border of XIII 617
 Briar or Manetti II 97

Roses, Briars from seed XVIII 488 British wild, select species of XIII 596
 budded XX 467; best XX 418 budding II 72; IV 127; XX 30 66; in hedges XI 447; in May VII 417; time and conditions for XX 133; season for XVIII 197
 Burghley Yellow XII 65
Bush XIII 387
 button-hole XIV 173 218
 by post VIII 346
 Californian XIX 572
 Canon Hole on XX 77
 cheap I 204 253 276
 China, in beds XVIII 513
 Christmas III 208; IV 504; VIII 476; XII 512; three species of VIII 497
 City VIII 52 (poetry)
clift-grafting XIV 426
 climbing VI 50; XII 340; XIII 137; XIV 173; after flowering VII 484 524; and Holly XIV 56; and their uses IX 592; evergreen XVI 474; for trees XVI 141 510; Hybrid Perpetual VIII 109; on iron trellises XVIII 380; removal of VI 563; Devonensis and Souvenir de Malmaison I 252 278; XII 8; XVII 51
common Moss IX 499
 comparative effects of frost on dwarf and standard V 518
 continuous-blooming indoor VII 175
 crimson and pink China XIV 404
 cultivation of XII 369; XIV 198 448; XVI 4 553; XVIII 660; at Bath in 1873 IV 21 42; few remarks on X 326; for market XX 629; improved Tea XIII 545; in America VIII 516; in France XIV 314 334 355 383 402 424 446 495; XV 40 106 203; in Portugal XIV 218; in pots and in borders XV 221; notes on XV 460
 cut, for market XVII 102; show of XX 130
 cuttings of I 162; VI 340; X 54; XIV 57 384 (2 cuts); XVIII 266; XIX 207 519
 demand for, in 1880 XVIII 513
 dense or thick coverings for, a mistake XX 132
 descriptive list of the best hardy XVI 134
 dimorphism in the V 524
double shield-budding XV 41
 drooping XVIII 554
 dwarf China V 412
 earliest XIX 520
 early XI 322; XVII 442
 early pruning of XI 232
 earthing-up dwarf, in winter XIX 370 437 487
 effect of dry weather on XVIII 240; of frost on XV 361; of the winter of 1880-81 on XIX 481
 Ellwanger and Barry on bedding Perpetual and other XX 375
 English and Continental, new, in 1875 VIII 200
 excretions of XIX 180 225
 exhibiting VI 214
Fairy XIII 292
 feast of VIII 25
 festooned with *Convolvulus* VIII 256
 few good garden XIII 71; greenhouse varieties XII 578
 field day among XX 132
 first attempts at growth of XIX 437

Roses, first of the year XIII 199
250
flowers amongst XX 162
fly on VIII 242
for amateurs XVII 517
for “Imiton-holes” III 297
forced XI 321
forcing VII 104; IX 126; at
Bexley Heath VII 214; at St.
Petersburg X 181; plan for I
462
for Covent Garden, in winter VIII
122
for early winter flowering XIII
384
for exhibition XIII 609; XIV 75;
XX 7
for floral decoration XI 518
for forcing XIX 31
for houses XVII 479
for North of England XVI 141
for north wall I 151; X 564; XI
19
for small Rosery, selection of VI
405
for the sea-side X 121
for the Shah V 322
for the wild garden XIII 138
for town gardens V 478 544; XX
579
for walls XVII 160; some good
VIII 42
fragrant varieties of VII 462;
VIII 305
free and shy blooming XIII 406
French prize XVIII 48
from cuttings III 230; IX 260
306; XVI 5; XVIII 198 290;
XIX 481 487; in August VIII
102; in winter XIX 143
from seeds and grafts XI 179
from which the altar of Roses is
produced VI 512
frost-bitten XV 345
gale among XX 435
garden, and its inhabitants VI
384
garden at Cheshunt XVI 220
garden hedge of III 41
garden of XII 105
good climbing and other XI 121
good standard and bush XV 172
grafting XIV 446 447 (*4 cuts*)
495 496 (*4 cuts*); XIX 179;
dwarf V 276; on wild stocks
VI 470
green XII 58
green-fly on XIII 506; XV 405
growers of, Conference of, in 1876
X 498
growing and training Noisette VIII
82
growing *v.* showing XX 161
growth of XX 576
Guerdres XIV 524; XX 12; for
forcing XX 456
hardy XVII 346; climbing XVII
168 311
Heart-tree XVI 139
how frost prunes dwarf XIX 259
hybrid Bourbon XX 481; Per-
petual XX 484; Tea XVII
409
HYBRID TEA XVII 430
in autumn XIV 404
in bouquets XIV 75
in cool houses XX 49 84
in England XVI 141 439
infested by maggots XVII 565
in 1875 VIII 79
in June, notes on the treatment of
XIII 599
in market-gardens XIV 456 522
in Morocco VI 489
in Nottingham XII 79
in November XII 510; XX 457
in orchard-houses XX 579
in pots II 452; XII 282; XV 381;
XVIII 216; XIX 406; XX 322

Roses, in pots—*continued*.
390 467 482 629; best for forcing
XX 74; best form for XX 467;
exhibition of XIX 536; forcing
XI 193; for the London market
IX 593; in Covent Garden XIII
329; *layering* XIV 425; minia-
ture X 64; proper compost for
XX 467; pruning XX 483;
training XX 483
insects hurtful or useful to the XV
380 421
insects on XV 461; *injurious to*
IV 26 27 28 29 30
in spring IX 8
in suburban gardens II 551
in the open air, shade for X 71
in the suburbs IX 241
in town gardens XVI 377
in window-gardening X 582
in winter and spring XIX 409;
without forcing XVIII 624
in Yorkshire XX 422
irrigation of XIX 96
Japanese XIV 236; XX 102 133;
Rosa rugosa XX 21
large flowers of XIII 609
late-blooming XII 487; *Gloire de*
Dijon IV 376
late-pruned XIII 336
layering X 52
little friends of the V 555
long *v.* short pruning of VIII
472
malformed XIII 348
mantle-dust for XIX 573 623
management of Bush XIII 387
manure for I 377; II 195; XX
511
manuring XIX 225; best time for
XII 33 73
Maréchal Niel VI 469; XII 542;
XIII 599 617; XVI 289; XVIII
528 603; XIX 145; as a green-
house climber I 615; as a creeper
I 442; badly-grown XIII 376;
best stock for XIX 95 180 276
291; blooming in December
XVIII 635; bulletins of I 555;
cultivation of I 521; XIX 487;
cutting down XIX 319; fine
XIX 696; floriferous XX 8;
forcing XIX 487; forcing in pots
XII 444; from cuttings XVI
378; in Camellia houses XIX
371; in pots XVIII 513; large
XIII 433; late-flowering XIV
411; Mr. C. M. Hovey on
XIX 481; old plants of XIX
258 332; on Briar stocks VIII
150; on its own roots VI 270;
XIX 399; on the Banksian
XIV 426; out-of-doors XIX
573; outside a lofty conservatory
XIX 548; pruning XIV 284
316; XIX 258 309; pruning
and training X 596; rate of
growth of X 436; renovating an
old XIII 446; short-lived XIX
208 371; stocks for XIX 33 332;
under glass III 260 461; vigor-
ous VII 464; why it is short-
lived XIX 310
Marechal Niel, basket of III 445;
colourless XIII 495 516; XIV
123
medals for XV 375
mildewed I 502 653; IV 4; XIV
454 496; XVI 64; XIX 606
623; XX 31 133; remedy for
X 321; XII 286
mode of rooting Briar cuttings XX
133
monthly III 27; VIII 530
Moss XX 484; for market IX
590; how they are grown for
market VI 146; in Covent Gar-
den XIII 335; in the market
XII 30; origin of XX 346;

Roses, Moss—*continued*.
varieties of IX 499; most
esteemed in France XVII 409
moving in June XIX 573
Mr. Baker's, at Norwich XVI 82
135
Mr. Bennett's XX 579
mulching XVIII 96; in winter
XIX 145
my window IV 535
names of VII 497
neglected XV 360
new, Alexander Dickson IV 158;
French and English XV 359;
French in 1878 XIV 173; in
1873 III 381; of 1874—1875 X
260; of 1876—1877 XII 471;
in 1878 XIV 527; in 1880 XVII
228 239; obtained by grafting
III 229; *Souvenir de la chaleur*
II 143
new book on XVIII 605
new Tea X 50
newer kinds of XX 133
Noisette XX 484
notes on I 5; XII 512; XIII 336;
by an old rosarian XIV 455;
XV 10; on new in 1876 X 70;
made in time of I 23
not opening VI 248
novelty in XVII 23
November XII 534 (poetry)
number of varieties of IX 358
October XX 435 548
of 1874 VI 165 213 237
of Hildesheim I 253
of Jericho IV 111; X 312
of Provence XX 484
Puteanu I 698
of Scripture XIX 423
of the season, in 1881 XX 102
old varieties of VIII 83; XII 84;
XIV 26 75; XIX 642
on Briars XVI 479
on Briars, and on their own roots
IX 379
on dwelling-houses XVIII 364
on grass XIV 323 496
on Orange-trees I 286 393
on *pulling* XIII 357
on stocks from Briar cuttings XIII
308
on the extension system XIX 16
on their own roots II 369 377;
IV 376; VI 245 539; XII 1;
XVI 100; XVIII 302 550;
XIX 291 423; *v.* standards
XVIII 35
on the house at Gunton Park
XVIII 376
on the Manetti stock, spring prun-
ing IX 286
on the seedling Briar IX 32
on trees XVI 139 529
on walls XVII 51 225; extra pro-
tection for tender XIX 96
orange fungous on VIII 18
otto of IV 175; VI 413; VIII
478; XI 503
our Christmas X 596 (poetry)
out-of-doors in Hampshire IX 48
Pacific X 7
pan for scudding XIV 316
“pedigree” XVII 464; XVIII
175
pedigree seedling XVI 469
pegged-down I 277; V 521; XIV
93; XX 161 207
pegging down III 222; XVII
32
perpetual-blooming X 34
perpetual-flowering XIV 426; red
or pink climbing I 253
Persian III 78
petals of XV 405
pinning II 206
pink and crimson China XVI
302
planted out and in pots XV 276

Roses, planting XIV 284; XVII
71; XVIII 563 603; XX 271
498; remarks on XVIII 541
plants for intermixing with XIII
357
poetical tribute to the VII 90
popular in New York XVIII 254
pot XVI 64
potting up outdoor XX 467; Tea
at midsummer XX 630
prairie VI 320; X 64 185
precious XII 78
prize, in 1877 XI 466
prize for, a fifty-guinea XI 122
prizes for IX 168; for seedling
XVI 45
proliferous XIV 413
propagating III 257; VII 146;
XII 563 (*4 cuts*); and culture
of XII 540; by layers XX 207;
from cuttings XII 75; own root
XX 83 271
protecting from frost VIII 513
protection of XX 548; in winter
XX 175
pruning III 210; V 346; VII 235
372; XI 178; XIII 257 558;
XV 107 (*cut*); XVII 232; XX
498; Cloth of Gold VIII 556;
hardy XIX 17; seasonable hints
on XVII 285; time for XV 42;
XIX 352
raising from seed, in France IV
156
recent, in 1874 VI 487
red and other climbing greenhouse
X 498
red, for wall X 429
remarkable V 258
remedy for green-fly on XI 540
removing XVIII 444
renovating exhausted XVIII 283
re-planting XIV 385
resting XX 483
Rev. S. R. Hole on VIII 57
Rock XIII 484; XVI 419
root-grafting VIII 286
roots of, and lead XIII 530
rules for judging XIII 600
saving seed of II 28
scarcity of, in 1881 XIX 623; XX
8; of standard XVIII 603; of
Tea XVIII 135
scent-yielding XII 173; and scent-
less VIII 292
scentless VIII 328 389; XIV
528
scrambling X 128
second crop of XX 339
seedling, at Lyons XVI 276
selections, for various purposes
V 438
shading XX 483
shield-budding and grafting XV
40
shoot of, rooted XIV 424
shoots of, in December XX 579;
vigorous XIV 236
show XIX 655; XX 7 30
showing I 543; *v.* growing VII
345
Show of Autumn XX 419
single XVII 161; XIX 371 415;
Banksian, and other XIX 310
single China XII 570
singular instance of dimorphism in
the IV 201
soil for XX 498 511 630
soils for, and Rose stocks XV 49
some garden XX 175
species of British V 506
specimen pot IX 554
spring pruning standard IX 259
staging cut IX 379
standard XVIII 638; for pot cul-
ture II 522; XI 18; on lawns
XI 119; or half standard, on
Briar stocks XVI 469; with
leafy stems XVI 469

Roses, stock for, drought-resisting XIV 523; Manetti IV 488; new XV 461
stocks for III 434; XVI 469 582; XVII 51; XVIII 449; XX 132; and spring frosts XI 94; burying for the winter XIX 622; trimmed XIV 335; vigorous condition of XX 133
striking from cuttings XIX 353; and budding XVI 64; in the open air VIII 84
striped XX 130
strong diet for XX 161
suckers of XIX 656; new use for XVIII 254
suggestion in reference to labelling VIII 55
suitable for a small garden III 110
summer pruning XVIII 240
Sweet Peas on standard XX 162
Tea, feeding and training XX 568; for early forcing XIX 208; from cuttings XIX 17; grafting IX 442; in pots XVI 220; XX 567; lifting and potting XX 567; on high ground XVI 135; pruning out-of-doors VIII 434; pruning under glass XVIII 566
Tea-scented X I 460; XV 80 113 153 173; XVII 567; XX 133; at Syon House XIII 177; beautiful XIX 527; best twelve III 16; brick walls for XX 132; culture of, in winter III 314; exhibitions of XI 494; for autumn flowering XVI 385 414; for pot culture X 11; from Donnybrook XX 521; good, for market purposes VII 256; good new XIV 98; in the garden XX 289; near London IX 375; new (1875) VII 405; Noisette for Camellia-house I 166; notes on XVIII 625; notes on layering XIX 331; on north walls XIII 434; pruning XVIII 643; remedy for mildew on XX 568; temperature for XX 568; two good bedding XVI 359
TEA-SCENTED XV 80
that bloom freely and those that do not XIII 336
thinning in autumn XIV 173
thinning the blossom-buds of VII 504
thoughts about XX 50
THREE NEW ENGLISH XVII 198
time of XVI 140 164; XX 31
to destroy moss on the branches of XV 487
too much pruned XX 419
top-dressing for III 464
town XIV 26
training XX 498
transplanting XX 271; old XVI 164
treatment of, after flowering XX 483; in August X 182
treatment of, during growth and flowering XX 482
treatment of annual cuttings of XVIII 413; of grafted XV 361; of Tea, in pots XVI 522
tree or standard XVIII 317
typical XX 83 102
umbrella-shaped XII 578
under glass XVII 232; XVIII 48; XIX 259; growing XX 498; in early spring VII 274
under the electric light XVIII 174
variegation in III 125
varieties of XX 434 498; produced by budding III 133

Roses, varieties of perfume in VIII 99; IX 123
vase of, by Maisiat XIII 242; by Regnier XIII 137
v. Camellias XV 326
wall XIX 16
wash for XI 512 536
well-grown pot VI 585
when may they be un-mulched? XIX 291
whence come the finest? II 122 144 179 368
white XV 49
white fungus on XV 487
wild, growing on a Pollard Ash XVI 99
wilderness VI 174
window I 581
winter, in the United States VII 395; and spring forced XV 249
with their roots in inside and outside borders XV 277
Yellow Banksian XIX 513
Rotten Row in 1878 XIII 144
Rouge-berry, the XVIII 478
Rougham Hall III 454
Romanian wild flowers XII 79
Roundhay Park II 24
Royal Botanic Society, Regent's Park, show of I 388
Horticultural Society, the III 175; anniversary of III 101; fortnightly meetings of XIII 381; four days' Show of, reminiscences of XVI 47; future of VII 211 231 251; history and progress of the VII 214; meeting of I 366 409
Rubi, British V 388
ornamental species of XVIII 358
select species of XIII 595
Rubus arcticus XVII 394; XIX 464
australis X 558; XIV 310; XVII 330; hardy IX 364
biflorus VI 428; XVI 206
canadensis XX 171
crataegifolius XIV 302; XVII 324 360
deliciosus IV 292; VIII 158; IX 79 517 (cut) 584; XIII 506 536 562; XV 454; XVII 448 463; XIX 558
DELICIOSUS XVIII 358
discolor fl.-pl. XIV 147
Iaciniatus XII 255
ubigenus, var. macrocarpus XIV 190
nutkanus XVII 315
odoratus I 465; XVII 315; XVIII 485; XX 53 125 223
phoenicolasius XVII 268 323; XX 178
Roezlii IX 71
rosafolius VIII 299 392; XI 230; r. coronarius XI 344; r. fl.-pl. XVII 546; in flower in winter XIX 58
spectabilis IX 586
Rudbeckia bicolor XII 176 228
californica II 144
hirta XIV 289; XVIII 387
maxima XVI 379
Neumannii IV 338
nitida XX 293
purpurea XVI 450; XX 222
subtomentosa VI 498
virginiana XX 326
Rudbeckias XX 264
in October XVIII 389
Rudega macrophylla XIII 355; XIX 413
Rue, alpine XIV 416
Padua XX 81
white-flowered XIV 411
Ruellia Portellæ XVIII 229 533
rosea XIII 3; XVIII 367

Rumex Hydrolapathum I 457
Rural education XIX 547
“Rural New Yorker” Moore's IX 464
Ruscus aculeatus XV 363
androgynus V 547; VII 521; X 419; fruiting of XI 264
racemosus XX 201
Ruscuses, the XV 363
Rushbrooke Hall III 432
Rush carpets IX 312
Rush, flowering XIV 169
spiral III 294
zebra-striped XVI 336
Rushes and Sedges by river-side XIX 255
“Rush Sunday” XI 464
Rus in Urbe XVIII 339 (poetry)
Ruskia on flowering bulbs II 528
Russia, gardening in XV 178
winter of 1879-80 in XVII 232
Russelia juncea, as a basket-plant III 139; XVI 66
Russell Square XVI 499
Rustic architecture II 555; III 58
Bridge, with surrounding Reed vegetation I 690
work I 385
Rusting, excellent protection against XV 116
Rust in Grapes, sulphur often the cause of VII 170
preventive of XIII 454
Ruta albiflora VIII 385; XIV 411; XVI 384 477 509 (cut)
graveolens variegata XVI 259
patavina XIV 416; XX 81
Rye XI 481
Rytou House I 592

Sages, history and species of the IX 430
Jerusalem XVII 172; XX 391
Sagittaria japonica fl.-pl. IV 395
leaves and phyllodia of XVIII 386
sagittifolia XX 314; s. fl.-pl. X 357
tuber, leaves, and flower of XVIII 387
variabilis XIV 190 239 (cut)
Sagittarias, the XVIII 386
Salad bowl, a fortune from the I 65
Salad, Cauliflower II 30
Chicory as a XI 473
Cora XI 376
Dandelion VI 39; IX 582; XI 174 254; XIII 197; new II 252; IV 266; V 269; winter III 79
Salads I 65 382 428; II 29
and salad-making I 116 197
and slugs XI 223
flowers of the Judas Tree in IX 390
Potato II 434
winter VIII 354; XI 56; XX 324
World on VIII 354
Salad-plants, autumn and winter X 161
protecting VIII 430
winter XI 99
culture of I 515; III 77; under cloches VII 154
Salford, new parks for XI 466
Salisbury adiantifolia at Longleat X 537; fine VII 436; XVII 175; in fruit XVI 430; large IV 366
Salisbury Cathedral Garden X 583
Salix alba XX 420; on the growth of IX 450
babylonica I 371; b. Salomonii I 618
cerulea XV 86
frayilis, at Thatcham XIX 517
laurifolia XII 81
pentandra XIX 479
purpurea IV 33
rosmarinifolia VII 406; XVI 205
Sadler VI 422
violacea III 2
vitellina britzensis XVI 542
Salpiglossis, different varieties of IX 241
grandiflora X 182
hybrid IX 241
Salsify IV 76; XVII 229
as salad XII 270
Salt and snow VII 39
as a fertiliser IV 424; X 432; XI 120 224
for roads and drives in frosty weather VII 17
v. worms XVI 138 186
Salt Lake, gardening at VI 171
streets and gardens of I 85
Salt water v. weeds on walks X 167
“Salus” and the Potato disease XI 80 386
Salvia Bethelli XVI 97 493; XX 563
boliviensis verticillata IX 54
Bruoti XII 416 462
Camertonii XIX 70
carduacea IX 79
celestina XX 544
dulcis VIII 341
farinacea XVI 232; XVIII 68
FARINACEA IX 430
gigantea XIV 55 148; or bracteata? XIV 121
gesneræflora VI 100 120; XI 287; as a border flower XX 299
Greigi XX 317
biaus XVIII 4
Hoveyi XVII 84; XVIII 532
interrupta XX 393
involucrata XIX 205
leucantha XIV 464; XVI 529; XVIII 642

- Salvia**, new XX 457
patens I 390; XVIII 389; XX 471; and its culture XVIII 348; as a bedding or border plant XVIII 219; best lifted in autumn XIV 265; in mixed beds XIV 239; in mixed beds and in pots XIV 286; shedding its buds XVI 186; wintered out-of-doors X 181; wintering VI 340 365; XIV 353; XVI 522
Pine-apple scented IX 442; XVI 556; XVII 6 137
Pitcheri XVI 547; XVII 6; XVIII 475; XX 546
porphyrauthera XX 129
pratensis rubra II 273
pseudo coccinea XVIII 599
rutilans IV 48; XX 541
sanguinea grandiflora IX 80
seabiosesfolia IV 395
Schumperi XX 522
splendens I 485; VII 340; XV 98 229; XVI 306; XVII 65; XVIII 437; s. alba compacta II 453; XIII 316; as a bedding plant VIII 404 433; s. Bruanti XVIII 596; s. cœrulea XVII 227; s. miniata XI 140; out-of-doors XIV 257
taraxacifolia II 115 314
verticillata XIX 191 205
white-flowered XVIII 28
Salvias V 365; XX 354 473 595 and bees II 369
at Chiswick XX 416
at Frogmore XV 32
BLUE-FLOWERED XIX 600
half-hardy XIV 59 121; XVII 227
hardy and half-hardy XIV 78; herbaceous XVIII 137
history and species of the IX 430
indoors in winter XX 607
in pots v. planted out XIV 466
in small pots XIV 477
in winter and spring XVI 522
lifting XVIII 399
Mexican XVI 472
winter-flowering XVIII 533; XX 522
Salvinia natans and other aquatics XVIII 298
Sambucus californica XI 331
Ebulus XIII 85
Fontenayi V 524
laciniate variegata XVI 4
macrophylla XX 217
racemosa II 39; XVI 307; XX 52; dropping its berries XIX 288; r. spectabilis III 69
roseiflora VI 7
Samolus litoralis XVI 319
Samphire, pickled XI 560
Samuel Broome's Monument in Nunhead Cemetery I 198
Sand, a preservative of young plants XIX 316
an unsuspected plant-killer I 311 369
Sands, arresting moving VIII 549
Sand-box tree, fruit and foliage of the XIII 53
Sandersonia aurantiaca XII 329; XVIII 351 (cut)
Sand Verbenas, the XIX 203
Sandwort XX 313
many-stemmed I 703
Mountain XIX 27
San Francisco, market-gardens in IX 520
Sanguinaria canadensis XIX 392
Sanitary Science, Handbook of Rural X 119
San Remo, flowering trees and shrubs at XIX 153 215
plants in bloom at, in January XIX 230
San Remo, Olive woods of XVII 156
Sanseriva cylindrica IX 387
Santal wood XVII 88
Santalina alpina and S. incana XIV 102
Chamaecyparisus and S. incana XVI 394
incana I 233; IV 214; V 372; XIII 387
Santolina, propagating XI 476
sap, ascent of V 218 300; VI 557
descent of III 92
experiments on the flow of XII 447
flow of XII 196
movement of I 531; III 115 142 160 205 232 241 278 322; IV 340; VII 31
periodical flow of VII 22
poisonous XVI 198
Scopularia cespitosa VII 235
ocymoides, finely-flowered XIX 645; on the Continent IX 9 officinalis X 304
Sapota Achras V 344; VII 170
Mulleri VI 451
Saraea indica XVII 403
Sarcophilus Fitzgeraldi XV 453; XIX 383
Sarcodes sanguinea VI 423; X 562
Sarcophaga Sarcaventis VII 117
Sarmienta repens I 502; VIII 18; XV 415; XVII 404; XIX 586
Sarracenia, another new hybrid V 502
atro-sanguinea XV 425
Courtii XX 311
Drummondii and alba XIV 323; D. alba XII 620; XIII 225
flava I 59; II 340 (cut) 363; V 160; as a window-plant XVI 78; f. ornata XVI 437
formosa XVI 44
new IV 312
purple II 136; XV 170; XVI 360; at Glasnevin VI 462; flowering in Ireland V 544; hardiness of VII 124; mode of growing I 521
variolaris, insects which infest VII 117; VIII 320
Williamsii XV 443
Sarracenia I 420; IV 207; XX 595
at Chelsea XVII 302
at Glasnevin XI 470
culture of I 59; V 399; VIII 500
note on XV 415; XIX 455
propagation of I 201
Sarsaparilla V 416
as a fine-leaved plant XI 118
Sash-bar, Tuck's Patent IV 308
Sassafras-tree, a large JV 220
SATIN-FLOWER, THE CRIMSON XI 110
Satyrium carneum XIX 586
Satyrions XII 199
in Kent II 246
Sauce, Worcester V 175
Sauerkraut I 383
Saunders, the late Mr. Wilson XVI 294
Sauvages, the VIII 504
Savants and Botany VII 509
Savin Juniper I 653
Savoy approach to the Thames Embankment, the X 208
Savoy, Golden Globe X 525
King Coffee VI 20 578
Tom Thumb XVI 581
Savoys, planting XVIII 30
Sawdust and its uses XIX 506 564 as a foundation for gravel walks IX 255
as a plunging material VI 371
as manure IV 37; XVII 24 68; XIX 266 382
Sawdust for clay soils IV 472
in propagation XIX 18 450
uses of XIX 143
Saw-fly, a destructive XII 500
Glosscherry XVIII 429
Pine XVIII 341
White-thorn II 12
Yellow Rose-leaf II 13
Saw-flies, remedy for II 229
Saxifraga arctioides primulina XV 375; XVII 342
Burseriana V 158; VII 148 316; IX 67 170; XI 187 (cut); XIII 143; XV 210
BURSERIANA XII 256
caspitosa XIV 280 305
Camposi (S. Wallacei) XVII 546
ciliata II 144
cordifolia XVII 291
crassifolia IX 258; XI 165 (cut); in January XI 62; in pots XI 206
flagellaris XIII 277; XV 388 405; XVII 342; XIX 438
florula V 198; VI 222
Fortunei VI 470; VIII 368; XIV 367; XVI 346; XX 458
grown in a basket IV 53
Himalayan XII 593
hypnoides XI 213
japonica X 458
Kotschy I 372
lantoscana XIX 620
lencanthemifolia XIV 218
ligulata XIV 390
longifolia VII 173; as an edging VI 539; on rock-work V 261
Macranthias XVII 515 547 558
munita II 115; XVIII 140
nepalensis XIII 505 536; XIV 62
oppositifolia XIII 199; XVII 346; XIX 312; and its varieties XI 186; o. maxima XIX 300; on rock-work XI 45; o. pallida VII 316
OPPOSITIFOLIA PYRENAICA MAXIMA XIV 310
peltata II 180; III 312; V 28; VII 438; IX 476; XVI 145 (cut); XIX 524
PELTATA X 336
purpurascens IX 376; XIII 381
pyramidalis V 239; XIII 537 568; on thatch of house I 674
pyrenaica VII 148
retusa XV 289
Rudolphiana IV 206
sancta XIV 324
sarmentosa V 329; as a basket-plant X 545; mixed with Ferns XV 372
Schmidtii XIV 499
sibirica XIX 490
squarrosoa XV 475
Stracheyi IX 377; XVII 275
virginiensis VII 316; v. fl.-pl. XI 546; XVII 343; XIX 463
Wallacei XIII 539; XV 442 475; XVI 555; XVII 375 428
Saxifrage “Aaron's Beard” V 329
broad-leaved XX 41 497
double Virginian XVII 423
early white XI 187
Fortune's, a good autumn-blooming plant VI 470
Great California X 336
Hausmann's III 430
LARGE-FLOWERED MOUNTAIN XIV 310
large-leaved, in January XI 62
mossy XI 213
pyramidal VII 458
Shield-leaved XVI 145
Wallace's XVII 394 410
Whipcord XIX 438
Saxifrages III 210; V 239
as indoor plants III 239
as pot plants XVII 257
at Bentham Hall I 604
- Saxifrages** at Fettes Mount XIX 555
broad-leaved XVII 195; XX 319
crustaceous group of V 239 261 283 302
early-flowering XV 251
for a rockery XIII 481
garden of X 25
genus of IX 586
good collection of XIII 444
in August XVIII 144
in winter X 538
large-leaved XV 112 135 247; XX 242; as carpet plants X 426
ligulate group of VI 48
miscellaneous group of VI 95
mossy group of V 325 348 370 418; IX 467; XX 476; as carpet plants IX 380
None-so-pretty group of V 475; VI 3
Opposite-leaved group of VI 781
palmette X 7
silvery-leaved I 687; on walls I 586
under glass VII 220; XVII 66
value of, for town gardens XVII 315
wintering in pots XVII 478
Scabiosa caucasica XX 222
Parnassi XIV 3
Scabious, Caucasian XIV 125; XX 222 325 (cut)
double II 144
dwarf XVIII 304; and tall XX 421; in winter XX 624; purple XVIII 517; XIX 469 (cut); with double flowers I 499
giant XVII 235
Scalds and burns, remedies for X 414
Scale insect, the Fig-tree IV 119
Scale insects III 204
and Mealy-bug XVIII 638
in greenhouses XIV 165
on Ash-trees VII 311
on plants V 90
Scarborough, notes from XX 101
Scarecrow, a Chinese XII 286
Scarlet Runner, the IX 48
Scarlet Runners XX 324
and French Beans, late VIII 430
for London gardens X 375
in trenches XIII 420
late VIII 379
not setting XVIII 310 343
Seavengers of England XVIII 382 (poetry)
Scenery, natural XVII 187 242
Thames III 18
West Indian IV 501
Scent powder, a recipe for IV 377
Scents, manufacture of III 330
Schedule of the Royal Horticultural Society for 1876 IX 96
Schistostegia pennata III 1
Schizanthus XX 449
Schizanthuses, pyramidal VIII 194 specimen XIV 30
Schizoneura lanigera XX 38 39 (4 cuts)
Schizophagma hydrangeoides XV 237 301 (cut)
Schizostylis coccinea II 506 551; III 16; VI 497 539; VII 22; XIV 354; XVI 325 545; XVIII 623; XX 462; and winter Heaths XII 607; in Derbyshire IX 924; indoors VIII 451; XIX 377; in flower in December VIII 516; in winter XIV 549; in the greenhouse X 498; planted out and in pots XIV 577; XV 7 from Gunton XX 560
Schomburgkia tibicinis XV 330
Schœnbrunn XIV 365 notes from XX 264
School of Gardening, German, I 438 439 (cut)
Schranksia uncinata XIX 40

Sciadocalyx gloxinoides XVII
 129
 showy XIX 116
Sciadopitys I 633
 verticillata I 436; IV 254; VIII
 310; X 492
“Science” and “common sense”
 XVII 450
and flower-fertilisation XII 282
and horticulture XIX 197
and practice I 704
“applied,” Professor Huxley on
 XVIII 623
definition of VI 512
theory and practice I 578
Sciences, songs of the XIX 194
“Scientific” men II 135 204 281
 v. “practical” men X 54
Scilla amethystina XIX 619
 bifolia, a distinct seedling XIII
 250; near London VII 232; b.
 rosea XI 245; b. taurica XIII
 250; b. var. nivalis XIII 225
Lingulata XX 264
maritima XIII 289
natalensis IX 283
nutans alba XIX 558; n. violacea
 IX 468
peruviana XIX 620
sibirica XI 165; XIII 80; XV
 273; XVIII 301 541; s. alba
 XII 388; in the greenhouses
 XIII 157; white XII 418
Scillas from seed VII 356
in bloom in May XI 398
in the wild garden and in borders
 IX 305
late-flowering VII 418; XV 474
species of VI 132 158
TWO NEW XIV 538
Scilly, export cut flower trade in
 XIX 386
Fern-collecting in XVI 166
Scion, influence of upon the stock
 VII 514; XII 150; XVI 260
Scions and cuttings, kept for months
 VI 176
Scolopendrium vulgare Kelwayi XVII
 40 457; v. var. Wardii, propagation of V 30
Scolopendriums, some select XVII
 40
Scolytus destructor I 547 628; XIX
 130 (*cut*)
Scorching in glass-houses VIII 196
Scorpion Senna I 693
Scotland, change of climate in VII
 432
 herbaceous and alpine plants in
 XI 540
Scott, as a landscape gardener III 56
Scottish Horticultural Association
 XII 52
Scraper, an improved VII 336
Scren of garden sculpture I 104
 Rose III 334
Screens, value of XIII 14
Screw Pine, flowering of a XVII 335
 stemless VI 429
 variegated III 18
Screw Pines, note on XV 333
Sculpture and rock-gardens XII 432
Scutellaria macrantha IX 488; XIV
 323
 Mocciana II 314; XII 2; XVII
 447; XVIII 203; XIX 69
MOCCINIANA X 606
pulchella V 448
purpurascens XVII 468
scarlet X 606
Ventenati V 547
 villosa XVIII 559
Scutellarias, stove VIII 551
Scyphanthus elegans XX 367
Sea Buckthorn XX 524 544
Seaforthia elegans V 259; at Glas-
nevin IX 170; in flower XIV
 451
in fruit XVI 447

Sea-gulls, in the garden IX 572
Sea Holly XX 319
 Bromelia-leaved, the V 251 304
 new XVIII 347
Sea Hollies I 50 72; XX 177
Seakale I 42
 and its culture IX 330
 and Rhubarb at Christmas IX 348
 culture of XVII 95; and forcing
 VIII 505; at Gunnersbury X
 395; in the London market-gar-
 dens VI 56
forced IX 463; two crops from
 VII 211
forcing VI 276 482; XIV 454 458;
 XV 17; XVIII 549 616; XIX
 196
from its native haunts XVII 417
from seed XVI 70; and roots for
 forcing XV 520; for forcing
 XVI 26; sown indoors, XIX 358
gathered on the Hampshire coast
 VII 234
giant VIII 98; XVIII 99; for the
 wild garden VIII 88
grown annually VIII 379
in market-gardens I 437
Lily-white XI 509
new kind of I 405
raising XVI 126
roots of XX 525
sea-shore XI 271
sea-weed and sea-sand in the cul-
 ture of VI 80
seedling for forcing I 271
substitute for XX 375
wild VII 316
Sea Pine plantations in France I
 434
Sea-side hedges, good plant for XVIII
 345
plantations XIV 427 470
planting I 420; VI 154
shrubs XIII 620
vegetation VIII 511 552
Seasonable work, for April XIX 350
357 373 379 380 382 404 435 451;
for June XIX 595 631 632; for
March XIX 258 263 271 300 311
318 331 341; for May XIX 476
485 502
Season and crops in N. Middlesex, io
 1878 XIII 503
cold, of 1879 XVI 28
of 1872 I 430
of 1875, lateness of VII 292;
 unfavourable in France VIII
146; unusually wet in America
VIII 80
of 1876, lessons of X 482; pecu-
 liarities of IX 572
Seasons, the V 194 (poetry)
 caution in mild III 89
 of 1876-1877, some teachings of
 XII 327
Sea-water, effect of on land XII 69
Sea-weed as a substitute for jam
 XVIII 631
 mammoth III 202
Séateur, the I 157; XIII 202 248;
 XIV 314 (*cut*) 342
 and pruning saw, &c. XII 475
sixteenth century XI 549
Sechium edule XIII 158
Security, happy VII 367
Sedges XIX 532
Sedum acre, varieties of XIII 222;
 a. elegans IV 84; XI 294; a.
 elegans, for border-edgings XI
 374
 amplexicaule VII 280 320; un-
 suitable for carpet-bedding VII
 314
 Beyrichianum XIX 584
 brevifolium majus X 556
 carneum variegatum IV 377; VI
 563; XX 391
 cyanescens II 136
 dasyphyllum VI 188

Sedum Ewersi XVI 215
 glaucum X 34
 hardy XX 423
 indigenous XX 344
 Japanense XVII 315
 lividum VI 498
 Maximowiczii XIX 203
 maximum XIII 568
 Meehani XVIII 431
 Millii VIII 119
 Nevin I 674
 populifolium VIII 201
 pulchellum IX 464
 purpurascens XIX 9
 semipervirium VIII 276
 sempervivoides XIV 3; XVI 105;
 XVIII 60; XIX 354
Sieboldii, as a vase plant VIII
 298; XII 367
spectabile VI 174; X 498; XII
 562 (*cut*); XIV 284; XVI 368;
 XX 209; and insects XVIII
 246; s. var. *Fabarium* VIII 408
Telephium XX 154; T. *purpureum*
 XVI 326
 trifidum XIV 190; XVI 163 367
 (*cut*)
 villosum IX 9
Sedums III 210
 and *Saxifrages* I 24
 dwarf XII 226
 hardy, in flower in August XVIII
 189
 in windows XVII 217
 new, from Asia Minor VIII 119
Seed, action of light on IV 354 379
adulterated XII 602; XIII 376
and gall, jumping IX 386
and mice V 84
and paraffin oil XI 348 431; XVI 35
and plants, chief collections of XIII
 206
and roots, fancy prices for XX 15
and seed-beds XIII 494
and seed-crops VII 61
and seed-growing XV 150
and seed-raising IX 283
and seed-sowing XVII 120
and weeds I 286
apparently without flowers VII 504
Aster XX 600
autumn XX 57
Californian III 2
catalogues of XX 639
covering XIX 315 408; in the
 American garden I 270
dear I 158
dormant XVII 84
drills for small III 223
duration of the germinating power
 of V 164
early sowing of vegetable XI 444
effects of frost on II 258
experiments with IX 258
failures of XVI 370
flavouring with I 535
for binding sand XV 249
for planting, large v. small IX 28
from the Himalayas II 77
germination of III 437; VI 472;
 XV 161; influence of certain
 compounds on VIII 2; of
 vegetable IX 582; quickening
 IX 255
good and bad XX 240
home grown v. imported XIV 274
how to protect from birds II 543;
 X 269
influence of age on XIV 310
injurious to animals XII 128
killed XIII 129; countryman on
 XIII 580 (poetry)
large, best IX 124 163 183 237
lists of XIX 360
long-buried XII 609
mode of transmitting I 161
new XVIII 317
of alpine and herbaceous plants,
 sowing IX 240

Seed of bulbous plants, sowing XX
 622
of famous trees, demand for VI 32
of New Zealand Flax XIII 539
of Styrax, should they be soaked
 or cracked? VII 202
old VI 386
“one year’s, seven years’ weed”
 XVI 242
packing for long sea voyages I 64
paraffined XIX 208
Pentstemons from XX 184
pods of, removing useless XX 283;
 thinning XX 283
poisoned XIII 350
postage of, to India III 120
protected by red lead IX 23
protection for IX 416
raising I 286; in the dark IX 235;
 Pinks and other flowers from XX
 636
ripening on cut flowers V 304
saving and packeting VI 412 563;
 v. vegetable-growing XII 167
selection of good vegetable VII 77
self-covered IX 355
sowing III 113; XI 225 353;
 XIX 331; XX 334; in paper
 pots VI 24; in wet seasons IX
 467; notes on IX 416; XV 204;
 Scotch Fir VII 212; small XIX
 214 279
sluggish XV 326
spring propagation from XV 123
stimulated by camphor-water XIII
 244
testing, curiosities of XX 359
travelling XII 316
treatment of small VII 68; XII
 397
“Turkish” III 120
use of paraffio for II 115
vitality of VI 433; IX 13; XIII
 289
Seeds Adulteration Act XII 529;
 XIII 129
Seed and Nursery Co., the Lawson
 VIII 190
Seed and Nursery Trade Associa-
 tion, the Scottish XI 20; XIX 112
Seed-bearing and drought XX 185
Seed-bed, large IX 230
Seed-beds and seed-sowing XIII 174
 to protect, from birds XV 365
Seed-boxes, machine-made XIII 276
Seed-farming in Essex XVI 167
Seed-farms, Messrs. Webb & Sons'
 XVIII 265
Seed-grounds at Langley XX 122
 Messrs. Sutton & Sons' XVIII 234
Seed-ing, prolific II 442
 thin I 274
Seedling fruits I 440
 trees, orchards of I 661
Seedlings, percentage of novelties
 among good VII 482
Seed-packets, how to fold VI 412 413
 illustrated XIX 252
Seed-pocket filler, a new X 542
Seed-shop, an ancient XVI 330
Seedsmen's assistants XVII 149
 responsibilities of XVII 7
Seed-sower, Sidney I 481
Seed-time, a carol of I 385
Seed-warehouses, Messrs. Sutton's
 III 100
Sefton Park, Liverpool, plan of II 125
Seghers, group of flowers by XII 36
 37
Segre XIV 169
Selaginella apoda XIV 87
 atropurpurea XVII 215
Brownii XIII 415
 cæsia arborea VI 407
 concinna XVII 214
 denticulata II 273; as an edging
 VII 236; as an edging for shelves
 X 476; XIII 464; d. *variegata*,
 hardiness of VII 336

Selaginella Douglasii XVII 98
for surfacing pots VIII 258
Gilleottii XVII 214
good hardy VIII 42
helvetica XVI 194; XVIII 196
Kraussiana XV 294; XIX 408;
and S. Brownii, hardness of XV
250; K. aurea XVI 438; XVIII
575; naturalised XVI 276
tepidophylla XVII 400 558
Mertensia crispa XIII 495
serpens XVII 216
stenophylla XVII 216
tree VI 407
Wallichii XV 228
Selaginellas XVIII 370
for table decoration XIV 513 544
species of IV 353; VI 407; XVII
214
their uses and culture XV 502
Selandria athiops III 64
Selection, natural VI 167
Selinum decipiens XIII 459
Selwood Cottage XX 205
Sempervivum arachnoideum VI 21
Donkelaari X 558; indoors IX
288
fimbriatum XIV 506
heterotrichum XVIII 304
Parnelli XVI 58 82
Reginae Amaliae XIV 330
tabulaeforme XII 398; propagat-
ing VIII 128
triste VIII 84; offsets of VIII
111
Sempervivums XVI 124
best XVIII 297
in windows XVII 217
note on XV 512
Senator, professor, and market-gar-
dener IX 48
Seneio absinthifolius XX 42 81
Ballota XIX 15
chordifolius IX 191
concolor XV 388
cruentus XIX 284 449 (*cut*)
elaeagnifolius XIII 172
genus XVIII 156
Ghiesbreghtii XVII 303; XVIII
642
japonicus XVI 80; XVII 164
macroglossus VII 44 104; VIII
323 (*cut*); XIV 351 (*cut*); XX
544 615 629 (*cut*)
macrophyllus XX 261
mikanoides V 412; XIX 256
oxyriifolius XX 563
Petasites XVII 213
pubescens VIII 305 406; IX 591;
X 151; XIV 212 367 389; XVI
415 488; XVIII 202 376 477
517; XX 177 217 290 320;
best in rich soil XVIII 401;
from root cuttings X 234; hardi-
ness of XVIII 537; in autumn
X 558; indoors XX 609; in the
greenhouse XVI 547; propa-
gating XIV 330
PULCHER IX 572
sarracenioides XI 313 326
spathulifolius XVIII 28
speciosus XVI 480; XVII 487;
XVIII 423; true XIX 586
SPECIOSUS XVIII 156
Sequoia III 144
gigantea I 75 77 (*cut*) 421 (*cut*);
cone and foliage of XII 595
Professor Heer on XVII 95
semperfervens V 83; IX 390; XI
295 494; s. *alba spica* XX 613;
pruning VII 23
Sequoias, Asa Gray on the II 337
extinct forests of, in England I
195
measurements of I 103 130
Seriapias papilionaceo-lugna X 378
Sericobonias VIII 524
Sericographis Ghiesbreghtiana XIV
258 549; XV 79; XX 597

Serpentine, the “island” in the
IV 184
Service-tree XX 444
fruit of the XII 392
in France XII 364
wild XVIII 272
Sesia myopaiformis V 162
Sesuvia italica XII 69
Setuiale XI 392
Sewage and market-gardening XIII
89
Conference, Report of the X 24
house I 115 246; IX 347 355
irrigation at *Gennevilliers*, near
Paris XIV 17
maurice, a Paris market-gardener
on VI 437
Milanese I 21
power of soil, air, and vegetation to
purify VII 530
question of, from a chemical point
of view V 537
works, Richmond I 87
Sewers, too large VIII 478
Shaddock, enormous XII 582
Shade II 76
“Shad-flower” the VII 525
Shading after frost VIII 477
Bambusa XV 361
by whitening the glass V 502
damping and airing XII 41
for greenhouses XIII 505; XV
385; XVII 276
for houses XIII 464
French blinds for XIX 352
Japanese Bamboo XIII 598
lath blinds for III 461
materials for VIII 124; XVII 96
Shakespeare as a gardener X 552
garden-craft of XII 278 305 331
plant-lore of XI 237 248 276
296 308 336 357 370 390 433
458 484 496 525 549; XII 15
42 53 85 109 137 166 179 211
233
“Rural Life” VI 215
Shakespearian garden VI 175 198 227
227
Shakespeare’s own garden XIII 378
Shallot, the III 424
common I 41
Jersey XVIII 580
true I 41; and common I 41
Shallots I 20
diseased XIV 275 319
in Suffolk IX 47
new way with IX 332
Shamrock I 467
what is the? III 218 251
Shamrock Pea in Scotland, the X
419
Sharpe, Mr. W. XX 150
Shaw’s Botanic Garden, Missouri,
view in XVII 447
Shearlaud—a suburban sketch XIX
518
Shears in old Irish gardens I 658
Shefield, gift to XIV 345
new public park for VIII 72
recreation grounds at X 558
smoke XVIII 472
Shelter II 483
and shade XVI 455
from cold winds XVI 542
in February III 112
Shelves, drip-proof XIV 330
Shepherdia argentea I 573; X 292;
XIX 606
rotundifolia X 137
Shetland Isles, climate of I 558
Shobdon Court, a Fungus foray at X
396
Shoots seeking light X 506
to eat leaders I 711
Shortia galacifolia XV 270; XVI
36
Show, after the II 114
Shows, fruit XX 577
three days’ XII 363

Shrub, beautiful XII 30; spring-
flowering XI 246; stove XX
541
best sweet-scented indoor VIII
451
carpeting XVII 340
distinct hardy XVI 307
fine and rare VI 206; Japanese
XX 9; North American XX
263
graceful wall or rock X 216
hardy Australian VI 450; noble
exotic XVI 275
“literature” IV 166
neat hardy VIII 472
new berry-bearing X 145; hardy
VIII 524
noble, for the conservatory XI 230
rare hardy X 254; XVII 274
Utah X 133
valuable VII 499; stove XIX 414
Shrubs XX 157
alpine VIII 211
and flowers for woodland walks
XIII 540; which thrive under
the drip of trees I 394
and plants, some wet weather XVI
174
and trees, early-flowering III 197;
flowering XIX 513; flowering,
at San Remo XIX 153 215;
flowering, in parks XV 387; for
lawns XV 440; for seaside I
195; V 274; for suburban gar-
dens III 434; golden-leaved
XVIII 340; grouping early-
flowering III 253; near Exeter,
fine IV 184
at Bagshot XIV 281
at Coombe Wood, hardiness of XV
460
autumn and spring pruning of
tender XIV 485
autumn-flowering XII 363; beau-
tiful XVIII 367
berry-bearing XX 602; at Romsey
V 4; in North Norfolk XIX 37
book on XVIII 471
choice XVIII 175
climbing VI 428; in Hokkaido
woods X 118
culture of, rocks in XIV 322
damaged by mowing machines VIII
227
date of flowering of XX 248
dwarf, for edgings I 357; X 610
hardy, for small gardens XVII
119; Japanese XIV 174
effects of winter on XVII 176
evergreen XVIII 433; for window-
boxes XIX 485; light-coloured
XIV 165; when to cut XVII
35; winter bedding with XVI
451
few handsome deciduous XIX 359
flower-garden XX 223
flowering II 322; XIX 37; from
cuttings VIII 88; in autumn VI
184; in the South of Ireland II
295
flower-shoots of, in water XVII
467 523
forced XV 256; XIX 485
for coverts XIII 559
for forcing XVII 547
for mixing with Fuchsias XIII
410
for north wall XX 234
for sea-coast I 169; XIII 363 620
for small gardens XV 236
for small lawn, twelve flowering V
185
for towns VIII 423
for walls XVI 542
for winter embellishment IV 155
grouping, in woods XIV 322
group of, how to plant XVI 513
half-hardy V 425; in pots XIV
266

Shrubs, handsome-leaved II 322
hardy I 100; flowering XVII 467;
flowering, in pots II 362; forcing
branches of IX 246; for the
conservatory or dwelling-house
XIII 381; in bloom in April IX
400; remarkable, in Wicklow
XI 364; two good new IX 28;
wall, at Kew XI 101
in flower in June XIII 620; in
May XV 442; in May, in Bat-
ters Park XV 424
in the Isle of Wight IV 372
July-flowering XX 53
neglected XVII 498
new and rare in Ireland XII
560
new mode of layering VIII 243
north walls for tender XVII
446
of Magellan and Chiloe IV 254
on chalk I 373
on margins of artificial water XI
266
on rock-gardens XIII 309
order in which they bloom in the
London parks IX 443
ornamental XX 611; in the South
of Ireland, under severe frost
XV 27
pruning V 232; XV 288; deciduous
XII 373
rare, acclimated on the coast of
Wicklow IV 192; and beautiful
XVIII 145
spring-flowering V 253 306; for
terrace walls VII 320
stove XX 252
trimming, in Kensington Gardens
XVII 28
two California XVI 241
un-mutilated XIII 331
un-trained stove and greenhouse
XVI 388
useful and ornamental XVII 105
wall, and frost XV 144; at Kew
XI 515; two good XI 190
white-flowered XIX 643
winter-blooming hardy XV 126;
hardy deciduous XVII 251
Shrubberies I 25; VII 157; XVII
450
digging XVII 71
formal outlines to XIV 407
forming and planting XVI 291
old tan as a top-dressing for XIX
128
planting choice XX 217
pruning II 512
renovating old XX 217
state of established XVIII 352
winter XVII 305
Shrubbery borders, bare IX 409
carpets XVII 98
Shrubland I 350; III 412
from the Gardens I 251
“Shut your own gate behind you”
XVI 228
Sium, forest vegetation in III 419
Siberia, herbaceous vegetation in XII
565
Siberian Crab fruit XX 318
Sibthorpia europea, as a window-
plaat V 203; e. variegata II
65; XIV 124; XVIII 389
(*cut*)
EUROPAEA VARIEGATA VII
70
Sida malvæflora XVII 404; XIX 642;
XX 139
rectusa III 312
vitifolia XX 184
Sideritis hyssopifolia VI 6
Sign of the Times I 651
Silene Bolanderi III 430; IV 104;
XI 23
Elisabethæ IV 412; XII 392;
XVIII 229
falcata XIV 529

Silene Hookeri V 474
maritima, pl. XI 12
pendula XI 271; p. *compacta* IX 563; double-flowered VII 482; p. var. *bonnetii* I 466
peninsularis XV 295; XX 87
Pumilio XI 10
rotundifolia XVI 320
rupestris XIX 571
Saparia IX 80
Saxifraga XI 10
Schafat XI 11
var. Robin Hood XV 318
virginica XIX 646
white VII 482 504
Silenes, the VIII 97
alpine X 103; XIX 571; hybridising XX 266
species of XI 10
Silica, not essential to plant growth VII 96
Silk-weed XX 315
Douglas XVIII 153
Silkworms I 700; XIV 121
notes on X 275
Silphium conatum XIV 55
laciniatum I 17; X 419; XII 544; XIV 353; XVIII 196 247
of the ancients IV 5 44
Silver Bell I 392
trees II 39
Silver Maple XX 166
cut-leaved XX 167
Silver sand, best II 34
Silver Tree, the XIX 73
Singapore Botanic Gardens VIII 362
Horticultural Exhibition at XVII 181
plants, &c., at XII 317
Sion Hill, Ferry bank XX 34
Siphocampylus betulifolius VI 363
bicolor VI 496
Siphonia elastica I 558
Sisyrinchium Douglasii IX 245
graadiformum V 139 541 (*cut*); IX 234; XVII 274; XIX 322
striatum XIII 248
Sisyriochiums, hardy VIII 250
Sites for kitchen and fruit gardens XV 18
Sitona crinita XX 549; c. *lineata* XX 549
Sium nodiflorum, poisonous? IV 424
Six of Spades I 224 229 281 295 336
352 381 411 453 490 511 553 563
601 649 671; II 116 157 201 243
355 424 437 457
"Skegg" VI 422
Sketch, a XIX 284 (poetry)
Skimmia, berries of XX 544
fragrans VII 183
japonica VII 183; VIII 519; XVII 104; XX 625; at Fulham XIV 279; on a north wall X 148
oblate XVII 197
Skimmias XIX 92
species of V 487
"Skoke" or "Skoka" XVI 52
Sloe, common XIX 439
large variety of VI 442
Sloes, sowing XIV 408
Slough, Royal Nurseries at XII 469
Slug nuisance, the XVII 400; expatriates with XIII 608
Slugs I 629; XVI 516
and alpine plants VI 50; XVII 437
and chickens XVI 391
and ducks XIII 350
and frost XV 382
and hybrid toads XIV 131
and lime-water XVI 24
and Pea haulm XVI 445
and Potatoes VIII 20
and rare perennials XI 40
and saw-dust XVI 72
and snails V 201; and worms, precautions against XII 484

Slugs and spring crops XV 392
and wasps IX 347
and zinc collars XIII 550
black or underground VIII 354
French way of killing XVII 498
how to destroy IV 244; VII 232; V 111 333; XIII 273 275 304 356
403; XIV 21; XVI 474; XVII 34
in Alpine borders VIII 187
in gardens XIII 504
in the flower-garden IX 335
Kennet salt for XIII 390
protecting hardy plants from IX 461; XVIII 537
trap for II 260
Slug-worms destroying *Pear-leaf* II 198
Smelfungus, the wail of V II 14
(poetry)
Smilacina stellata XIX 600
Smilax XX 109 136 195
as a window-plant IX 119
aspera X 7
maculata XIV 65
Smilaxes, hardy XII 437
Smith & Co.'s, (Messrs.) Nurseries at Worcester XVIII 584
"Smithfield Park" II 11 450
Smoke, effects of I 99
in our great towns I 708
poison I 1
Smorirthus Populi XVIII 345
Smother, how to make a XIX 375
Smut, remedy for XVII 437
Smuts from furnace chimneys XV 48
Smyrna and *Ephesus*, vegetation of XIII 525
Fig cultivation at XI 378
Snails and slugs, trap for XIV 535
and tobacco powder X 556
how to keep from young Melon and Cucumber plants XI 314
io tan III 345
on garden-walls at Bath IV 55
poisoned by IV 498
to destroy V 75; IX 118; X 434
Snake bites and scorpion stings, popular remedies for in the East XIII 356
Snake-plant XX 315
Snake-root, the black XIV 264
Snakes'-beards, variegated XVIII 533
Snake's-head I 541
varieties of XIX 464
Snapdragon XX 287
alpine XVI 326
new X 440; variegated VI 366
yellow XX 72
Snappingdragons VI 4; XX 103
for rock-work XX 157
Sneeze-wort, double VIII 144 188; XX 71; XX 210
Snow Apple of Canada I 384
Snowball tree, the Plaited XIX 585
Snowberry, Crimson XX 540 611
Snowberries, the VII 31; XX 321
Asa Gray on IV 312
Snowdrop, Crimson XI 231
late-flowering XVII 302
new IX 305
reflexed XI 311
SNOWDROPS, THE XI 194
Snowdrops, XI 207 226
and *Snowflakes* for waste places XIII 457
au naturel V 345
forcing XIX 529
for forcing XIX 401
for table decoration XIX 316
in Covent Garden XIII 136
in masses XIII 186
in Somersetshire XIII 543
Melville's XIX 226
new XVII 249
notes on XV 217
on grass XIV 574
on root-work, group of V 345

Snowdrops on Stonecrop turf XIII 135; XV 210
season of XV 328
species of XI 194
stealing, and its punishment XIII 306
Snowdrop-tree I 392; X 506 536; XI 567 (*cut*) 583 622; XX 10
at Syon House, fine specimen of IX 468
on light soil XVI 122
Snowfall, heavy in Lancashire in April 1881 XIX 345
Snowflake, rosy XIV 100
spring XIII 225 251 432 555;
flowering time of VII 190
Snowflakes, the II 193; VII 156
(*cut*); XIII 506
in the wild garden XV 273
Snow-plant, the VI 416 423
Californian, cultivated X 562
Snow-storm, destructive, in Nov. 1876 X 478
Snowy Fly, magnified XX 633
Soap-plant VII 102
"Soap-root" X 293
Soap-wort, as an autumnal garden flower X 304
tufted VII 235
Sobralia macrantha V 221; XVII 9; m. *nana* V 482; XVII 469; XIX 575
Society, American Pomological XI 370; XII 344
Central Horticultural, of France IX 216
Kyrle X 536; XI 20
Leeds Horticultural VII 378
Linnean V 196 236
Manchester Botanical and Horticultural VIII 190
Meteorological XVII 94
National Carnation and Picotee XI 144; XII 76
National Rose XI 226 264; XII 367; XVI 481
new Auricula X 538
new Horticultural VIII 447
New York Horticultural XVI 339; Exhibition of, in 1879 XVI 23
North-western Amateur Chrysanthemum XVI 447
Pelargonium VIII 97; X 29; XII 175; XVI 47 276
Richmond Horticultural XVI 24
Royal Agricultural, of England IX 572
Royal Caledonian Horticultural VII 59; XVI 274
Royal Horticultural VII 102 145 438; IX 141 146 216 299 396; XI 80; XVI 6; and Fellows' privileges XI 244; and Guinea Fellowships X 616; XI 184 244 264; first-class certificates of VI 312; the future of VII 211 231 251; VIII 98 141; X 67 395 416 496 516 536 556 576; XII 628; history and progress of VII 214; *Pull Mall* on VII 338; *Saturday Review* on VIII 492
Royal National Tulip XI 492
schedule of the National Auricula, in 1879 XVI 581
Scottish Arboricultural XII 459
Scottish Pansy XVI 23; show of, in 1877 XI 560
West London Entomological X 616
Wimbledon Gardeners' Improvement XI 264
Societies, horticultural XI 204; XVII 107
National Auricula, Picotee and *Carnation* XVI 547
Soho Square, in 1874 VI 215; opening of VI 336
Soil, aerating the XIV 453
clayey XVIII 444
deep, in Nebraska XII 208

Soil, depth and firmness in, essential XVI 315
does it wear out? XI 9
dressing for vermin-infested IX 168
262; novel mode of preparing VII 238
for rock-garden I 151; X 590
hard, in gardens I 157
in town gardens XII 146
preparing for potting IV 396
protected by snow III 156
questioning the IV 505
stacking VIII 375
storing, for potting XII 536
top-dressing with leaf XX 476
Soils I 219; II 453
and fertilisers V 228
and successional crops XX 396
benefited by lime VIII 166
books and articles on I 21
classification of IX 255
for Alpine plants XX 341 367 459 479 540 580 585 635
improving light vegetable XIV 397
new method of enriching sterile III 441
on Alpine plants, influence of XX 439 569
on the causes of their fertility or barrenness IV 382 402 421
suitable for plant-potting, &c., V 513
Soja hispida XVII 116
Solaudra grandiflora V 103
oppositifolia V 119
Solanum acanthoides XI 233
betaceum V 482 502; XVIII 68
Capisciastrum II 273; III 364; VII 153; XVI 284; in pots X 382
conical-berried VII 153
erinatum VI 95
crispum XIII 459 533; XVI 148 307
Express XIII 113
hybridum compactum VIII 551; Hendersoni VII 190
jasminoides II 9 410 442; VI 422; XX 478; as an indoor climber II 272; positions for VI 578
laciniatum XVIII 330; XX 217
large scarlet-fruited V 482
Lycoides VI 363
marginatum affected with Potato-disease X 432
new XX 149; conical-fruited VII 190; edible XVIII 410
Pseudo-Capsicum VI 384; P.-C. variegatum IX 246
robustum I 442
rostratum V 139
Torreyanum XVI 163
venustum XVIII 337; XIX 2
Warscewiczii II 195
Solanum and their culture XIV 359
and mice XIII 208 226
berry-bearing XX 405 556; culture of IX 245
best in poor soil XV 31
blighted in a night XIV 399
diseased XIV 424
for Christmas decoration XVIII 645
planting out-of-doors XIX 485
standard hybrid VIII 342
wintering XVIII 528
Soldanella alpina XVIII 346
montana VII 316
Soldanellas, the XIII 250; XVII 408
Solidago rigida XX 320
Virgaurea alpina XIX 27
Sollya parviflora XIX 620
Solomon's Seal I 325; III 382; V 178; VIII 261; XX 618

Solomon's Seal as a pot-plant IX 387
at Hampton Court VI 77
at home XV 157
 forced XIX 242
 forcing I 232
 giant XVII 448
 rose-coloured XV 455
Somerleyton Gardens I 489 510
Hall I 489
 corridor in winter-garden at I 570
 entrance to winter-garden at I 490
 Palm store entrance at I 512
 statue in winter-garden at I 511
Sonehus elegantissimus IX 579
laciniatus as a table plant III 290;
 I *pinnatifidus* V 203
multibracteatus V 534
Sonerila at Gunnersbury IV 463
 Hendersoni XII 416; XIV 451;
 H. *argentea* X 558
 Mamei X 563
Sonerilas XX 479
 as flowering plants XVIII 512
 as winter flowers XII 490
Soot and lime r. birds XI 152
 as a manure VIII 91
 garden uses of IX 22
 mixtures XX 65
Soot-water for plants X 610; XVII 96
Sophora I 194
japonica VIII 190; XX 178 373;
 j. var. *crispa*, IV 296; *weeping* II 513
speciosa XV 313
weeping, summer aspect of IX 601;
winter aspect of IX 600
Sophroitis grandiflora IV 478; X 498; XIV 500 587; in winter
 XII 488; on cork XV 175; on
 stumps of Tree Ferns X 577
violetacea XI 22; on cork XI 62
Sorbus americana XVIII 368
Sorghum bicolor IV 83
 cultivation of XIX 27
halense II 135
Sorrel III 484; IV 57
 eradicating XIII 627
 Smith's wood X 380
Spinach XVIII 142
Sorrels, improved kinds of XIII 493
 species of wood VI 312
Sorrel-tree, the VIII 400; IX 436;
 X 586; XII 175; XVI 360
Soudan, vines of XIX 551
Soup (Green Pea) in winter and summer I 535
Southeru-wood, as a hedge-plant V 462
South Kensington, arcades at XV 109
 break-down at IX 274
 gardens at XI 493
 innovation at XI 466
Southport Botanic Garden IX 400
South Sea Islands, vegetation in XIII 80
South Wales, notes from XIX 450 527
Southwark Park XVIII 150
Sowing and cropping, XX 27
 in drills v. broad-cast XIV 292
Sowings and plantings for July IV 19
Spaces in the City, open VI 320
Spade culture, best XIV 148 273;
 v. plough culture XVII 10
Spade-hoe, a V 131
Spade-hoes XV 205 248
Spade-transplanter, rounded XIII 30
Spading machine X 123
Spain, destruction of gardens in XVI 406
 Lemon-scented Verbena in X 227
 Spanish the wild X 496
 Spanish moss, as a window-plant XII 449

Sparaxis and *Ixias* XVII 558;
 and similar plants XIII 523
 culture of IV 209; V 241; XIV 429; XVI 247
 out-of-doors XIX 524
 planting V 116
pulcherrima III 142; VII 90;
 VIII 188; X 460; XX 130 153
 615; culture of XI 142; hardy
 in Northumberland VIII 345; in
 Ireland XIII 614; seeds of VIII
 294; p. *Thunbergii* VI 222
PULCHERRIMA XX 588
Thunbergii III 142
Sparagnum ramosum X 195
Sparmannia africana III 12 46; XIX 70 263 480; ever-blooming plant
 VII 237; in winter XV 7
Sparrow, a friend or an enemy? XIII 403
Sparrows and Horse-Chestnut buds
 IX 412
 and Primrose blooms XV 392 430
 as destroyers of flowers XVII 329
 English, in New York Squares I 212
 in America XIII 356; XIV 156
Sparrow-wort, alpine XIV 509
Spartina arundinacea VI 440
Spartium filipes XVII 342
Spathodea levis VIII 1341
Spathoglottis Lobbi XVII 167
 “*Spatium*,” the I 701; III 430
Specialists XIX 84 181
Species, Mr. Meehan on the origin of
 VI 310
Specimens, “made up” XX 190
Speedwell, Anderson's IV 502
 creeping X 416
Germanica I 653
golden XVIII 538
grey XX 23 79
Japanese XVIII 201
mountaini X 7
Toadflax-leaved II 410
 white *Germanica* XI 23
Speedwells, shrubby XVIII 585
 species of X 611
rock VIII 266
Speirantha convallarioides XIX 464
Spergula, as a turf plant V 496
Sphaerobolus stellatus XVII 325
Sphagnum an aid to culture XX 252
 as a mulching for pots and tubs V 160
Sphyinx pinastri VI 238
Spices, trees and shrubs which produce VII 56
Spider, red V 109
Spider-wort, a noble XIX 586
Spigelia marilandica IV 62; VIII 98; XVI 196
MARILANDICA XI 174
 “*Spigelia*” III 450
Spikenard of the ancients XVI 164 197 230 235 (*ent.*) 258
Spinach, Australian V 230
Beet XIX 244
 culture of II 40 60; VII 292; XI 547; XVI 125
 good winter, in undug ground IX 22
 in frost III 2
New Zealand VIII 354 401; IX 331; XVII 372; XIX 580; and other kinds IV 178
 perpetual XIX 244
 protecting XVII 260
 recipes for cooking V 552; VII 470
 sowing XX 122
 storing in a cold district XII 616
 substitutes for XIII 373
 summer I 612
 winter VI 584; X 276; XIV 207; XV 192; XVI 581; failure of VIII 534 555; IX 22 47;
 sowing XII 135
Spindle-tree, the XI 26; XX 368
 broad-leaved XX 394 395 (*cut*)
Spindle-trees, species and culture of IX 213; and varieties of VII 119
Spirea XX 41; as a wall-plant II 172; XX 21 98 134
ariaefolia II 24
Aruncus II 161; VII 254; XIII 589; XVI 324; XX 315; and its forms XII 1
astilboides XVII 490
bella I 354
caespitosa X 562; XII 206; XVI 231
callosa alba XIV 55
chama-drifolia XIX 461
crispifolia XX 440
decumbens II 257
downy I 694
elegans XX 52
Filipendula XIV 200; XX 6; F. plena XVI 324
Fortunei paniculata XII 189
japonica III 178 276; IV 319 (*cut*); XVI 425; XVII 170; XVIII 185; XIX 212; and its variegated variety IV 355; home-grown XVII 65; XVIII 23; in and out-of-doors XIX 543; in the wild garden XVI 307; j. *variegata* IX 516
Iævigata XIX 359 464
Lindleyana X 97; XX 78 III 111
Iobata XVII 390
Millefolium XVI 50
Nepal I 354
 new Japanese shrubby VI 489
opulifolia aurea XIX 464
palmata IV 241; V 540; VI 516; VII 274 522; IX 400; XIV 8; XVII 390; XIX 524 544 596 639; XX 72; at Coombe Wood XVI 94; p. *elegans* XIII 268; XIV 2 62 124; in masses XIV 55; not a new plant VII 254
PALMATA XVII 36
Pearl-bul XI 144
pigmy XVI 231
prunifolia in autumn X 492
Keeve's XX 23
rosy XX 53
singular alpine X 562
sor. folia XVI 217; XX 9
Thunbergiana IX 539; XIII 310 329; XV 375 433; XVII 197; XIX 21 74
tomentosa I 694; X 506; and S. *Thunbergii* XII 374
trifoliata XX 5
trilobata XVI 50
Ulmaria and its varieties XIX 420; U. *aurea* XVII 513 564; U. *aureo-variegata* II 385; U. fl. pl. XIV 27; golden-leaved XVI 324
venusta IV 250; VIII 232; XVI 235 324; XX 109; v. *lobata* XX 78
Spiraeas XVII 400; XX 103 355
 bush XIX 619
 double British XII 65
 forcing XX 515 566 608
 for forcing VI 146
 herbaceous II 161; XVII 36
 home-grown XX 608
 July XX 52
 new hybrid herbaceous VIII 134
 notes on XIV 106; XIX 464
 shrubby XVIII 118; and *herbaceous* XVI 555; and *herbaceous*, grouped together XIV 3; with pinnately-divided leaves XVI 217
 species of XII 187
 summer treatment of XX 608
Spiranthes cernua XX 62
Spire Lily, the autumnal XVI 343
Spleenwort XX 316
winged V 243
Splendour, tawdry XII 436
Splitting in fruits and vegetables XI 182
Sport, a curious XIX 370
 “Sports” in plants VII 530
Spotted Dead Nettle I 252
Spraguea umbellata II 525
Spray apparatus, new XIX 322
Sprays for the hair VI 472
Sprekelia glauca XI 346
Spring I 504; III 298 (poetry); 324 (poetry)
 Beauty VII 522; twofold chord of V 326
bedding I 563; preparing for XVI 194
 flowers I 604; and hardy Ferns XX 571; garland of I 278; when to sow III 364
 gardening, both sides of VII 483 has come I 304
 how it travels northward VII 48 mixtures I 498
 notes XIX 334 569; first XIX 277
 of 1875, very late VII 274
 preparing for VIII 407; XX 156 signs of XV 98
 voice of III 226 (poetry) 285 (poetry)
 waiting for VII 36 (poetry)
Spring, the XVIII 165
Spring Grove Cemetery, view in X 186 187
Sprinkler, the Bellows II 232
Sprouts, Brussels XV 344
Spruce, Albert V 227
 Alcock's IX 364
 black IX 480; XX 134
 blue XVII 282; of Colorado XVII 98; XVIII 74
 cone ornament V 233
 Golden VII 311
 hedges of XX 247
 Hemlock II 500; XVII 525 537; XVIII 44 73 301 340 368 519; XIX 617; at home XVIII 484; broad-leaved XIII 392; in England IX 600; in winter decorations XI 215; varieties of XIII 205; weeping III 156; VIII 310; XII 437
 Himalayan XIX 359
Hooker's, on Mt. Shasta VI 273
 Menzies, Dr. Bolander on VII 56 Norway XX 91
 section of the wood of XV 195 timber of XV 198
 variability of X 148 Weeping Hemlock XII 263 white XX 134; and black XX 134 (2 cuts)
Spruces, Colorado XII 71 improving by cutting off their tops XV 177
 ornamental XVIII 390 when to plant XIV 363 young, for winter flower-vases X 586
Sprunaria alba XVI 24
Spurge, the “flowering” XV 158
Spurge Laurels for undergrowth IX 236 suitable for the wild garden IX 468
Square des Batignolles, the X 511 in Paris, a new (1873) IV 144
 Leicester V 88
London, margin of a I 84; structure in I 85
Montrouge, playing-corner for children in the XII 20
 Parliament VI 386 plan of I 85
 Soho, in 1874 VI 215; opening of VI 336 view of I 108

Squares of London I 108; II 128; III 124; dismal VI 56; neglected VI 38; planting III 438; statues in VI 62
open by ticket XI 369
planting town III 266
Squash and its culture XI 533
Butman VIII 464
jam XVI 162
Ohio II 350
Turban IX 418
Squashes, American X 438; in Covent Garden IX 75
varieties of IV 136
v. Gourds IX 47
Squill, common, a poison for rats XIII 289
large XII 539
Siberian IX 4; white XII 388 418 460
STRIPED XIX 126
Squills in bloom in May XI 398
species of VI 132 158
TWO NEW XIV 538
Squires, Mr. Chas. XX 150
Stachys betonica, the white XII 228
speciosa VIII 363
Stake for Carnations and Picotees, &c. (2 illustrations) I 518
Stakes IV 400
bamboo X 416
glass flower II 230
preserving I 531 674; XI 60
Staking and dotting, bud effect of XVII 429
Stalactite cave in Parc Monceau XIII 294
St. Alban's Court, Canterbury XVIII 71
Stand, &c., for dinner-table decoration VI 101
Stanley (Dean), on industrial work XIII 4
Stratiotes europea IV 65
glauca XII 524
grandiflora XII 525
hirsuta minor IV 353
olivacea IX 351
Thureti XII 525
tubata XII 525
variegata XII 525
Stapelias II 335; IV 65
culture of II 82; XII 52
few species of XII 524
fine collection of IV 250
wintering XX 586
Staphylea colchica VI 269; IX 71; XV 57; XVII 7 330; XIX 488; for forcing XIX 241
escallopoides VII 128
pinnata XIX 43
Staphyleas, the XIX 43
Staple for wire fencing XIX 374
Starches, edible V 43
Star-grass, the American XIV 54
Starling, the XIX 73
Starlings and Cherries XIX 138
useful in gardens VIII 37
Star of Bethlehem XX 17 24
Arabian XX 23
drooping XV 429
golden-flowered XV 520
Starwort, Italian XX 364
shrubby XIX 71
winter XX 459
Starworts XVIII 353; XX 364
Statice Bonduelli IV 377; and spicata VIII 144
Holfordi, for market XI 286
Kaufmanniana XVII 267
latifolia I 702; XX 154
profusa VIII 91
sinuata XIX 571
spicata XVII 415
tatarica atro-sanguinea XVI 261
taurica XX 216
Statics, tender and hardy IX 125
Statuary, cleaning VI 470
in gardens XVIII 375

Statues, blight of XVIII 45
in London squares VI 62
Stautonia latifolia VIII 516; XIX 439; at *Battle Abbey* VIII 548; in Wiltshire IX 32
St. Bruno's Lily XX 286
Stellaria graminea, as an aquatic XIV 569; g. aurea IV 132 258; g. aerea in winter XIV 463
Stems, dead XIX 202
exo-endogenous and endogenous VIII 311
Stenandrium igneum XI 233
Stenocarpus Cunninghamii XIV 500
Stenomesson Hartwegianum XIV 549
luteo-viride XVIII 417
Stephanophyllum longifolium XVIII 229
Stephanotis, the XIX 583
as a basket-plant XII 519
at Bexley Heath XVII 102
confusing the roots of XIV 243
fine XI 396
fine truss of flowers of XVII 551
floribunda, Elvaston variety of XVIII 202; fruit of VI 467; XI 369; in a cool house XVI 133; in Covent Garden XIII 589; in fruit VI 520; in various positions XIV 360
flowering, in pots XIV 165; in small pots XII 467
flowerless XV 248 288 313
for cutting I 555
mealy-bug on VI 105
Stepney Green II 135
Stepney, new garden at I 341
Sternbergia XX 482
Iutea II 288; VIII 346; X 458; XII 416; XX 388
sicula XX 423
Sternbergias, two XX 483
Stendnera colocasioides V 28
Stevia glutinosa XVIII 478; XIX 252
Stevias, notes on VIII 304
Stewartia grandiflora VI 382
St. Helena, Flora of VI 422
Sticks and labels for gardens VII 478
Stigmaphylloides ciliatum XI 168; XVI 59 276
Still for flower-scents XII 495
Stings, remedies for VI 188; X 435
Stint, nest, eggs, and young of the Little XVIII 565
Stipa pennata IX 199; XVII 484; as an "everlasting" XVIII 57
St. James's Park XIV 179
St. John's Wort, at Penrhyn Castle XVI 346
creeping XVIII 198
enemy to trees XVI 307
for dry ground XX 520
Nepalese XVI 297
pink XXI 524
spreading X 415 420
St. John's Worts XX 367
hardy shrubby X 450
select species of XII 280
St. Leonard's III 358
St. Luke's Burial Grounds XIV 15
STOBAEA PURPUREA XV 12
purpurea XV 36 56 98; XX 438; hardiness of XV 83 118; seeds of XVI 450
Stock, East Lothian XII 464
Mauve Beauty VIII 18; XII 209
new crimson XVI 342; Virginian XVIII 80
night-scented V 241; VII 366; XIV 7; propagation of XV 386
Twickenham Purple XI 443
Virginian V 138; improved XX 71
Stocks III 433; XX 497
and their culture XIV 200
autumn-flowering XVIII 147
Stocks, Brompton VII 482
dwarfing IX 182
dwarf German XVIII 189
East Lothian X 75; XIII 35; XIV 476 498; XVI 445; intermediate V 461
for autumn sowing II 72
Frenchman on X 52
in autumn XX 572
in November XX 541
intermediate I 391
propagating double XVIII 345
seed of double VIII 128; home-saved XII 445; saving VIII 37; XI 269; saving to produce double flowers VIII 83; sowing XV 294
single XX 408
Ten-week, for cut flowers XX 137
testing the doubleness of XIX 522
varieties of V 391
white East Lothian X 72
winter V 439
Stock, influence of the III 133; IV 146; XX 531; on the graft XVI 254; on the scion IV 254 334; V 60; VIII 507; XX 591; on the scion in variegated plants VII 258
Stockwell Green building agitation, the VII 22
Stoke Park IV 24
Stokesia cyanea II 344; X 540 562; XV 345 353; XVII 82; XVIII 436
Stonecrop, crimson XIV 3
Meehan's XVIII 431
scarlet XVI 105; XIX 354
shrubby VIII 201
Siebold's II 295
variegated XX 391
yellow, in lines XX 71
Stonecrops, hardy, in flower in August XVIII 189
in windows XVII 217
Stone ledges for rock-gardens XIII 541
picking I 372
seats, green damp on XIII 300
surrounded by alpine plants I 3
Stone Pines II 347
in Italy VII 351
Storus XVII 88
Store-houses XX 76
Storks in gardens XV 142
Storms, electric XVIII 350
Stove I 31; XX 383
cheap V 131
climbers VI 100
for small greenhouse I 403
Kerr's vapourising VI 520
patent terra-cotta III 137
propagating XIII 559
small conservatory V 351
Stoves XX 450
Barnard's slow combustion XII 559
kerosene XII 486
terra-cotta III 168
Stoue, view in the park at XVI 443
Stowlangtoft Hall III 454
St. Pancras' Gardens XVI 450
St. Paul's, flower-garden at XII 303; XVI 28
new garden at XVI 433
improvements at XII 510; XVI 276
St. Petersburg, new garden at XVI 384
forcing Roses at X 181
"St. Peter's Sperm" XII 80
St. Peter's Wort XX 316
St. Peter's Worts XIV 171
Stratiotes aloides IV 388
Straw as fuel XV 116
Virginian V 138; improved XX 71
Stocks III 433; XX 497
and their culture XIV 200
autumn-flowering XVIII 147
Stocks III 433; XX 497
and their culture XIV 200
autumn-flowering XVIII 147
Stocks, Brompton VII 482
dwarfing IX 182
dwarf German XVIII 189
East Lothian X 75; XIII 35; XIV 476 498; XVI 445; intermediate V 461
for autumn sowing II 72
Frenchman on X 52
in autumn XX 572
in November XX 541
intermediate I 391
propagating double XVIII 345
seed of double VIII 128; home-saved XII 445; saving VIII 37; XI 269; saving to produce double flowers VIII 83; sowing XV 294
single XX 408
Ten-week, for cut flowers XX 137
testing the doubleness of XIX 522
varieties of V 391
white East Lothian X 72
winter V 439
Stock, influence of the III 133; IV 146; XX 531; on the graft XVI 254; on the scion IV 254 334; V 60; VIII 507; XX 591; on the scion in variegated plants VII 258
Stockwell Green building agitation, the VII 22
Stoke Park IV 24
Stokesia cyanea II 344; X 540 562; XV 345 353; XVII 82; XVIII 436
Stonecrop, crimson XIV 3
Meehan's XVIII 431
scarlet XVI 105; XIX 354
shrubby VIII 201
Siebold's II 295
variegated XX 391
yellow, in lines XX 71
Stonecrops, hardy, in flower in August XVIII 189
in windows XVII 217
Stone ledges for rock-gardens XIII 541
picking I 372
seats, green damp on XIII 300
surrounded by alpine plants I 3
Stone Pines II 347
in Italy VII 351
Storus XVII 88
Store-houses XX 76
Storks in gardens XV 142
Storms, electric XVIII 350
Stove I 31; XX 383
cheap V 131
climbers VI 100
for small greenhouse I 403
Kerr's vapourising VI 520
patent terra-cotta III 137
propagating XIII 559
small conservatory V 351
Stoves XX 450
Barnard's slow combustion XII 559
kerosene XII 486
terra-cotta III 168
Stoue, view in the park at XVI 443
Stowlangtoft Hall III 454
St. Pancras' Gardens XVI 450
St. Paul's, flower-garden at XII 303; XVI 28
new garden at XVI 433
improvements at XII 510; XVI 276
St. Petersburg, new garden at XVI 384
forcing Roses at X 181
"St. Peter's Sperm" XII 80
St. Peter's Wort XX 316
St. Peter's Worts XIV 171
Stratiotes aloides IV 388
Straw as fuel XV 116
Virginian V 138; improved XX 71
Stocks III 433; XX 497
and their culture XIV 200
autumn-flowering XVIII 147
Stocks, Brompton VII 482
dwarfing IX 182
dwarf German XVIII 189
East Lothian X 75; XIII 35; XIV 476 498; XVI 445; intermediate V 461
for autumn sowing II 72
Frenchman on X 52
in autumn XX 572
in November XX 541
intermediate I 391
propagating double XVIII 345
seed of double VIII 128; home-saved XII 445; saving VIII 37; XI 269; saving to produce double flowers VIII 83; sowing XV 294
single XX 408
Ten-week, for cut flowers XX 137
testing the doubleness of XIX 522
varieties of V 391
white East Lothian X 72
winter V 439
Stock, influence of the III 133; IV 146; XX 531; on the graft XVI 254; on the scion IV 254 334; V 60; VIII 507; XX 591; on the scion in variegated plants VII 258
Stockwell Green building agitation, the VII 22
Stoke Park IV 24
Stokesia cyanea II 344; X 540 562; XV 345 353; XVII 82; XVIII 436
Stonecrop, crimson XIV 3
Meehan's XVIII 431
scarlet XVI 105; XIX 354
shrubby VIII 201
Siebold's II 295
variegated XX 391
yellow, in lines XX 71
Stonecrops, hardy, in flower in August XVIII 189
in windows XVII 217
Stone ledges for rock-gardens XIII 541
picking I 372
seats, green damp on XIII 300
surrounded by alpine plants I 3
Stone Pines II 347
in Italy VII 351
Storus XVII 88
Store-houses XX 76
Storks in gardens XV 142
Storms, electric XVIII 350
Stove I 31; XX 383
cheap V 131
climbers VI 100
for small greenhouse I 403
Kerr's vapourising VI 520
patent terra-cotta III 137
propagating XIII 559
small conservatory V 351
Stoves XX 450
Barnard's slow combustion XII 559
kerosene XII 486
terra-cotta III 168
Stoue, view in the park at XVI 443
Stowlangtoft Hall III 454
St. Pancras' Gardens XVI 450
St. Paul's, flower-garden at XII 303; XVI 28
new garden at XVI 433
improvements at XII 510; XVI 276
St. Petersburg, new garden at XVI 384
forcing Roses at X 181
"St. Peter's Sperm" XII 80
St. Peter's Wort XX 316
St. Peter's Worts XIV 171
Stratiotes aloides IV 388
Straw as fuel XV 116
Virginian V 138; improved XX 71
Stocks III 433; XX 497
and their culture XIV 200
autumn-flowering XVIII 147
Stocks, Brompton VII 482
dwarfing IX 182
dwarf German XVIII 189
East Lothian X 75; XIII 35; XIV 476 498; XVI 445; intermediate V 461
for autumn sowing II 72
Frenchman on X 52
in autumn XX 572
in November XX 541
intermediate I 391
propagating double XVIII 345
seed of double VIII 128; home-saved XII 445; saving VIII 37; XI 269; saving to produce double flowers VIII 83; sowing XV 294
single XX 408
Ten-week, for cut flowers XX 137
testing the doubleness of XIX 522
varieties of V 391
white East Lothian X 72
winter V 439
Stock, influence of the III 133; IV 146; XX 531; on the graft XVI 254; on the scion IV 254 334; V 60; VIII 507; XX 591; on the scion in variegated plants VII 258
Stockwell Green building agitation, the VII 22
Stoke Park IV 24
Stokesia cyanea II 344; X 540 562; XV 345 353; XVII 82; XVIII 436
Stonecrop, crimson XIV 3
Meehan's XVIII 431
scarlet XVI 105; XIX 354
shrubby VIII 201
Siebold's II 295
variegated XX 391
yellow, in lines XX 71
Stonecrops, hardy, in flower in August XVIII 189
in windows XVII 217
Stone ledges for rock-gardens XIII 541
picking I 372
seats, green damp on XIII 300
surrounded by alpine plants I 3
Stone Pines II 347
in Italy VII 351
Storus XVII 88
Store-houses XX 76
Storks in gardens XV 142
Storms, electric XVIII 350
Stove I 31; XX 383
cheap V 131
climbers VI 100
for small greenhouse I 403
Kerr's vapourising VI 520
patent terra-cotta III 137
propagating XIII 559
small conservatory V 351
Stoves XX 450
Barnard's slow combustion XII 559
kerosene XII 486
terra-cotta III 168
Stoue, view in the park at XVI 443
Stowlangtoft Hall III 454
St. Pancras' Gardens XVI 450
St. Paul's, flower-garden at XII 303; XVI 28
new garden at XVI 433
improvements at XII 510; XVI 276
St. Petersburg, new garden at XVI 384
forcing Roses at X 181
"St. Peter's Sperm" XII 80
St. Peter's Wort XX 316
St. Peter's Worts XIV 171
Stratiotes aloides IV 388
Straw as fuel XV 116
Virginian V 138; improved XX 71
Stocks III 433; XX 497
and their culture XIV 200
autumn-flowering XVIII 147
Stocks, Brompton VII 482
dwarfing IX 182
dwarf German XVIII 189
East Lothian X 75; XIII 35; XIV 476 498; XVI 445; intermediate V 461
for autumn sowing II 72
Frenchman on X 52
in autumn XX 572
in November XX 541
intermediate I 391
propagating double XVIII 345
seed of double VIII 128; home-saved XII 445; saving VIII 37; XI 269; saving to produce double flowers VIII 83; sowing XV 294
single XX 408
Ten-week, for cut flowers XX 137
testing the doubleness of XIX 522
varieties of V 391
white East Lothian X 72
winter V 439
Stock, influence of the III 133; IV 146; XX 531; on the graft XVI 254; on the scion IV 254 334; V 60; VIII 507; XX 591; on the scion in variegated plants VII 258
Stockwell Green building agitation, the VII 22
Stoke Park IV 24
Stokesia cyanea II 344; X 540 562; XV 345 353; XVII 82; XVIII 436
Stonecrop, crimson XIV 3
Meehan's XVIII 431
scarlet XVI 105; XIX 354
shrubby VIII 201
Siebold's II 295
variegated XX 391
yellow, in lines XX 71
Stonecrops, hardy, in flower in August XVIII 189
in windows XVII 217
Stone ledges for rock-gardens XIII 541
picking I 372
seats, green damp on XIII 300
surrounded by alpine plants I 3
Stone Pines II 347
in Italy VII 351
Storus XVII 88
Store-houses XX 76
Storks in gardens XV 142
Storms, electric XVIII 350
Stove I 31; XX 383
cheap V 131
climbers VI 100
for small greenhouse I 403
Kerr's vapourising VI 520
patent terra-cotta III 137
propagating XIII 559
small conservatory V 351
Stoves XX 450
Barnard's slow combustion XII 559
kerosene XII 486
terra-cotta III 168
Stoue, view in the park at XVI 443
Stowlangtoft Hall III 454
St. Pancras' Gardens XVI 450
St. Paul's, flower-garden at XII 303; XVI 28
new garden at XVI 433
improvements at XII 510; XVI 276
St. Petersburg, new garden at XVI 384
forcing Roses at X 181
"St. Peter's Sperm" XII 80
St. Peter's Wort XX 316
St. Peter's Worts XIV 171
Stratiotes aloides IV 388
Straw as fuel XV 116
Virginian V 138; improved XX 71
Stocks III 433; XX 497
and their culture XIV 200
autumn-flowering XVIII 147
Stocks, Brompton VII 482
dwarfing IX 182
dwarf German XVIII 189
East Lothian X 75; XIII 35; XIV 476 498; XVI 445; intermediate V 461
for autumn sowing II 72
Frenchman on X 52
in autumn XX 572
in November XX 541
intermediate I 391
propagating double XVIII 345
seed of double VIII 128; home-saved XII 445; saving VIII 37; XI 269; saving to produce double flowers VIII 83; sowing XV 294
single XX 408
Ten-week, for cut flowers XX 137
testing the doubleness of XIX 522
varieties of V 391
white East Lothian X 72
winter V 439
Stock, influence of the III 133; IV 146; XX 531; on the graft XVI 254; on the scion IV 254 334; V 60; VIII 507; XX 591; on the scion in variegated plants VII 258
Stockwell Green building agitation, the VII 22
Stoke Park IV 24
Stokesia cyanea II 344; X 540 562; XV 345 353; XVII 82; XVIII 436
Stonecrop, crimson XIV 3
Meehan's XVIII 431
scarlet XVI 105; XIX 354
shrubby VIII 201
Siebold's II 295
variegated XX 391
yellow, in lines XX 71
Stonecrops, hardy, in flower in August XVIII 189
in windows XVII 217
Stone ledges for rock-gardens XIII 541
picking I 372
seats, green damp on XIII 300
surrounded by alpine plants I 3
Stone Pines II 347
in Italy VII 351
Storus XVII 88
Store-houses XX 76
Storks in gardens XV 142
Storms, electric XVIII 350
Stove I 31; XX 383
cheap V 131
climbers VI 100
for small greenhouse I 403
Kerr's vapourising VI 520
patent terra-cotta III 137
propagating XIII 559
small conservatory V 351
Stoves XX 450
Barnard's slow combustion XII 559
kerosene XII 486
terra-cotta III 168
Stoue, view in the park at XVI 443
Stowlangtoft Hall III 454
St. Pancras' Gardens XVI 450
St. Paul's, flower-garden at XII 303; XVI 28
new garden at XVI 433
improvements at XII 510; XVI 276
St. Petersburg, new garden at XVI 384
forcing Roses at X 181
"St. Peter's Sperm" XII 80
St. Peter's Wort XX 316
St. Peter's Worts XIV 171
Stratiotes aloides IV 388
Straw as fuel XV 116
Virginian V 138; improved XX 71
Stocks III 433; XX 497
and their culture XIV 200
autumn-flowering XVIII 147
Stocks, Brompton VII 482
dwarfing IX 182
dwarf German XVIII 189
East Lothian X 75; XIII 35; XIV 476 498; XVI 445; intermediate V 461
for autumn sowing II 72
Frenchman on X 52
in autumn XX 572
in November XX 541
intermediate I 391
propagating double XVIII 345
seed of double VIII 128; home-saved XII 445; saving VIII 37; XI 269; saving to produce double flowers VIII 83; sowing XV 294
single XX 408
Ten-week, for cut flowers XX 137
testing the doubleness of XIX 522
varieties of V 391
white East Lothian X 72
winter V 439
Stock, influence of the III 133; IV 146; XX 531; on the graft XVI 254; on the scion IV 254 334; V 60; VIII 507; XX 591; on the scion in variegated plants VII 258
Stockwell Green building agitation, the VII 22
Stoke Park IV 24
Stokesia cyanea II 344; X 540 562; XV 345 353; XVII 82; XVIII 436
Stonecrop, crimson XIV 3
Meehan's XVIII 431
scarlet XVI 105; XIX 354
shrubby VIII 201
Siebold's II 295
variegated XX 391
yellow, in lines XX 71
Stonecrops, hardy, in flower in August XVIII 189
in windows XVII 217
Stone ledges for rock-gardens XIII 541
picking I 372
seats, green damp on XIII 300
surrounded by alpine plants I 3
Stone Pines II 347
in Italy VII 351
Storus XVII 88
Store-houses XX 76
Storks in gardens XV 142
Storms, electric XVIII 350
Stove I 31; XX 383
cheap V 131
climbers VI 100
for small greenhouse I 403
Kerr's vapourising VI 520
patent terra-cotta III 137
propagating XIII 559
small conservatory V 351
Stoves XX 450
Barnard's slow combustion XII 559
kerosene XII 486
terra-cotta III 168
Stoue, view in the park at XVI 443
Stowlangtoft Hall III 454
St. Pancras' Gardens XVI 450
St. Paul's, flower-garden at XII 303; XVI 28
new garden at XVI 433
improvements at XII 510; XVI 276
St. Petersburg, new garden at XVI 384
forcing Roses at X 181
"St. Peter's Sperm" XII 80
St. Peter's Wort XX 316
St. Peter's Worts XIV 171
Stratiotes aloides IV 388
Straw as fuel XV 116
Virginian V 138; improved XX 71
Stocks III 433; XX 497
and their culture XIV 200
autumn-flowering XVIII 147
Stocks, Brompton VII 482
dwarfing IX 182
dwarf German XVIII 189
East Lothian X 75; XIII 35; XIV 476 498; XVI 445; intermediate V 461
for autumn sowing II 72
Frenchman on X 52
in autumn XX 572
in November XX 541
intermediate I 391
propagating double XVIII 345
seed of double VIII 128; home-saved XII 445; saving VIII 37; XI 269; saving to produce double flowers VIII 83; sowing XV 294
single XX 408
Ten-week, for cut flowers XX 137
testing the doubleness of XIX 522
varieties of V 391
white East Lothian X 72
winter V 439
Stock, influence of the III 133; IV 146; XX 531; on the graft XVI 254; on the scion IV 254 334; V 60; VIII 507; XX 591; on the scion in variegated plants VII 258
Stockwell Green building agitation, the VII 22
Stoke Park IV 24
Stokesia cyanea II 344; X 540 562; XV 345 353; XVII 82; XVIII 436
Stonecrop, crimson XIV 3
Meehan's XVIII 431
scarlet XVI 105; XIX 354
shrubby VIII 201
Siebold's II 295
variegated XX 391
yellow, in lines XX 71
Stonecrops, hardy, in flower in August XVIII 189
in windows XVII 217
Stone ledges for rock-gardens XIII 541
picking I 372
seats, green damp on XIII 300
surrounded by alpine plants I 3
Stone Pines II 347
in Italy VII 351
Storus XVII 88
Store-houses XX 76
Storks in gardens XV 142
Storms, electric XVIII 350
Stove I 31; XX 383
cheap V 131
climbers VI 100
for small greenhouse I 403
Kerr's vapourising VI 520
patent terra-cotta III 137
propagating XIII 559
small conservatory V 351
Stoves XX 450
Barnard's slow combustion XII 559
kerosene XII 486
terra-cotta III 168
Stoue, view in the park at XVI 443
Stowlangtoft Hall III 454
St. Pancras' Gardens XVI 450
St. Paul's, flower-garden at XII 303; XVI 28
new garden at XVI 433
improvements at XII 510; XVI 276
St. Petersburg, new garden at XVI 384
forcing Roses at X 181
"St. Peter's Sperm" XII 80
St. Peter's Wort XX 316
St. Peter's Worts XIV 171
Stratiotes aloides IV 388
Straw as fuel XV 116
Virginian V 138; improved XX 71
Stocks III 433; XX 497
and their culture XIV 200
autumn-flowering XVIII 147
Stocks, Brompton VII 482
dwarfing IX 182
dwarf German XVIII 189
East Lothian X 75; XIII 35; XIV 476 498; XVI 445; intermediate V 461
for autumn sowing II 72
Frenchman on X 52
in autumn XX 572
in November XX 541
intermediate I 391
propagating double XVIII 345
seed of double VIII 128; home-saved XII 445; saving VIII 37; XI 269; saving to produce double flowers VIII 83; sowing XV 294
single XX 408
Ten-week, for cut flowers XX 137
testing the doubleness of XIX 522
varieties of V 391
white East Lothian X 72
winter V 439
Stock, influence of the III 133; IV 146; XX 531; on the graft XVI 254; on the scion IV 254 334; V 60; VIII 507; XX 591; on the scion in variegated plants VII 258
Stockwell Green building agitation, the VII 22
Stoke Park IV 24
Stokesia cyanea II 344; X 540 562; XV 345 353; XVII 82; XVIII 436
Stonecrop, crimson XIV 3
Meehan's XVIII 431
scarlet XVI 105; XIX 354
shrubby VIII 201
Siebold's II 295
variegated XX 391
yellow, in lines XX 71
Stonecrops, hardy, in flower in August XVIII 189
in windows XVII 217
Stone ledges for rock-gardens XIII 541
picking I 372
seats, green damp on XIII 300
surrounded by alpine plants I 3
Stone Pines II 347
in Italy VII 351
Storus XVII 88
Store-houses XX 76
Storks in gardens XV 142
Storms, electric XVIII 350
Stove I 31; XX 383
cheap V 131
climbers VI 100
for small greenhouse I 403
Kerr's vapourising VI 520
patent terra-cotta III 137
propagating XIII 559
small conservatory V 351
Stoves XX 450
Barnard's slow combustion XII 559
kerosene XII 486
terra-cotta III 168
Stoue, view in the park at XVI 443
Stowlangtoft Hall III 454
St. Pancras' Gardens XVI 450
St. Paul's, flower-garden at XII 303; XVI 28
new garden at XVI 433
improvements at XII 510; XVI 276
St. Petersburg, new garden at XVI 384
forcing Roses at X 181
"St. Peter's Sperm" XII 80
St. Peter's Wort XX 316
St. Peter's Worts XIV 171
Stratiotes aloides IV 388
Straw as fuel XV 116
Virginian V 138; improved XX 71
Stocks III 433; XX 497
and their culture XIV 200
autumn-flowering XVIII 147
Stocks, Brompton VII 482
dwarfing IX 182
dwarf German XVIII 189
East Lothian X 75; XIII 35; XIV 476 498; XVI 445; intermediate V 461
for autumn sowing II 72
Frenchman on X 52
in autumn XX 572
in November XX 541
intermediate I 391
propagating double XVIII 345
seed of double VIII 128; home-saved XII 445; saving VIII 37; XI 269; saving to produce double flowers VIII 83; sowing XV 294
single XX 408
Ten-week, for cut flowers XX 137
testing the doubleness of XIX 522
varieties of V 391
white East Lothian X 72
winter V 439
Stock, influence of the III 133; IV 146; XX 531; on the graft XVI 254; on the scion IV 254 334; V 60; VIII 507; XX 591; on the scion in variegated plants VII 258
Stockwell Green building agitation, the VII 22<br

Strawberries, culture of—*cont.*
 Black Forest V 478; in the midland counties XI 85; made easy XIV 196; M. Gloede on IX 601; remarkable III 293; under difficulties VIII 6; under glass I 571
 different races of V 214
 double-sided pots for IX 605
 early VIII 266; IX 588; XI 65; XVIII 12; forced XVII 25 202
 XIX 340
 exposing to the sun XV 374 419
 403
 fertilisation of XIII 343
 finishing off for market XVIII 436
 flavouring V 361; forced III 266
flowers of, stamine and non-stamine XIX 281
 forced, in autumn XX 243; planted out for a main crop IV 35
 forcing I 349 638; VI 147; VIII 22; IX 261; XVIII 278; XX 577; best kinds for XI 403; causes of failure in XVI 328; early, in pots XV 146; house for XV 268; in market gardens VI 342; in New Jersey XVII 218; in pots XV 160; in Surrey II 37; perfect fertilisation needed in XIII 280 307; preparing for X 123; saucers in XV 159; saucers of soil in VII 365; XV 188; saucers of soil & saucers of water in XV 101
 for clayey soils XIV 165
 for forcing VIII 370 416; XX 244; how to prepare III 494
 for good forcing VII 490
 for hanging-baskets II 34
 for Kentish garden VI 474
 forking among XI 86 104
 for light soils XVI 147; XX 68
 for market VI 291; XV 420
 for runners, planting XX 304
 for table decoration XV 335 350
 fresh, at Christmas II 132
 from Florida V 238
 full crop in ten months from the time of planting X 125
 grown for market, quality of XV 402; on a sewage farm IV 22
guard for, wire XV 405
 hard and rusty IX 539 576 604
 how I eat IV 95
 how to improve the flavour of VII 324
 hybridisation of X 238
 in autumn I 106
 in clumps XX 33
 in December XX 633
 in London market gardens VII 107
 in Middlesex XIV 78
 in New Jersey XVI 92
 in New York XII 2
 in November X 458
 in orchards IV 146
 in pots III 353; VII 458; XII 255; XV 388; XX 90 121 149 169 270 330 406 556 592; and frost XV 419; the seasons XI 111 307; autumn treatment of XIV 344; exposing XVII 402; hardness of XIV 520; protecting XIV 558; soil for XVIII 129; wintering XIX 211; wintering out-of-doors XIX 531; without liquid manure XIV 327
 in Rome III 42
 in September XII 216; XIV 262
 in small pots XIX 475
 in winter in California IV 378
 irrigating XVI 238
 land of IX 584
 large X 303; XVI 44; XVIII 29
 late XX 393; forced XVI 44; XVII 473; in pots IX 202; XVI 96
 layering XVI 43; XX 67

Strawberries, layers of XVII 567
 losing their foliage XI 65
 market XIII 520; in Cheshire VIII 159
 mildew on XV 160; XVIII 130
 mulching III 482; XVI 19; evidence as to IX 15
 new XX 510; German varieties of XVII 238
 novel mode of dishing III 383
 of Monrepos II 105
 old and new XVIII 169
 on railway embankments VII 446
 on the Pacific coast VI 9
 out-of-doors III 337; mulching XVII 494
 packing VI 9; X 77 (6 cuts) 560
 pickers of, in Virginia XII 146
 pit XIX 658
 planting-out forced I 475; XX 8
 plants of, to an acre XX 244;
 protecting in winter VI 595;
 two in a pot XIX 502 576
 porous glazed pots for IX 584
 potting XX 68
 raising from seed IV 236
 Red-spider on XV 336
 retarding forced XIII 375
 ripe, in February XI 163; out-of-doors in December XX 563;
 wood XI 184
 rooting through pots XV 350 373
 runners of VIII 290; XI 111 429; XVIII 96; for forcing X 203; securing early XVI 237
 rust on IX 583
 saucers for XV 146 326
 seed of, how to save II 83
 shifting to cool temperatures VIII 6
 small XIII 629
 supports for XIX 412 576; wire XIX 436
 tan mulchings for XIII 436
 that resist wet VIII 98
 top-dressing, with soot XIII 506
 trade in, the American I 704
 two good XIV 12; but little known VII 241
 two plants in a pot XX 243
 under glass, flavour of XV 214;
 heavy crop of VI 494
 varieties of XI 20 290
 watering VII 412; XI 331
 where to grow XVII 509
 winter X 550; XI 47; and their prices X 518
 wintering in pots XIV 471; XVI 20
 with French Beans XX 76
Strawberry Blite, the IX 488
Strawberry beds digging XX 244
 Dublin XVII 310
 near Dublin I 644
Strawberry fungus XVI 24
Strawberry houses XVII 236
Strawberry ice-cream IV 52
Strawberry jam X 119
Strawberry jars in France V 518
Strawberry plantations VI 91
 permanent XIV 81
Strawberry season, how to prolong the XIV 262
 “Strawberry strike, the market-gardeners” II 6
Strawberry tree, the XII 511
Streamlet issuing from Ivy-clad rock XIII 295
Street pavements XII 148
 planting, improvements in VIII 4
Strelitzia Nicolai VI 173
ovata VII 44; XIX 34
Reginae IV 480; XI 250; XVIII 58; in bloom X 558; planted out in conservatories IX 54
Streptocarpus biflorus VIII 323; XIX 241
floribundus XIV 126; XVI 284; hardness of XV 84
 four varieties of VII 152
Streptocarpus, new XX 178
Rexi XVIII 60
Saundersi XI 265
Streptopus amplexifolius XVI 215; XVIII 78
Strichopus Tree with Orchids I 509
Strophanthus hispidus IV 246
Struthiopteris germanica IX 288
japonica VIII 150
St. Stephen's Green, Dublin IX 170; “Improvement” of XVI 294; XVIII 151; opening of, in 1880 XVIII 107
St. Swithin's Day XVI 69
Stuartia pentagona VI 206; VII 370; XIV 572
virginica XII 78 595 (cut); XIV 3; flower of XVIII 628
VIRGINICA XIV 38
Stuartias, the XIV 38
 Students, a new way with VI 345
Stukeley Hall, flower-gardening at VI 470
Stump-puller, an effective II 361
Stumps, blasting and burning III 413
 high-priced VII 396
Stylophorum ohioense XIX 464
Styrax, should seeds of, be soaked or cracked? VII 202
Styraxes XX 273
Sueda dendroides VI 292
 “Sub-tropical Garden,” a new edition of the XVI 423; *view in a* III 95
 planting XIX 554
 plants I 95
Succory, the XIV 63
Succulents I 460 494 643; X 204
and coloured-leaved plants XVII 281
 as window plants IV 53
 effect of wet on XVI 215
for bedding I 455 (3 cuts)
 for beds VIII 81
 for winter decoration XX 436
 half-hardy V 240
 hardy, and *Saxifrages* XVII 280
 in bloom, in June VII 465; in May IX 506
 in the Regent's Park IX 506
 Mr. Peacock's catalogue of XV 483
 new III 12
 novel mode of arranging VI 447
 old mortar for XI 224
 out-of-doors X 440; in winter X 420
 some rare, and other plants VIII 350
Suckers as stocks I 439
Suez Canal, vegetation by the XII 285
Suffolk, outdoor vegetation in, in January XI 22
Sugar Beet, near Sacramento, fields of VII 26
Suggestion, a good IV 182
Sulphozone, a substitute for sulphur II 31 53
Sulphur and Gishurst Compound I 225
 soluble I 244
Sulphurator II 403
Sunach, Ailanthus-leaved XI 307
 ent-leaved XVI 380
 Fern-leaved II 380
 Osbeck's XVI 566
Stag's-horn IV 192
 Venetian I 632; VI 272 377; XX 203
Walnut-leaved X 419
Sumbul plant, the VII 2
Summer, effects of a dull XVII 219 298 473; of a wet XVII 362
 Lessons taught by the late dry (1874) VI 367
 notes in XX 49
 of 1875, exceptionally cold VIII 80
 of 1879, coldness of the XVI 164
 effects of recent sunless (1877) XII 603
Summer-houses, durable XVIII 482
 heather-thatched V 392
Summer-leaving trees in spring XVI 467
Sunbury House, orchids in flower at XX 617
Sunbury Nurseries, the XVIII 318
Sunderland, new park for XVIII 5
Sundew, the VIII 234
double-leaved IV 77
 Portuguese XIV 126; XVIII 484 541 567 630; out-of-doors XX 171
round-leaved XI 381
thread-leaved XVII 273
Sundews, British XVIII 331 394
 Cape XVIII 287
Sundial, Pitman's IX 186
Sunflower I 702
 Cucumber-leaved VIII 242
double Globi XVIII 235
 giant I 151
 graceful XV 116
larger perennial XX 481
 many-flowered II 250
 narrow-leaved XVIII 402
 perennial XX 222
 preventive of fevers VII 237
 Russian XIX 314
 sanitary advantages of the I 604
silvery XII 280
 uses of the IV 419
Sunflowers XX 502
 and malaria VIII 358
 as fuel III 348; XIII 480
 in floral decorations XVIII 382
 note on XIV 288
 tall XX 261
Sun Roses (*Helianthemums*) XVIII 311
 Superphosphate of lime XX 380
 Surface dressings VII 203
 Surface-stirring, importance of XI 90
 uses of VII 371
 Surprise, the old VI 308 (poetry)
 Sussex, fruit-growing in XIII 519
 Swainsona Osborni II 195
 Swanley, notes from XIX 384
 Swans, and water-weeds XI 184
 Sweden, a winter-garden for XIII 381
 Swedish trees and wild flowers X 69
 Sweet Briar, XX 618
double-flowered XIII 613
 fields of VI 380
 in Covent Garden Market IX 443
 in hedges XIII 433
 in wild garden XX 56
 Sweet Corn, the best VIII 402; IX 188 (6 cuts)
 Sweet Flag, the VIII 84; XX 199
 medicinal uses of VIII 52
 Sweet Gale VIII 520
 Sweet Pea, prolific I 162
VIOLET QUEEN XII 568
 Sweet Peas I 239 303
 on Standard Roses XX 162
 sowing XIII 295
 sown in autumn II 73
 transplanting I 204
 Sweet Pepper Bush XVIII 177 224
 Sweet Potato Crop in America in 1880 XVIII 411
 flowering of XII 21
 “Sweets” IX 327
Sweet Sop, the XI 167
 Sweet Sultan, the XVIII 76; XX 264
 white XIX 337
 Sweet Sultans, the XVIII 123
 Sweet William XX 43
 crimson XX 99
 double VI 405; XX 52; dwarf XIX 645; red XX 25
single varieties of X 33
 Sweet Williams X 3; XII 126; XIV 28; XVIII 56 96; XX 10 123

Sweet Williams and frost XV 347
good specimens of XX 125
in wet seasons XVI 88
Sweet Woodruff, the XVII 189
Swertia perennis XIV 353
Switzerland and North Italy, a holiday in II 233
curious tree-plaiting custom in XI 536
flora of XV 87
horticultural education in XIII 609
Sycamore, the V 147; VII 368
American XIII 114
Corstophine X 496
timber of XII 374
true XIII 114
Sycamores at Plas Newydd XVIII 433
purple and Corstorphine X 424
Sycamore, the XIII 528
Sydenham Hill, hardy plants at XVI 58
Sydney Botanic Garden XVI 550; *Norfolk Island Pine* in I 711
Sylva, the North American IX 483
Sympathy and antipathy XIII 421
Symphoria glomerata VII 31
Symphoricarpos XX 321
glauca and S. vulgaris variegata XIV 171
Symphyandra pendula XIII 561; XVIII 59 (*cut*)
Wanneri XIII 561
Sympthymus aspermum XVII 537; a. variegatum XIV 191
officinale variegatum VII 373; XII 65
orientale XII 109
variegated IX 396
Sympthymums for the wild garden VIII 19
Symplocarpus foetidus XI 144
Synonyms XI 504
Syon XX 425
Bananas and Vanilla at X 436
gardens at IV 15
notes from XIX 235
trees and shrubs at XVIII 628
Syringa, common, forced XX 565
Emodi I 667; XII 419 (*cut*)
for forcing XX 515
Josikai XVII 558
Syringas, the VIII 3
list of the species of XVI 144
Syringodea pulchella IX 353
Syrphus pyrastri XVI 449
Syzygium Moorei XIII 155

T.

TABERNEMONTANA Camassia XII 52; XIII 429; XV 475; XVII 404; XIX 414 541; XX 222
coronaria I 59; XIX 497; double-flowered III 43
Table decoration II 174; III 343; IV 441; XII 271; XIX 90; art of II 230 341; at the Crystal Palace IV 220; cheap VII 416; colour in II 468; for Christmas Day IV 497; VIII 531; in Dublin II 258; prize III 411
ornament, pretty IV 464
Tacca pinnatifida XV 273

Tachiadenus carinatus XX 362
Tacesonia exoniensis II 266 458
insignis IV 374
sanguinea VII 60 82
Van Volxemi I 462; as a winter-bloomer III 357; culture of VII 153; fruit of VI 520; fruit of, eatable VI 469; good autumn climber I 360; shedding its flowers XIV 187
Tacesonia XIV 385
Tagetes lucida X 328
Parryi XX 262 331
signata pumila for carpet-bedding VIII 111
Talinum Arnotii IX 351
Talisia megaphylla XIV 411
Tamarind, the XIII 75
Tamarisks, a caution XII 372
Tamarisk, the IV 296; XIV 172
French IV 183
Tamarix gallica IV 183
in French gardens XIII 620
plumosa V 148; VI 252; IX 196
standard trees of XIV 279
Tama-casi XII 240
Tan I 437
and its uses X 374
beds of IV 480
for blanching Celery, use of IX 46
for hedge-growing V 147
for mulethinning VI 40
in gardens, use of VII 394 464
spout XI 119; as manure XI 263
Tank for liquid manure X 416
Tansy pudding, baked VI 509
Tapeinothes Carolinea IV 396
Tapioca VII 146
“Taquarensa,” the V 258
Tar and pitch running XIX 235
dressings of XIX 608
pavements XI 557
paving v. weeds on walks XIII 219
Tarragon III 424; VIII 506
best soil for XI 455
Tar-weed, hardy in Scotland, the X 480
Tasmania, vegetation in XIII 435
Tasmania aromatica III 382
“Taste,” a paper on modern XII 365
Taxodium distichum XII 405 623
(*cut*); XVI 501
semperfervens X 492; pruning VII 23; timber of XV 169
Taxus elegantissima, propagating XIV 515
tardiva (*adpressa*) XII 622
Tea II 30
adulteration of V 552; XVIII 616
beetles in VII 399
culture of, in Georgia I 538; in India II 224; in Italy VII 368; in United States I 564
drinking, the dangers of II 435
“green,” how produced IV 164
grown in America II 539
in the Caucasus II 490
Labrador XIX 488
Paraguay, or Maté X 515
Teas of home growth V 62
varieties of IX 168
Tea-farm in the United States XIX 116
Tea-leaves and locusts IV 144
Tecu-plant, the XVIII 643
black IX 437
Duke of Argyle's II 322
green IX 435
in Anjou, culture of V 539
in Sicily VII 336
Labrador XIV 241
note on XIII 23
spray of the Tasmanian XVI 291

Tea plants, hardy in England VI 532
Tea pot, a singular Chinese XIII 416
Tea-spirit, a new I 688
Teachers, who are our? XIX 515
Tea Roses, culture of, in winter III 314
pit for XVII 170
Tecomia capensis XX 457
grandiflora rubra IV 155
jasminoides IV 338; how to flower XVIII 576
radicans sanguinea precox XII 327
Tecophilæa cyanocrocus XIX 416 495
CYANOCROCUS XX 62
Telograph plant, the XVIII 647
Telekia speciosa XVIII 123
Telephone, use of the, in the Seed and Nursery trade XVI 356
Telfairia occidentalis XI 189
Temperature, increase of with altitude XVII 379
Indicator of III 309; new VI 464
in valleys and on heights XIX 375
low, in 1881 XIX 194 246
Temple Bar, Griffin at XIX 375
what to do with VI 115
Temple Gardeons, the XVI 28
planting I 341
relic of the XIII 280
Tenderness, abnormal, and perpetual blooming XIX 371
Tennessee, crops in Middle, in 1880 XVIII 532
Tennison Jaws XX 571 584
Tenthredo (*Emphytus*) cineta III 145
Teosinte for warm climates XVIII 262
Tephritis onopordinus VIII 354; XVI 229 (*cut*)
Terminalia elegans XIII 37
Terms used in describing fruits XII 157
Terrace and trees in Villa d'Este XI 457
garden I 46
wall, effect of the XIX 456
walls at Cliveden II 293
Terra-cotta vases and statues in gardens XVII 30 59
v. iron or other material for vases, &c. XVII 22
Testacella halitroides XII 35; XIII 573
Testudinaria elephantipes I 258; II 208; XVIII 113 (*cut*)
sylvatica XIX 166; XX 499
Tetratheca ericoides hirsuta XI 325
Texas, bearded trees of I 571
horticulture in, in 1875 VII 192
land in I 670
Peach crop of, in 1875 VII 520
wild Plums of VI 147
Thalia dealbata X 425 444; XI 523; XIII 594; not hardy XII 10
Thalictrum adiantifolium XVI 576
anemonoides XVII 343 449; double-flowered XIX 368
agutigefolium XVI 528
flavum XII 84
minus XVII 6; and T. adiantifolium XVI 555
Thalictrums for the wild garden XIII 622
in borders XIV 12
Thames Embankment I 47 177 492; in 1860 I 47; in 1871 I 47; damaging trees on I 271; gardens on III 18; lamp standard on I 341; trees on I 294
flowers on the upper XX 72
scenery of III 18

Thamnochalamus spathiflorus XVIII 331
Thea Bohea IX 437; XVIII 643 (*cut*)
viridis IX 435; and Bohea, hardy in England VI 532
Thesbonia Cucu, flower and fruit of XIX 161
Thesphorasta I 395
imperialis VIII 225
smaragdina XIV 531
Theophrastas I 394
Theory exploded, a popular VI 302
Thermometer and barometer, the VIII 276
ground II 233
“Hydra” registering VII 252
mercury broken up in a XV 190
new XIII 53
wet and dry bulb II 233
Thermometers IV 456; X 436
deranged VIII 537; IX 4
Thermopsis montana VII 524
rhombifolia XIX 634
Theropogon pallidus XVI 105; XVIII 59; for cool house or frame XX 21
Thibaudia acuminata, propagating XVIII 582
carmine-trunked X 539
glabra X 539
Hendersoni IX 71
polchra XX 222
Thicket, a tangled XIII 465
Thiers as a gardener VIII 137; IX 120
Thinking and working X 465
Thinning fruit XX 552
Thistle abroad, the II 446
Herring-bone VII 52
Milk XII 9
Scotch, in New Zealand II 538
ways of destroying the common IX 582
Thistles, Cotton XIV 28
Globe XX 177
Thladiantha dubia II 294; XIV 212
Thomery vineyards, a visit to the XV 274
Thoresby House, Notts XVIII 425
Park XVIII 425
old Oaks at XVI 361
Thorn, Cels's large-fruited, leaf of II 127
Christ's XVI 206
double crimson XVII 498; haws on VI 506
Eastern XVIII 380; XX 465; sweet-scented II 77
edible-fruited Chinese II 197; leaf of II 197
Glastonbury III 22; XIII 609; XIX 84; XX 625; Mr. Edwin Lees on VII 370
Paul's Double Scarlet XV 516; for forcing I 462
Queen Mary's X 415
variegated XX 220 247 274
white evergreen IX 19
with a Birch growing through its base IV 399
Thorns, the XX 321
berries of XX 368
blighted I 466
budding standard VII 532
leafless for a year VII 473
Thornham Hall IV 49
Thrift XX 314
as an edging XIII 594
Giant XVIII 75
Great V 11; white VI 146
large-flowered VII 419 421
prickly XX 198
Thrifts XX 57
and Sea Hollies VIII 296
large XIII 589
prickly XII 56
Thrips VII 471; XVII 358 (*cut*)

Thrips and Red Spider II 199; remedy for II 229
humorrhoidalis IV 221
how to destroy V 74 486; X 452; XVI 453
Throtella vulva, patent slot XVI 97
Thrush, a snail destroyer XIV 229
Thuja elegantissima IX 555
grisea XI 521; XIII 559; and *Luboedrus decurrens* III 116
131; as a hedge screen VI 481
Lobbia X 576; XI 40
occidentalis argentea V 432
semper-aurea XVII 251
Vervænæana XVII 54
Thujopsis borealis XVII 54; b. variegata XVI 515
dolabratra VI 184; VII 356; XIV 282; XIX 503; from cuttings and grafts V 205; d. robusta XVII 390; d. variegata IV 532; X 476; XIV 322; XVIII 650
Thunia alba, variety of XVII 428
Thunbergia XX 581
alata XX 211
fragrans XVIII 585; XX 362 402
grandiflora XVIII 478
Harrisi IX 116
laevigata IV 250; XII 420 (*cuts*)
Thunbergias XX 164
and their culture XVII 204 248
note on XV 312
Thyme, Azorean XX 136
garden XVI 391
golden II 250; III 376 418
on rockeries XVI 196
variegated, best for all purposes IX 72
Water XVIII 340
Thyme dumplings V 273
Thymus citriodorus aureus III 376
patavinus XX 171
Serpullum III 110
Thysacanthus bracteolatus XVIII 559
rutilans IX 354; XV 57; XVII 198; XVI 111 586; XIX 304
Tiffany, Shaw's Patent Mineral XV 323
Tiger-flower, the XVI 197; XX 109
Tiger-flowers XIX 26
Tiger Lilies in the wild garden XVI 190
Tigridia conchiflora II 250; XVI 572; XVII 33
grandiflora XIV 213; XVI 350; XVIII 243
Pavonia XVI 197; XIX 26; *P. grandiflora* XV 142; *P. grandiflora* from seed XVIII 402; *P. Wheeleri* VIII 168
PAVONIA GRANDIFLORA XV 142
Tigridias, the VI 118; XV 142
culture of, in New Jersey XV 294
out-of-doors, in winter XV 158
Tilia europea dasystyle XI 48
Tillandsia fulgens and *T. zebrina* XIV 235
Lindenii VII 214; XI 286; XVII 153; XIX 116; XX 222; L. gemina XVII 68; L. var. *Regeliana* XVIII 227; L. vera XIV 257; XVI 261; XX 543
LINDENI X 466
LINDENI VERA XVII 60
Malzinoi XVIII 68
monsana VII 97; XVI 369; XVII 488; XVIII 643
new IV 292
usneoides I 571; VI 157 (*cut*); XVII 131; XVIII 125 (*cut*); as a window-plant XII 449
white-flowered II 312
zebrina XIII 114; at Auerley XIV 587
Tillandsias, the X 466
on Fern stumps XIII 182

Tillandsias, select species of XVII 60
Timber, and the rights of life-tenants IX 23
belts of XIX 236
best method of seasoning XI 299
best time to cut V 274; XII 434
chest for steaming XV 105
conditions affecting the growth of XI 348
country, of, new VII 228
creosoting VIII 87
disbarking XVI 86
dry rot in V 395
European XII 481
felling, Mr. Gladstone on XII 598
how to dispose of home-grown IV 448
how to stack IX 555
in S. Australia V 278
in the Highlands, value of IX 390
measuring growing VII 266
of the United States VI 140
preservation of VI 206 506
prices of VIII 69; X 450
qualities of XVII 94
rate of growth and quality of XV 60 103 126
sale of, on the Longleat estate, 1878
XIV 170; in 1879 XVII 205; in
1881 XX 247
thinning park XV 281
Timbers, durability of framed I 713
Timber-built house and Cherry orchard
VI 451
Timber Culture Act, Amended, the
V 522
Time to sow and plant in late districts
XVI 373
Tinea gossypicola II 281
Tinnaea athiopica I 42; XX 415
Tipula oleracea X 453; XIV 131
(*cut*); XVII 454; and *T. maculosa*
XVII 271; *grubs of* XVIII 242
Tithe, extraordinary XX 130
Tithes, what are they? XX 102
Titmouse, Long-tailed I 130
Toad-flax, Alpine XX 290
common, as a window-plant IX 506
Ivy-leaved V 499
spotted golden XVIII 197
Toad-flaxes, British XII 345
Toads and the Gooseberry grub VII 445
in the garden VI 188
hybrid, e. slugs XIX 131
pugilistic XIX 538 623
Tobacco VI 126; XX 620
and its cultivation XIX 662
home-grown, for fumigating pur-
poses VII 96 168 189
in the flower-garden I 277
Latakia VII 366; sources of IX 544
triumphant IV 269
Tobacco-meal VII 520
Tobacco-plant I 277
Tobacco-powder as an insecticide III 425
Tobacco-smoke I 657
Tobacco-water V 427
Todea barbara XII 416
hybrid III 370
superba XIII 446 614; XIV 143;
XV 483; XVI 306; XVII 537;
XVIII 107 188; as a dinner-
table plant XVII 248; as a
room fern X 185; XX 130;
from seed XIII 292; hardiness
of XV 109; XVI 521; successful
culture of X 429
Wilkesiana III 181
Todeas, large importation of VI 442
note on XIV 474
Tolmiea Menziesii X 34
Tomato I 16
Alpha XIV 458
antiquity of the X 442
Tomato, as an insecticide XX 353
as a salad XVIII 50
Canada Victor III 365
Carter's Greengage VI 360; X
375; good for salads VIII 80
catsup II 132; IV 285; VI 509;
delicate XII 74
Chatsworth XVI 349
Conqueror XIII 175
Currant I 383; II 37 (*cut*)
Dedham favourite XX 125
disease, the VIII 556; XII 344
356 368; XVI 225
farming X 574
farms XII 36
for cold countries VII 392
Golden Trophy VII 335; XI 10
grafted on the Potato VIII 489
Greengage VIII 322
Hathaway's Excelsior VII 416;
XII 284 (*cut*); XIV 132; XVI
268; XVII 428
Hepper's Goliath VIII 506
Highfield Grape XIV 530
history of the X 42
large VIII 281; XX 499
medical properties of the II 435
new variety of III 300
notes on the VIII 463
of the future XVII 23
omelette, a XI 509
origin of the use of the VI 366
progress of the XVI 566
Red Currant XX 215
salad I 485
sauce X 298
Tartan XVII 346
Trophy IX 582; XI 489 (*cut*)
494
Vick's Criterion XIV 273 397
570
Yellow Plum XX 323
Tomatoes I 591; II 351 507; IV
76; XVI 446; XVIII 266; XX
130
all the year round XVII 506
American XVIII 279
and coal ashes XII 506
and their culture XV 296; XVIII
460
and their uses X 356
and the Potato disease XII 390
and wasps VIII 137 237 266 278
309 339 351; X 335
as a farm crop VIII 107
as an insecticide XX 383
as perennials XIX 244
at South Kensington XVII 551
attacked by the potato disease
VIII 234
best V 385; VI 437; XVIII
204
“Bordentown” VII 148
“canned” VI 807; and green-
gage VIII 534
chapter on VII 212
crop of in 1877 XII 320
crop of, remunerative XIX 543
culture of I 591; IV 148; X 93;
XII 107; XVIII 550; different
modes of IX 257; in France V
551
decayed XVI 506
diseased VIII 137; XVI 206
dried X 345
early I 108; III 425; VIII 321
every month in the year XV 309
fine XII 414; XIX 619; in spring
XV 474
forcing X 10
for improving the quality and
quantity of milk XIV 148
for profit XII 78
for succession X 66
for winter XX 324
fricassee VIII 231
from Canada XX 408
from cuttings VIII 379; XV 344;
XVI 110
Tomatoes fruiting quickly XIX
450
Gilbert's X 72
good kinds of IV 450
green X 388; pickled IV 95
Greengage VIII 555
grown at Burghley XII 391; in
hothouses VII 458
huge XX 600
hybrid XX 37
in America IV 262
in California I 208
in London market-gardens VII
500
in pots XVII 334; under glass
XII 163
in the open air and under glass
XVI 251
in winter XV 77
large XI 466; XII 126
leaves of, v. aphides VIII 464;
IX 292; v. insects XI 322
lofty XVI 228
modes of dressing I 17
mushrooms under XX 323
new III 269
notes on VIII 58; X 441; XIII
453; XV 45; XVII 508
of American origin VII 491
pinching plants of XI 360
planted among Grape Vines, to
keep off wasps VI 512
pot culture of I 111 385
preserving I 65; VI 366; XVI 71
pruning X 299
ripe in February V 50
smooth v. wrinkled XIV 386 397
stuffed VIII 231
tried at Chiswick in 1878 XIII
618
two-year old VIII 379
under glass VII 232; XIV 313
342; XVII 144 260; XIX 658
varieties of XII 543
various modes of cooking IV 148;
VI 114
well-grown XX 54
well-preserved VIII 489
winter XVI 471
Tomicus challographus XII 569
Tongquin Bean, the XII 232
Tool, new garden XI 80
Tools, edged XVII 530
garden XIII 173; handy XI 58
to keep in order I 469
Tool-house I 482 (3 cuts); IX 274
(2 cuts)
Toothworts, the XIX 345
Tootng nurseries, sale of the XVIII
143
Top-dressing XX 636
Torenia asiatica I 166; as a bracket-
plant XVIII 452; as a curtain-
plant XVI 446
Bailloni XIV 100 301
BAILLONI XV 122
exappendiculata XI 233
Fournieri XI 345; XII 154 191 443
467; XVIII 412; in the open
air XIV 212
FOURNIERI XII 616
yellow XIII 485 589
Torenias XX 383
note on the XI 250
Tornelia (Monstera) fragrans XIX
387
Torreya myristica, fruit of VII 227
Torrey, portrait of Dr. Jno. V Fron-
tispice
Tortrix, Bergmann's XIV 259
pomona XII 473
viridana III 108
“Touch-me-not,” the III 401
Tour, a holiday V 246 266 286 308
330 352 374
Touting at horticultural shows XIX
609
Tovaria olerecea XIII 512; XV 474;
XIX 586

Town Flowers' Petition I 442
garden, a XVI 407
gardening, "Our Square" I 307
trees XX 219 : Poplars as I 195
Towns, Flora in I 638
smoke in I 708
Toxicophila speciosa XV 367
spectabilis V 448; XVII 275 284;
XVIII 642; XX 457; and T.
Thunbergi XIX 109
SPECTABILIS XII 14
Thunbergi XIX 559
Trade practices and prices XVII 21
43
Tradescantia discolor I 60
fuscata XIV 388
mundula XVI 41
zebrina suitable for undergrowth
VIII 368
Tradescants, the Tomb of the VII
511 (poetry)
Trafalgar Square XVI 383 : as a
garden VI 262; "improvement"
of VI 363
Training and staking v. natural habit
IX 504
enviuear, as exemplified by Am-
pelopsis XVIII 290
Dolico's system of VII 451
extension system of XVII 346
472; XVIII 254; XIX 412;
Knight on XVIII 431
examples of vertical VIII 439
wires for VIII 65
Transplantation averts damage by
frost VII 215
tale of I 43
Transplanting XVI 120
by means of levers XIII 81
handy mode of II 145
hints about XIV 104
implements for XIII 97 98
machine for II 145; XVI 120 121
(3 cuts); XX 412; McNab's
IV 155; XIII 82
Magnolia grandiflora XX 443
Magnolias XX 572
old trees II 451
Pines and evergreen shrubs VI
503
root-care in IX 434
trees and shrubs VI 307
without balls of earth XIII 194
Transplant, time to XVIII 16
Trapa natans III 209; XII 200 339;
XIII 588; fruit of III 211; n.
var. *conocarpa* IV 104
Trap for Apple-worm I 592
for snails, slugs, &c. XIV 535
for wasps and other insects XIV 259
Traps for injurious insects XI 477
for noxious animals XI 519
Travellers' Tree in Madagascar I 338
Travelling, two ways of I 302
Tree and plant form, various types of
V 79
Tree, at Nice X 556 576
Bauyan II 380
beautiful weeping XIX 299
"big" XIII 332 450 (cut)
biggest XVIII 73
Cauliflower II 230
Christmas, a political III 22
counting the years of a IX 162
curious IV 399
early-leaving XI 214
end of a celebrated IX 364
extraordinary growth of a VI 184;
root of a I 170
fine-foliaged X 232
flowers of the Tulip XX 321
gigantic I 155
how to calculate the height of a
XV 283; XVI 399 (2 cuts)
infested with white mites XIII
172
Japanese dwarfed VI 99; vege-
table wax VI 525
Lacquer, of Japan XII 622

Tree, Large Californian XVII 27
largest known XVIII 440
mae-eating X 524
mole I 95
monster II 127
moving, with nest I 333
neglected wall I 610
new Japanese XIII 360; weeping
VIII 400
noble tropical X 288
of Heaven XX 201 204
of knowledge V 236
of the Blessed Virgin, near Cairo
X 586
old Cork, at Linton Park IV 366
old sacred VII 514
Pepper VI 525
phenomenal XIX 190
Pottery IV 365; VI 183
pruned top and bottom XIII 30
Rain XII 240
Rowan XX 376
Silvery XVI 446
singular enclosure in a II 77;
fossil VI 345
slow growth of a IX 364; and
durability of a coniferous XII
497
stump of, ornamental XIV 193
Travellers' I 337
useful IX 124
valuable evergreen XIX 503; new
XII 55
well-trained XX 169
Trees I 40 195; III 46 (poetry)
about a market-place V 401
age of VIII 512; XVI 405; XIX
428; and leafing of XI 66; esti-
mating X 68
altitudes of XII 562
and architecture XIII 29
and bedding out II 172
and dynamite X 49
and electricity XII 167
and flowers XI 555; in autumn
IV 356 (poetry)
and foundations of buildings XV
28
and health XX 436
and lawns III 33
and lightning VI 450
and plants in cities I 2
and rain II 379; III 180
and shade VI 50
and shrubs, advantages of planting
in groups VII 472; at Kildr-
dery VII 124; at South Ken-
sington XIV 571; at Syon
XVIII 628; at the Château de
Segrez IX 555; autumn-tinted
XVI 400 493; best time for
transplanting IX 130; budding
VIII 144; catalogue of XX
612; early pruning of XI 347;
effects of inundations on VIII
519; fine-leaved XVIII 340;
for autumn effect XIV 348 366;
for belts XVII 53; for church-
yards, flowering VII 60; for
densely-populated districts XIII
450; for exposed situations IX
350; for lawns XV 440; for
London, a list of deciduous X
596; for seaside I 195; V 274;
VI 377; for small gardens XVI
340; for suburban gardens III
434; for wet ground XV 387;
half-hardy XX 12; hardy flower-
ing XII 70; hardy, at Kew XI
443; hardy, in flower in August
XVIII 154 191 218; hardy, in
flower in July XVIII 11 43 56
81; hardy, in flower in June
XVII 493 517 542; hardy, in
flower in May XVI 481; hardy,
in flower in September XVIII
292; "Heatherside Manual" of
hardy VI 288; in and near
London V 362; in hot weather,

Trees and shrubs—continued.
recently planted V 523; in the
Channel Islands V 356; in Victoria
Park XV 474; in Vienna
XVI 362; Japanese, at home
XII 171; lopped according to
law VII 26; mutilation of XVI 1
59; near Exeter, fine IV 184;
new early-flowering VII 202;
in Ireland X 125; notes on some
new, in 1876 X 424; of N.
America, some flowering VII
144; on the Continent, fine-
leaved X 55; ornamental hardy
X 364; procuring XIII 248;
propagating evergreen XIII 278;
pruning XIV 533; remarkable
collection of VIII 48; seaside I
39; that may be budded in July
VIII 68; transplanting VI 307;
large XIII 171; variegated XVI
241; which produce spices VII
56; with variegated leaves V
422
and telegraph wires II 542; III
4 56
and the floods at Fulham Palace
XI 20
and wild flowers, Swedish X 69
and wood-peckers V 70
annual lopping of ornamental VI
547
anti-rabbit composition for young
VII 195
aquatic XII 273
ascent of the sap in XIII 620
as historians of the past IV 500
at Abergele, remarkable IV 165
at Arundel IV 125
at Clumber, ages of old VIII 87
at Fulham Palace IV 61; VII 93
(cut)
at Gordon Castle XX 395
at Hampton Court, old IV 499
at Highclere, measurement of
XVIII 521
at Hopetoun, Linlithgowshire
XVIII 396
at Kew, some of the old XIX
216
at Longleat, large IV 296
at Pain's Hill, Surrey, XVIII 605;
large XVIII 577
at Syon House XX 613
at the Centennial Exhibition X
118
Australian, acclimatisation of I
19; in California II 301
autumn tints of forest XIV 470
avenue XIV 104
arcane of tapering IV 507
bad effects of thinning out XX 221
bad dentist's I 430
Beech, and lightning I 194
big II 465; XV 322; XVI 143;
and the Yucca XVIII 209
blowing up XIV 572
branch shedding in VI 132 184
canker in timber XY 470
Caoutchouc, in India X 351
care of newly-set XIII 14
carpeting big XX 240
Chinese method of raising Weeping
XV 516
city XV 336
climber-covered XI 391
climbers on dead IX 474 515
climbing with stirrups VI 573
clipped, in Petit Trianon XIII 140
clipping, curiosities of IV 341; in
olden times IV 341
clothing bare places under XII 319
columnar XIX 181 189
commemoration XII 437
concreting wounds in XIII 620
Coniferous, at Elvastou Castle II 77
cropped I 110; in gardens at
Fountainbleau I 210
culture of fruit XX 303

Trees, curious effect of frost on IX
162
damage done by I 666
damaging XX 593; on Thames
Embankment I 271
danger of placing earth round
VIII 399
date of flowering of XX 248
dead in the Regent's park X 98
decaying XX 17
deciduous *versus* evergreen I 99
demand for seed of famous VI 32
descriptive enumeration of Weeping
XVII 538
destroyed by lava V 313
destroying stumps of XI 97
destruction of in Southwark Park,
by the Goat Moth XII 605
difficult to move XIV 319
distribution of XVI 455
domestic IX 28
draped V 549
drapery for the trunks and
branches of XV 291
dwarf, pruning II 466
early XX 620; flowering town
XI 370; leafing of V 395
earthing-up XVIII 126
effect of gas on I 700; of heavy
rain on III 93; of lightning on
V 232; VI 479; XVII 446;
on temperature XI 147; of
smoke on XIII 100; of the
season of 1879 on forest XVI
308
elastic waterproof cement for
protecting wounds on XVI 219
electric conductivity of XII 388
estimating the age of X 71
evergreen, for a churchyard III
434
examples of pruning forest XVI
420 421
exceptionally fertile I 638
fallacies concerning woodland XIV
578
famous I 465; of Hertfordshire
XVI 117
fan-trained XX 292
felling XVI 422; by electricity
XII 437; by machinery XII 111
91; Mr. Gladstone on XII 175
feeding young from rabbits XV
168
few choice lawn XIX 409; good
weeping XV 235; golden varie-
gated deciduous XI 98
fine Hampshire IV 427; fine out-
of-place I 531
flowering XIX 620; in the parks
XV 474
foliage of, brilliant IX 390
for churchyards I 504; IV 467
for cities and towns I 193
forest and underwood X 199;
culture of I 53; plaiting XIV
321; XVI 258 289
for hedge-rows VI 548
for high wall II 451
for lawns V 167; VI 280
forms of, in landscape-gardening
IV 31
for orchard-house XX 447
for parks XI 283
for planting, the most profitable
varieties of VI 413
for Portland Place IX 120
for sea-coast I 169; IV 45
for sea-side towns I 170
for shade IX 492
for streets IV 127 500; IX 435
452; XIII 31
for towns I 114 154
for wet land XVI 111 554
from Tichborne Estates I 675
fruit, against Oak fence I 106; on
the Rowan XX 320
fungi on XVI 319; XX 478
garden engine and wall I 638

Trees, gas-pipes fatal to VI 184
gas-tar dangerous to XII 287 ;
XIII 134
girdling, to produce fruitfulness I
611
golden variegated deciduous XI 79
good street VI 280
graceful way of growing weeping
IV 400
grafting mice-girdled IV 10
green, in London XV 454
grouping I 505 ; effective 1 488
group of XVII 323 ; of fine XVIII
548
growing, in Kansas IV 366
grown at Bitton, Catalogue of XX
604
growth of American forest V 489 ;
in dry and in wet seasons X
365 ; in 1875 VIII 186 ; in S.
Australia V 34 ; notes on VI
310 ; on mountains X 389 ;
slow VIII 374
Gum Copal VII 202
hardy I 100 160 ; for moist places
I 633 ; in sub-tropical garden 1
93
Honeysuckles and Clematises on
XIV 552
how do they grow ? V 395
how electricity splits IX 315
how to measure III 94 130 180
how to protect young, from rabbits
and hares X 392
improving the aspect of a manufac-
tory V 371
in America II 300
in assemblages VI 277
in autumn at Highclere XX 611
in British Columbia II 423
in Canada XVIII 611
in churchyards V 124
in Cornwall XII 273
in Coventry II 76
India-rubber, in Burmah IV 314
India-rubber bands for XI 53
in England, Mr. Meehan on XII
205
influence of, on moisture XIII 82
in graveyards XII 438
in Hyde Park, mutilation of I
341
injured by gas-pipes III 350
in Kensington gardens IV 366 ;
XII 405 ; XVI 406 ; destruction
of I 693
in London XI 184 369 ; plea for
IX 492 ; garden X 255 ; parks
XVII 1351 ; parks, overcrowding
of IX 570 ; squares IV 191 ;
squares, in 1875 VIII 80 ; streets
IV 75 ; XI 295 ; XVII 179
in Marylebone XII 555
in Newington Causeway XI 2
in orchards, food for IX 494
in Paris, small size of the XI 94
in pastures, group of X 9
in Printing-house Square VI 284
in Sackville Street, Dublin V 88 ;
XIV 485
insects on Peach 1 445 ; on wall
XIV 584 ; which attack timber
XIII 530
in Shropshire XII 85
in small gardens, pollarding VI
511
in spring, grouping of III 351
in squares, lopping XVII 406
in streets VII 514 ; XVI 455 ;
new plan of watering XIV 534
in the garden landscape in winter
IX 190
in the gardens of Northumberland
House, the VIII 146
in the western counties VII 406
in towns IV 455 ; XII 131 ; XVIII
548 ; cultivation of XI 559 ;
pruning and lopping XVI 397 ;
value of VIII 327

Trees in Trafalgar Square IX 555
in tubs I 49 ; XII 297 (*cut*)
in Victoria I 88
in Washington XII 583
in West-end parks XI 185
in Whitechapel IX 124
in winter VII 191 ; deciduous VII
147
in Wool Street, the old IV 340
is gas-tar injurious to ? XII 364
Ivy-clad XII 588 ; XIII 300
Ivies and Virginian Creeper on
XIV 462
Japanese dwarf X 495
jointed iron columns as supports
for XIII 309
killed by an undergrowth of St.
John's Wort XVI 397 ; by field
mice XIII 624 ; XIV 21 ; by
Ivy VIII 310
Large II 214 ; VIII 316 ; XIII 172 ;
at Yester, East Lothian XIX
74 ; Australian I 665 ; in Califor-
nia I 53 ; near houses XX
553 ; transplanting at Brooklyn
II 75
late-leaving XIX 605
lichens on V 18
lifting, effect of frost on IX 200
lapping I 357 ; at midnight in
Epping Forest IV 420 ; deci-
duous XV 104
Lord Beaconsfield on XIX 504
low-branched lawn XVI 470
management of I 168 ; in and
near towns VI 401
marks on II 145 ; VII 55
memorial X 522
methods of measuring the heights
of XIII 620
mistakes in planting street IX 300
more great Australian VII 183 ;
Redwood VIII 360
moving large XI 212 ; without
balls of earth XIV 366
music of VI 184
near Maidstone, remarkable V 489
neglected wall I 610
neglecting young III 56
nettles under XV 24 48
new V 185 ; avenue V 489 ; grove
of "Big" IV 332 380 VII
212
new method of clearing ground of
VI 73
new light on transplanting IX 364
newly-bought orchard-house X 595
New Zealand VII 406
noble avenue of X 30
nomenclature of X 148
notable, at Hopetoun Park XIX 74
notes on forest XI 440 ; from
Vienna XIX 74
oak-sars for II 531
of Liberty in Paris I 333 ; II 182
of India XII 206
of Paris XI 393 482
of pre-historic times I 667
"of the future" XV 25 71 143
176
of the Rocky Mountains III 128
old VIII 73 ; at Fulham Palace
III 131 ; in Kensington Gardens
XVI 460 ; XVIII 73 ; renovat-
ing IV 231
on chalk I 373
one way to make young fruitful
XVII 26
on lawns, impoverishment of XVIII
583 611
on the Nile I 172
on Quince stock I 469
on Thames Embankment I 294
380 ; II 42 76 ; XI 537 ; XVI
320 ; XVIII 301 ; XIX 225 ; at
Chelsea V 322 ; "not for our
heirs" I 341
on the great mountain ranges IX
690

Trees on walls XVIII 173
on which mistletoe is found XI
203 233 255 347
orchard-house IV 252 ; dry at the
root XVI 425
ornamental VII 434 ; XVIII 519 ;
at Barton Hall III 453 ; in Paris
IV 144
packing VI 572 ; for long journeys
VI 572
painting with gas-tar XIV 275
petrified XVII 390
phosphorescence in decaying VIII
310
photographed III 102
pictures of, in Kensington Gardens
IX 515
picturesque grouping of XIV 321
pinching orchard-house XV 441
planted in Paris in 1875, number
of VII 438
planting I 54 ; III 32 ; VI 481 ;
XVII 385 ; at Goodwood Park
XVII 523 ; at Woolwich XII
560 ; by the sides of railways
III 281 ; curiosities of IV 211 ;
curious customs in Switzerland XI
536 ; few suggestions on IX 323 ;
forest XX 510 ; for landscape
effect VI 480 ; for posterity II
144 ; good investment XVI 342
361 ; in Algeria XI 362 ; in America
IX 256 ; in Canada XV 431 ; in
masses of the same variety XVI
455 ; in Nebraska I 474 ; V
232 ; in public parks at South-
ampton IX 318 ; in roads XIII
239 ; in summer IX 49 ; in the
London Parks XVIII 611 ; on
farms VIII 86 ; on mounds XI
482 ; on waste lands XVI 432 ;
orchard XVI 496 ; preparation
of ground for V 356 ; profits of
XVI 430 ; *vicious system* of XIII
13
pointed, and horizontal architecture
VI 588
profits of planting forest XVI 422
protecting from rabbits XX 247
352 ; wall I 268 297 ; XIX 220
pruning dwarf XX 552 ; forest X
252 ; XVI 16 ; newly-planted I
437 ; orchard VIII 462 ; XV 79 ;
ornamental VI 450 ; Pall-Mall,
Loudon on V 551 ; trained garden
XX 552 ; transplanted XVII 218
purple-leaved XVIII 485
pyramidal IV 212
quick-growing XVI 138
rabbit-proof XV 508
rabbits barking XV 327
re-grafting established XX 552 ;
trained XX 552
remarkable IV 66
re-planting forest I 221 ; large,
blown down XX 517
reviving young XV 387
roots of, and dynamite XIV 534 ;
XV 61 ; attacked by fungi XIII
172 ; choking drains IX 452 ;
effect of gas on IX 179 ; exhaust-
ive effects of XI 145 ; extra-
ction of, by dynamite XVII 359
484 ; horizontal extension of XVI
240 ; in borders XIX 233 ; soil
exhausted by XVI 218 ; splitting
by dynamite XX 505
Roses on XVI 139
round-headed, and horizontal archi-
tecture VI 589 ; and spiral con-
trasted IV 31
Scotch fossil IX 390
second flowering and leafing of X
232
seedling Cork XV 237
seeds of American X 263 ; Califor-
nian VII 60 ; vitality of V 205
sermons in I 170
shade-giving VI 51

Trees, Siamese Twin XII 32 82
size and age of XVI 363 398
slitting the bark of XVIII 431
some fine French XVIII 368
specimen, at Bearwood VIII 374
spectacular effect of IV 31
spiral and low, near buildings XIX
289 ; *wrongly placed* XIX 289
spring-flowering, for towns VII
396
staked v. un-staked XIX 444
standard as to the size of Nursery
XI 210
storm-broken XX 506 558
straightening XV 285
street XI 509 ; XV 506
street planted with young IV 75
struck by lightning IV 80 ; VI
53 ; VIII 38
stumps of, blasting with dynamite
V 488 ; clothing XVIII 350 ;
destroying XII 112 ; how to
extract II 77 ; how to get rid of
IX 327 ; X 453 ; killing I 195
357 ; utilising dead XVI 145
submergence of IX 167
suburban and their destroyers I
114
suitable for smoky districts XVI
308 ; for town-planting II 181 ;
IV 292
tall XIII 134
tapering II 145
tarred, v. rabbits XI 48
Tennyson's knowledge of IV 325
that thrive in indifferent soil XIV
579
timber, ages at which they may be
most profitably felled XI 262
to branch low I 149
too near kitchen-gardens VIII 280
to protect from rabbits, &c., IV
380 ; V 489
torture of, singular example of IV
185
to stand the sea-breeze VI 380
town XX 219
trained in gardens XX 528 ; on
cottage walls VIII 283
training wall XX 448
transplanting III 180 ; XIII 29 59
81 97 130 ; XIX 323 ; at mid-
summer VIII 156 ; deciduous, in
full leaf IX 325 ; *implements for*
XIII 59 60 61 62 ; in August
VIII 326 ; in autumn XVI 400 ;
in full leaf VIII 512 ; X 293 ;
in Paris I 2 ; in winter XV 324 ;
large X 148 ; in summer IX
200 ; wall XY 33 ; new light on
IX 389 ; old II 451
treatment of wall I 204
trimmed for transplanting IX 326
trimming, in hedge-rows, &c. XI
468
tropical, during the dry season IX
390
trunks of, raising earth around
VIII 325 ; XIV 209 ; evils of
earthing-up XIX 75 ; elongation
of XIX 579 ; XV 9 ; excrescences
on XII 49
two good avenue XIV 172
two rapid-growing XII 583
uprooted by machinery XX 223
upright fruit I 148
unaccountable death of young XIII
205
unfruitful XVI 474
unskillful pruning of forest VIII
520
untutored, in Petit Trianon XIII
141
variegated XIX 643 ; XX 24 ;
mis-use of II 465
variety of character in IV 185
various sizes of III 371
wall, for various aspects VIII 53 ;
treatment of I 176

Trees wanted in London III 130
warranting XVIII 493
wasps' nests in VI 228
weeping I 194; IV 296; VIII 553;
XV 367; *and erect, on the margin of a small lake* XII 496; for lawns
III 434; in the Fulham Nurseries
IV 313; two ornamental XV 61
wheat to transplant XVIII 16
why lightning strikes II 465
Winter Aconites and Snowdrops
under XV 194
with coloured leaves XIV 77
wounds of, covering for IX 492
wreaths on XIII 94
young, neglecting III 94
Tree-borer, a XV 466
Tree Carnation La Belle (perpetual-flowering) II 167; Princess of Wales VIII 34
Carnations I 119
caterpillars, how to destroy X 453
cloth VIII 360
drapery VIII 233
Tree-Fern, Dicroidium I 145
Tree-Ferns I 299
and forest trees, in Tasmania XIII 279
comparative rates of growth in the stems of VI 216
rapid growth of II 34
trunks of, utilising dead XV 519
Tree-guard, cheap I 422
composite IV 209
Tree-guards of cork v. hares and rabbits IX 490
Tree guards I 22
Hotel, a II 108
House, a VIII 400
Ivy in shrubberies IX 8
Lupine I 643; V 518
Tree-measurer, a self-adjusting IV 17
Tree-Moss in a Southern Garden XVIII 125
Tree Nurseries, Messrs. Lees' XVIII 356
of the world VII 202
Tree-Paeony, the Chinese VII 418
"Tree pedlars" XVI 406
Tree protector, a IX 375
Tree Rhododendron, the scarlet V 350
Tree sculpture X 482 483
seed harvest in 1880, the XVIII 528
studio, a XII 367
surgery VIII 269
transplanters, Barron's VI 571
wives I 354
Trefol Dodder, the III 481
pendulous XX 125
variegated shrubby XX 60
Trellis for Pear-tree I 60; *double* I 61
new I 466
novel I 466
West's adjustable XI 139 163
Trellises arched over garden walks
XIII 342
for Chrysanthemums IX 268
for Peach-trees XX 509
fruit I 60
over walls XVIII 148
Trellis-tightener, a new IV 120
Tremandra verticillata XVII 102
Tremellas, the VI 576
Trenching II 531
foolish I 274
Trentham I 681; XX 265
from *Monument Hill* XX 265
Italian garden at XX 269
private conservatory at XX 267
Shah at IV I
view of Italian garden at I 681
Tresco Abbey, plants at XVI 433
Trichinium Manglesii II 142 183; XIV 368; XVIII 106; XX 171
172 515 622 625; in peat XX 478; propagating XX 567

Trichocentrum tigrinum XV 475
Trichomanes auriculatum XVII 373
floribundum XVIII 113
from Borneo, new species of III 430
Luschanthianum I 520
radicans VII 124; as a wall plant VIII 165
reniforme V 211; XVII 375 (*cut*); fruiting XIII 454
Trichonema ramiflorum XI 466
speciosa XIX 462
suavis XVI 501
Trichopilum suavis IV 511
Trichosma suavis XVI 383; XVIII 478
Trichostema lanatum XIV 441
Tricyrtis hirta VI 422; culture of XX 381; good button-hole flower VIII 324; h. nigra XVI 298 326
Trifolium repens XVII 490; as a basket plant XIX 422
uniflorum IV 84; XIII 434
Trillium atro-purpureum VII 416; XIX 438
grandiflorum V 462; XIX 122 204 524; and its forms XVII 444; g. majus XIX 463
nivale XVI 231
Trilliums, culture of XIX 112 231
new and rare IX 476
notes on VI 516
Trinidad, the High Woods in XIV 406
Triphena prouna XVII 414
Triteleia laxa II 20; VIII 57; XIV 28; and Murrayana VII 314
Murrayana II 20
uniflora IV 130 167; VII 255 (*cut*) 405; XVII 335 363; u. alba XIX 438; as a pot plant I 484 582; XI 74; in Moss III 78; u. lilacina 538; under glass XI 168
Triteleias, the summer-flowering X 34
Tritoma Burchelli XVIII 376
caulescens V 518 544
genus of V 500
glaucescens XVIII 367
grandis XII 449; in Ireland XII 584
Mac Owani VI 262; X 255; XII 247 329; XX 129
MAC OWANI XII 112
Uvavia IV 440; VIII 220; XVI 285; XVIII 468; as an exhibition plant VIII 268; early flowering of XIII 512; U. grandiflora X 438
Tritomas and frost XV 250
and Roses in the snow VIII 514
group of, near water XIX 253
in March XIII 224
in November X 458
Tritonia aurea II 166; XIV 498; XVII 152 187; XX 458 569 (*cut*); as a border plant XIV 462; at Glasnevin XX 569; in pots and planted out XV 54; in November XII 443; late flowering of XIV 363; out-of-doors VIII 500; out-of-doors and under glass XIV 431
croatica XIII 561
Tritoniopsis, culture of XVI 247
Trotcheta, flower of XVIII 604
Trollius europeus X 416; XII 288 (*cut*); XVII 469; XIX 646; XX 44 81
Fortunei, and when to grow it XI 163
napellifolius XIX 533
species of VIII 449
Trollius, the XVII 407 450 486
note on XIX 571
Tropaeolum azureum XIV 48; and its culture XIII 517

Tropaeolum, Ball of Fire XII 574; XIII 199; as a standard XII 489
Bedfont Rival, bedding XII 112; XX 98 136 318
Bothwell Castle and Dumfries House seedling X 184
canariense XVIII 149; seed of XIV 496
chrysanthum II 314
compactum coccineum VIII 165
double XX 17
good winter XIII 114
Hermine Grashoff XIX 414 524
HERMINE GRASHOFF XX 398
Hunter XIV 213 286
Lobbianum VI 339 442; L. Perfection XVI 337; trailing varieties of X 418
Minnie Warren II 249; VII 111; seedlings of VII 438
Mrs. Bowman II 294
new XX 130
pentaphyllum XX 203
peregrinum IV 167
polyphyllum II 8; VII 500; VIII 268; XVIII 29; culture of VI 24; IX 334
POLYPHYLLUM XIII 442
screens XIII 277
seedling XIX 619
sessilifolium XVII 385
speciosum IV 131; VI 215; X 577; XIII 97 468; XIV 177 341; XV 96; XVI 302; XVIII 202; XX 53 124 178 210; and T. polyphyllum XII 513; and T. tuberosum XVIII 297; at home XVIII 25; culture of VII 464; how to make it bloom XIV 414; in a group of Bamboos XX 6; in Devon XIV 235; in fruit XX 482; in Scotland XII 491; in Warwickshire XII 558; north wall best for VII 436; seed vessels of XX 519; when to plant XV 462
SPECIOSUM XIII 442
tricolor grandiflorum IV 85
tricolorum VI 253; VIII 91; XIII 598; XVIII 300; XIX 392; and T. azureum XIX 545; as a window-plant XV 371; deeply potted XIV 30; grown as it should be VII 314; new support for VII 436
Triomph de Gand as a roof-plant XVI 298
tuberose II 385; IV 23; XII 399 (*cut*) 462; XVI 566 567 (*cut*); XVIII 150 180 196 239; XX 368; as a vegetable II 350
Vesuvius XVIII 406
Tropaeolums, or Indian Crocuses VIII 303; XX 398
azureum and Jarrettii XIII 538
climbing III 159; VIII 189
dwarf XVIII 194
for winter flowers X 95; XII 467
in plant baskets XV 512
species of XIII 442
speciosum and polyphyllum XIII 483
tuberous XIV 454; from seed XIV 467; treatment of XV 48
winter-flowering XIV 514; XVIII 575
Tropic peach, a XIII 346
Tropical-garden I 447
Jamaica as a I 514
plant houses XX 14
Tropics, in the XIV 473
Trowel, garden I 481; best kind of I 481 661
Truffle oak, and truffles VIII 347
Truffle, large V 161
Truffles II 458; VI 324
and Oak-trees VI 512
and their spores XIX 28
culture of, at Welbeck I 405

Truffles, English, in Covent Garden VIII 320
false or white XIX 667
hunting and planting IX 556
modes of cooking I 334
notes on IX 417 429
to preserve X 119
true and false XIX 28
Trumpet Creeper XII 327
Trumpet tree, the XV 371
Tuber album XIX 667
Tubers and bulbs, best way of wintering XIV 322 369
Tuberose XX 210
hardiness of the XX 108
new XII 344
out all winter XX 25
Tuberoses III 140; V 160; XX 450 618
at Birmingham XX 238
barren X 269
cool treatment of XX 127
culture of IX 83; XIV 210; XVI 425; in America XVII 16
in mid-winter VII 464
London-grown XIV 221
Mr. Jno. Wills's VI 118
note on XV 120
out-of-doors X 351 380; XX 222; in the Isle of Wight XIV 125
prices of XIX 30
treatment of XIX 543
tubers of sound and unsound X 269
under cool treatment XX 112
Tuileries Garden, the XII 2
in the Inner Garden of the XIII 539
new street in the XI 186
Tulipa biflora XVII 346
bithynica XVII 404
Brynniana V 454
Clusiana XIII 583
Eichleri IX 47 77
erythroaoides VIII 324
Gesneriana III 434; XIX 591
Greigi V 50; VII 234; VIII 230; XI 173; XV 375; XVI 344; XIX 438; in London XI 185; yellow variety of XVII 428
GREIGI XI 380
Hageri X 106
iliensis XVII 311
Kolpakowskyana XV 389
Korolkowi X 323
"Notes on the Genus" XVII 180
Oculus-solis I 703
Orphanidea XVII 404
pulchella XVII 428
Schrenki XVI 45
stellata XV 425 454
suaveoleens VIII 537
tetraphylla X 323
triphylla XVII 274
turkestanica X 323
Tulip-beds, glass r. canavas for XVI 1
Tulip, Cape V 454
characteristics of the florists' XVI 57
Duc Van Thol, for Covent Garden VIII 537
Greig's XI 398
Indian XX 314
Mrs. James Cutbush XIII 537
Mrs. J. H. Elwes XVII 274
new XVII 311; Chinese VIII 324
three-flowered XIX 535
Tulip mania, a reminiscence of the XV 156
Tulips XVII 320; XX 573
and *Lily of the Valley* XVII 319
and Peas, the breaking of XVI 80
and wireworms VIII 556
at Forest Hill XIII 405
at Fulham XIX 367
Bontoux collection of XVII 449 491
breaking XVI 111
cultivation of, in Shetland XV 364; near large towns XIX 11

Tulips, during wet and wind XI 328
early-flowering III 418; IV 278; for spring beds VI 297
few species of IX 474
for beds IV 70
forced VIII 450
forcing XII 256; XX 477
for dinner-table decoration XIII 208
for market X 578
for winter flowering XII 490
grown among Maiden-hair Fern, in pots VIII 537
in Covent Garden Market V 112
in Regent's Park, in 1881 XIX 534
Italian XIII 583
judgmg VII 438
miniature VI 248
notes on XIII 564
of the florists' class XVI 365; XIX 32 121 660
species of V 48 78; IX 77; rare V 116; three new, in 1876 X 323
stem-bells in XIII 593
Tulip Show, Royal National in 1873 III 410
Tulip Society, Royal National XV 485
Tulip tree I 531 633; XII 481; XVII 290; XX 60
fine I 588; XIX 74
flowers of XX 321; and leaves of XIX 616
foliage and fruit of the VI 107
how propagated XIX 166
large III 94
largest in England III 340
variegated XVI 122; XVIII 228
wood of the X 118
Tulip-trees, large III 371; XII 486 521
variegated XVIII 390
Tupistra macrostigma XI 189
Turf-cutter, a home-made XV 308
Turfing *r.* sowing Grass seeds in town squares VI 498
Turf plant for hot countries VII 532
Turf, substitute for XIV 305
Turkestan, fruit-gardens and fruits of XIII 344
Turkey's Beard, the XX 108
“Turkish seeds” III 120
Turk's Cap, the XII 443
Turnip, Cattell's Silver Ball IX 278
Early French XVIII 72
Early Paris market XVII 484; XVIII 524
Early Purple-top Munich XVIII 478 580 616; XIX 24 54
good table Swede XIX 34
new Carrot-shaped White Early X 92; white Egg XX 492
white Swede VII 416
Turnips, as salad XIII 270
best manure for XVI 126
culture of XI 359
early VII 533; XIII 270; XX 148; French Navets X 66
forced XVII 372; Swede, substitute for Seakale XX 324
for winter VI 106
garden VIII 472
in dry soils IV 36
in market-gardens VI 232
Orange jelly XV 392
preserving in winter XII 504
price of XII 601
sowing, in dry weather XII 18; late XVI 127
spring, from France III 390
Swedish XIII 111
Turnip Beetles, the XVII 457
Turnip Caterpillar, the VI 324
how to destroy X 453
Turnip disease, new (so-called) XVIII 344

Turnip Fly, precaution against I 58
remedy for VIII 43; X 453; XX 143
Turnip Moth, the XV 20
“Turnip manner,” in a VIII 14
Turrea obtusifolia XI 189
Tussilago Farfara variegata VIII 168
fragrans II 295; III 50; VII 220; IX 99; XIII 50 92 94 132 249; XIX 2 88 263 314 348; in a Fernery XIX 166; in Ireland XIX 175
Petasites, by water-side XIX 254
Tutsia, glossy-leaved XVII 41
Nepalensis XVII 53
Twedia caerulea VIII 457; XVIII 29
Twinn-flower, the IV 43 332
Twin-leaf, the XIX 392
Tydia, Belzibuth XI 82
formosa XIX 333
Madame Heine XVIII 534
Robert le Diable XIV 377
ROBERT LE DIABLE XV 376
Tydeas XX 382
Eucodonias XX 223
from cuttings VIII 194
three good XVIII 416
Tying material, new III 328
Typha, as a fibre-plant IX 286
latifolia X 195; XI 321 (*cut*)
Typhas, the XI 231
Typhonium Brownii VIII 404
divaricatum XVII 343
Tyrol, botanical tour in the IX 391
Ferns and Lycopods in the XIV 567
plant-collecting in the IX 406 488

U.

Ulmus bipinnatifida II 121
Ulmia japonica VI 386
Ulex hispanicus IX 600
nanus XVI 401
Ulmus Berardi IV 296
campestris Wheatleyi XIX 479
montana, beautiful XIX 290
racemosa XIII 411; XIV 130
Roezlii X 182
Roseelsi X 228
species of XVIII 223
Umbilicus Sempervivum XIV 412; XIX 354 (*cut*)
spinosa VI 174
Umbrella Pine, the II 301
treatment of XIV 172
Umbrella plant, the VII 438; IX 476
Uncaria procumbens I 516
Undercover for game, planting and maintaining VI 229
Under the Violets I 155
Ungnadia speciosa XII 271; XIX 309 (*cut*)
Uniola latifolia XVI 380
United States, Nurseries in the XX 298
Oaks of the X 222
Upas tree, the III 425; XI 553; XII 407 (*cut*)
on a “Grass plot” II 224

Ureeolina aurea II 398; VIII 494; XIX 415; XX 437 597
pendula V 368; XVIII 380 448
Urn-flower, the XX 437 597
drooping XVIII 380
golden XIX 415
Uropodium Lindenii IV 150
Uroskinnera spectabilis XVIII 585
Utah, Evening Primroses in VII 200
shrubs of X 133
wild fruits of XX 68
Utricularia Endresi XVIII 28
ENDRESI XVIII 432
montana I 656; VII 458; XIII 446; XVII 546; XX 98 515
vulgaris XIV 367
Utricularias in glass globes XIV 199
“Urushi tree,” the VIII 92
Uvularia grandiflora XVII 461

V.

VACCINIUM erythrinum II 458; XX 563
Mortenia VI 206
Oxycoleos VI 129
rugosum XVI 297; XVIII 202
Valeriana celtica XIV 490
Phu XIV 498; P. antrea XVII 285; XX 585; P. antrea as a spring bedding-plant XIV 352
Valerian, the red XX 25
Valley, the Yosemite I 306
Valleys, cold in XIX 197 541
Vallisneria spiralis XII 587; and wild ducks VIII 411
Vallota eximia XVI 364
purpurea II 158 261; IV 323; XVIII 310; XX 178 318 449; culture of XVI 41; in Covent Garden XIV 301
Vallottas not flowering XVIII 528
Valves, Messenger's Patent VI 596
Vanda Batemanii XX 62
blue VII 82; XX 520 560; Burford Lodge XX 581; well-grown VII 43
Catheartii XI 222; XIX 351 (*cut*)
cerulea IV 338; V 178; VI 409; XVIII 416 500; at Crewe Hall XX 495; fine specimen of VIII 406; large variety of XVII 252
cerulescens III 330
Denisonii XVII 448
fading XX 603
furva XX 622
insignis XVI 127; XX 104
lamellata Boxallii XVIII 560
LAMELLATA BOXALLII XIX 574
limbata VIII 51
Lori XVI 354 355; XVIII 136; XX 61 97
Lori's Necklace XI 524
suavis III 103; V 366; under cool treatment VIII 31
teres XVII 514 547; XX 21
tricolor, Dalkeith variety of XVII 428
Vandas, cool treatment of XVII 303
multiplying XV 226
species of III 103
two rare XX 407
Vanessa polychloros II 543

Van Houtte (Louis), portrait of IX
Frontispiece
memorial to XVI 168
Van Houtte's “Flore des Serres” IX 140
Vanilla III 201
another wild VI 498
aromatica XI 423
at Syon House XIII 178
flavour of, from Fir-trees V 406
planifolia XIII 229
poisonous I 433
scent of, from Pine sap VI 310
well-grown, in large plant store I 259
wild VI 479
Vanillas at Syon House XIV 478
culture of I 259
“Vanilla tree,” the XV 466 470
Vanilla trees XVI 359
Van Mons, the Pomologist XII 380
Vaporiser, horizontal II 117
Vaporisers *v.* insects IX 191
Variegated Pine-apple I 129; as an indoor ornament I 128
Variegation, artificial X 120
curious fact about XII 151
Varieties, do they wear out? VI 581; VII 103 129
Latin names of IX 531
longevity of XII 209
permanence of garden XI 44; Professor Owen on VII 173
too many IX 248
Varnish for white woods VII 124
Varnishes, how to make X 454
Vase and basin furnished with plants V 325
Chinese, modelled after a gourd XII 591
Christmas I 93
convertible dinner-table IV 145
crop of Cress on a VI 373
decorated with Grasses I 556
drawing-room IX 192
filled with Yucca and Irish Ivy IV 249
for niche or bracket V 56
for spring flowers, a perforated VI 241
Japanese XII 384
of autumn flowers VI 471
of flowers XI 478; small IV 535
what is a? X 67
Vases and flower-boxes, planting XI 397
and gardening XII 581
and vase plants IX 232
arrangement of plants in V 324
chimney-piece IV 265
cleaning VI 470
decoration of, at Kew XVI 163
delicate drooping plants for VI 410
dinner-table XIX 316
dried Ferns for II 276
flower I 62
flowers for XX 128 154 204
for flower-gardens VII 460
form and furnishing of II 34
forms of, for certain flowers I 578
for tables, sizes of III 118
Garrya elliptica for VII 322
harmonies and contrasts in flowers I 578
in autumn XII 320
iron *v.* terra-cotta IV 54 84 132
Japanese XVII 81
of flowers II 208; VII 96; small V 305
on dinner-tables I 82
ornamented with Grasses and Ferns VI 223
planting of garden VI 221
porous *v.* non-porous XIV 166
tall, on tables I 82
terra-cotta IV 395; XVII 508
Vatican Gardens, the III 156
Bronze Pine of the II 417
Vegetable compass XVIII 612
Vegetable conservative II 167

Vegetable cookery I 485; IV 385
improvement of VIII 164
the "why" in I 623
Vegetable, a Derbyshire clergyman on XI 424
Vegetable dishes in America II 192
Vegetable disinfectant, a XIII 165
Vegetable food and statistics II 270
for the Polar expedition VI 528
Vegetable life, on the migration of X 129
Vegetable, little-known XI 431
new VII 268
Vegetable-market, French III 238
new, in the City IX 360
Normandy VI 233
Vegetable Marrow preserve VIII 231;
X 394 470
stuffed II 215
Vegetable Marrows XI 387; XIX 484 580
and other produce, forcing VI 538
culture of, round London VI 180
dying off XVIII 191
forced XVII 506
framing VI 529
how to preserve II 30
in market-gardens XV 468
manure-water for XVIII 24
note on the culture of XI 455
on railway embankments XIV 386
on refuse-heaps VIII 157
seed of, saving XVIII 370
Vegetable marvel III 50
Vegetable Moth-trap XIV 347
Vegetable mould, Asa Gray on VII 326
Vegetable parchment VII 46
Vegetable perfumes, influence of on the atmosphere II 276
Vegetable physiology IV 180
Vegetable plants of Greece XIII 174
Vegetable poison, a new III 21
Vegetable products of Greece, principal XIII 270
Vegetable Show, proposed XIX 102
Vegetable soup, white X 405
Vegetable-washing machine, a XIII 237
Vegetable wax-tree, Japanese VI 525
Vegetable whitebait II 306
Vegetables and copper II 455
and frost XVII 229; XIX 382
and fruits certificated VI 552;
French XII 501; in Constanti-nople IX 302
and salads in the Paris market-gardens VI 312
and the frost of the winter of 1878-79 XV 100; of the winter of 1880-SI XIX 455
and their culture V 208
and water XII 556
best kinds of VII 357
big I 385
cellars for, Chinese XIV 208
CERTIFIED:
Broccoli, Cooling's Matchless Winter III 271
Veitch's extra early forcing Cau-liflower XX 18
Chinese II 512; IV 36
choice XVII 372
Christmas XII 602
cold VI 483
continental XVII 150
cropping XIX 266
crops of, between fruit-trees X 561; in 1877 XII 127; in 1878, precocity of XIII 177
cultivated in America X 29
culture of XX 169; and fruit-grow-ing for market XV 310; at Burghley IV 114; early V 451; for market XV 409 433 463 472 499 512; XVI 9 33; hints on III 148; in market-gardens XV 397

Vegetables, dusting seedling XIX 455
early IX 188; XIX 81; in New York XI 481; sloping banks for IX 255
effect of the drought of 1876 on X 194
evils of growing among fruit-trees IV 96
exhibition XIX 244
farm XX 504
fashionable III 82
for a clay sub-soil XIII 350
forced XVIII 582 587; XIX 382; protected XX 75
forcing V 268; XV 77; XVI 497; XX 122 492 525
for the winter and spring VI 275
green XX 75; in winter and spring XX 164; scarcity of XV 248
growers of, hints to XVIII 435
growing, a suggestion XIX 82
hardy XVII 68
heavy X 502
historical notes on V 384
houses for, in winter and spring XX 49
how to cook II 306
imported XI 326; value of some I 208
in high latitudes V 278
in Hop-gardens II 296
in London, dearness of XVII II
in London dining-rooms I 116
in San Francisco IX 190
in the Paris markets IV 144
in trenches XIV 131
keeping in winter XX 164
list of the best VII 20
marketing XIX 510
miscellaneous XX 196
mode of protecting early border X 311
M. Thiers's little bill for IV 22
new and old XII 80; of past years I 271
notes on XVI 349; on the best new XI 107
novelties in XX 165
on peat land XVIII 96
preserved XX 339 402
preserving XI 271; Morfit's process for XIV 142
prizes for XV 109
proposed exhibition of XIX 158
Punch on IV 522
recipes for cooking IV 452 512; V 43
scarcity of XV 254; XVIII 519; in 1880 XVII 228; in London VI 92; XIII 121 154
seeds of, selection of good VII 77
select XII 506
tinned I 79
transmutation of I 229
transplanting IV 57; young XI 431 491
treatment of, for seed-saving XIII 237
tried at Chiswick in 1877 XII 123 219; in 1879 XV 254
varieties of XVIII 461
v. fruit XV 254
warm exposures for XIV 230
washed VIII 534
wholesale price of I 202
winter XVI 126
Vegetarian colonies, home XIX 105
Vegetarianism, Indian chief on III 299
Professor Newman on II 236 251
"witness" on VIII 164
Vegetarian restaurants XII 320
Vegetarians in Germany XII 219
jovial VI 472 (poetry)
Vegetarian Society, the IV 350; XVIII 435; annual meeting of, in 1877 XII 435

Vegetation I 248
and climate III 117 134
and man XII 80
and rain III 304
and sulphate of iron V 446
aspects of I 190; IV 50; VI 289
at Bethlehem III 58
by the Suez Canal XII 285
effect of acid gases on II 278; of a rookery on I 254; of excessive rain-fall on XI 44; of spring frosts on sea-side XI 542; of storms on VI 39; of the winter of 1876 on XI 125
in Afghanistan XVIII 155
in Ashantee V 108
in Central Africa III 71
in Channel Islands I 196
in February XI 208
influence of electric light on XVII 240
injured by noxious vapours IX 218
in Honolulu II 515
in March, 1877 XI 307
in Mexico IV 51; VI 512
in New Zealand II 549
in northern and temperate countries, aspects of I 33
in North of Ireland I 668
in Norway XII 286
in Nubia II 325
in Queensland II 515
in Siberia I 32
in Tasmania XIII 435
in the Isle of Wight V 4
in the Philippine Islands III 321; XIII 77 (*cut*)
in the South Sea Islands XIII 80
in the tropics II 547; beauty of XIX 243
in towns II 80 96
in Western Australia III 25
minute XII 312
notes on, to January, 1878 XIII 161
of Mexico VII 26
of South Africa, changes in the IV 342
of the Miocene period XII 277
on a Java mountain XX 587
on an African lake-shore II 439
on the Gold Coast IV 401
on the ruins of Hadrian's villa V 455
on the shores of the Mediterranean XIII 105
on the west coast of Africa IV 440
open-air IV 102; in April XI 398; XIII 480; in February, 1878 XIII 269; in June XIV 58; in March, 1878 XIII 359; in May XIII 593; in the Royal Botanic Garden, Edinburgh VII 346
ravine VII 324
sea-coast VIII 511 552
steppe V 511
triumph of II 213 234
under coloured glass II 290
waterside I 413
weather marks on XVII 64
Veitch Memorial Fund, the XII 440
Veitch Memorial prizes, the III 274; XII 556
Veitch, portrait of James, X Frontispiece
Veitch's (Messrs.) Nursery III 189
Velozia cornuta VI 445 558
Veltheimia viridifolia XII 399
Venice and its gardens XII 464
Venidium calendulaceum XVI 555; XVII 6; XX 234
Ventilation III 261
and lighting apparatus, new gas-heating XI 20
for cool houses XX 639
in cold weather XV 30 55 78
in winter and spring I 323
of cool fruit-houses XV 372

Ventilation of ice-houses I 175
overdone XX 401
Tobiu's system of VII 348; IX 346; XV 100 127; XVII 269
Ventilator for cool house XX 617
new IV 327
Patent automatic XIV 581
Venus's Fly-trap II 93 503; V 82; VII 507; VIII 212; XV 522; XVII 448; XX 310
importation of VII 26
Venus's Looking-glass, a double variety of XIII 367
Veratrum nigrum IV 191; V 304
viride XVI 195
Verbascum olympicum XIII 485; XX 261
phlomoides XVII 226
vernale (Chairix) XVIII 542
Verbena, as a hardy annual IX 174
choice variety of VIII 320
disease, loan a cure for I 441
fine Lemon-scented X 582
in America I 8
Lemon-scented VIII 220; in Spain X 227
Lustrous XVII 68
sand XX 197
sweet-scented III 418; XX 262 484
venosa from seed IX 242; in wet seasons VIII 128; sown in autumn XIV 217
Verbenas XX 104 138
and Pelargoniums X 579
at Salisbury XVIII 402
culture of XV 222
for bedding purposes I 253
for propagating XIV 467
from seed I 27; XX 137 318
in pots XII 466
new IX 67; German II 159
NEW XV 222
out-door XV 178
propagation of XIV 111; XVI 30; and culture of IX 458; of sweet-scented XVII 484
raising from seed XI 218
treated as annuals X 324; XI 125 143 181
wintering XVIII 370
Ferdier, Philippe Victor, portrait of XIV 142
"Vermin Asphyxiator," the II 74
Vernonia centriflora V 518
noveboracensis IV 323
Verona, Giusti gardens at XX 353 474
Veronica Andersonii II 377 438; IV 210 376 502; X 576; XII 488
angustifolia XVI 480
Blue Gem XIII 186
candida and *V. canescens* X 440
as an edging plant VI 298
Chamaedrys I 653; *C. pedunculata* IX 79; variegated II 122
corymbosa X 419 614 (*cut*)
Dabneyi XII 112
devoniensis III 364; XX 79
Hendersonii XIV 100
Hulkeana III 350; V 547; XI 420; XV 389; XVII 241 500; XIX 584; at Glasnevin XI 471; hardness of XVIII 79
imperialis II 418
incava IV 70
linariaefolia II 410
lobelioides VI 328
longifolia XX 203; sub-sessilis XVI 231; XVIII 137 201
LONGIFOLIA SUB-SESSILIS
XIX 448
Lyalli XVII 515
neglecta XX 213
officinalis aurea XVIII 538
orchidea X 614
pallida X 613

Veronica pinguifolia IV 5; X 459
procumbens X 615; XIV 353
repens X 7 416; XIV 124
rupestris VIII 367
salicifolia XIV 367
sub-sessilis XX 319
Traversii XIV 390; XVI 58 89
 112 191; by the sea XX 135;
 hardiness of XVIII 298
virginica X 615
Veronicas VIII 266; XIX 448; XX
 342 427
 alpine VI 6
 as cut flowers XIV 186
 as decorative plants III 473
 for cutting XIV 310
 for the window X 578
 hardiness of XIX 314
 in November XII 510
 shrubby XVIII 484 585; XX 177;
 hardiness of V 28
 species of X 611
Versailles Currant district, the X 8
Versailles I 214 284
 Basin of Neptune at I 284
 Couloade at I 285
 Indian XII 249
 Little Trianon at I 310
 plan of gardens, &c., of I 216
 school of Horticulture at XI 325
 view of the Château of I 215
Veschiella splendida X 463
Vesicaria gracia XVII 448
 GR.ECA XVIII 332
Vetch, the Blue Bitter IX 380
Viburnum dahuricum VIII 85
dilatatum IX 191 390
 hardier kinds of V 183
Ktiveri VII 287
lucidum XV 57 74 197
macrocephalum II 146; III 499;
 V 183 (*cut*); VII 314; at Kew
 IX 491
nudum XVI 359
odoratissimum XIV 412
Opulus XIX 618
plicatum III 484; V 489; XII
 231; XV 521; XVII 468 546;
 XIX 585; XX 417; for forcing
 XXIII 439; p. *tomentosum* II
 127; under glass XV 519
prunifolium XIX 583
pyrifolium V 489
Sieboldi XVII 534; XVIII 485
Vicia sylvatica XX 209
Vick's Illustrations IX 211
Victoria, gardening in XI 102
Victoria house at Chatsworth, the V 5
Victoria Park I 86 272 327; XVI
 82
 border in XX 282
 enlargement of I 178 379 430
 flower-gardening in IV 156; X
 251; XIV 211; XVI 214
 herbaceous borders in XX 204
 plan of I 328
 trees and shrubs in XV 474
Victoria regia IV 10; *and other*
aquatics XVI 279; at Kew II 115;
 X 208; flowering at Kew VIII
 146; in flower VI 169; in Regent's
 Park XIV 478; lives on I 567;
 vitality of the seeds of XVII 241
Vienna, “alpine garden” in XIV
 431
 boulevards of VI 402
Floral Exhibition at, in 1877 XI
 345
Fruit Show at, in 1881 XX 386
 gardening at XV 44; in winter
 XIV 587
Horticultural Exhibition at, in
 1873 III 176
 notes from XV 327; XVII 54;
 XVIII 458 537; XIX 32 494
 tree notes from XIX 74
 trees and shrubs in XVI 362
 weather at, in December, 1879
 XVI 547

Vilfa vaginifolia IX 300
Villa de M. Garnier Bordiglieri XX
 406
Villa d'Este, Tivoli, Gardens of II
 297
 terrace and trees in XI 457
Villa Franzesini, gardens of the XI
 63
Villa, near Wandsworth Common XI
 105
Villa garden architecture XI 105
Villanova chrysanthemoides XX 439
Vincas, note on XVIII 538
Vinecunes, Bois de I 425
 lake in Park at I 427
Vine, Adeler's Grape VI 578
 air-roots on the XII 276
 Andean XVIII 380
 as an ornamental plant I 389; II
 452
 at the Viceregal Lodge, Dublin, the
 large VI 111; XII 343
Black cat in the XV 489 490
Burchardt's Prince, as an out-door
 X 595
 cause of branches dropping off I
 661
Chasselas Grape XIV 341
 culture of the Grape VI 491 540
 564; VII 17 28 44 86 129; XII
 513
 curious affection of the VII 241
Finchley II 83 153; XII 126 157
 for a greenhouse XVIII 318
Golden Champion VI 179
Hampton Court VIII 158; XX 244
 550 591
Hop-leaved XVIII 390
 in *Vinery, Battersea Park* XVIII
 629
 in France X 536
 in London XII 327
 in pot at Buxley IV 333
 in the open air II 274 299 352 370
 381 402 430 506 523 552
 large American Grape X 29
 largest in Britain XVII 350
leaf of, covered with gall VII 158
Montecito VIII 474
Mr. Thomson's Book on the VII
 254
Mustang II 253
 new African XVIII 352
 new enemy of the XI 504
 of Soudan XIX 117
 remarkable V 238
root of, strangled by a wire label
 VIII 237
spur-trained VII 45
stem of an old XII 305
summer-pruning of the II 120
town XII 412
turquoise-berried X 451
 v. smoke IX 550
Vines XX 90 170 214 333 406 473
 510 556 593 606 638
 and gas-tar XIX 399
 and lime XVII 187
 and liquid manure XIV 143
 and other fruit-trees, feeding XIII
 491
 and Peach-trees, cleansing and
 painting XVI 330
 and Pines together II 329
 and potash XII 47 64 548
 and Vine borders, XVI 237
 air-roots on V 34; VII 520; XII
 316 339
 application of sulphur to VII 196
 artificial manures for XIII 348
 at Castle Coch, failure of XX 485
 at Drumlaug VII 73
 attempts to protect from frost V 441
 barking XX 593 633
 beautiful XX 237
Berkhamstead XVII 310
 best for a cool house VIII 507; for
 an unheated orchard-house IX
 222

Vines between pipes and front wall
 XX 380
 leeding in XI 152 183; XII 305;
 XIII 253 300 308; effects of, over-
 rated VII 342; preventing XII
 599; remedies for X 269; XI
 203; XIX 342; tobacco-dust a
 remedy for VII 131
 blood dressing for XIX 270
 bought v. home-grown VII 45 106
 131
 breaking XVII 350; prematurely
 XV 275
 budding in August and September
 II 154; v. planting IV 486
 buds of, irregularity in the break-
 ing of IV 486
 clearing of Mealy Bug IX 113
 coal-tar for XIX 533
 cordons, in front of walls with a
 south aspect XV 102
 cropping VIII 198; hint on VII 45
 crop of, and sun spots I 571
 culture of XIX 660; at Impney
 Hall XX 351; experiments in
 XI 251; extension system of
 VIII 321; failures in III 21;
 IV 419; in Germany XX 244;
 in New South Wales in 1875 VII
 378; Messrs. Bushby and Hen-
 derson's system of XX 436; open-
 air XIX 403; out-door XVI 147;
 unheated structure for VII 517;
 without “steaming” XI 348;
 diseased XVIII 471 500; XX
 379; dressing for XVII 379 473;
 XVIII 41; XX 633
 early XX 33
 effect of frost on XVI 19
 excrescences on II 511
 extension-trained XIX 443
 eyes of XVIII 142
 fine crops from young VI 178
 for a Hamburgh house V 225
 for a new viney XI 152 170
 for an orchard-house, the best VI
 343
 for cottagers XVIII 537
 for table-decoration XIV 405
 from eyes III 74; for pot culture
 VI 87
 from Gethsemane XII 265
 fumigating XV 327
 gas-tar for XIX 509 627
 grafting II 432; III 288 (2 cuts);
 VII 433 458; IX 128; *at*
Thomery II 352; experiments in
 XII 229; putting on Grapes X
 368
 green leaves of, on ripe wood
 XVIII 492
 growing, in pots XIII 587
 how to make them break their
 lower buds III 54
 inarching VI 314; XIII 437; XVI
 424; together XX 214
 in China, wintering V 73
 influence of violet light on I 269
 in gardens, propagating XIII 21
 in greenhouses VI 364
 in March, treatment of XIX 271
 in relation to root temperature XV
 187
 in rock-borders III 482; IV 13
 in shrubbery-borders II 282
 in the open air XVIII 605 633;
 XIX 46 594
 irregularity of growth in XVI 522
 irrigating VII 74
 killed with oil VII 416
 large VIII 507; best IX 549
 late in breaking XI 264
 laterals of XVIII 131
 layering XVI 278; XIX 189
 leaf-feeding XVIII 170
 leaves of XX 17 32 401 497;
 autumnal-tinted VI 474;
 blighted III 225; coloured XII
 436; dew-drops on XI 440 492;

Vines, leaves of—continued.
 dew-like drops on VII 446;
 diseased XX 48 270; excres-
 cences on III 354; X 62; XIII
 609; XVI 72; XIX 536;
 flagging XX 270; red spider
 on XIV 75; warts on IX 221;
 XVIII 72
 lifting XIII 438
 liquid manure for XI 362
 longshoot system of renovating XX
 413
 low temperature for XIII 344; at
 night III 409; X 368 402; v.
 high temperature for setting
 Muscat XIX 550
 manured with plaster of Paris II
 275
 material for plunging XX 509
 Mealy Bug on XIV 472; XVI 425;
 XX 304; dressing for XIX 444
 milieu on VII 87; X 350 376;
 XVII 24
 Muscat of Alexandria III 482
 N. American II 163
 new disease in young 1878 XIII
 573
 new plan of filling a house with XV
 324 420 441
 not fruiting VIII 98 126
 not ripening in France in 1879 XVI
 370
 novel cure for diseased VI 204
 of N. America, Dr. Regel's Mono-
 graph of IV 397
 of London XI 551
 old IX 152; and new roots IX 73
 on back walls of viney XI 532
 on open walls III 75 167; XIX
 164
 on the extension system XX 554
 on their own roots, best V 224
 open-air XX 331
 orchard-house XIV 429
 out-of-doors XVIII 659; XIX 385
 431 444 532; at Woodstock VIII
 167
 Phylloxera-proof XVII 351
 planting II 380 450; III 288;
 XX 348 380; after growth has
 commenced VII 252; in inside
 borders IX 247; outside v. in-
 side XV 35
 plenty of water good for XIV 120
 pot I 189; III 54 226; VI 9;
 XII 500; XIV 363; XV 216;
 XX 33 90 511; bottom-heat for
 XIII 21; buying VI 315; cost
 of producing home-grown VII
 74; cultivation of VI 519 542;
 few notes on the culture of XIII
 119; for early crops III 435;
 for early forcing IX 564; for
 table decoration VIII 126; XIV
 419; home-raised VII 124; in
 Covent Garden X 232; increasing
 the size of cut-back IX 327;
 in small gardens IX 292; keep-
 ing back in an ice-house IX 248;
 new method of raising XIX 542;
 note on XV 238 265; remark-
 able pair of IV 219; starting in
 autumn a disadvantage IX 328
 444; twisting VII 102
 potting VII 86; proper mode of
 V 245
 preparing, for forcing XX 447
 production, of Mr. Spyer's theory
 of XX 639
 propagating Grape XVI 30; in
 gardens XII 608; new mode of
 XIX 576
 proper distance of from the glass
 IV 136
 protected from frost by burning
 coal-tar IV 22
 protecting in cold localities X 544
 pruning II 370; and starting late
 XV 131; old VII 458

Vines, queries respecting VI 204
raising, from eyes in turf VII 85
108 131 196
remarkable XVII 162
renovating old III 224
resting XX 531 592
ripening the wood of XVI 210
rods of, dressing for IV 462; ex-
crescences on VII 520
roots of, and wire-worms X 124;
bottom-heat for XI 46; fungus
on XII 230; temperature of XV
201
scrapping XIX 220 284 379
shanking in X 415
shedding their fruit I 416
six best XX 531
spur system of pruning IX 383 404
421
starting and forcing heat from
fermenting materials for XV 200
stem roots of V 272
stocks for XIV 573 586
stopping and training XI 450
stopping laterals on XVIII 169
stripping old bark from VIII 461
525
syringing XI 380; XIII 506; XV
405; XX 9
tar dressings for XIX 501
trained horizontally VII 221
training XVIII 160; at *Thomery*
II 381; French mode of IX 92
transplanting XV 112; of renova-
ting old XV 158; established
VIII 527
treble-rooted XIV 242
under blue glass XI 306
unproductive XVIII 48
utilising the air-roots of XIII 213
water at the roots of IX 26
weakly XVII 530 554
what to grow under VI 364
when to water XI 394
young, losing their leaves X 340
Vine and Peach-tree destroyer VII
189
Vine and Peach-destroying maggots
VII 168
Vine-border I 587
best covering for VI 388
clearing wire-worms from XVII
532
making XX 380
top-dressing for VII 278
Vine-hoppers II 403; XX 306
artificial heat for XV 373 404 441
at *Castle Kennedy* III 107
at Clovenfords XX 633
at Lamton Castle XI 292
canvas coverings for XIV 262
compost for XVIII 216; XIX 400
covering XVI 474; early XI 378
394 451 474 494 516
experiments in making XI 291;
XII 568
fermenting material on III 495
heated from above XVII 26 69
heating I 611; XVII 93
inside XII 608; v. outside XI 210
240 252
in winter, covering for VI 343
lime as a dressing for II 371
made of light loam XIII 307
notes on XI 311 362
protecting XIV 308; XV 265;
early X 303; XIV 241 261
278
should they be inside or outside?
XI 197
soil for VII 87
thatched XV 275
thatching, early in autumn XV
238
top-dressing XII 476; in autumn
XIV 261
wire-worms in XVII 506
woollen refuse as bottoming for V
149

Vine disease, new VIII 190; XII
456; XVII 142; in Italy VIII
122
Vine diseases XII 423
Vine insects V 466; XIII 583 609;
XVII 400
Vine-land, the settlement of VII 285
Vine layer in a basket II 352
Vine mildew XII 383
and Ewing's Composition VIII
353
salt as an antidote for XII 160
Vine pest I 358; II 129 217 228
248
in Australia XIII 153
in Burgundy XIV 125
in London gardens IX 373
luxuriant growth the best cure for
VI 600
remedies for IX 484
Vine pests III 262 308 394
how to destroy X 454
Vinery at Chiswick, the large XVI
164 394 446
borders of, covering early XI 362;
XII 2
Bouton's Ground III 231
curvilinear, without bent glass III
465
filling in one season XV 372
furnishing back wall of XVI 360
largest in England VI 360
lean-to early VI 491
Lloyd's Ground II 209
Peach and plant-house combined
XV 263
position of a span-roofed IX 128
soonest furnished XVIII 362 405
span-roofed, late VI 491
ventilating pipes of a VI 493
Vineries, amateur IX 262
ants in XIV 429
at Clovenfords VIII 256
cheap II 382
distance of boiler from I 175
eradicating mildew from X 332
ground I 638; IX 421
insects in VII 278; XI 304
mauve-water in XII 102 142 150;
XIII 492
Orange trees in I 661
shading V 169
span-roofed VIII 386
unheated II 382
Vineyard at Castle Coch X 280; XI
543
famous IX 16
in Wales VIII 126
large indoor VIII 90
Lord Bute's VIII 222 370 386
416
Mr. Blower's XVI 110
Tweedside III 235
Vineyards, English XI 145
in England and Wales X 304 360
in France VI 168; XVI 370; de-
struction of VI 240; destroyed by
the Phylloxera X 347; in
1877 XII 142; study of I 474
in Italy II 311; IV 398
in Victoria I 700
on shores of Mediterranean I 700
spring frosts in I 292
visit to the *Thomery* XV 274
Vintage in France in 1873 IV 206;
in 1874 VI 342; in 1875 IX 191
300
of 1872 II 507
of 1877, in the Hautes-Pyrénées
XII 429
Viola altaica XIII 629
Ardwell Gem XIV 48; XVIII
148
argentea XVII 213; XVIII 301
biflora XI 293; XVII 425
Blandiana XIV 367
Blue Bell and others X 479; as a
town plant X 396
Blue Perfection XIII 461 484 516

Viola cornuta I 653; IV 538; XI
271 (*cut*); c. var. *Perfection* as an
edging-plant V 500
cucullata VII 219
drought-resisting XI 89
Golden Gem XVII 513
hirta, white variety of XIII 286
La Patrie X 478
lilacina XIV 124
Loveliness XIV 190
lutea I 702
multiflora XIII 467
Munbyana VI 24; XII 510; XIX
65 (*cut*) 204
odorata XI 213; o. *argentiflora*
XX 460; o. *cerulea* III 297
palmaensis VIII 346
palustris III 450
pedata VII 450 484; XI 422;
XIX 534 (*cut*); XX 88 440; p.
bicolor XVII 314; XX 381 (*cut*);
culture of XX 381
pedunculata XI 515
Queen Victoria IV 455
rothomagensis VIII 66
Sir Walter Scott XI 374
stricta alba XIV 345
Tooi XVII 275
tricolor XI 293
umbrose III 478
Vestal XII 169
White Swan V 30
Yellow Boy XIII 196
Violas XX 156
and drought XI 60 80
and Pansies XV 493 511; XIX
635; at Eglinton Castle IX
540; bedding VI 359; best IX
334; cuttings of XVIII 72
and Pelargoniums intermixed XV
157
as bedding plants VI 403
at Eglinton Castle X 283
at Swanley XIII 542
bedding XI 315; XIV 489; in
autumn XII 462; new VI 247;
XVII 488
blighted XIV 143
choice XIII 467
early XV 347 369
for spring bedding II 384 452
for spring decoration XX 391
free from marking XX 23
in 1878 XIV 217
in mixed beds XI 23
new X 440; XX 17
North and South IX 564
propagation of XVI 338
Violet, African I 42
American Dog's-tooth VII 356;
XIV 177; culture of VII 357
and the Napoleons VII 469
argentiflora XVII 213; XVIII 301
Belle de Chatenay XIII 303; XVII
153
Bird's-claw XI 422; XIX 534
(*cut*); XX 88 290
common XI 213
Cyan XX 497
Dog's-tooth II 250; III 245 294;
XI 165 (*cut*); notes on VII 319
gigantic Dog's-tooth, the III 212
large-flowered Dog's-tooth VII
376
Lee's Prince Consort X 440
Marie Louise IX 426; XVIII 623;
XX 209 496 519
Munhy's XIX 65 204
Neapolitan IV 322; VIII 323; X
228; culture of VII 197; new
VI 422; new dark VI 538
new XVI 384; double white XII
536; XIII 117 (*cut*); seedling
XI 166
New Holland VIII 201
old Parma VII 373
Prince Consort IX 334; X 460
Princess Louise, double XVII 167
Rouen VIII 66

Violet, Sensation III 370
Twin-flowered XI 293
Victoria Regina III 218; VII
336
White Czar XIX 3
yellow XVII 394 425; Dog's-
tooth XIII 355
Violets I 346; III 125
all the year round XIX 221
American VII 482; XIX 230
and Primroses XVII 290
and their culture IX 238 349
and their times of blooming X 355
autumn treatment of II 344
banks of XII 363
best bedding IV 394
blooms of, arrangements of I 410
by post XII 388 398 480
Californian Dog's-tooth IX 335
City I 500
culture of III 245; V 498; IX
335; at Luxemburg XV 348;
for market XV 178; for the
Paris Market V 458; in frames
XVII 246
Dog's-tooth VII 356; XX 186;
species and varieties of VI 23
double XVI 437; white II 557;
XI 304
early XVI 550
everywhere XIII 401; XVIII 623
forcing XX 311
for late blooming X 443
for market XIII 185
for winter and spring VI 98
for winter-blooming VIII 3
from Kent XX 291
from runners XVI 284
grown for trial at Chiswick in 1878
XIII 490
bow to arrange effectually V 203
in autumn XIV 345 368
in 1877 XII 462
in frames XX 477
in Moss I 556
in Paris VII 277; XVI 477; sale
of III 251
in pots IX 375 530; XIV 484;
XIX 262
in winter and spring IX 137
in Yorkshire XX 422
leaves of, diseased XII 292
long-stalked XI 80; the best XI
25
Mountain VIII 298
M. Thiers' II 259
natural situation for XV 193
Neapolitan I 74; II 442; XIV
193; XVI 228 459; XVIII 646;
XIX 113 214; XX 520; after
flowering XIII 305; culture of
I 369; XI 373; to bloom in
winter VII 498
new IX 241; XVII 351; yellow
I 561
Parma, in Paris XI 186
propagating XIII 162; XX 209
red spider on XX 601 626
scentless V 522
sold in Paris IX 196
under the I 155
ventilation for XX 401 442
winter-flowering XX 36; forcing,
in America VII 516
Violet Cress, when to obtain XIX
320
Virgilia, as a lawn tree VIII 68
at Syon VIII 87
lutea XVI 338; XVIII 207; XX
52; flowers of XVII 230; seed-
pods of XVII 231
tinctoria VI 252
Virginia, as a garden land VI 554
Virginian Creeper, the II 339; XIV
367
as a town plant V 412
at home XII 74
for shading glass-houses X 380
in shrubberies VII 124

Virginian Creepers on dead trees XI 495
on Holly and other shrubs XIV 434
poisoning by X 86
propagating XII 436
variegated XVIII 390
Virginia Creepers and Vines V 523
Virginia Poke VIII 389
Virginia Stock, improved XX 71
Virginia Water, view near IX 231
Virgin's-Bower, common XVI 380
sweet-scented X 260
Vitex Agnus-castus XIX 359
Lindeni IX 539
Vitis candicans II 253
heterophylla XX 367
humulifolia X 451; XVIII 390
Labrusca XVI 259
rotundifolia XVI 566
semperfervens XVIII 596
strata, foliage of XVIII 542
Thunbergi XIV 310
tricuspidata VI 46
Vittadenia australis XX 423
triloba, suitable for the wild garden VIII 305
Volvella ciliata V 70
Volvæ globator XIII 126
Volvulifex Aceris XI 445
Pruini, galls of XI 446
Vox Naturæ (poetry) VII 269
Vriesia brachystachys V 28; XI 416; in paus XIV 323
guttata XVIII 229
Leichtliniana VII 316
tessellata XIII 263

W.

WAGES in various countries I 519
Waggons, market-gardeners' XIV 116
Wahlenbergia dalmatica XX 72
hederacea II 167
Kitabellii IX 47
tenuifolia XVII 267
Waiter's reflections, the XVIII 394
Wake-robin, notes on VI 516
Walk-drains and gratings VII 220
Walks and foot-paths XVI 295
asphalte VIII 15; how to make X 198
breaking up XX 575
cleaned with acids II 176
cleaning I 21; II 452; XX 404
coal-ash XVI 222
for kitchen gardens X 29 65 90 96
formation of green I 612
gravel VI 539; draining VII 146
155 181 220; formation of IX 75; insects on XVII 400
in pleasure-grounds XVIII 388
iron cinders or clinkers for garden IX 70
keeping clean XII 578
killing weeds on I 88 650
Moss and weeds on I 612
salting XI 544; XV 69
Wall-drapery X 418
Wall-dwellers X 51
Wall-furnery at Parson's Green, Edinburgh X 39

Wall-flower, the IV 75 (poetry) as an indoor plant XI 264
Belvoir dwarf XX 497
Chameleon XIII 520
dwarf yellow I 480
Harbinger IX 100; XIX 468
notes on the V 390
Raby Castle XIII 327
Rhodian XVI 257
Wall-flowers III 110 141; V 326; XVIII 370; XIX 268
and frost XIX 232 313 321
and the winter of 1880-81 XIX 421 468
culture of VII 481
double XIX 175; XX 520;
German XVIII 99
English and French X 126
for market XIII 185
from cuttings XIX 374
good kinds of V 462
in autumn XX 572
in blossom XX 519
in cities and villa gardens XV 368
in December XVIII 622
in 1880 XVII 149
in Ireland and Lancashire XVII 194 226 257
in London market-gardens VI 497
in market-gardens XI 23; XV 390
in October XVIII 401
in Paris XIII 441
in Wales XVII 227
London Market I 375
M. Chaton X 101
notes on XVII 425; XIX 555
old-fashioned III 382
perennial XI 514
propagating XII 292; and growing XIX 420
seed of XIV 234 539
single IX 406; XX 156; yellow XX 603 636
to stand the winter XX 544
yellow I 701; IX 459
Wall-fruit, aspects suitable to I 20
crops of, and spur-pruning VII 458
to preserve I 476
Wall-gardening III 344; VIII 387; XI 376
indoors VIII 524
in towns X 460
Wallisia Lindeni XVIII 227
Wall plants I 3 117 563 653
at Kew I 700
two new III 293
Wall-protectors v. span-roofed houses I 537
Wall terrace XX 14
Wall trees and the garden engine I 638
protection of I 268 297; IX 358
at Hockfield X 401
summer pruning of II 37
treatment of I 176 204
“Wall, under a” XVIII 331
Walls I 164
and orchard-houses I 638
and rafters, climbers for I 283
and walks, lime concrete III 443
and wall trees XIV 278
coping for XVIII 444; new III 285; *Parham's* III 237
copings for, floral III 433 478; glass XVIII 170; permanent XVIII 305
Cotoneaster for I 442
cropping north VIII 159; and their borders X 536
draping deal VI 247
economy to I 269
fruit, of north aspect I 61; wiring I 149
fruit-trees on I 587
glass and iron coping for fruit I 508
heated XVIII 462 475 501; and glass copings XVIII 430

Walls impregnated with sea-salt XVIII 382 444
in stoves and orchid-houses, how to cover XVIII 595
low retaining, and their decoration IV 4
ornamenting stove XII 150
plant-covered XIV 501 557
recessed XIX 32 188
serpentine XIX 78; and fruit crops XI 426
shaded and their ornamentation X 479
studding XVI 560; and wiring XVII 25 111
studts for, galvanised VI 436
utilising for fruit-trees VIII 309; waste VIII 283
vegetation on stone I 44
v. wire fences I 223
wash for old fruit I 439
wiring IV 398; XIV 98
wreaths for dead XI 528
Walnut, the I 130
American Black III 56
and its varieties IX 361
Black III 499
frost-escaping X 120
large-fruited VIII 321
Pear-shaped IX 392
Steele's Improved Black VIII 360
Walnuts VI 343; IX 365 (13 cuts); XX 358
and Filberts, another way of preserving IX 194
huge VI 288
huskless Chinese IX 52
in California I 683
in salt VIII 556
in sand VIII 528
preserving IX 23; for winter use X 484
storing VIII 231
transverse sections of IX 392
Walnut jam VI 164
Walnut-tree, cut-leaved XI 495 515
522
small-fruited IX 361
stump of, the value of II 339
variegated IV 500; IX 362 (cut)
weeping X 208
Walnut-trees, and other trees, large XII 152
Burls on VII 202
dropping their fruit IV 136
grafting I 446; VII 168
hedge of III 167
large XII 32; and old VI 512
Waltham Cross Nurseries, the XVI 93
“Wangara,” the XVIII 73
Wanner's Hair-bell VIII 245
War, after the I 20
Ward Beecher's farming XII 219
Wardie Lodge, notes from VII 52; XIV 332
Warning, a I 110
Warwick Castle I 705; XX 345
Cedars by the river at XX 349
from the river XX 345
gardens at I 211
plan of flower-garden at I 707
within the walls of XX 347
Wash for out-buildings XX 125
Washington, flowers from XX 317
trees in XII 513
Washingtonia filifera XVI 342; XVIII 31
Washington Irving, as a garden critic I 339
Wasp and fly trap, a XIV 318
Wasp, Sand XX 589
Wasps' nest, a curious VI 190; large XIX 382
Wasps-trap, the Pelletier XIV 491
Wasps V 282; XIX 658; XX 429
538
and fruit VIII 224
and Marie Louise Pears VIII 224

Wasps and rain VIII 78
and Tomatoes VIII 237
catching, rewards for VII 334
ests of, and cyanide of potassium XII 265; how to destroy XVIII 218 268; in trees VI 228
to destroy IV 297; VI 228; X 455
v. Peaches IV 244
Water I 20 104 400
and water-side vegetation, indoors XVI 279
artificial, broken margins to XIV 79
as a fore-ground II 547
as a plant cleanser II 204
composition and properties of VII 492
Court Moltke on the treatment of XII 146
degradation of XII 113
extracting lime from XVII 356
for greenhouse plants XVII 461
importance of a good supply of VI 263
in park and garden scenery XIV 79
in small gardens XI 298
in the shade II 469 477
limy XVII 379
margin of, Nature's II 485
margins of I 25 677; and terminations of artificial XIX 119; in landscape gardening XIII 321
ornamental VII 179
piece of artificial VI 177
pumping up a slope VIII 487
scarcity of VII 350
squirting, the cost of VI 410
subterranean I 662
supply of IV 195; conservation of our VIII; for country mansions, gardens, &c. VI 485; metropolitan XI 531; National XVI 113; precautions against a deficient VI 38
supplies of, our VII 516
test for sewage in IV 513
to test impurities in V 503
underground XII 380
waste of VI 286
Water-barrels, useful VII 292
Water-barrow, an improved X 161
Water-casks and tanks, frozen, bursting XIX 353
Water Chestnut, the XII 339
Water-cress I 612 688; XI 558; XV 436
and the American water-weed IX 218
at Springhead XII 292
caution to eaters of I 430
cultivation of VII 380; in France II 13
Fool's, poisonous? IV 424
French mode of cultivating V 317
in frames XIII 121
in paus and borders XVIII 551
in Paris VIII 80
in the kitchen-garden XVI 446
in winter XIII 22
is it wholesome? VIII 512
land-grown XVI 349
Mr. Hibberd on XVIII 524
note on XIX 455
wholesomeness of IX 375
winter culture of XVIII 472
without water VII 232 252
Water-dock, the great II 206; IX 542 (cut)
Water Drop-wort, poisoning by IV 30 428
Waterer, Mr. Michael XX 578
Waterfall, Killakee XVIII 490
Waterfalls, and natural rock-work IV 4
and rock-work XVIII 564
British XVIII 491
Water-garden, a Thames-side XIX 491

Water-Hemlock, poisoning from IV 470; IX 300
Watering and mulching II 40 98; XIX 661
in autumn XX 350
in dry weather XIX 587 632
note on XII 74
Pines V 458
plants III 313; in pots II 482
streets, new mode of I 309
Watering-pot, pedigree of the XIV 164
siphonic VI 18
Watering-pots XIX 90
ancient XIV 164
leaky V 318
Water-lily I 478
American sweet I 5
blue XVIII 474
common X 38
fragrant XVIII 9; growing XI 471
great VI 169
hardy red XIV 55 78; XVII 363
insects VIII 26
new VI 512
red XIV 279
Rose-coloured X 255; XIV 586;
hardy XIII 512
white IX 541; XIV 191
yellow I 608; IX 542 (*cut*)
Water Lilies VI 318; XVI 115
exotic, curious way of growing II 290; in the open air II 369;
out-of-doors II 410
hardy XIV 54; XIX 94
importing new XI 471
on grass XIV 539
plaiting XII 446; XIII 454
tropical XVIII 452
without tanks XIX 213
Water Melons, culture of XIX 379;
difficulties of V 548
in Georgia X 255
Water-plant, a new XVI 369
Water-plants in the wild garden IX 541
Waterproof garments IX 156
Waterproofing X 455
boots X 484; XVI 450
Water-rat, the V 162
Water scene at Alton Towers II 547
Water-shield, the V 66
Waterside planting XV 431; XVI 337
Water-soldier, the IV 388
Water sparingly I 14
Water-tank, moveable II 522
Water-tanks in gardens VIII 509
Water-weed, the American XII 340;
destroying IX 165
Water-weeds XI 159; XII 244
Watsonia alba XVI 319
rosea XX 319
Watsonias XIV 190
A GROUP OF XVII 390
Watson, Mrs. H. C. XX 150
Wattle, the silver XV 326
Wax-flower plants, the XVIII 354
Wax plant XX 262
Wax tree, the Japan VI 532
Wax, vegetable VI 39
Weasel in the garden, the XVII 120
the gardener's friend I 670
Weasels v. short-tailed field-mice XVII 325
Weather and fruit crops in East Anglia in 1877 XI 380
and the birds XV 87
and the moon IX 216
buds and birds and the I 445
in March, 1878 XIII 300
in North Notts, in 1877 XI 330
in Notts, in December, 1878 XIV 585
in South Lincolnshire in May, 1877 XI 394

Weather lore for gardeners XVII 174
notes and proverbs IV 342
of January, 1878, effect of on vegetation XIII 72
predictions V 435
proverbs XIII 334
severity of, in December, 1879 XVI 546
wisdom X 589
“Wedding Flower,” the XI 443
Weed, American, in ornamental water VIII 147
Weeds XVI 52
and seeds I 286
as water-purifiers VIII 144
best time to kill XII 28
Californian dye I 186
clearing a herbaceous garden of XIV 501 526
converting into manure IV 472
fecundity of VIII 156
flowers becoming XX 136
how to fight the I 207
how to kill II 107; V 451; VIII 281
in Ireland IV 501
in Louisiana I 156
in ponds XIV 143
keeping down VII 376; X 67
lawn XVIII 241
naturalised IV 465
on gravel XIII 583
on lawns IV 44; XIII 274; XIV 165; XVI 425
on walks I 612; II 14 68 351; V 350 478; VI 298; XVI 340; XIX 83 486; and lawns, how to destroy X 472; destroyed by gas water VIII 472; salt-water for X 167; to destroy I 598 650
to prevent I 88
water XI 159; XII 244
Weed-destroyer, earth-buruing as a X 66
Weeder, a soldier X 319
Weeding lesson, a VIII 150
Weekly Dispatch on Kew Gardens, the XVII 461
Weping Beech at Worcester III 299
Sophora I 194
trees I 194
Wevil Turnip Gall XV 145
Vine XV 392
Weevils V 315
how to destroy X 473
Weigela amabilis aurea XIV 55
candida XVIII 340
hortensis nivea XX 362
late-flowering (W. Lavaltee) XIV 154; XIX 591
rosea XIX 663; forced XI 166
white-flowered XIV 466; XX 362
Weigelas VIII 310; XIX 369
WEIGELAS, OR DIERVILLAS XVII 510
and their culture XVIII 52
as wall plants XX 216
for forcing XIX 68
in 1880 XVIII 125
tree VI 365
varieties of VII 511; XV 521
Weirleigh, garden at XIX 525
Weirs, picturesque, making XX 33
Wellbeck Abbey XVI 568
garden at XVI 523
Victoria Nectararies at X 235
Well dressings V 516
Wellingtonia I 75 77 (*cut*) 421
as an avenue tree XIII 36
at Bitton, size of the VII 526
cones of XIII 400; XIX 664
extinct forests of, in England I 195
gigantea IX 58; XIII 332; XVII 54; cone of XIII 333; large XVI 514; rapidity of growth in XVII 290; great XVII 525

Wellingtonia in fruit XX 361 420
in Ireland VI 262
in Perthshire IX 218
introduction of the V 148
bump on the roots of XVIII 177
timber of, quality of XV 28 72
weeping XII 562; XIV 282
wood of XIII 381; XV 365
Wellingtonias, avenue of XVIII 395
diseased III 352
fine specimens of XIV 578
from home-saved seeds VII 60
height of X 416
Liliopitelia XV 61
rate of growth in X 389
shelter for IX 342
size of in England X 263
Welwitschia at Kew, the II 390 474
mirabilis III 201; XIII 191 (*cut*)
Welwitschia plants in Angola IX 177
Welwitschia Herbarium, the VII 254
Welwitsch, inscription on the tomb of Dr. XII 536
Western Australia, vegetation in III 25
West Ham Park, the planting of VI 99
West Laurel Hill Cemetery, Philadelphia I 569
Westminster, a new park at XII 151
Royal Aquarium at XI 100; opening of in 1876 IX 99 120
Westminster Aquarium Company, prizes offered by the IX 144
Wettest spot in Europe, the III 135
“Whangee” walking canes XI 480
What our cousins want XX 33
Wheat and “Chess” growing on the same stem VI 512
Wheat Mill, a domestic XIII 21
Wheelbarrow, new XI 98
Shanghai IX 70
Wheel-barrow XVI 115
Wheel-draught plan of setting saddle boilers, the X 535
Wherstead Park IV 24
White Bean, shrubby XX 376
White Cup, the XX 72
White Lily I 239 276
Whitewash, how to make X 473
Wicklow, *Lilium giganteum* in XI 539
remarkable hardy shrubs in XI 364
Wigandia caracasana II 385; IV 503 (*cut*); VIII 198 (*cut*)
disease I 457
latifolia IX 448
macrophylla I 120
Vigieri II 195
Wigaudias, propagating IV 379
Wiggin, new public park at XIV 144
Wigwams, verdant II 28
Wilbrandia drastica XIX 99
Wild birds XX 69
cherry-tree in Ireland XII 374
flowers around Arundel VI 122; at exhibitions XX 196; bouquets of XX 292; for gardens I 279; for table-decoration XX 240; gatherers of, in Kent I 434; green I 633; offering of I 376; fruit-garden I 384
fruits XX 444
garden I 6; X 48 96 377 653; XVIII 536 563; XX 55 (*cut*) 349; Fox-gloves in the XI 441; Funkias in the X 184; *Hare-bells and Myrrh* in the XVII 173; herbaceous plants for the X 176; Honesty in the XX 6; in early spring XIII 565; in Pine woods XX 156; Lilies in the XIII 588; Monkshoods in the XVI 4; my XIII 327 353 488; our

Wild garden—continued.
native plants and Ferns in the X 177; plaut for the X 380; plants for moist land in XX 349; plants for open spaces in XX 349; plants for rocky places in XX 349; plants for training on old trees and stumps in XX 349; white Japan Anemone in XVI 57; wood plants in XX 349
gardens in nature XX 517
gardening XX 41 50 76
“Wild Garde,” a new edition of the XI 166
Wilder, Marshall P., portrait of XVI 522
Wilhelma, Wurtemburg, architecture and foliage at I 530
chateau and grounds of I 530
Wilmshöhe VI 153
Willdenovia teres II 482
William the Woodman VIII 276
Williams, Mr. Thos. XX 640
Willow, the I 52
Abbot's XVIII 441
and malaria XIV 586
as a sea-side tree X 263
at Haverholme Priory XX 336
Canadian Golden XX 111
Golden V 147
history and uses of the XIX 517
Laurel-leaved XIX 479
leaves of, deer IX 230
on the growth of the IX 450
Rosemary-leaved XVI 205
twice-rooted pollarded XVI 87
weeping I 371; II 127; XIX 370
Willows III 241
at Highclere XVIII 272
at Thatcham XIX 517
bitter, as a game covert I 136; v. rabbits III 241
culture of XX 396
early and late-flowering X 424
few California XV 236
fine XIV 300
flowering time of IX 131
for tying fruit-trees XII 551
galls of II 425
in Scotland XX 91
in the Washington Botanic Gardens XIII 310
N. American XV 9
of Babylon XIII 620
on Hampstead Heath III 218
on river banks, planting V 274
picturesque XVI 86
planters of, rules for XI 283
pollarding XIX 292
propagating XIII 176; in coppices XIII 195
shrubby II 423
some new or little-known XV 508
weeping, in Spring XI 159
Willow beetles XV 466
Willow Herb, the Rocky Mountain X 54
Willow-pattern plate, the XIII 144
Wilson, testimonial to Mr. F. W. XI 466
Wiltshire, the “Flora” of VII 84
Wimbledon Common and gravel-digging XII 172
Wimbledon Gardeners' Improvement Society XI 264
Wiad and the War, the XI 392 (poetry)
effect on vegetation of violent XIX 66
Windflower XX 258
alpine XVII 449
Cyclamen-leaved IX 499
Scarlet VIII 39; IX 506; X 578; XI 225; XX 203; in bloom in December X 558; new XI 205; size of XI 261

Windflower, white Autumn X 283
Windflowers VII 423 (28 cuts)
 alpine X 74
 at Kew VII 484
 Autumn XII 344
 winter-blooming XI 62
Window-basket, suspended I 416
 with *Blue Convolvulus* I 417
Window-blinds, a new feature in XVI 197
Window-box, improved VII 41
 my IV 464
 with *Dracennas* I 313
Window-boxes II 208
 for winter XX 537
Window flowers, watering V 89
Window-gardeners, a hint to V 503
Window-gardening I 710; IV 286; XIII 373
 arrangement in XVI 161
 cottage III 258
 for the poor II 539; X 607
 for young ladies I 6
 in Spring V 376
 in towns XVI 80
 near Drury Lane XVII 508
Window-garden, a parlour III 38
Window-gardens VI 395; VII 41
 in London II 342
Window-garden societies, town VI 144
Window Garden Society, the Hull V 28
Window plant, a novel XX 538
 plants II 69 98; XX 180; best V 546; *Dracennas* as I 313; watering III 484
Windows, culture of plants in XV 21
 large v. small XVIII 531
Wine Palm of India I 218
Wine, unfermented XII 255
 without Grapes VIII 400
Winged Everlasting XX 256
Winslade Park XX 301
Winter Aconites and *Snowdrops* under trees XV 194
Winter Berry II 17; X 424
 in the swamps of New England. the XVII 98
Winter-blooming plants XX 93
Winter Cherry, in Battersea Park IV 460
 red X 433
Winter-cress, variegated XIX 634
Winter-garden at Southport, a new VI 238
 for London I 249 309
 in Rome I 109
 new I 403
 Russian I 50
 soil for a V 142
 window V 135
Winter-gardens IX 123; X 255
Winter-Green, the Round-leaved XVIII 171
 smaller, in Sussex VIII 34
Winter of 1860-61, effects of the, on shrubs at Penrose XII 44
 of 1874 VII 443; effect of in the Edinburgh Botanic Gardens VII 181; mildness of, in the south of Ireland VII 140; unusually severe in America VII 274
 of 1875, severe on the Continent IX 218
 of 1878-79, disasters of the XV 415; effects of the XV 415 487; XVI 8; effects of, in South Devon and North Durham XV 255; effect of on shrubs XVI 50
 of 1879-80, dry at Sheffield XVII 146; in France XVII 103; severe in France XVII 58
 of 1880 81, effects of XIX 472 546; effects of, at Broomsgrove XIX 505; effects of, at Longleat XIX 567

Winter, protection in XII 584
Winters, fatal XX 29
 mild V 50
WINTER-SWEET, THE XII 14
Wire-fencing, choice Apples on I 414
Wire for garden walls, the size of IX 300
 galvanised XVI 497; injurious during frost XVIII 610
 on walls, mode of straining IX 113
Wire-netting trade, the XIX 581
Wire-strainer I 638
Wire-trellises, the finest Pears for I 147
Wireworm beetle, the V 555
Wireworms I 98 244; V 265; XIII 376; XV 885 413 (4 cuts); XVI 230
 and crows XVII 488
 and grubs IV 50
 and Vine-roots X 124
 cause of diseased Potato haulm VIII 15
 in gardens XVII 484
 in pots XVII 461
 in potting soil XV 466
 in Vine-borders XVII 506
 to destroy V 75 425; X 474; XV 172
Wiring fruit walls I 149
Wishaw, new public park for XII 534
Wistaria, the IX 563
 Alphonse Karr's VII 435
 and bees VII 452
 and Clematis, effect of XX 134
and Ivy on railings XI 380
at Salt-Hill, the great IV 173
double-flowered II 51; XV 521; XVII 105 (cut) 241 282 507
 fine III 410
frutescens V 395
japonica XV 439; in fruit XII 344
on Mr. Turner's house, at Slough XII 469
sinensis III 352; XX 420; as an indoor climber XI 286; double XIV 105; fruiting in England IV 164; on trees XIII 112; under glass XIX 450; varieties of XV 521
 white IX 483; XIX 583
wreaths of XI 466
Wistarias, and their culture VI 276 as wall-top climbers XI 397
Japanese XII 291
layering VI 582
run wild XIII 537
standard, in tubs XVII 407
Wistaria-covered cottage, a XII 256
Wiston Park, view in XVIII 657
Witch-Hazels VI 503
“Witloof,” the VII 268 391 (cut); XIII 173; XV 392
 for winter and spring salads XIX 552
Chicory XI 387
Witsenia corymbosa XIV 514; XX 458
Wolf's-bane, the XVIII 180; XX 209
Wolverhampton, park for XVI 60; XIX 620
Women as gardeners XII 293
 as horticulturists XVI 397
Woodale, Mr. E. H., notes from XX 596
Wood-ashes IX 28; XII 196
 and their uses XVI 506
 leached VI 39
Wood-Fern XX 316
Wood for fuel, most valuable XVII 23
 made incombustible III 193
 new use for IX 192
 new way of cutting II 171

Wood, oldest worked, in the world V 232
 pavements of X 55; XI 40; XII 355; XVII 464; XIX 14; improved I 186; in London IV 192 468; XVII 74; in Piccadilly XI 184; v. asphalte XVIII 7; worst X 46
plug of I 27
 preservation of III 279; IV 275; VII 92
 preservatives of XI 537
 preserved by Kyanizing II 379
 protection of from rot XVI 219
 “Seeley process” of preserving IV 372
 spontaneous combustion of II 405
stream in the II 277
unripe v. sterility IX 292
v. iron II 238 322
Woods XX 273 510
 alive I 221
 American XVIII 489; XX 475
 and plantations XX 110; in Great Britain III 251
Athole XVI 204 217
autumn X 292
 conservation of XVI 165
fragrant V 529
gravity of XII 206
 in England, extent of VI 7
 in the North of Europe VIII 310
lopping XX 110
undergrowth in VI 184
varnish for white VII 124
Woodland, the VII 402 (poetry)
Arctic X 335
garden, the XIX 334
gardening XV 286
lakes XVI 28
lawns and wood rides XVI 218
scenery in Ireland II 360
work for April XV 285; XVII 304; XIX 370; for August XVI 104; XVIII 111; XX 110; for the end of August XVI 143; for December XIV 485; XVI 494; XVIII 577; for February XV 105; XVII 104; XIX 153; for January XV 16; XVII 7; for July XVI 16; XVIII 16; for June XV 432; XVII 497; for March XV 225; XVII 229; XIX 264; for May XV 363; XVII 382; for November XVI 398; XVIII 498; for the end of November XIV 440; for October XVI 306; XVIII 340; for September XVI 203; XVIII 288
Woodlands and rain-fall VIII 234
 appearance of, in 1879 XVI 86 165
 in Europe, average of V 198
 utility of, for shelter XVI 48
Wood Leopard Moth, the XIV 450
Woodlice V 265; XVI 94 115
 and galvanised wire seed-guards III 425
gas-line for XIX 387
 how to destroy X 474; XIII 112 400
 how to trap III 109
 in frames IV 357; VIII 508; XIV 98
 remedy for XIX 452
Wood Lily, at home XIX 26
Plum-coloured VII 416
Woodpecker, the I 9; V 30 (cut)
provident I 214
Wood plants, cultivating VIII 18
Woodruff, the XV 469 493; XX 316
 and Ivy IX 592
sweet IX 287; XVII 537
Woodssia alpina XIV 341
polystichoides Veitchii VIII 146

Wood Vetch XX 209
Woodwardia orientalis XX 530
radicans II 289; r. *Brownii* V 281; r. *cristata* X 419; XI 518
Woodwardias, the II 289
Woolhope Club Fungus Foray XIV 279
Woolverstone Park IV 24; XX 356
Word, wanted a XVI 565
Work, a good bit of XX 190
Working in the wet I 63
Workmen, Mr. Ruskin on VIII 549
Worm, cure for the Carrot I 286
Worm turns, the XX 454 (poetry)
Worms I 526
 Horse Chestnut liquor, a remedy for XIII 198
 in gardens XVII 335; XX 580
 in pots VII 151; and on lawns, how to destroy X 494; how to get rid of XII 191
 keeping down XIII 162
 on lawns I 255 288 442; IV 210
 XIII 400; XVII 254
thread VIII 122
v. salt XVI 138
Worm-destroyer, a new XII 271 318
WORM-GRASS, THE XI 174
Wormia Burbidgei XX 564
Wormwood XX 314
Wormwoods (Artemisia) graceful V 224
Wreath, a floral, V 203
Wreaths and garlands V 203
bridal IV 441
for dead walls XI 525
for the hair I 222
improved kinds of IV 498
 in Covent Garden Market IV 478
metal V 50
Writing, bad, and illegible signatures VII 120
obscure XIX 353
Wych Elm, an ancient XVIII 368
Wych Elm XVII 539
Wych Hazel XX 475
Wycombe Abbey IV 227

X.

XANTHISMA texanum XI 189
Xanthium spinosum a remedy for hydrophobia IX 531
Xanthoceras, propagation of XIV 105
sorbifolia II 294; III 470; IV 206 352; V 258; IX 258; XI 325; XIV 309; XV 442 460; fruit of VIII 525; propagation of IX 436; X 252; XVIII 73; XX 134
SORBIFOLIA VIII 524
Xanthoptera semicrocea VII 117
Xanthorrhoea australis IV 130
hastifolia XVI 45
Xerophyllum asphodeloides VII 127; XIII 537; XV 497; XVII 322 345 367; XVIII 5; XX 108 (cut)
Xiphion Histrio VII 59; IX 29 (cut)
Kolpakowskianum XVII 488
planifolium XIX 59; in flower XV 144

Y.

Yarn, the XII 613
 Chinese III 385; VIII 182 437
 (*cut*); XII 413; XVI 380; as
 a climber VIII 457
Decaisne's VIII 438
 Yams and Sweet Potatoes in Covent
 Garden market VI 532
 Chinese, culture of XX 448
 history and culture of VIII 436
 Yarrow XX 198
 fine autumn-flowering X 396
Rosy XX 71
 Year 1872 II 527
 1880 XIX 14
Yellow Pine I 11
 packed with acorns I 214
 Yellowstone Valley Park, the III
 328
 Yellow, too much XVIII 140
 Yellow wood XX 52
 American XVII 230
 Yew tree I 436 573 618 633
 ancient IV 455; XVII 241; XX
 195
 bog VI 74
Crowhurst VIII 87
curious clipped III 451
Dovaston IX 341
 fine XVIII 523 650
 giant II 17
 golden-berried XX 543; grafted in
 hedges IV 254; on common Yew
 hedges VIII 512
Gelder Rose growing through
 XIV 485
 in Bavaria I 333
 Irish XVII 155; *swollen-stemmed*
 IV 33
 large old IV 94
 not poisonous to deer VII 370
 original Golden VIII 374
 poisonous principle of the XIII
 309
 remarkable, in Dorset VIII 172
 singular XVIII 280
Upright or Irish XI 425
 varieties of the common III 498;
 XX 218
 venerable XVI 515
 Yew trees I 711
 ancient V 274
 and cattle VII 377

Yew trees and Chestnuts together
 XIX 503
 berries of I 488; are they poison-
 ous? XVII 323; caution XX
 558; poisoning from XVI 406
 cattle poisoned by XIII 333
clipping, example of II 149
 clippings of, most poisonous VII
 322
 cluster-flowered XIX 236
 cows poisoned by XII 388
 danger of XII 589
 English and Japanese XII 622
 Golden I 531; XVI 117
 how to arrest decay in III 206
 Irish XIV 485 534; with single
 stems IX 371
 leaves of, pheasants poisoned by X
 536 564
 notes on XVII 289
 old I 129; III 180; Irish XIV
 428
 poisoning by VII 259 292 311
 seedling, best VIII 472
 species of XI 425
 transplanting XVII 323
 venerable XVII 8
 Yew-hedge, a historical XV 367
 Yew-hedges XVI 230 431
 clipping XIV 98
 York, alpine flowers at XV 427; in
 1877 XI 323
 effects of the winter of 1879-80 at
 XVIII 24
 plants in flower at XX 361
 rock-garden at XVI 344
 severe weather at, in January,
 1881 XIX 88
 spring flowers at XIX 226
 York Nurseries, notes from the
 XVII 138
 Yorkshire, effects of the winter of
 1879-80 in XVII 292
 Flower Gala in 1875 VII 533
 heavy snow-storm in October, 1880
 XVIII 472
 notes from XX 216
 Yosemite Valley I 306 307 (*cut*); VI
 454
Yponomeuta cognatella IV 357; XII
 439 (*cut*)
Padella V 233; XV 85 (*cut*)
Yucca XX 199
 aloifolia, at Kew IV 22; in Italy
 VIII 133; large specimen of
 VIII 294; a. variegata, propa-
 gating XIX 192
angustifolia VIII 134; in bloom
 in Devon X 100
 as a vegetable VI 72
baccata III 464; IX 608; XIV
 310; XVI 517 (*cut*)
brevifolia IX 358; XIX 401 (*cut*)
californica IX 563
draconis VI 425
 edible IX 608; XVI 516

Yucca Ellacombei IV 332 356;
 XVI 196 214 236 257 285; E.
tortulosa XVI 216
ensifolia VIII 135
falcata XVI 369
 fertilisation of the III 499; XVII
 28
filamentosa I 152; use of XX 363;
f. variegata I 152; XIV 18; f.
variegata in the open air VII 52
filifera X 554 596
flexilis, flower of VIII 129
gloriosa IV 3; VIII 132 (*cut*);
 XV 217 (*cut*); and *recurva* XVI
 528; in flower in Ayrshire VIII
 188; in flower in Scotland VIII
 128; in Texas XV 429
longifolia VII 405
Peacocki XIX 226; XX 26
pendula I 238
picta and its seed-pods XI 208
 quadricolor, flowering of X 398
recurva VIII 136; XII 611; XX
 237; as a town plant I 442
stricta II 144; VIII 130 (*cut*)
 140
style and stigma of the III 499
tortulata IV 356
Treculeana I 42; VII 27 (*cut*);
 VIII 131 (*cut*); hardiness of
 XII 343 369 446
TRECULEANA XII 328
 variegated Aloe-leaved VI 336
Yuccas I 95 121 152 161; VI 146
 and Ivies on balconies IV 377
 and mice XVI 71
 and *Sedum Fabarium* VIII 389
 and *Sedums* XVIII 538
 at Coombe Wood Nurseries IV
 82
 at Sawbridgeworth IV 42
 few more notes on VIII 304
 flowering XX 130
 for town gardening VI 20
 greenhouse IX 554
 grouping IV 3
group of II 427; XIII 591 (*cut*)
 hardy II 426; in groups XIX 9
 in clumps XIV
 in flower XX 124; *group of* VI
 127
 in the Carse of Gowrie XVI 261
 in the Isle of Wight XIV 525;
 XV 217
 in the Regent's Park VIII 58
 in the time of VI 126
 notes on new and rare VIII 147
 off-sets of V 95
 on grass XIX 654
 on Ivy XI 269
 propagating I 286
 protecting VIII 342
 raising from seed VII 82
seed of, germinating VIII 300
 species of X 554; and culture of
 VIII 129

Yuccas, stems of, as supports III
 364
 striking III 240
 supplementary notes on VIII 212
 value of, for garden decoration
 VIII 124
 winter protection of VIII 305 328
Yulan, the XIX 414

Z.

ZAMIA Hildebrandti XVII 70
Roezlii VII 396
Zauschneria XX 368
californica V 158; XX 264 367;
 on a wall X 176
Zea Mays, var. XVI 322
Zenobia (Andromeda) speciosa V 232
Zephyranthes, as border flowers XII
 104
carinata IV 234; XIV 27
 culture of VIII 36
ROSEA XII 88
rosea XX 124
Spofforthiana II 92
Treatiae XIX 368 499 (*cut*)
TUBISPATHA XII 88
 tubispatha and *rosea* XX 190
Zephyr-flowers, the XII 88
Zermatt, notes on the Flora of XII
 125
Zeuzera asculi II 510; XIV 297 450
 (*cut*)
“*Zi-Goma*,” the XIII 379; XIV 324
Zinnia Darwini IX 80
Zinnias XII 268; XX 82 103 290
 by the sea XIX 313
 double X 232; XIV 191; XVIII
 298; amongst *Mignonette* XVIII
 330; large IV 164
 new race of IX 8
 note on XIX 258
Sardinian XII 56
 single and double XIV 461
Zootoca vivipara XI 255
Zurich, rare hardy flowers from XV
 474
Zygopetalum from Guatun XX 560
 562
hybridum XX 561
Mackayi XX 520 623
Sedeni XII 106; XIII 609; XVI
 127; XX 104
Wendlandi XVI 261; XX 344

Plates in CAPITAL letters; Engravings in *Italics*.

THE END.







